

Прайс на 03.04.2015							
Код изделия	POZ	MR	NI	CENA_KG	CENA_SHT	NAVES	GOST
51100080000251	0	ВК3-М	2251	4097,00	55,27	13,7	ГОСТ 25395-90
51100080000271	0	ВК3-М	2271	4034,67	96,15	24,2	ГОСТ 25395-90
51100080000311	0	ВК3-М	2311	4002,89	152,23	39,5	ГОСТ 25395-90
51100080000351	0	ВК3-М	2351	4231,62	287,5	68,00	ГОСТ 25395-90
51100080000451	0	ВК3-М	2451	4247,55	232,6	56,00	ГОСТ 25395-90
51100080000511	0	ВК3-М	2511	4211,47	409,94	98,00	ГОСТ 25395-90
51100080000512	0	ВК3-М	2512	4214,07	388,58	94,37	ГОСТ 25395-90
51100080000611	0	ВК3-М	2611	4620,88	10,26	2,27	ГОСТ 25395-90
51100080000631	0	ВК3-М	2631	4361,22	18,49	4,33	ГОСТ 25395-90
51100080000651	0	ВК3-М	2651	4154,47	39,34	9,69	ГОСТ 25395-90
51100080000671	0	ВК3-М	2671	4062,87	72,2	18,18	ГОСТ 25395-90
51100090000010	0	ВК3-М	6010	4759,63	7,95	1,7	ГОСТ 25397-90
511000900000030	0	ВК3-М	6030	4572,35	11,29	2,51	ГОСТ 25397-90
511000900000050	0	ВК3-М	6050	4310,01	21,46	5,05	ГОСТ 25397-90
511000900000060	0	ВК3-М	6060	4310,01	21,46	5,05	ГОСТ 25397-90
511000900000090	0	ВК3-М	6090	4117,29	48,42	11,9	ГОСТ 25397-90
51100090000100	0	ВК3-М	6100	4117,29	48,42	11,9	ГОСТ 25397-90
51100090000130	0	ВК3-М	6130	4038,37	92,16	23,2	ГОСТ 25397-90
51100090000170	0	ВК3-М	6170	4285,17	160,35	38,00	ГОСТ 25397-90
51100090000180	0	ВК3-М	6180	4285,17	160,35	38,00	ГОСТ 25397-90
51100090000270	0	ВК3-М	6270	4234,73	274,83	66,00	ГОСТ 25397-90
51100090000340	0	ВК3-М	6340	4579,64	11,13	2,49	ГОСТ 25397-90
51100090000350	0	ВК3-М	6350	4318,7	20,9	4,95	ГОСТ 25397-90
51100090000370	0	ВК3-М	6370	4144,31	41,48	161,00	ГОСТ 25397-90
51100100000010	0	ВК3-М	7010	4663,11	9,47	2,05	ГОСТ 25426-90
51100100000030	0	ВК3-М	7030	6453,64	6,65	1,05	ГОСТ 25426-90
51100100000070	0	ВК3-М	7070	4292,68	22,67	5,41	ГОСТ 25426-90
51100100000080	0	ВК3-М	7080	4292,68	22,67	5,41	ГОСТ 25426-90
51100100000090	0	ВК3-М	7090	4198,05	32,12	7,82	ГОСТ 25426-90
51100100000100	0	ВК3-М	7100	4198,05	32,12	7,82	ГОСТ 25426-90
51100100000110	0	ВК3-М	7110	4130,5	44,77	11,09	ГОСТ 25426-90
51100100000120	0	ВК3-М	7120	4130,5	44,77	11,09	ГОСТ 25426-90
51100100000130	0	ВК3-М	7130	4088,15	58,87	14,74	ГОСТ 25426-90
51100100000150	0	ВК3-М	7150	4054,48	78,01	19,75	ГОСТ 25426-90
51100100000160	0	ВК3-М	7160	4054,48	78,01	19,75	ГОСТ 25426-90
51100100000170	0	ВК3-М	7170	4029,44	102,39	26,01	ГОСТ 25426-90
51100100000330	0	ВК3-М	7330	4300,66	142,18	33,5	ГОСТ 25426-90
51100100000340	0	ВК3-М	7340	4300,66	142,18	33,5	ГОСТ 25426-90
51100100000370	0	ВК3-М	7370	4438,01	15,18	3,47	ГОСТ 25426-90
51100120000051	0	ВК3-М	10051	4565,23	11,46	2,53	ГОСТ 25396-90
51100120000061	0	ВК3-М	10061	4565,23	11,46	2,53	ГОСТ 25396-90
51100120000151	0	ВК3-М	10151	4047,27	83,78	21,00	ГОСТ 25396-90
51100120000152	0	ВК3-М	10152	4045,19	85,6	21,66	ГОСТ 25396-90
51100120000161	0	ВК3-М	10161	4047,27	83,78	21,00	ГОСТ 25396-90
51100120000271	0	ВК3-М	10271	4416,77	15,99	4,05	ГОСТ 25396-90
51100120000291	0	ВК3-М	10291	4183,58	34,22	8,3	ГОСТ 25396-90
51100120000301	0	ВК3-М	10301	4183,58	34,22	8,3	ГОСТ 25396-90
51100120000411	0	ВК3-М	10411	7437,13	3,12	0,43	ГОСТ 25396-90
51100120000431	0	ВК3-М	10431	6690,05	5,62	0,86	ГОСТ 25396-90
51100120000451	0	ВК3-М	10451	6084,68	8,64	1,67	ГОСТ 25396-90
51100120000461	0	ВК3-М	10461	4794,53	7,48	1,63	ГОСТ 25396-90
51100120000471	0	ВК3-М	10471	4268,16	24,58	5,84	ГОСТ 25396-90
51100120000481	0	ВК3-М	10481	4268,16	24,58	5,84	ГОСТ 25396-90
51100120000491	0	ВК3-М	10491	4117,16	48,46	12,00	ГОСТ 25396-90
51100120000501	0	ВК3-М	10501	4117,16	48,46	12,00	ГОСТ 25396-90
51100120000531	0	ВК3-М	10531	4293,74	149,77	35,5	ГОСТ 25396-90
51100120000541	0	ВК3-М	10541	4293,74	149,77	35,5	ГОСТ 25396-90
51100120000571	0	ВК3-М	10571	4227,88	304,37	73,00	ГОСТ 25396-90
51100120000581	0	ВК3-М	10581	4227,88	304,37	73,00	ГОСТ 25396-90
51100120000652	0	ВК3-М	10652	4680,04	9,17	1,98	ГОСТ 25396-90
51100120000672	0	ВК3-М	10672	4496,4	13,26	3,02	ГОСТ 25396-90
51100120000682	0	ВК3-М	10682	4496,4	13,26	3,02	ГОСТ 25396-90
51100120000692	0	ВК3-М	10692	4091,24	57,56	15,6	ГОСТ 25396-90
51100120000702	0	ВК3-М	10702	4091,24	57,56	14,4	ГОСТ 25396-90
51100120000722	0	ВК3-М	10722	4023,15	111,04	28,25	ГОСТ 25396-90
51100140000051	0	ВК3-М	14051	8807,33	5,99	0,69	ГОСТ 25399-90
51100140000151	0	ВК3-М	14151	7792,14	9,19	1,2	ГОСТ 25399-90
51100140000211	0	ВК3-М	14211	6803,27	14,08	2,12	ГОСТ 25399-90
51100140000332	0	ВК3-М	14332	6772,11	14,29	2,16	ГОСТ 25399-90
51100140000352	0	ВК3-М	14352	6208,14	19,06	3,05	ГОСТ 25399-90
51100140000372	0	ВК3-М	14372	6022,61	21,26	3,58	ГОСТ 25399-90
51100140000412	0	ВК3-М	14412	5526,87	30,34	5,61	ГОСТ 25399-90
51100140000432	0	ВК3-М	14432	5349,33	35,73	6,78	ГОСТ 25399-90
51100160000010	0	ВК3-М	16010	4592,81	10,84	2,4	ГОСТ 25405-90

51100160000030	0	BK3-M	16030	4359,65	18,57	4,32	ГОСТ 25405-90
51100160000050	0	BK3-M	16050	4190,74	33,15	8,00	ГОСТ 25405-90
51100160000210	0	BK3-M	16210	4097,00	55,27	13,7	ГОСТ 25405-90
51100160000250	0	BK3-M	16250	4039,57	90,93	22,9	ГОСТ 25405-90
51100160000370	0	BK3-M	16370	4002,62	152,98	38,8	ГОСТ 25405-90
51100160000390	0	BK3-M	16390	4220,11	346,6	84,00	ГОСТ 25405-90
51100200000050	0	BK3-M	20050	4822,5	29,22	6,2	ГОСТ 25408-90
51100200000070	0	BK3-M	20070	4499,04	57,95	13,1	ГОСТ 25408-90
51100200000090	0	BK3-M	20090	4355,31	101,57	23,6	ГОСТ 25408-90
51100210000010	0	BK3-M	21010	8781,14	6,06	0,7	ГОСТ 25400-90
51100210000050	0	BK3-M	21050	9117,45	5,2	0,58	ГОСТ 25400-90
51100210000110	0	BK3-M	21110	5128,43	19,59	3,88	ГОСТ 25400-90
51100210000130	0	BK3-M	21130	4291,58	22,75	5,39	ГОСТ 25400-90
51100210000190	0	BK3-M	21190	5683,01	11,71	2,1	ГОСТ 25400-90
51100210000250	0	BK3-M	21250	4282,54	23,43	5,55	ГОСТ 25400-90
51100210000270	0	BK3-M	21270	5616,57	12,36	2,29	ГОСТ 25400-90
51100210000350	0	BK3-M	21350	5007,68	22,58	4,58	ГОСТ 25400-90
51100210000370	0	BK3-M	21370	7492,42	10,41	1,41	ГОСТ 25400-90
51100210000410	0	BK3-M	21410	4770,94	31,77	6,77	ГОСТ 25400-90
51100210000490	0	BK3-M	21490	4100,27	54,04	13,4	ГОСТ 25400-90
51100240000010	0	BK3-M	24010	4753,59	8,03	1,71	ГОСТ 25409-90
51100240000090	0	BK3-M	24090	4512,13	12,81	2,88	ГОСТ 25409-90
51100240000130	0	BK3-M	24130	4299,41	22,18	5,23	ГОСТ 25409-90
51100240000210	0	BK3-M	24210	4221,86	29,13	7,00	ГОСТ 25409-90
51100240000650	0	BK3-M	24650	4280,86	166,27	39,4	ГОСТ 25409-90
51100240000770	0	BK3-M	24770	4439,12	15,14	3,46	ГОСТ 25409-90
51100240000790	0	BK3-M	24790	4094,96	56,06	13,9	ГОСТ 25409-90
51100250000110	0	BK3-M	25110	5904,86	9,86	1,7	ГОСТ 25424-90
51100250000130	0	BK3-M	25130	5326,09	15,98	3,05	ГОСТ 25424-90
51100250000150	0	BK3-M	25150	4979,57	23,4	4,78	ГОСТ 25424-90
51100250000190	0	BK3-M	25190	4071,04	67,29	16,8	ГОСТ 25424-90
51100250000210	0	BK3-M	25210	5106,91	20,07	4,02	ГОСТ 25424-90
51100250000230	0	BK3-M	25230	4745,88	33,17	7,15	ГОСТ 25424-90
51100250000250	0	BK3-M	25250	4425,3	74,35	17,2	ГОСТ 25424-90
51100260000010	0	BK3-M	26010	10282,74	2,67	0,26	ГОСТ 25425-90
51100260000030	0	BK3-M	26030	8915,29	5,71	0,65	ГОСТ 25425-90
51100260000050	0	BK3-M	26050	7990,84	8,47	1,08	ГОСТ 25425-90
51100260000070	0	BK3-M	26070	5777,94	10,86	1,92	ГОСТ 25425-90
51100260000090	0	BK3-M	26090	5334,87	15,84	3,04	ГОСТ 25425-90
51100260000130	0	BK3-M	26130	4864,14	27,43	5,77	ГОСТ 25425-90
51100260000250	0	BK3-M	26250	4755,5	32,62	6,96	ГОСТ 25425-90
51100320000110	0	BK3-M	17110	5444,52	14,32	2,67	ГОСТ 25406-90
51100320000130	0	BK3-M	17130	5393,72	14,99	2,82	ГОСТ 25406-90
51100320000150	0	BK3-M	17150	5080,88	20,68	4,13	ГОСТ 25406-90
51100320000170	0	BK3-M	17170	5047,77	21,5	4,32	ГОСТ 25406-90
51100320000190	0	BK3-M	17190	4893,81	26,28	5,45	ГОСТ 25406-90
51100320000210	0	BK3-M	17210	4870,52	27,18	5,65	ГОСТ 25406-90
51100320000230	0	BK3-M	17230	4730,98	34,06	7,35	ГОСТ 25406-90
51100320000250	0	BK3-M	17250	4637,00	40,94	8,95	ГОСТ 25406-90
51100320000270	0	BK3-M	17270	4623,45	42,17	9,25	ГОСТ 25406-90
51100320000290	0	BK3-M	17290	4556,4	49,44	11,00	ГОСТ 25406-90
51100320000310	0	BK3-M	17310	4097,00	55,27	13,6	ГОСТ 25406-90
51100320000330	0	BK3-M	17330	4076,27	64,49	16,00	ГОСТ 25406-90
51100320000350	0	BK3-M	17350	4059,99	74,09	18,6	ГОСТ 25406-90
51100320000370	0	BK3-M	17370	4041,99	88,56	22,2	ГОСТ 25406-90
51100320000390	0	BK3-M	17390	4030,58	100,97	25,5	ГОСТ 25406-90
51100320000410	0	BK3-M	17410	4028,37	103,77	26,1	ГОСТ 25406-90
51100320000430	0	BK3-M	17430	4016,35	122,18	30,9	ГОСТ 25406-90
51100320000450	0	BK3-M	17450	4008,45	138,21	35,00	ГОСТ 25406-90
51100320000470	0	BK3-M	17470	4000,81	158,23	40,2	ГОСТ 25406-90
51100320000510	0	BK3-M	17510	3989,27	202,26	51,00	ГОСТ 25406-90
51100320000530	0	BK3-M	17530	9273,25	4,82	0,53	ГОСТ 25406-90
51100320000550	0	BK3-M	17550	8606,14	6,54	0,78	ГОСТ 25406-90
51100320000570	0	BK3-M	17570	7776,56	9,25	1,21	ГОСТ 25406-90
51100320000590	0	BK3-M	17590	5783,56	10,82	1,9	ГОСТ 25406-90
51100320000610	0	BK3-M	17610	5668,27	11,85	2,12	ГОСТ 25406-90
51100370000090	0	BK3-M	23090	4134,13	43,86	10,85	ГОСТ 25401-90
51100370000110	0	BK3-M	23110	4070,34	67,69	17,3	ГОСТ 25401-90
51100390000010	0	BK3-M	39010	5911,41	9,81	1,7	ГОСТ 25416-90
51100390000050	0	BK3-M	39050	4724,15	34,49	7,33	ГОСТ 25416-90
51100410000050	0	BK3-M	47050	5938,08	9,62	1,77	ГОСТ 25421-90
51100410000070	0	BK3-M	47070	5723,79	11,33	2,22	ГОСТ 25421-90
51100520000151	0	BK3-M	61151	4036,87	93,74	23,6	ГОСТ 25395-90
51100520000271	0	BK3-M	61271	4185,14	925,12	226,00	ГОСТ 25395-90
51100520000351	0	BK3-M	61351	4454,06	14,61	3,34	ГОСТ 25395-90
51100520000371	0	BK3-M	61371	4238,83	27,3	6,8	ГОСТ 25395-90
51100520000391	0	BK3-M	61391	4099,2	54,44	13,4	ГОСТ 25395-90

51100520000411	0	BK3-M	61411	4265,86	190,77	45,7	ГОСТ 25395-90
51100520000431	0	BK3-M	61431	3973,13	329,93	83,00	ГОСТ 25395-90
51100520000451	0	BK3-M	61451	4195,39	621,09	150,00	ГОСТ 25395-90
51100520000471	0	BK3-M	61471	4183,3	1013,82	246,00	ГОСТ 25395-90
51100530000152	0	BK3-M	61152	4041,62	88,92	22,5	ГОСТ 25395-90
51100530000392	0	BK3-M	61392	4109,54	50,83	23,1	ГОСТ 25395-90
51100540000251	0	BK3-M	62251	4090,01	58,08	14,4	ГОСТ 25395-90
51100540000271	0	BK3-M	62271	4030,58	100,97	25,4	ГОСТ 25395-90
51100540000311	0	BK3-M	62311	4277,7	170,89	40,4	ГОСТ 25395-90
51100540000351	0	BK3-M	62351	4229,69	295,95	71,00	ГОСТ 25395-90
51100540000511	0	BK3-M	62511	4209,15	431,06	103,00	ГОСТ 25395-90
51100550000272	0	BK3-M	62272	4035,02	95,75	24,3	ГОСТ 25395-90
51100620000090	0	BK3-M	66090	4111,63	50,16	12,5	ГОСТ 25397-90
51100620000100	0	BK3-M	66100	4109,54	50,83	12,5	ГОСТ 25397-90
51100620000130	0	BK3-M	66130	4034,32	96,54	24,4	ГОСТ 25397-90
51100620000140	0	BK3-M	66140	4034,32	96,54	24,4	ГОСТ 25397-90
51100620000170	0	BK3-M	66170	4279,42	168,35	40,00	ГОСТ 25397-90
51100710000330	0	BK3-M	67330	4294,46	148,93	35,2	ГОСТ 25426-90
51100710000340	0	BK3-M	67340	4294,46	148,93	35,2	ГОСТ 25426-90
51100710000390	0	BK3-M	67390	4145,39	41,25	10,1	ГОСТ 25426-90
51100710000400	0	BK3-M	67400	4145,39	41,25	10,1	ГОСТ 25426-90
51100710000410	0	BK3-M	67410	4055,98	76,9	19,2	ГОСТ 25426-90
51100710000420	0	BK3-M	67420	4055,98	76,9	19,2	ГОСТ 25426-90
51100820000051	0	BK3-M	70051	4544,8	11,95	2,8	ГОСТ 25396-90
51100820000151	0	BK3-M	70151	4042,86	87,73	22,00	ГОСТ 25396-90
51100820000161	0	BK3-M	70161	4042,86	87,73	22,00	ГОСТ 25396-90
51100820000291	0	BK3-M	70291	4173,48	35,85	8,72	ГОСТ 25396-90
51100820000301	0	BK3-M	70301	4173,48	35,85	8,72	ГОСТ 25396-90
51100820000311	0	BK3-M	70311	4100,27	54,04	13,3	ГОСТ 25396-90
51100820000321	0	BK3-M	70321	4100,27	54,04	13,3	ГОСТ 25396-90
51100820000371	0	BK3-M	70371	4205,88	464,88	112,00	ГОСТ 25396-90
51100820000471	0	BK3-M	70471	4173,48	35,85	8,72	ГОСТ 25396-90
51100820000481	0	BK3-M	70481	4173,48	35,85	8,72	ГОСТ 25396-90
51100820000491	0	BK3-M	70491	4109,54	50,83	12,6	ГОСТ 25396-90
51100820000501	0	BK3-M	70501	4109,54	50,83	12,6	ГОСТ 25396-90
51100820000511	0	BK3-M	70511	4027,77	104,56	26,5	ГОСТ 25396-90
51100820000521	0	BK3-M	70521	4027,77	104,56	26,5	ГОСТ 25396-90
51100820000531	0	BK3-M	70531	4287,78	156,98	37,2	ГОСТ 25396-90
51100820000541	0	BK3-M	70541	4287,81	156,93	37,2	ГОСТ 25396-90
51100820000551	0	BK3-M	70551	4272,59	178,94	42,5	ГОСТ 25396-90
51100820000571	0	BK3-M	70571	4224,52	321,28	77,00	ГОСТ 25396-90
51100820000581	0	BK3-M	70581	4224,52	321,28	77,00	ГОСТ 25396-90
51100820000591	0	BK3-M	70591	4222,23	333,94	80,00	ГОСТ 25396-90
51100820000601	0	BK3-M	70601	4222,23	333,94	80,00	ГОСТ 25396-90
51101620000011	0	BK3-M	13011	6296,11	7,43	1,21	ГОСТ 17163-90
51101620000031	0	BK3-M	13031	6315,85	7,33	1,18	ГОСТ 17163-90
51101620000051	0	BK3-M	13051	4565,23	11,46	2,58	ГОСТ 17163-90
51101620000071	0	BK3-M	13071	4572,35	11,29	2,53	ГОСТ 17163-90
51101620000131	0	BK3-M	13131	4334,62	19,94	4,74	ГОСТ 17163-90
51101620000151	0	BK3-M	13151	4340,23	19,62	4,63	ГОСТ 17163-90
51101620000171	0	BK3-M	13171	4199,22	31,96	7,78	ГОСТ 17163-90
51101620000191	0	BK3-M	13191	4302,32	140,47	33,1	ГОСТ 17163-90
51101620000351	0	BK3-M	13351	4203,38	31,4	7,65	ГОСТ 17163-90
51101620000371	0	BK3-M	13371	4082,87	61,24	15,34	ГОСТ 17163-90
51101620000391	0	BK3-M	13391	4085,55	60,02	15,03	ГОСТ 17163-90
51101620000431	0	BK3-M	13431	4029,97	101,72	25,83	ГОСТ 17163-90
51101630000492	0	BK3-M	13492	6453,64	6,65	1,05	ГОСТ 17163-90
51101630000512	0	BK3-M	13512	6068,94	8,74	1,46	ГОСТ 17163-90
51101630000532	0	BK3-M	13532	5589,83	12,63	2,65	ГОСТ 17163-90
51101630000552	0	BK3-M	13552	5362,03	15,44	3,13	ГОСТ 17163-90
51101630000572	0	BK3-M	13572	5068,4	20,98	4,56	ГОСТ 17163-90
51101630000592	0	BK3-M	13592	4760,05	32,37	7,5	ГОСТ 17163-90
51101630000612	0	BK3-M	13612	4517,09	54,97	13,2	ГОСТ 17163-90
51101630000632	0	BK3-M	13632	4389,05	86,33	21,2	ГОСТ 17163-90
51101630000652	0	BK3-M	13652	4318,1	126,09	29,7	ГОСТ 17163-90
51101860000026	0	BK3-M	2005-0026	8624,24	58,3	6,6	ТУ 48-19-64-91
51102020008803	0	BK3-M	2005-8803	7397,46	7,99	1,08	ТУ 48-19-64-91
51102690000130	0	BK3-M	11130	6559,85	6,17	0,92	ГОСТ 25398-90
51102690000150	0	BK3-M	11150	5854,22	10,24	1,8	ГОСТ 25398-90
51102690000170	0	BK3-M	11170	5340,8	15,76	3,00	ГОСТ 25398-90
51102690000190	0	BK3-M	11190	4997,1	22,89	4,68	ГОСТ 25398-90
51102690000210	0	BK3-M	11210	4609,37	43,51	9,66	ГОСТ 25398-90
51102690000230	0	BK3-M	11230	4412,47	78,19	18,14	ГОСТ 25398-90
51103520160404	0	BK3-M	01111-160404	6930,75	49,9	8,5	ГОСТ 19043-80
51103540110304	0	BK3-M	01113-110304	7163,52	5,95	0,99	ГОСТ 19044-80
51103540160408	0	BK3-M	01113-160408	6950,56	45,25	7,22	ГОСТ 19044-80
51103540220408	0	BK3-M	01113-220408	6825,6	78,9	13,25	ГОСТ 19044-80

51103540270616	0	BK3-M	01113-270616	6942,43	165,99	27,41	ГОСТ 19044-80
51103570110304	0	BK3-M	01311-110304	8353,78	14,7	2,06	ГОСТ 19045-80
51103580110304	0	BK3-M	01331-110304	10187,73	17,93	2,06	ГОСТ 19045-80
51103580160308	0	BK3-M	01331-160308	9923,00	42,27	4,85	ГОСТ 19045-80
51103590160408	0	BK3-M	01114-160408	7323,07	45,77	7,32	ГОСТ 19046-80
51103600270612	0	BK3-M	01124-270612	7581,33	174,52	27,00	ГОСТ 19046-80
51103620080408	0	BK3-M	02114-080408	7245,00	62,38	10,1	ГОСТ 19048-80
51103620100408	0	BK3-M	02114-100408	7123,82	94,39	15,5	ГОСТ 19048-80
51103620100608	0	BK3-M	02114-100608	7031,11	126,28	20,59	ГОСТ 19048-80
51103630120408	0	BK3-M	03111-120408	6860,63	68,33	11,6	ГОСТ 19049-80
51103630120412	0	BK3-M	03111-120412	6860,63	68,33	11,73	ГОСТ 19049-80
51103640090308	0	BK3-M	03131-090308	9973,47	37,3	4,36	ГОСТ 19049-80
51103650120304	0	BK3-M	03311-120304	8097,87	48,75	7,06	ГОСТ 19050-80
51103710120408	0	BK3-M	03124-120408	7995,54	65,8	9,61	ГОСТ 19052-80
51103880110408	0	BK3-M	10113-110408	6812,96	82,98	14,2	ГОСТ 19064-80
51103910110408	0	BK3-M	10114-110408	7168,35	81,58	13,3	ГОСТ 19065-80
51103910130412	0	BK3-M	10114-130412	7065,02	113,68	18,8	ГОСТ 19065-80
51104000130612	0	BK3-M	12114-150400	7213,42	69,9	11,3	ГОСТ 19071-80
51120050110304	0	BK3-M	3-01331-110304	6231,74	14,46	2,35	OCT 48-93-81
51120090160404	0	BK3-M	3-01114-160404	6562,08	48,95	7,64	OCT 48-93-81
51120090160408	0	BK3-M	3-01114-160408	6562,08	48,95	7,59	OCT 48-93-81
51120120080404	0	BK3-M	3-02114-080404	6503,25	65,88	10,37	OCT 48-93-81
51120120080408	0	BK3-M	3-02114-080408	6503,25	65,88	10,34	OCT 48-93-81
51120120100412	0	BK3-M	3-02114-100412	6410,00	100,12	15,76	OCT 48-93-81
51120120100608	0	BK3-M	3-02114-100608	6345,46	131,73	21,25	OCT 48-93-81
51120120120612	0	BK3-M	3-02114-120612	6269,72	182,26	29,76	OCT 48-93-81
51120380110408	0	BK3-M	3-10113-110408	6017,62	85,33	14,51	OCT 48-93-81
51120410110408	0	BK3-M	3-10114-110408	6446,31	85,48	13,58	OCT 48-93-81
51120410130412	0	BK3-M	3-10114-130412	6370,00	118,74	19,08	OCT 48-93-81
51120410130612	0	BK3-M	3-10114-130612	6301,35	158,92	25,82	OCT 48-93-81
51122340000212	0	BK3-M	2008-0212	10894,68	209,18	19,2	ТУ 48-19-63-87
51122340000271	0	BK3-M	2008-0271	13388,15	96,39	7,2	ТУ 48-19-63-87
51122360000272	0	BK3-M	2008-0272	13024,87	106,15	8,15	ТУ 48-19-63-87
51122430000055	0	BK3-M	KB-55	7463,76	12,54	1,68	ТУ 48-19-263-81
51125820001305	0	BK3-M	P010016 (ПР13-5)	5678,79	18,06	3,18	ТУ 48-19-178-84
51125830001306	0	BK3-M	P020040 (ПР13-6)	6236,76	25,63	4,11	ТУ 48-19-178-84
51125830001309	0	BK3-M	P020043 (ПР13-9)	5764,27	72,63	12,6	ТУ 48-19-178-84
51125830001310	0	BK3-M	P020044 (ПР13-10)	5705,67	85,01	14,9	ТУ 48-19-178-84
51125840001400	0	BK3-M	M030008 (ПР14)	7456,88	259,5	34,8	ТУ 48-19-178-84
51125840001900	0	BK3-M	Φ030165 (ПР19)	5765,16	63,65	11,00	ТУ 48-19-178-84
51125940000801	0	BK3-M	PO-801	9007,11	39,63	4,4	ТУ 48-19-263-81
51130000000151	0	BK3-M		1151	4041,17	89,35	ГОСТ 25395-90
51130000000152	0	BK3-M		1152	4046,72	84,25	ГОСТ 25395-90
51130000000251	0	BK3-M		1251	4193,4	663,31	ГОСТ 25395-90
51130000000271	0	BK3-M		1271	4186,14	882,9	ГОСТ 25395-90
51130000000291	0	BK3-M		1291	5453,47	2,4	ГОСТ 25395-90
51130000000311	0	BK3-M		1311	5094,86	4,53	ГОСТ 25395-90
51130000000331	0	BK3-M		1331	4794,53	7,48	ГОСТ 25395-90
51130000000351	0	BK3-M		1351	4473,74	13,96	ГОСТ 25395-90
51130000000352	0	BK3-M		1352	4476,31	13,88	ГОСТ 25395-90
51130000000371	0	BK3-M		1371	4251,08	26,1	ГОСТ 25395-90
51130000000372	0	BK3-M		1372	4272,00	24,26	ГОСТ 25395-90
51130000000391	0	BK3-M		1391	4105,86	52,06	ГОСТ 25395-90
51130000000411	0	BK3-M		1411	4269,59	184,02	ГОСТ 25395-90
51130000000431	0	BK3-M		1431	4223,74	325,48	ГОСТ 25395-90
51130000000451	0	BK3-M		1451	4196,95	591,56	ГОСТ 25395-90
51130000000471	0	BK3-M		1471	4184,22	967,35	ГОСТ 25395-90
51130000000491	0	BK3-M		1491	4212,46	401,53	ГОСТ 25395-90
51200080000051	0	BK6-M		2051	4233,07	27,9	ГОСТ 25395-90
512000800000231	0	BK6-M		2231	4136,91	43,19	ГОСТ 25395-90
512000800000251	0	BK6-M		2251	4097,00	55,27	ГОСТ 25395-90
512000800000252	0	BK6-M		2252	4108,33	51,23	ГОСТ 25395-90
512000800000271	0	BK6-M		2271	4034,67	96,15	ГОСТ 25395-90
512000800000272	0	BK6-M		2272	4039,18	91,33	ГОСТ 25395-90
512000800000311	0	BK6-M		2311	4002,89	152,23	ГОСТ 25395-90
512000800000312	0	BK6-M		2312	4006,08	143,86	ГОСТ 25395-90
512000800000351	0	BK6-M		2351	4231,62	287,5	ГОСТ 25395-90
512000800000352	0	BK6-M		2352	4236,62	267,67	ГОСТ 25395-90
512000800000511	0	BK6-M		2511	4211,47	409,94	ГОСТ 25395-90
512000800000512	0	BK6-M		2512	4214,07	388,58	ГОСТ 25395-90
512000800000611	0	BK6-M		2611	4620,88	10,26	ГОСТ 25395-90
512000800000631	0	BK6-M		2631	4361,22	18,49	ГОСТ 25395-90
512000800000651	0	BK6-M		2651	4154,47	39,34	ГОСТ 25395-90
512000800000671	0	BK6-M		2671	4062,87	72,2	ГОСТ 25395-90
51200090000010	0	BK6-M		6010	4759,63	7,95	ГОСТ 25397-90
51200090000030	0	BK6-M		6030	4572,35	11,29	ГОСТ 25397-90
51200090000050	0	BK6-M		6050	4310,01	21,46	ГОСТ 25397-90

51200090000060	0	BK6-M	6060	4310,01	21,46	4,97	ГОСТ 25397-90
51200090000090	0	BK6-M	6090	4117,29	48,42	11,7	ГОСТ 25397-90
51200090000100	0	BK6-M	6100	4119,45	47,79	11,7	ГОСТ 25397-90
51200090000130	0	BK6-M	6130	4038,37	92,16	22,8	ГОСТ 25397-90
51200090000140	0	BK6-M	6140	4038,37	92,16	22,8	ГОСТ 25397-90
51200090000170	0	BK6-M	6170	4285,17	160,35	37,4	ГОСТ 25397-90
51200090000330	0	BK6-M	6330	4579,64	11,13	2,44	ГОСТ 25397-90
51200090000340	0	BK6-M	6340	4579,64	11,13	2,44	ГОСТ 25397-90
51200090000350	0	BK6-M	6350	4318,7	20,9	5,1	ГОСТ 25397-90
51200090000360	0	BK6-M	6360	1651,31	10,07	4,84	ГОСТ 25397-90
51200090000370	0	BK6-M	6370	4144,31	41,48	10,56	ГОСТ 25397-90
51200090000380	0	BK6-M	6380	4144,31	41,48	10,56	ГОСТ 25397-90
51200090000390	0	BK6-M	6390	4062,38	72,51	19,00	ГОСТ 25397-90
51200090000400	0	BK6-M	6400	4062,38	72,51	19,00	ГОСТ 25397-90
51200100000010	0	BK6-M	7010	4663,11	9,47	2,01	ГОСТ 25426-90
51200100000030	0	BK6-M	7030	6453,64	6,65	1,03	ГОСТ 25426-90
51200100000050	0	BK6-M	7050	4543,16	11,99	2,64	ГОСТ 25426-90
51200100000070	0	BK6-M	7070	4292,68	22,67	5,28	ГОСТ 25426-90
51200100000090	0	BK6-M	7090	4198,05	32,12	7,64	ГОСТ 25426-90
51200100000100	0	BK6-M	7100	4198,05	32,12	7,64	ГОСТ 25426-90
51200100000110	0	BK6-M	7110	4130,5	44,77	11,4	ГОСТ 25426-90
51200100000120	0	BK6-M	7120	4130,5	44,77	11,4	ГОСТ 25426-90
51200100000130	0	BK6-M	7130	4088,15	58,87	14,4	ГОСТ 25426-90
51200100000140	0	BK6-M	7140	4088,15	58,87	14,4	ГОСТ 25426-90
51200100000150	0	BK6-M	7150	4054,48	78,01	19,24	ГОСТ 25426-90
51200100000160	0	BK6-M	7160	4054,48	78,01	19,24	ГОСТ 25426-90
51200100000170	0	BK6-M	7170	4029,44	102,39	25,41	ГОСТ 25426-90
51200100000180	0	BK6-M	7180	4029,44	102,39	25,41	ГОСТ 25426-90
51200100000330	0	BK6-M	7330	4300,66	142,18	33,00	ГОСТ 25426-90
51200100000340	0	BK6-M	7340	4300,66	142,18	33,00	ГОСТ 25426-90
51200100000350	0	BK6-M	7350	6980,9	4,54	0,65	ГОСТ 25426-90
51200100000370	0	BK6-M	7370	4438,01	15,18	3,4	ГОСТ 25426-90
51200120000051	0	BK6-M	10051	4565,23	11,46	2,5	ГОСТ 25396-90
51200120000061	0	BK6-M	10061	4565,23	11,46	2,5	ГОСТ 25396-90
51200120000151	0	BK6-M	10151	4047,27	83,78	20,6	ГОСТ 25396-90
51200120000152	0	BK6-M	10152	4045,19	85,6	21,16	ГОСТ 25396-90
51200120000161	0	BK6-M	10161	4047,27	83,78	20,6	ГОСТ 25396-90
51200120000271	0	BK6-M	10271	4416,77	15,99	4,00	ГОСТ 25396-90
51200120000291	0	BK6-M	10291	4183,58	34,22	8,16	ГОСТ 25396-90
51200120000301	0	BK6-M	10301	4183,58	34,22	8,16	ГОСТ 25396-90
51200120000411	0	BK6-M	10411	7437,13	3,12	0,42	ГОСТ 25396-90
51200120000431	0	BK6-M	10431	6690,05	5,62	0,84	ГОСТ 25396-90
51200120000451	0	BK6-M	10451	6084,68	8,64	1,67	ГОСТ 25396-90
51200120000471	0	BK6-M	10471	4268,16	24,58	5,74	ГОСТ 25396-90
51200120000472	0	BK6-M	10472	4260,29	25,26	5,93	ГОСТ 25396-90
51200120000481	0	BK6-M	10481	4268,16	24,58	5,74	ГОСТ 25396-90
51200120000491	0	BK6-M	10491	4117,16	48,46	11,8	ГОСТ 25396-90
51200120000492	0	BK6-M	10492	4112,88	49,77	12,1	ГОСТ 25396-90
51200120000501	0	BK6-M	10501	4117,16	48,46	11,8	ГОСТ 25396-90
51200120000531	0	BK6-M	10531	4293,74	149,77	34,8	ГОСТ 25396-90
51200120000541	0	BK6-M	10541	4293,74	149,77	34,8	ГОСТ 25396-90
51200120000571	0	BK6-M	10571	4227,88	304,37	72,00	ГОСТ 25396-90
51200120000581	0	BK6-M	10581	4227,88	304,37	72,00	ГОСТ 25396-90
51200120000611	0	BK6-M	10611	4198,67	561,99	133,00	ГОСТ 25396-90
51200120000652	0	BK6-M	10652	4680,04	9,17	1,93	ГОСТ 25396-90
51200120000682	0	BK6-M	10682	4496,4	13,26	2,95	ГОСТ 25396-90
51200120000702	0	BK6-M	10702	4091,24	57,56	14,07	ГОСТ 25396-90
51200120000712	0	BK6-M	10712	4023,15	111,04	27,6	ГОСТ 25396-90
51200120000722	0	BK6-M	10722	4023,15	111,04	27,6	ГОСТ 25396-90
51200140000031	0	BK6-M	14031	8943,1	5,63	0,63	ГОСТ 25399-90
51200140000071	0	BK6-M	14071	8400,6	7,14	0,85	ГОСТ 25399-90
51200140000111	0	BK6-M	14111	7888,68	8,84	1,12	ГОСТ 25399-90
51200140000251	0	BK6-M	14251	7343,67	11,09	1,51	ГОСТ 25399-90
51200140000271	0	BK6-M	14271	7274,51	11,42	1,57	ГОСТ 25399-90
51200140000291	0	BK6-M	14291	6945,26	13,2	1,89	ГОСТ 25399-90
51200140000312	0	BK6-M	14312	7367,47	10,98	1,49	ГОСТ 25399-90
51200140000332	0	BK6-M	14332	6772,11	14,29	2,1	ГОСТ 25399-90
51200140000352	0	BK6-M	14352	6208,14	19,06	3,00	ГОСТ 25399-90
51200140000372	0	BK6-M	14372	6022,61	21,26	3,52	ГОСТ 25399-90
51200140000452	0	BK6-M	14452	5269,51	38,84	7,36	ГОСТ 25399-90
51200140000492	0	BK6-M	14492	5031,1	52,52	10,4	ГОСТ 25399-90
51200140000512	0	BK6-M	14512	5003,36	54,79	10,9	ГОСТ 25399-90
51200160000030	0	BK6-M	16030	4359,65	18,57	4,25	ГОСТ 25405-90
51200160000050	0	BK6-M	16050	4190,74	33,15	7,9	ГОСТ 25405-90
51200160000210	0	BK6-M	16210	4097,00	55,27	13,5	ГОСТ 25405-90
51200160000250	0	BK6-M	16250	4039,57	90,93	22,5	ГОСТ 25405-90
51200160000390	0	BK6-M	16390	4220,11	346,6	82,00	ГОСТ 25405-90

51200200000010	0	BK6-M	20010	4572,35	11,29	2,47	ГОСТ 25408-90
51200200000030	0	BK6-M	20030	4410,75	16,23	3,67	ГОСТ 25408-90
51200200000050	0	BK6-M	20050	4822,5	29,22	6,06	ГОСТ 25408-90
51200200000070	0	BK6-M	20070	4499,04	57,95	12,9	ГОСТ 25408-90
51200200000080	0	BK6-M	20080	4499,04	57,95	12,9	ГОСТ 25408-90
51200200000100	0	BK6-M	20100	4355,31	101,57	23,2	ГОСТ 25408-90
51200200000130	0	BK6-M	20130	4280,86	166,27	38,8	ГОСТ 25408-90
51200210000070	0	BK6-M	21070	8254,05	7,59	0,92	ГОСТ 25400-90
51200210000090	0	BK6-M	21090	5320,31	16,07	3,01	ГОСТ 25400-90
51200210000110	0	BK6-M	21110	5128,43	19,59	3,8	ГОСТ 25400-90
51200210000130	0	BK6-M	21130	4291,58	22,75	5,3	ГОСТ 25400-90
51200210000190	0	BK6-M	21190	5683,01	11,71	2,05	ГОСТ 25400-90
51200210000250	0	BK6-M	21250	4282,54	23,43	5,46	ГОСТ 25400-90
51200210000270	0	BK6-M	21270	5603,08	12,49	2,24	ГОСТ 25400-90
51200210000350	0	BK6-M	21350	5007,68	22,58	4,51	ГОСТ 25400-90
51200210000370	0	BK6-M	21370	7492,42	10,41	1,39	ГОСТ 25400-90
51200210000410	0	BK6-M	21410	4770,94	31,77	6,65	ГОСТ 25400-90
51200210000470	0	BK6-M	21470	4203,38	31,4	7,46	ГОСТ 25400-90
51200210000490	0	BK6-M	21490	4100,27	54,04	13,1	ГОСТ 25400-90
51200210000510	0	BK6-M	21510	4071,75	66,9	16,4	ГОСТ 25400-90
51200210000530	0	BK6-M	21530	4014,2	126,17	31,00	ГОСТ 25400-90
51200210000630	0	BK6-M	21630	4371,75	17,97	4,11	ГОСТ 25400-90
51200210000650	0	BK6-M	21650	4170,22	36,41	8,73	ГОСТ 25400-90
51200240000010	0	BK6-M	24010	4759,63	7,95	1,69	ГОСТ 25409-90
51200240000050	0	BK6-M	24050	4610,58	10,47	2,27	ГОСТ 25409-90
51200240000090	0	BK6-M	24090	4518,07	12,65	2,83	ГОСТ 25409-90
51200240000130	0	BK6-M	24130	4299,41	22,18	5,15	ГОСТ 25409-90
51200240000170	0	BK6-M	24170	4255,83	25,66	6,03	ГОСТ 25409-90
51200240000210	0	BK6-M	24210	4221,86	29,13	6,85	ГОСТ 25409-90
51200240000250	0	BK6-M	24250	4194,91	32,55	7,75	ГОСТ 25409-90
51200240000270	0	BK6-M	24270	4128,81	45,21	11,00	ГОСТ 25409-90
51200240000290	0	BK6-M	24290	4113,26	49,65	12,00	ГОСТ 25409-90
51200240000570	0	BK6-M	24570	4030,26	101,36	25,00	ГОСТ 25409-90
51200240000650	0	BK6-M	24650	4280,86	166,27	38,8	ГОСТ 25409-90
51200240000790	0	BK6-M	24790	4096,9	55,31	13,6	ГОСТ 25409-90
51200250000110	0	BK6-M	25110	5904,86	9,86	1,67	ГОСТ 25424-90
51200250000130	0	BK6-M	25130	5326,09	15,98	3,00	ГОСТ 25424-90
51200250000150	0	BK6-M	25150	4979,57	23,4	4,7	ГОСТ 25424-90
51200250000190	0	BK6-M	25190	4071,04	67,29	16,5	ГОСТ 25424-90
51200250000210	0	BK6-M	25210	5106,91	20,07	3,93	ГОСТ 25424-90
51200250000230	0	BK6-M	25230	4745,88	33,17	6,99	ГОСТ 25424-90
51200250000250	0	BK6-M	25250	4425,3	74,35	16,8	ГОСТ 25424-90
51200260000010	0	BK6-M	26010	10282,74	2,67	0,25	ГОСТ 25425-90
51200260000030	0	BK6-M	26030	8915,29	5,71	0,64	ГОСТ 25425-90
51200260000050	0	BK6-M	26050	7990,84	8,47	1,06	ГОСТ 25425-90
51200260000070	0	BK6-M	26070	5777,94	10,86	1,88	ГОСТ 25425-90
51200260000090	0	BK6-M	26090	5334,87	15,84	2,97	ГОСТ 25425-90
51200260000130	0	BK6-M	26130	4864,14	27,43	5,63	ГОСТ 25425-90
51200260000250	0	BK6-M	26250	4755,5	32,62	6,8	ГОСТ 25425-90
51200320000150	0	BK6-M	17150	5080,88	20,68	4,06	ГОСТ 25406-90
51200390000010	0	BK6-M	39010	5911,41	9,81	1,66	ГОСТ 25416-90
51200390000030	0	BK6-M	39030	5437,51	14,41	2,64	ГОСТ 25416-90
51200410000010	0	BK6-M	47010	6610,29	5,95	0,9	ГОСТ 25421-90
51200410000030	0	BK6-M	47030	6150,34	8,24	1,4	ГОСТ 25421-90
51200410000050	0	BK6-M	47050	5938,08	9,62	1,75	ГОСТ 25421-90
51200410000070	0	BK6-M	47070	5723,79	11,33	2,2	ГОСТ 25421-90
51200410000090	0	BK6-M	47090	5555,69	13,00	2,6	ГОСТ 25421-90
51200430000190	0	BK6-M	32190	4082,79	61,28	14,9	ГОСТ 25412-90
51200430000210	0	BK6-M	32210	4032,91	98,16	24,3	ГОСТ 25412-90
51200430000230	0	BK6-M	32230	3991,89	190,25	47,6	ГОСТ 25412-90
51200430000250	0	BK6-M	32250	4234,09	277,33	66,3	ГОСТ 25412-90
51200430000270	0	BK6-M	32270	4195,19	625,08	151,00	ГОСТ 25412-90
51200430000290	0	BK6-M	32290	4188,29	804,15	195,00	ГОСТ 25412-90
51200500000202	0	BK6-M	50202	5010,49	5,21	1,04	ГОСТ 25394-90
51200520000151	0	BK6-M	61151	4036,87	93,74	23,1	ГОСТ 25395-90
51200520000371	0	BK6-M	61371	4233,07	27,9	6,41	ГОСТ 25395-90
51200520000391	0	BK6-M	61391	4099,2	54,44	13,2	ГОСТ 25395-90
51200520000411	0	BK6-M	61411	4265,86	190,77	44,6	ГОСТ 25395-90
51200520000431	0	BK6-M	61431	3973,13	329,93	81,00	ГОСТ 25395-90
51200530000152	0	BK6-M	61152	4041,62	88,92	22,00	ГОСТ 25395-90
51200530000412	0	BK6-M	61412	4270,58	182,31	42,59	ГОСТ 25395-90
51200530000472	0	BK6-M	61472	4184,68	945,74	229,00	ГОСТ 25395-90
51200540000251	0	BK6-M	62251	4090,01	58,08	14,1	ГОСТ 25395-90
51200540000252	0	BK6-M	62252	4100,06	54,12	13,2	ГОСТ 25395-90
51200540000271	0	BK6-M	62271	4030,58	100,97	25,00	ГОСТ 25395-90
51200540000311	0	BK6-M	62311	4277,7	170,89	40,00	ГОСТ 25395-90
51200540000351	0	BK6-M	62351	4229,69	295,95	70,00	ГОСТ 25395-90

51200540000511	0	BK6-M	62511	4209,15	431,06	102,00	ГОСТ 25395-90
51200550000272	0	BK6-M	62272	4035,02	95,75	23,8	ГОСТ 25395-90
51200550000312	0	BK6-M	62312	4284,11	161,77	37,75	ГОСТ 25395-90
51200620000050	0	BK6-M	66050	4295,45	22,47	5,22	ГОСТ 25397-90
51200620000060	0	BK6-M	66060	4295,45	22,47	5,22	ГОСТ 25397-90
51200620000090	0	BK6-M	66090	4109,54	50,83	12,3	ГОСТ 25397-90
51200620000100	0	BK6-M	66100	4111,63	50,16	12,3	ГОСТ 25397-90
51200620000130	0	BK6-M	66130	4034,32	96,54	23,9	ГОСТ 25397-90
51200620000170	0	BK6-M	66170	4279,42	168,35	39,3	ГОСТ 25397-90
51200710000330	0	BK6-M	67330	4294,46	148,93	34,6	ГОСТ 25426-90
51200710000340	0	BK6-M	67340	4294,46	148,93	34,6	ГОСТ 25426-90
51200710000390	0	BK6-M	67390	4145,39	41,25	9,92	ГОСТ 25426-90
51200710000400	0	BK6-M	67400	4145,39	41,25	9,92	ГОСТ 25426-90
51200710000410	0	BK6-M	67410	4055,98	76,9	18,9	ГОСТ 25426-90
51200710000420	0	BK6-M	67420	4055,98	76,9	18,9	ГОСТ 25426-90
51200820000051	0	BK6-M	70051	4544,8	11,95	2,63	ГОСТ 25396-90
51200820000061	0	BK6-M	70061	4544,8	11,95	2,63	ГОСТ 25396-90
51200820000151	0	BK6-M	70151	4042,86	87,73	21,6	ГОСТ 25396-90
51200820000161	0	BK6-M	70161	4042,86	87,73	21,6	ГОСТ 25396-90
51200820000291	0	BK6-M	70291	4173,48	35,85	8,57	ГОСТ 25396-90
51200820000311	0	BK6-M	70311	4100,27	54,04	13,1	ГОСТ 25396-90
51200820000321	0	BK6-M	70321	4100,27	54,04	13,1	ГОСТ 25396-90
51200820000371	0	BK6-M	70371	4205,88	464,88	110,00	ГОСТ 25396-90
51200820000381	0	BK6-M	70381	4205,88	464,88	110,00	ГОСТ 25396-90
51200820000471	0	BK6-M	70471	4173,48	35,85	8,57	ГОСТ 25396-90
51200820000481	0	BK6-M	70481	4173,48	35,85	8,57	ГОСТ 25396-90
51200820000491	0	BK6-M	70491	4109,54	50,83	12,4	ГОСТ 25396-90
51200820000511	0	BK6-M	70511	4027,77	104,56	25,9	ГОСТ 25396-90
51200820000521	0	BK6-M	70521	4027,77	104,56	25,9	ГОСТ 25396-90
51200820000531	0	BK6-M	70531	4287,78	156,98	36,5	ГОСТ 25396-90
51200820000541	0	BK6-M	70541	4287,81	156,93	36,5	ГОСТ 25396-90
51200820000551	0	BK6-M	70551	4272,59	178,94	41,8	ГОСТ 25396-90
51200820000561	0	BK6-M	70561	4272,59	178,94	41,8	ГОСТ 25396-90
51200820000571	0	BK6-M	70571	4224,52	321,28	76,00	ГОСТ 25396-90
51200820000581	0	BK6-M	70581	4224,52	321,28	76,00	ГОСТ 25396-90
51200820000591	0	BK6-M	70591	4222,23	333,94	79,00	ГОСТ 25396-90
51200820000601	0	BK6-M	70601	4222,23	333,94	79,00	ГОСТ 25396-90
51201620000011	0	BK6-M	13011	6296,11	7,43	1,18	ГОСТ 17163-90
51201620000031	0	BK6-M	13031	6315,85	7,33	1,16	ГОСТ 17163-90
51201620000051	0	BK6-M	13051	4565,23	11,46	2,52	ГОСТ 17163-90
51201620000071	0	BK6-M	13071	4572,35	11,29	2,68	ГОСТ 17163-90
51201620000131	0	BK6-M	13131	4334,62	19,94	4,6	ГОСТ 17163-90
51201620000151	0	BK6-M	13151	4340,23	19,62	4,53	ГОСТ 17163-90
51201620000171	0	BK6-M	13171	4199,22	31,96	7,6	ГОСТ 17163-90
51201620000191	0	BK6-M	13191	4302,32	140,47	32,6	ГОСТ 17163-90
51201620000351	0	BK6-M	13351	4203,38	31,4	7,47	ГОСТ 17163-90
51201620000371	0	BK6-M	13371	4082,87	61,24	14,99	ГОСТ 17163-90
51201620000391	0	BK6-M	13391	4085,55	60,02	14,68	ГОСТ 17163-90
51201620000411	0	BK6-M	13411	4028,16	104,05	25,82	ГОСТ 17163-90
51201620000431	0	BK6-M	13431	4029,97	101,72	25,23	ГОСТ 17163-90
51201620000451	0	BK6-M	13451	4275,6	174,1	40,7	ГОСТ 17163-90
51201620000471	0	BK6-M	13471	4278,34	169,94	39,7	ГОСТ 17163-90
51201630000492	0	BK6-M	13492	6453,64	6,65	1,17	ГОСТ 17163-90
51201630000512	0	BK6-M	13512	6068,94	8,74	1,6	ГОСТ 17163-90
51201630000532	0	BK6-M	13532	5589,83	12,63	2,61	ГОСТ 17163-90
51201630000552	0	BK6-M	13552	5362,03	15,44	3,1	ГОСТ 17163-90
51201630000572	0	BK6-M	13572	5068,4	20,98	4,5	ГОСТ 17163-90
51201630000592	0	BK6-M	13592	4760,05	32,37	7,4	ГОСТ 17163-90
51201630000612	0	BK6-M	13612	4517,09	54,97	13,00	ГОСТ 17163-90
51201630000632	0	BK6-M	13632	4389,05	86,33	20,9	ГОСТ 17163-90
51201630000652	0	BK6-M	13652	4318,1	126,09	29,2	ГОСТ 17163-90
51202690000130	0	BK6-M	11130	6559,85	6,17	0,92	ГОСТ 25398-90
51202690000150	0	BK6-M	11150	5854,22	10,24	1,76	ГОСТ 25398-90
51202690000170	0	BK6-M	11170	5340,8	15,76	2,95	ГОСТ 25398-90
51202690000190	0	BK6-M	11190	4997,1	22,89	4,59	ГОСТ 25398-90
51202690000210	0	BK6-M	11210	4609,37	43,51	9,44	ГОСТ 25398-90
51202690000230	0	BK6-M	11230	4412,47	78,19	17,72	ГОСТ 25398-90
51203110000064	0	BK6-M	3001-0064	6445,32	117,63	18,00	ГОСТ 13834-77
51203110000067	0	BK6-M	3001-0067	6323,06	171,17	26,7	ГОСТ 13834-77
51203530110308	0	BK6-M	01131-110308	10144,78	21,61	2,4	ГОСТ 19043-80
51203700090304	0	BK6-M	03114-090304	7450,74	23,32	3,57	ГОСТ 19052-80
51203700250716	0	BK6-M	03114-250716	6967,57	392,07	64,4	ГОСТ 19052-80
51225820001302	0	BK6-M	P010013 (ПР13-2)	5975,43	4,18	0,7	ТУ 48-19-178-84
51225820001303	0	BK6-M	P010014 (ПР13-3)	5923,42	6,04	1,02	ТУ 48-19-178-84
51225820001304	0	BK6-M	P010015 (ПР13-4)	5824,46	10,13	1,74	ТУ 48-19-178-84
51225820001305	0	BK6-M	P010016 (ПР13-5)	5678,79	18,06	3,12	ТУ 48-19-178-84
51225830001306	0	BK6-M	P020040 (ПР13-6)	6236,76	25,63	4,04	ТУ 48-19-178-84

51225830001307	0	BK6-M	P020041 (ПР13-7)	6151,38	30,63	4,98	ТУ 48-19-178-84
51225830001309	0	BK6-M	P020043 (ПР13-9)	5764,27	72,63	12,4	ТУ 48-19-178-84
51225830001310	0	BK6-M	P020044 (ПР13-10)	5705,67	85,01	14,6	ТУ 48-19-178-84
51225840001102	0	BK6-M	P030006 (ПР11-2)	5691,89	384,2	67,5	ТУ 48-19-178-84
51225840001201	0	BK6-M	P030008 (ПР12-1)	6134,17	95,08	15,5	ТУ 48-19-178-84
51225840001202	0	BK6-M	P030009 (ПР12-2)	6420,47	57,78	9,00	ТУ 48-19-178-84
51228610000006	0	BK6-M	Г017041 (Г2606)	0,00	0,00	1,7	ГОСТ 880-75
51228610000010	0	BK6-M	Г017042 (Г2610)	0,00	0,00	2,2	ГОСТ 880-75
51230000000151	0	BK6-M	1151	4041,17	89,35	22,00	ГОСТ 25395-90
51230000000152	0	BK6-M	1152	4046,72	84,25	20,83	ГОСТ 25395-90
51230000000271	0	BK6-M	1271	4186,14	882,9	211,00	ГОСТ 25395-90
51230000000291	0	BK6-M	1291	5453,47	2,4	0,45	ГОСТ 25395-90
51230000000311	0	BK6-M	1311	5094,86	4,53	0,9	ГОСТ 25395-90
51230000000331	0	BK6-M	1331	4794,53	7,48	1,7	ГОСТ 25395-90
51230000000351	0	BK6-M	1351	4473,74	13,96	3,12	ГОСТ 25395-90
51230000000352	0	BK6-M	1352	4476,31	13,88	3,1	ГОСТ 25395-90
51230000000371	0	BK6-M	1371	4251,08	26,1	6,1	ГОСТ 25395-90
51230000000372	0	BK6-M	1372	4272,00	24,26	5,68	ГОСТ 25395-90
51230000000391	0	BK6-M	1391	4105,86	52,06	12,6	ГОСТ 25395-90
51230000000392	0	BK6-M	1392	4111,5	50,2	12,2	ГОСТ 25395-90
51230000000411	0	BK6-M	1411	4269,59	184,02	43,00	ГОСТ 25395-90
51230000000412	0	BK6-M	1412	4276,11	173,31	40,5	ГОСТ 25395-90
51230000000431	0	BK6-M	1431	4223,74	325,48	77,00	ГОСТ 25395-90
51230000000432	0	BK6-M	1432	3977,08	285,87	72,87	ГОСТ 25395-90
51230000000451	0	BK6-M	1451	4196,95	591,56	141,00	ГОСТ 25395-90
51230000000452	0	BK6-M	1452	4198,67	561,99	134,00	ГОСТ 25395-90
51230000000471	0	BK6-M	1471	4184,22	967,35	230,00	ГОСТ 25395-90
51230000000472	0	BK6-M	1472	4185,23	920,92	220,00	ГОСТ 25395-90
51600080000051	0	BK6-OM	2051	4236,5	27,54	6,55	ГОСТ 25395-90
51600080000231	0	BK6-OM	2231	4136,91	43,19	10,4	ГОСТ 25395-90
51600080000251	0	BK6-OM	2251	4097,00	55,27	13,4	ГОСТ 25395-90
51600080000252	0	BK6-OM	2252	4108,33	51,23	12,4	ГОСТ 25395-90
51600080000271	0	BK6-OM	2271	4034,67	96,15	23,8	ГОСТ 25395-90
51600080000272	0	BK6-OM	2272	4039,18	91,33	22,6	ГОСТ 25395-90
51600080000311	0	BK6-OM	2311	4002,89	152,23	38,00	ГОСТ 25395-90
51600080000312	0	BK6-OM	2312	4006,08	143,86	35,89	ГОСТ 25395-90
51600080000351	0	BK6-OM	2351	4231,62	287,5	67,00	ГОСТ 25395-90
51600080000352	0	BK6-OM	2352	4236,62	267,67	63,17	ГОСТ 25395-90
51600080000451	0	BK6-OM	2451	4248,71	229,43	55,00	ГОСТ 25395-90
51600080000511	0	BK6-OM	2511	4211,47	409,94	97,00	ГОСТ 25395-90
51600080000512	0	BK6-OM	2512	4214,07	388,58	92,19	ГОСТ 25395-90
51600080000611	0	BK6-OM	2611	4620,88	10,26	2,22	ГОСТ 25395-90
51600080000631	0	BK6-OM	2631	4361,22	18,49	4,23	ГОСТ 25395-90
51600080000651	0	BK6-OM	2651	4154,47	39,34	9,47	ГОСТ 25395-90
51600080000671	0	BK6-OM	2671	4062,87	72,2	17,76	ГОСТ 25395-90
51600080000691	0	BK6-OM	2691	4216,74	29,73	7,12	ГОСТ 25395-90
51600090000010	0	BK6-OM	6010	4759,63	7,95	1,67	ГОСТ 25397-90
51600090000030	0	BK6-OM	6030	4572,35	11,29	2,46	ГОСТ 25397-90
51600090000050	0	BK6-OM	6050	4310,01	21,46	4,97	ГОСТ 25397-90
51600090000060	0	BK6-OM	6060	4310,01	21,46	4,97	ГОСТ 25397-90
51600090000090	0	BK6-OM	6090	4117,29	48,42	11,7	ГОСТ 25397-90
51600090000100	0	BK6-OM	6100	4117,29	48,42	11,7	ГОСТ 25397-90
51600090000130	0	BK6-OM	6130	4038,37	92,16	22,8	ГОСТ 25397-90
51600090000140	0	BK6-OM	6140	4038,37	92,16	22,8	ГОСТ 25397-90
51600090000170	0	BK6-OM	6170	4285,17	160,35	37,4	ГОСТ 25397-90
51600090000180	0	BK6-OM	6180	4285,17	160,35	37,4	ГОСТ 25397-90
51600090000270	0	BK6-OM	6270	4234,73	274,83	65,00	ГОСТ 25397-90
51600090000280	0	BK6-OM	6280	4234,73	274,83	65,00	ГОСТ 25397-90
51600090000290	0	BK6-OM	6290	4209,15	431,06	102,00	ГОСТ 25397-90
51600090000300	0	BK6-OM	6300	4209,15	431,06	102,00	ГОСТ 25397-90
51600090000330	0	BK6-OM	6330	4579,64	11,13	2,44	ГОСТ 25397-90
51600090000340	0	BK6-OM	6340	4579,64	11,13	2,44	ГОСТ 25397-90
51600090000350	0	BK6-OM	6350	4318,7	20,9	4,84	ГОСТ 25397-90
51600090000360	0	BK6-OM	6360	4318,7	20,9	4,84	ГОСТ 25397-90
51600090000370	0	BK6-OM	6370	4144,31	41,48	9,99	ГОСТ 25397-90
51600090000380	0	BK6-OM	6380	4144,31	41,48	9,99	ГОСТ 25397-90
51600090000390	0	BK6-OM	6390	4062,38	72,51	17,84	ГОСТ 25397-90
51600090000400	0	BK6-OM	6400	4062,38	72,51	17,84	ГОСТ 25397-90
51600090000410	0	BK6-OM	6410	4312,17	131,13	30,4	ГОСТ 25397-90
51600090000420	0	BK6-OM	6420	4312,17	131,13	20,4	ГОСТ 25397-90
51600100000010	0	BK6-OM	7010	4663,11	9,47	2,01	ГОСТ 25426-90
51600100000030	0	BK6-OM	7030	6453,64	6,65	1,03	ГОСТ 25426-90
51600100000050	0	BK6-OM	7050	4543,16	11,99	2,64	ГОСТ 25426-90
51600100000060	0	BK6-OM	7060	4543,16	11,99	2,64	ГОСТ 25426-90
51600100000070	0	BK6-OM	7070	4292,68	22,67	5,28	ГОСТ 25426-90
51600100000080	0	BK6-OM	7080	4292,68	22,67	5,28	ГОСТ 25426-90
51600100000090	0	BK6-OM	7090	4198,05	32,12	7,64	ГОСТ 25426-90

51600100000100	0	BK6-OM	7100	4198,05	32,12	7,64	ГОСТ 25426-90
51600100000110	0	BK6-OM	7110	4130,5	44,77	10,83	ГОСТ 25426-90
51600100000120	0	BK6-OM	7120	4130,5	44,77	10,83	ГОСТ 25426-90
51600100000130	0	BK6-OM	7130	4088,15	58,87	14,4	ГОСТ 25426-90
51600100000140	0	BK6-OM	7140	4088,15	58,87	14,4	ГОСТ 25426-90
51600100000150	0	BK6-OM	7150	4054,48	78,01	19,24	ГОСТ 25426-90
51600100000160	0	BK6-OM	7160	4054,48	78,01	19,24	ГОСТ 25426-90
51600100000170	0	BK6-OM	7170	4029,44	102,39	25,41	ГОСТ 25426-90
51600100000180	0	BK6-OM	7180	4029,44	102,39	25,41	ГОСТ 25426-90
51600100000330	0	BK6-OM	7330	4300,66	142,18	33,00	ГОСТ 25426-90
51600100000340	0	BK6-OM	7340	4300,66	142,18	33,00	ГОСТ 25426-90
51600100000350	0	BK6-OM	7350	6980,9	4,54	0,65	ГОСТ 25426-90
51600100000370	0	BK6-OM	7370	4438,01	15,18	3,4	ГОСТ 25426-90
51600120000051	0	BK6-OM	10051	4565,23	11,46	2,5	ГОСТ 25396-90
51600120000061	0	BK6-OM	10061	4565,23	11,46	2,5	ГОСТ 25396-90
51600120000151	0	BK6-OM	10151	4047,27	83,78	20,6	ГОСТ 25396-90
51600120000161	0	BK6-OM	10161	4047,27	83,78	20,6	ГОСТ 25396-90
51600120000271	0	BK6-OM	10271	4416,77	15,99	3,61	ГОСТ 25396-90
51600120000291	0	BK6-OM	10291	4183,58	34,22	8,16	ГОСТ 25396-90
51600120000301	0	BK6-OM	10301	4183,58	34,22	8,16	ГОСТ 25396-90
51600120000302	0	BK6-OM	10302	4180,78	34,66	8,29	ГОСТ 25396-90
51600120000411	0	BK6-OM	10411	7437,13	3,12	0,42	ГОСТ 25396-90
51600120000431	0	BK6-OM	10431	6690,05	5,62	0,84	ГОСТ 25396-90
51600120000451	0	BK6-OM	10451	6084,68	8,64	1,42	ГОСТ 25396-90
51600120000461	0	BK6-OM	10461	4807,98	7,31	1,42	ГОСТ 25396-90
51600120000471	0	BK6-OM	10471	4268,16	24,58	5,74	ГОСТ 25396-90
51600120000481	0	BK6-OM	10481	4268,16	24,58	5,74	ГОСТ 25396-90
51600120000491	0	BK6-OM	10491	4117,16	48,46	11,8	ГОСТ 25396-90
51600120000492	0	BK6-OM	10492	4112,88	49,77	12,1	ГОСТ 25396-90
51600120000501	0	BK6-OM	10501	4117,16	48,46	11,8	ГОСТ 25396-90
51600120000531	0	BK6-OM	10531	4293,74	149,77	34,8	ГОСТ 25396-90
51600120000541	0	BK6-OM	10541	4293,74	149,77	34,8	ГОСТ 25396-90
51600120000571	0	BK6-OM	10571	4227,88	304,37	72,00	ГОСТ 25396-90
51600120000581	0	BK6-OM	10581	4227,88	304,37	72,00	ГОСТ 25396-90
51600120000621	0	BK6-OM	10621	4198,67	561,99	133,00	ГОСТ 25396-90
51600120000652	0	BK6-OM	10652	4680,04	9,17	1,93	ГОСТ 25396-90
51600120000672	0	BK6-OM	10672	4496,4	13,26	2,95	ГОСТ 25396-90
51600120000692	0	BK6-OM	10692	4091,24	57,56	14,07	ГОСТ 25396-90
51600120000702	0	BK6-OM	10702	4091,24	57,56	14,07	ГОСТ 25396-90
51600120000712	0	BK6-OM	10712	4023,15	111,04	27,6	ГОСТ 25396-90
51600120000722	0	BK6-OM	10722	4023,15	111,04	27,6	ГОСТ 25396-90
51600140000332	0	BK6-OM	14332	6795,4	14,13	2,1	ГОСТ 25399-90
51600140000352	0	BK6-OM	14352	6208,14	19,06	3,00	ГОСТ 25399-90
51600140000412	0	BK6-OM	14412	5526,87	30,34	5,48	ГОСТ 25399-90
51600140000492	0	BK6-OM	14492	5031,1	52,52	10,4	ГОСТ 25399-90
51600140000512	0	BK6-OM	14512	5003,36	54,79	10,9	ГОСТ 25399-90
51600140000592	0	BK6-OM	14592	4755,52	89,69	18,8	ГОСТ 25399-90
51600160000030	0	BK6-OM	16030	4364,41	18,33	4,25	ГОСТ 25405-90
51600160000050	0	BK6-OM	16050	4190,74	33,15	7,9	ГОСТ 25405-90
51600160000390	0	BK6-OM	16390	3973,77	321,88	82,00	ГОСТ 25405-90
51600200000010	0	BK6-OM	20010	4572,35	11,29	2,47	ГОСТ 25408-90
51600200000030	0	BK6-OM	20030	4410,75	16,23	3,67	ГОСТ 25408-90
51600200000050	0	BK6-OM	20050	4822,5	29,22	6,06	ГОСТ 25408-90
51600200000070	0	BK6-OM	20070	4499,04	57,95	12,9	ГОСТ 25408-90
51600200000080	0	BK6-OM	20080	4499,04	57,95	23,2	ГОСТ 25408-90
51600200000100	0	BK6-OM	20100	4355,31	101,57	23,2	ГОСТ 25408-90
51600200000140	0	BK6-OM	20140	4280,86	166,27	38,8	ГОСТ 25408-90
51600210000130	0	BK6-OM	21130	4291,58	22,75	5,3	ГОСТ 25400-90
51600210000190	0	BK6-OM	21190	4663,11	9,47	2,05	ГОСТ 25400-90
51600210000250	0	BK6-OM	21250	4282,54	23,43	5,46	ГОСТ 25400-90
51600210000370	0	BK6-OM	21370	6125,2	8,39	1,39	ГОСТ 25400-90
51600210000510	0	BK6-OM	21510	4071,75	66,9	16,4	ГОСТ 25400-90
51600210000550	0	BK6-OM	21550	4035,38	95,36	23,6	ГОСТ 25400-90
51600240000010	0	BK6-OM	24010	4759,63	7,95	1,69	ГОСТ 25409-90
51600240000050	0	BK6-OM	24050	4610,58	10,47	2,27	ГОСТ 25409-90
51600240000070	0	BK6-OM	24070	4682,53	9,13	1,94	ГОСТ 25409-90
51600240000090	0	BK6-OM	24090	4512,13	12,81	2,83	ГОСТ 25409-90
51600240000130	0	BK6-OM	24130	4299,41	22,18	5,15	ГОСТ 25409-90
51600240000170	0	BK6-OM	24170	4255,83	25,66	6,03	ГОСТ 25409-90
51600240000210	0	BK6-OM	24210	4221,86	29,13	6,85	ГОСТ 25409-90
51600240000250	0	BK6-OM	24250	4194,91	32,55	7,75	ГОСТ 25409-90
51600240000270	0	BK6-OM	24270	4128,81	45,21	11,00	ГОСТ 25409-90
51600240000290	0	BK6-OM	24290	4113,26	49,65	12,00	ГОСТ 25409-90
51600240000470	0	BK6-OM	24470	4065,58	70,5	17,3	ГОСТ 25409-90
51600240000550	0	BK6-OM	24550	4041,62	88,92	22,00	ГОСТ 25409-90
51600240000570	0	BK6-OM	24570	4030,26	101,36	25,00	ГОСТ 25409-90
51600240000590	0	BK6-OM	24590	4021,12	114,16	28,2	ГОСТ 25409-90

51600240000650	0	BK6-OM	24650	4280,86	166,27	38,8	ГОСТ 25409-90
51600240000770	0	BK6-OM	24770	4439,12	15,14	3,4	ГОСТ 25409-90
51600240000790	0	BK6-OM	24790	4094,96	56,06	13,6	ГОСТ 25409-90
51600240000850	0	BK6-OM	24850	4268,18	186,52	43,6	ГОСТ 25409-90
51600240000870	0	BK6-OM	24870	4052,25	79,71	19,6	ГОСТ 25409-90
51600250000110	0	BK6-OM	25110	5904,86	9,86	1,67	ГОСТ 25424-90
51600250000130	0	BK6-OM	25130	5326,09	15,98	3,00	ГОСТ 25424-90
51600250000150	0	BK6-OM	25150	4979,57	23,4	4,7	ГОСТ 25424-90
51600250000190	0	BK6-OM	25190	4071,04	67,29	16,5	ГОСТ 25424-90
51600250000210	0	BK6-OM	25210	5106,91	20,07	3,93	ГОСТ 25424-90
51600250000230	0	BK6-OM	25230	4745,88	33,17	6,99	ГОСТ 25424-90
51600250000250	0	BK6-OM	25250	4425,3	74,35	16,8	ГОСТ 25424-90
51600260000010	0	BK6-OM	26010	10329,96	2,58	0,25	ГОСТ 25425-90
51600260000030	0	BK6-OM	26030	8915,29	5,71	0,64	ГОСТ 25425-90
51600260000050	0	BK6-OM	26050	7990,84	8,47	1,06	ГОСТ 25425-90
51600260000070	0	BK6-OM	26070	5777,94	10,86	1,88	ГОСТ 25425-90
51600260000090	0	BK6-OM	26090	5334,87	15,84	2,97	ГОСТ 25425-90
51600260000130	0	BK6-OM	26130	4864,14	27,43	5,63	ГОСТ 25425-90
51600260000250	0	BK6-OM	26250	4755,5	32,62	6,8	ГОСТ 25425-90
51600320000150	0	BK6-OM	17150	4380,23	17,56	4,06	ГОСТ 25406-90
51600320000190	0	BK6-OM	17190	4291,58	22,75	5,35	ГОСТ 25406-90
51600320000230	0	BK6-OM	17230	4730,98	34,06	7,2	ГОСТ 25406-90
51600320000350	0	BK6-OM	17350	4059,99	74,09	18,3	ГОСТ 25406-90
51600380000051	0	BK6-OM	38051	4053,79	78,52	19,4	ГОСТ 25415-90
51600390000110	0	BK6-OM	39110	1845,44	52,96	29,00	ГОСТ 25416-90
51600390000130	0	BK6-OM	39130	4476,12	62,22	14,00	ГОСТ 25416-90
51600390000150	0	BK6-OM	39150	4047,27	83,78	21,00	ГОСТ 25416-90
51600410000010	0	BK6-OM	47010	6610,29	5,95	0,9	ГОСТ 25421-90
51600410000030	0	BK6-OM	47030	6150,34	8,24	1,33	ГОСТ 25421-90
51600410000050	0	BK6-OM	47050	5938,08	9,62	1,62	ГОСТ 25421-90
51600410000070	0	BK6-OM	47070	5723,79	11,33	1,98	ГОСТ 25421-90
51600410000090	0	BK6-OM	47090	5555,69	13,00	2,34	ГОСТ 25421-90
51600420000010	0	BK6-OM	48010	5547,41	13,09	2,36	ГОСТ 25422-90
51600500000342	0	BK6-OM	50342	4036,13	94,53	23,4	ГОСТ 25394-90
51600500000362	0	BK6-OM	50362	4295,98	147,22	34,3	ГОСТ 25394-90
51600520000151	0	BK6-OM	61151	4036,87	93,74	23,1	ГОСТ 25395-90
51600520000271	0	BK6-OM	61271	4185,14	925,12	222,00	ГОСТ 25395-90
51600520000351	0	BK6-OM	61351	4454,06	14,61	3,28	ГОСТ 25395-90
51600520000371	0	BK6-OM	61371	4238,83	27,3	6,41	ГОСТ 25395-90
51600520000391	0	BK6-OM	61391	4099,2	54,44	13,2	ГОСТ 25395-90
51600520000411	0	BK6-OM	61411	4265,86	190,77	44,6	ГОСТ 25395-90
51600520000431	0	BK6-OM	61431	3973,73	322,35	81,00	ГОСТ 25395-90
51600520000451	0	BK6-OM	61451	4195,39	621,09	148,00	ГОСТ 25395-90
51600520000471	0	BK6-OM	61471	4183,3	1013,82	242,00	ГОСТ 25395-90
51600530000392	0	BK6-OM	61392	4109,54	50,83	12,4	ГОСТ 25395-90
51600540000251	0	BK6-OM	62251	4090,01	58,08	14,1	ГОСТ 25395-90
51600540000271	0	BK6-OM	62271	4030,58	100,97	25,00	ГОСТ 25395-90
51600540000311	0	BK6-OM	62311	4277,7	170,89	40,00	ГОСТ 25395-90
51600540000351	0	BK6-OM	62351	4229,69	295,95	70,00	ГОСТ 25395-90
51600540000511	0	BK6-OM	62511	4209,15	431,06	102,00	ГОСТ 25395-90
51600550000252	0	BK6-OM	62252	4100,27	54,04	13,2	ГОСТ 25395-90
51600550000272	0	BK6-OM	62272	4035,02	95,75	23,8	ГОСТ 25395-90
51600550000312	0	BK6-OM	62312	4284,11	161,77	37,75	ГОСТ 25395-90
51600620000050	0	BK6-OM	66050	4295,45	22,47	5,22	ГОСТ 25397-90
51600620000060	0	BK6-OM	66060	4295,45	22,47	5,22	ГОСТ 25397-90
51600620000090	0	BK6-OM	66090	4109,54	50,83	12,3	ГОСТ 25397-90
51600620000100	0	BK6-OM	66100	4109,54	50,83	12,3	ГОСТ 25397-90
51600620000130	0	BK6-OM	66130	4034,32	96,54	23,9	ГОСТ 25397-90
51600620000140	0	BK6-OM	66140	4034,32	96,54	23,9	ГОСТ 25397-90
51600620000170	0	BK6-OM	66170	4279,42	168,35	39,3	ГОСТ 25397-90
51600620000290	0	BK6-OM	66290	4207,86	443,76	107,00	ГОСТ 25397-90
51600620000300	0	BK6-OM	66300	4207,86	443,76	107,00	ГОСТ 25397-90
51600710000330	0	BK6-OM	67330	4294,46	148,93	34,6	ГОСТ 25426-90
51600710000340	0	BK6-OM	67340	4294,46	148,93	34,6	ГОСТ 25426-90
51600710000390	0	BK6-OM	67390	4145,39	41,25	9,92	ГОСТ 25426-90
51600710000400	0	BK6-OM	67400	4145,39	41,25	9,92	ГОСТ 25426-90
51600710000410	0	BK6-OM	67410	4055,98	76,9	18,9	ГОСТ 25426-90
51600710000420	0	BK6-OM	67420	4055,98	76,9	18,9	ГОСТ 25426-90
51600820000051	0	BK6-OM	70051	4544,8	11,95	2,63	ГОСТ 25396-90
51600820000061	0	BK6-OM	70061	4544,8	11,95	2,63	ГОСТ 25396-90
51600820000151	0	BK6-OM	70151	4042,86	87,73	21,6	ГОСТ 25396-90
51600820000291	0	BK6-OM	70291	4173,48	35,85	8,57	ГОСТ 25396-90
51600820000311	0	BK6-OM	70311	4100,27	54,04	13,1	ГОСТ 25396-90
51600820000321	0	BK6-OM	70321	4100,27	54,04	13,1	ГОСТ 25396-90
51600820000371	0	BK6-OM	70371	4205,88	464,88	110,00	ГОСТ 25396-90
51600820000471	0	BK6-OM	70471	4173,48	35,85	8,57	ГОСТ 25396-90
51600820000481	0	BK6-OM	70481	4173,48	35,85	8,57	ГОСТ 25396-90

51600820000491	0	BK6-OM	70491	4109,54	50,83	12,4	ГОСТ 25396-90
51600820000511	0	BK6-OM	70511	4027,77	104,56	25,9	ГОСТ 25396-90
51600820000521	0	BK6-OM	70521	4027,77	104,56	25,9	ГОСТ 25396-90
51600820000531	0	BK6-OM	70531	4287,78	156,98	36,5	ГОСТ 25396-90
51600820000551	0	BK6-OM	70551	4272,59	178,94	41,8	ГОСТ 25396-90
51600820000561	0	BK6-OM	70561	4272,59	178,94	41,8	ГОСТ 25396-90
51600820000571	0	BK6-OM	70571	4225,36	316,9	76,00	ГОСТ 25396-90
51600820000591	0	BK6-OM	70591	4222,23	333,94	79,00	ГОСТ 25396-90
51600820000601	0	BK6-OM	70601	4222,23	333,94	79,00	ГОСТ 25396-90
51601620000011	0	BK6-OM	13011	6296,11	7,43	1,18	ГОСТ 17163-90
51601620000031	0	BK6-OM	13031	6315,85	7,33	1,16	ГОСТ 17163-90
51601620000051	0	BK6-OM	13051	4565,23	11,46	2,52	ГОСТ 17163-90
51601620000071	0	BK6-OM	13071	4572,35	11,29	2,48	ГОСТ 17163-90
51601620000131	0	BK6-OM	13131	4334,62	19,94	4,6	ГОСТ 17163-90
51601620000151	0	BK6-OM	13151	4340,23	19,62	4,53	ГОСТ 17163-90
51601620000171	0	BK6-OM	13171	4199,22	31,96	7,6	ГОСТ 17163-90
51601620000191	0	BK6-OM	13191	4302,32	140,47	32,6	ГОСТ 17163-90
51601620000351	0	BK6-OM	13351	4203,38	31,4	7,47	ГОСТ 17163-90
51601620000371	0	BK6-OM	13371	4082,87	61,24	14,99	ГОСТ 17163-90
51601620000391	0	BK6-OM	13391	4085,55	60,02	14,68	ГОСТ 17163-90
51601620000411	0	BK6-OM	13411	4028,16	104,05	25,82	ГОСТ 17163-90
51601620000431	0	BK6-OM	13431	4029,97	101,72	25,23	ГОСТ 17163-90
51601620000451	0	BK6-OM	13451	4275,6	174,1	40,7	ГОСТ 17163-90
51601620000471	0	BK6-OM	13471	4278,34	169,94	39,7	ГОСТ 17163-90
51601630000492	0	BK6-OM	13492	6453,64	6,65	1,03	ГОСТ 17163-90
51601630000512	0	BK6-OM	13512	6068,94	8,74	1,44	ГОСТ 17163-90
51601630000532	0	BK6-OM	13532	5589,83	12,63	2,25	ГОСТ 17163-90
51601630000552	0	BK6-OM	13552	5362,03	15,44	2,88	ГОСТ 17163-90
51601630000572	0	BK6-OM	13572	5068,4	20,98	4,13	ГОСТ 17163-90
51601630000592	0	BK6-OM	13592	4760,05	32,37	6,79	ГОСТ 17163-90
51601630000612	0	BK6-OM	13612	4517,09	54,97	12,2	ГОСТ 17163-90
51601630000632	0	BK6-OM	13632	4389,05	86,33	19,6	ГОСТ 17163-90
51601630000652	0	BK6-OM	13652	4320,16	124,42	29,2	ГОСТ 17163-90
51601860000011	0	BK6-OM	2005-0011	9181,36	38,38	3,8	ТУ 48-19-64-91
51602690000130	0	BK6-OM	11130	6559,85	6,17	0,92	ГОСТ 25398-90
51602690000150	0	BK6-OM	11150	5854,22	10,24	1,76	ГОСТ 25398-90
51602690000170	0	BK6-OM	11170	5340,8	15,76	2,95	ГОСТ 25398-90
51602690000190	0	BK6-OM	11190	4997,1	22,89	4,59	ГОСТ 25398-90
51602690000210	0	BK6-OM	11210	4609,37	43,51	9,44	ГОСТ 25398-90
51602690000230	0	BK6-OM	11230	4412,47	78,19	17,72	ГОСТ 25398-90
51603110000067	0	BK6-OM	3001-0067	7733,59	209,35	26,7	ГОСТ 13834-77
51603110000104	0	BK6-OM	3001-0104	7396,22	34,47	4,6	ГОСТ 13834-77
51603110000105	0	BK6-OM	3001-0105	7331,48	43,11	5,8	ГОСТ 13834-77
51603113000044	0	BK6-OM	3001-0044*3	8751,85	34,57	3,95	ГОСТ 13834-77
51603113000045	0	BK6-OM	3001-0045*3	0,00	0,00	4,86	ГОСТ 13834-77
51603113000046	0	BK6-OM	3001-0046*3	7863,73	150,28	5,93	ГОСТ 13834-77
51603113000056	0	BK6-OM	3001-0056*3	8264,16	71,65	8,67	ГОСТ 13834-77
51603113000061	0	BK6-OM	3001-0061*3	7068,64	122,5	17,33	ГОСТ 13834-77
51603113000062	0	BK6-OM	3001-0062*3	0,00	0,00	22,05	ГОСТ 13834-77
51603520110308	0	BK6-OM	01111-110308	7105,13	15,13	2,4	ГОСТ 19043-80
51603520160304	0	BK6-OM	01111-160304	7105,13	15,13	5,53	ГОСТ 19043-80
51603520160312	0	BK6-OM	01111-160312	7105,13	15,13	5,41	ГОСТ 19043-80
51603520160404	0	BK6-OM	01111-160404	6930,75	49,9	8,28	ГОСТ 19043-80
51603530110308	0	BK6-OM	01131-110308	10144,78	21,61	2,4	ГОСТ 19043-80
51603530160304	0	BK6-OM	01131-160304	9871,92	47,48	5,53	ГОСТ 19043-80
51603540160308	0	BK6-OM	01113-160308	7020,19	30,47	4,95	ГОСТ 19044-80
51603540160312	0	BK6-OM	01113-160312	7020,19	30,47	4,87	ГОСТ 19044-80
51603550160408	0	BK6-OM	01123-160408	6950,56	45,25	7,42	ГОСТ 19044-80
51603570110304	0	BK6-OM	01311-110304	8353,78	14,7	2,01	ГОСТ 19045-80
51603570110308	0	BK6-OM	01311-110308	8353,78	14,7	1,99	ГОСТ 19045-80
51603570160300	0	BK6-OM	01311-160300	8192,71	34,9	4,87	ГОСТ 19045-80
51603570160304	0	BK6-OM	01311-160304	8192,71	34,9	4,85	ГОСТ 19045-80
51603570160308	0	BK6-OM	01311-160308	8192,71	34,9	4,83	ГОСТ 19045-80
51603580110304	0	BK6-OM	01331-110304	10187,73	17,93	2,01	ГОСТ 19045-80
51603580110308	0	BK6-OM	01331-110308	10187,73	17,93	2,00	ГОСТ 19045-80
51603580160304	0	BK6-OM	01331-160304	9923,00	42,27	4,85	ГОСТ 19045-80
51603580160308	0	BK6-OM	01331-160308	9923,00	42,27	4,84	ГОСТ 19045-80
51603580160408	0	BK6-OM	01331-160408	9923,00	42,27	6,75	ГОСТ 19045-80
51603580220412	0	BK6-OM	01331-220412	9420,87	103,82	12,66	ГОСТ 19045-80
51603590160404	0	BK6-OM	01114-160404	7323,07	45,77	7,18	ГОСТ 19046-80
51603590220408	0	BK6-OM	01114-220408	7177,54	79,1	12,6	ГОСТ 19046-80
51603590220412	0	BK6-OM	01114-220412	7177,54	79,1	12,5	ГОСТ 19046-80
51603600160412	0	BK6-OM	01124-160412	8086,42	50,54	7,01	ГОСТ 19046-80
51603600270612	0	BK6-OM	01124-270612	7581,33	174,52	26,89	ГОСТ 19046-80
51603620080404	0	BK6-OM	02114-080404	7245,00	62,38	9,84	ГОСТ 19048-80
51603620080408	0	BK6-OM	02114-080408	7245,00	62,38	9,81	ГОСТ 19048-80
51603620100408	0	BK6-OM	02114-100408	7123,82	94,39	15,1	ГОСТ 19048-80

51603620100412	0	BK6-OM	02114-100412		7123,82	94,39	15,1	ГОСТ 19048-80
51603620100608	0	BK6-OM	02114-100608		7031,11	126,28	20,5	ГОСТ 19048-80
51603620120612	0	BK6-OM	02114-120612		6925,67	174,87	28,8	ГОСТ 19048-80
51603630120408	0	BK6-OM	03111-120408		6860,63	68,33	11,3	ГОСТ 19049-80
51603630120412	0	BK6-OM	03111-120412		6860,63	68,33	11,3	ГОСТ 19049-80
51603640120300	0	BK6-OM	03131-120300		9717,94	64,43	7,59	ГОСТ 19049-80
51603640120412	0	BK6-OM	03131-120412		9484,63	94,47	11,3	ГОСТ 19049-80
51603640190416	0	BK6-OM	03131-190416		9293,85	207,35	25,4	ГОСТ 19049-80
51603650090304	0	BK6-OM	03311-090304		8675,46	28,37	3,74	ГОСТ 19050-80
51603650120304	0	BK6-OM	03311-120304		8097,87	48,75	6,87	ГОСТ 19050-80
51603650120308	0	BK6-OM	03311-120308		8097,87	48,75	6,86	ГОСТ 19050-80
51603660120300	0	BK6-OM	03331-120300		9767,15	58,8	6,88	ГОСТ 19050-80
51603660120304	0	BK6-OM	03331-120304		9767,15	58,8	6,87	ГОСТ 19050-80
51603660120308	0	BK6-OM	03331-120308		9767,15	58,8	6,86	ГОСТ 19050-80
51603660120312	0	BK6-OM	03331-120312		9767,15	58,8	6,83	ГОСТ 19050-80
51603660120408	0	BK6-OM	03331-120408		9547,72	85,74	10,3	ГОСТ 19050-80
51603660190412	0	BK6-OM	03331-190412		9006,94	182,57	23,1	ГОСТ 19050-80
51603700090304	0	BK6-OM	03114-090304		7450,74	23,32	3,57	ГОСТ 19052-80
51603700120408	0	BK6-OM	03114-120408		7256,69	59,72	9,39	ГОСТ 19052-80
51603700120412	0	BK6-OM	03114-120412		7256,69	59,72	9,34	ГОСТ 19052-80
51603700150416	0	BK6-OM	03114-150416		7134,07	91,32	14,6	ГОСТ 19052-80
51603700190612	0	BK6-OM	03114-190612		6934,43	170,17	28,00	ГОСТ 19052-80
51603700250716	0	BK6-OM	03114-250716		6967,57	392,07	64,4	ГОСТ 19052-80
51603700250724	0	BK6-OM	03114-250724		6967,57	392,07	64,2	ГОСТ 19052-80
51603880110408	0	BK6-OM	10113-110408		6812,96	82,98	13,91	ГОСТ 19064-80
51603880160612	0	BK6-OM	10113-160612		6562,3	214,72	37,4	ГОСТ 19064-80
51603900110408	0	BK6-OM	10153-110408		9755,95	118,83	13,9	ГОСТ 19064-80
51603910110408	0	BK6-OM	10114-110408		7168,35	81,58	13,00	ГОСТ 19065-80
51603910110416	0	BK6-OM	10114-110416		7168,35	81,58	12,9	ГОСТ 19065-80
51603910130612	0	BK6-OM	10114-130612		6970,00	152,43	24,9	ГОСТ 19065-80
51603920110416	0	BK6-OM	10124-110416		8241,86	93,79	12,9	ГОСТ 19065-80
51604000120400	0	BK6-OM	12114-120400		7324,52	45,49	7,08	ГОСТ 19071-80
51604510000209	0	BK6-OM	2008-0209		17654,75	28,25	1,6	ТУ 48-19-307-87
51604640001057	0	BK6-OM	2008-1057		9954,69	114,48	11,5	ТУ 48-19-307-87
51620040110304	0	BK6-OM	3-01311-110304		6715,32	15,51	2,31	ОСТ 48-93-81
51620040160304	0	BK6-OM	3-01311-160304		6622,19	34,3	5,15	ОСТ 48-93-81
51620050110304	0	BK6-OM	3-01331-110304		6231,74	14,46	2,31	ОСТ 48-93-81
51620070110308	0	BK6-OM	3-01123-110308		7279,78	7,5	1,23	ОСТ 48-93-81
51620200120408	0	BK6-OM	3-03114-120408		6509,34	63,99	9,69	ОСТ 48-93-81
51620210120408	0	BK6-OM	3-03124-120408		6953,54	68,98	9,69	ОСТ 48-93-81
51620380110408	0	BK6-OM	3-10113-110408		6017,62	85,33	14,2	ОСТ 48-93-81
51620410110408	0	BK6-OM	3-10114-110408		6446,31	85,48	13,3	ОСТ 48-93-81
51622340000005	0	BK6-OM	2008-0005		13095,31	75,3	5,75	ТУ 48-19-63-87
51622340000102	0	BK6-OM	2008-0102		15785,64	31,57	2,00	ТУ 48-19-63-87
51622340000124	0	BK6-OM	2008-0124		17071,02	17,07	1,00	ТУ 48-19-63-87
51622340000208	0	BK6-OM	2008-0208		9684,65	16,95	1,75	ТУ 48-4206-95-83
51622340000210	0	BK6-OM	2008-0210		14500,56	72,36	4,99	ТУ 48-19-63-87
51622340000211	0	BK6-OM	2008-0211		14626,01	70,06	4,79	ТУ 48-19-63-87
51622340001002	0	BK6-OM	2008-1002		13756,09	61,9	4,5	ТУ 48-19-63-87
51622340001104	0	BK6-OM	2008-1104		14257,32	53,18	3,73	ТУ 48-19-63-87
51622350001211	0	BK6-OM	2008-1211		12850,88	80,96	6,3	ТУ 48-19-63-87
51630000000151	0	BK6-OM		1151	4041,17	89,35	22,00	ГОСТ 25395-90
51630000000152	0	BK6-OM		1152	4046,72	84,25	20,83	ГОСТ 25395-90
51630000000251	0	BK6-OM		1251	4193,81	654,23	158,00	ГОСТ 25395-90
51630000000271	0	BK6-OM		1271	4186,14	882,9	211,00	ГОСТ 25395-90
51630000000291	0	BK6-OM		1291	5453,47	2,4	0,45	ГОСТ 25395-90
51630000000311	0	BK6-OM		1311	5094,86	4,53	0,9	ГОСТ 25395-90
51630000000331	0	BK6-OM		1331	4794,53	7,48	1,56	ГОСТ 25395-90
51630000000351	0	BK6-OM		1351	4473,74	13,96	3,12	ГОСТ 25395-90
51630000000352	0	BK6-OM		1352	4476,31	13,88	3,1	ГОСТ 25395-90
51630000000371	0	BK6-OM		1371	4251,08	26,1	6,1	ГОСТ 25395-90
51630000000372	0	BK6-OM		1372	4272,00	24,26	5,68	ГОСТ 25395-90
51630000000391	0	BK6-OM		1391	4105,86	52,06	12,6	ГОСТ 25395-90
51630000000392	0	BK6-OM		1392	4111,5	50,2	12,2	ГОСТ 25395-90
51630000000411	0	BK6-OM		1411	4269,59	184,02	43,00	ГОСТ 25395-90
51630000000412	0	BK6-OM		1412	4276,11	173,31	40,5	ГОСТ 25395-90
51630000000431	0	BK6-OM		1431	4223,74	325,48	77,00	ГОСТ 25395-90
51630000000451	0	BK6-OM		1451	4196,95	591,56	141,00	ГОСТ 25395-90
51630000000452	0	BK6-OM		1452	4198,67	561,99	134,00	ГОСТ 25395-90
51630000000471	0	BK6-OM		1471	4184,22	967,35	230,00	ГОСТ 25395-90
51630000000472	0	BK6-OM		1472	4185,23	920,92	220,00	ГОСТ 25395-90
51630000000491	0	BK6-OM		1491	4631,77	41,41	95,00	ГОСТ 25395-90
51640320001101	0	BK6-OM	P010002 (ПР11-1)		5543,77	28,83	5,2	ТУ 48-19-217-89
51640320001102	0	BK6-OM	P010003 (ПР11-2)		5373,83	52,66	9,8	ТУ 48-19-217-89
51640320001303	0	BK6-OM	P010014 (ПР13-3)		5923,42	6,04	1,02	ТУ 48-19-217-89
51640320001304	0	BK6-OM	P010015 (ПР13-4)		5824,46	10,13	1,74	ТУ 48-19-217-89
51640320001305	0	BK6-OM	P010016 (ПР13-5)		5683,83	17,73	3,12	ТУ 48-19-217-89

51640330000800	0	БК6-ОМ	Р020005 (ПР8)	5629,07	106,95	19,00	ТУ 48-19-217-89
51640330001001	0	БК6-ОМ	Р020007 (ПР10-1)	5964,9	45,39	7,6	ТУ 48-19-217-89
51640330001002	0	БК6-ОМ	Р020008 (ПР10-2)	6019,94	40,33	6,7	ТУ 48-19-217-89
51640330001306	0	БК6-ОМ	Р020040 (ПР13-6)	6244,35	25,23	4,04	ТУ 48-19-217-89
51640330001307	0	БК6-ОМ	Р020041 (ПР13-7)	6151,38	30,63	4,98	ТУ 48-19-217-89
51640330001308	0	БК6-ОМ	Р020042 (ПР13-8)	5933,78	48,6	8,19	ТУ 48-19-217-89
51640330001309	0	БК6-ОМ	Р020043 (ПР13-9)	5770,1	71,55	12,4	ТУ 48-19-217-89
51640330001310	0	БК6-ОМ	Р020044 (ПР13-10)	5712,53	83,4	14,6	ТУ 48-19-217-89
51640330001901	0	БК6-ОМ	Д020112(ПР19-1)	5341,98	536,01	101,7	ТУ 48-19-217-89
51640330001902	0	БК6-ОМ	Д020113(ПР19-2)	5324,99	674,94	127,1	ТУ 48-19-217-89
51640330001903	0	БК6-ОМ	Д020114(ПР19-3)	5314,85	797,07	150,5	ТУ 48-19-217-89
51640330002701	0	БК6-ОМ	Д020123(ПР27-1)	6288,85	22,95	3,7	ТУ 48-19-217-89
51640330002702	0	БК6-ОМ	Д020124(ПР27-2)	6107,1	33,59	5,6	ТУ 48-19-217-89
51640330002703	0	БК6-ОМ	Д020125(ПР27-3)	6206,55	27,31	4,5	ТУ 48-19-217-89
51640330002704	0	БК6-ОМ	Д020126(ПР27-4)	6386,79	18,52	2,9	ТУ 48-19-217-89
51640330002800	0	БК6-ОМ	Д010013(ПР28)	5479,45	35,95	6,65	ТУ 48-19-217-89
51640340000601	0	БК6-ОМ	3030004(ПР6-1)	6753,67	137,1	20,6	ТУ 48-19-217-89
51640340000602	0	БК6-ОМ	3030005(ПР6-2)	5945,59	127,83	21,8	ТУ 48-19-217-89
51640340000603	0	БК6-ОМ	3030002(ПР6-3)	5869,25	198,97	33,9	ТУ 48-19-217-89
51640340001202	0	БК6-ОМ	Р030006 (ПР12-2)	5691,89	384,2	67,5	ТУ 48-19-217-89
51640340001701	0	БК6-ОМ	Р030055 (ПР17-1)	6140,25	93,95	15,3	ТУ 48-19-217-89
51640340001702	0	БК6-ОМ	Р030056 (ПР17-2)	5934,73	150,15	25,3	ТУ 48-19-217-89
51640340001703	0	БК6-ОМ	Р030057 (ПР17-3)	5795,97	234,16	40,4	ТУ 48-19-217-89
51640340001801	0	БК6-ОМ	Н030028(ПР18-1)	7090,97	193,44	27,4	ТУ 48-19-217-89
51640340001802	0	БК6-ОМ	Н030029(ПР18-2)	6988,33	253,68	36,4	ТУ 48-19-217-89
51640340001803	0	БК6-ОМ	Н030030(ПР18-3)	6922,43	313,79	45,5	ТУ 48-19-217-89
51640340002400	0	БК6-ОМ	Н030031(ПР24)	8829,11	16,51	1,9	ТУ 48-19-217-89
51640350002200	0	БК6-ОМ	Р040001 (ПР22)	5846,5	1394,33	237,6	ТУ 48-19-217-89
51640360001502	0	БК6-ОМ	М050002 (ПР15-2)	7844,2	468,14	59,68	ТУ 48-19-217-89
51640360002900	0	БК6-ОМ	М040001 (ПР29)	8082,28	135,78	16,8	ТУ 48-19-217-89
51640400002500	0	БК6-ОМ	Ф030165 (ПР25)	6325,27	67,36	10,8	ТУ 48-19-217-89
52200080000252	0	БК3	2252	3131,73	38,52	12,7	ГОСТ 25395-90
52200090000090	0	БК3	6090	3138,63	36,41	11,9	ГОСТ 25397-90
52200090000350	0	БК3	6350	3293,87	15,71	4,95	ГОСТ 25397-90
52200090000360	0	БК3	6360	3293,87	15,71	4,95	ГОСТ 25397-90
52200100000010	0	БК3	7010	3558,31	7,12	2,05	ГОСТ 25426-90
52200100000050	0	БК3	7050	3466,5	9,01	2,7	ГОСТ 25426-90
52200100000060	0	БК3	7060	3466,5	9,01	2,7	ГОСТ 25426-90
52200100000070	0	БК3	7070	3273,58	17,06	5,41	ГОСТ 25426-90
52200100000080	0	БК3	7080	3273,58	17,06	5,41	ГОСТ 25426-90
52200100000100	0	БК3	7100	3200,98	24,14	7,82	ГОСТ 25426-90
52200100000110	0	БК3	7110	3148,84	33,66	11,09	ГОСТ 25426-90
52200100000140	0	БК3	7140	3116,2	44,25	14,74	ГОСТ 25426-90
52200100000150	0	БК3	7150	3090,19	58,65	19,75	ГОСТ 25426-90
52200100000330	0	БК3	7330	3278,12	106,87	33,5	ГОСТ 25426-90
52200100000350	0	БК3	7350	5331,87	3,41	0,66	ГОСТ 25426-90
52200100000370	0	БК3	7370	3385,62	11,41	3,47	ГОСТ 25426-90
52200120000051	0	БК3	10051	3483,7	8,6	2,53	ГОСТ 25396-90
52200120000061	0	БК3	10061	3483,7	8,6	2,53	ГОСТ 25396-90
52200120000151	0	БК3	10151	3084,67	62,96	21,00	ГОСТ 25396-90
52200120000161	0	БК3	10161	3084,67	62,96	21,00	ГОСТ 25396-90
52200120000271	0	БК3	10271	3369,07	12,03	4,06	ГОСТ 25396-90
52200120000291	0	БК3	10291	3189,68	25,74	8,3	ГОСТ 25396-90
52200120000301	0	БК3	10301	3189,68	25,74	8,3	ГОСТ 25396-90
52200120000302	0	БК3	10302	3187,49	26,07	8,49	ГОСТ 25396-90
52200120000411	0	БК3	10411	5666,39	2,38	0,46	ГОСТ 25396-90
52200120000431	0	БК3	10431	5107,7	4,24	0,86	ГОСТ 25396-90
52200120000451	0	БК3	10451	4648,15	6,51	1,6	ГОСТ 25396-90
52200120000471	0	БК3	10471	3254,86	18,49	5,84	ГОСТ 25396-90
52200120000481	0	БК3	10481	3254,86	18,49	5,84	ГОСТ 25396-90
52200120000491	0	БК3	10491	3138,53	36,44	12,00	ГОСТ 25396-90
52200120000492	0	БК3	10492	3135,29	37,4	12,38	ГОСТ 25396-90
52200120000501	0	БК3	10501	3138,53	36,44	12,00	ГОСТ 25396-90
52200120000531	0	БК3	10531	3272,76	112,58	35,5	ГОСТ 25396-90
52200120000541	0	БК3	10541	3272,76	112,58	35,5	ГОСТ 25396-90
52200120000571	0	БК3	10571	3221,91	228,76	73,00	ГОСТ 25396-90
52200120000581	0	БК3	10581	3221,91	228,76	73,00	ГОСТ 25396-90
52200120000611	0	БК3	10611	3199,36	422,31	136,00	ГОСТ 25396-90
52200120000621	0	БК3	10621	3199,36	422,31	136,00	ГОСТ 25396-90
52200120000652	0	БК3	10652	3571,47	6,89	1,98	ГОСТ 25396-90
52200120000682	0	БК3	10682	3430,11	9,98	3,02	ГОСТ 25396-90
52200120000692	0	БК3	10692	3118,54	43,29	15,5	ГОСТ 25396-90
52200120000712	0	БК3	10712	3066,04	83,46	28,25	ГОСТ 25396-90
52200120000722	0	БК3	10722	3066,04	83,46	28,25	ГОСТ 25396-90
52200140000051	0	БК3	14051	6730,55	4,51	0,69	ГОСТ 25399-90
52200140000071	0	БК3	14071	6417,1	5,39	0,87	ГОСТ 25399-90
52200140000091	0	БК3	14091	6304,26	5,74	0,94	ГОСТ 25399-90

52200140000111	0	BK3	14111	6035,88	6,64	1,14	ГОСТ 25399-90
52200140000131	0	BK3	14131	6835,26	4,24	0,46	ГОСТ 25399-90
52200140000151	0	BK3	14151	5960,94	6,91	1,2	ГОСТ 25399-90
52200140000171	0	BK3	14171	5398,19	9,45	1,82	ГОСТ 25399-90
52200140000191	0	BK3	14191	5347,05	9,73	1,89	ГОСТ 25399-90
52200140000211	0	BK3	14211	5201,66	10,61	2,12	ГОСТ 25399-90
52200140000291	0	BK3	14291	5312,05	9,93	1,93	ГОСТ 25399-90
52200160000010	0	BK3	16010	3503,72	8,16	2,4	ГОСТ 25405-90
52200160000030	0	BK3	16030	3325,27	13,97	4,32	ГОСТ 25405-90
52200160000050	0	BK3	16050	3195,27	24,92	8,00	ГОСТ 25405-90
52200160000210	0	BK3	16210	3123,04	41,54	13,7	ГОСТ 25405-90
52200160000250	0	BK3	16250	3078,71	68,35	22,9	ГОСТ 25405-90
52200160000390	0	BK3	16390	3215,91	260,49	84,00	ГОСТ 25405-90
52200200000100	0	BK3	20100	3320,27	76,37	23,86	ГОСТ 25408-90
52200210000110	0	BK3	21110	3915,08	14,76	3,88	ГОСТ 25400-90
52200210000470	0	BK3	21470	3204,91	23,62	7,59	ГОСТ 25400-90
52200210000650	0	BK3	21650	3179,44	27,37	8,94	ГОСТ 25400-90
52200240000090	0	BK3	24090	3442,34	9,64	2,88	ГОСТ 25409-90
52200240000130	0	BK3	24130	3278,83	16,69	5,23	ГОСТ 25409-90
52200240000270	0	BK3	24270	3147,52	33,99	11,1	ГОСТ 25409-90
52200240000570	0	BK3	24570	3071,53	76,17	25,5	ГОСТ 25409-90
52200240000770	0	BK3	24770	3386,49	11,38	3,7	ГОСТ 25409-90
52200250000110	0	BK3	25110	4508,96	7,44	1,7	ГОСТ 25424-90
52200250000130	0	BK3	25130	4066,92	12,04	3,05	ГОСТ 25424-90
52200250000150	0	BK3	25150	3800,57	17,63	4,78	ГОСТ 25424-90
52200250000190	0	BK3	25190	3103,00	50,58	16,8	ГОСТ 25424-90
52200250000210	0	BK3	25210	3898,35	15,13	4,02	ГОСТ 25424-90
52200250000230	0	BK3	25230	3621,53	24,95	7,15	ГОСТ 25424-90
52200260000030	0	BK3	26030	6813,8	4,29	0,65	ГОСТ 25425-90
52200260000050	0	BK3	26050	6115,23	6,36	1,08	ГОСТ 25425-90
52200260000070	0	BK3	26070	4415,19	8,17	1,92	ГОСТ 25425-90
52200260000090	0	BK3	26090	4073,75	11,94	3,04	ГОСТ 25425-90
52200260000130	0	BK3	26130	3712,52	20,64	5,77	ГОСТ 25425-90
52200260000250	0	BK3	26250	3628,46	24,56	6,96	ГОСТ 25425-90
52200320000110	0	BK3	17110	4159,08	10,77	2,67	ГОСТ 25406-90
52200320000130	0	BK3	17130	4119,52	11,29	2,82	ГОСТ 25406-90
52200320000150	0	BK3	17150	3879,52	15,56	4,13	ГОСТ 25406-90
52200320000170	0	BK3	17170	3853,69	16,19	4,32	ГОСТ 25406-90
52200320000190	0	BK3	17190	3734,79	19,79	5,45	ГОСТ 25406-90
52200320000210	0	BK3	17210	3717,5	20,45	5,65	ГОСТ 25406-90
52200320000230	0	BK3	17230	3609,89	25,63	7,35	ГОСТ 25406-90
52200320000250	0	BK3	17250	3537,78	30,78	8,95	ГОСТ 25406-90
52200320000270	0	BK3	17270	3526,83	31,74	9,25	ГОСТ 25406-90
52200320000290	0	BK3	17290	3475,38	37,19	11,00	ГОСТ 25406-90
52200320000310	0	BK3	17310	3123,04	41,54	13,6	ГОСТ 25406-90
52200320000330	0	BK3	17330	3107,03	48,47	16,00	ГОСТ 25406-90
52200320000350	0	BK3	17350	3094,46	55,7	18,6	ГОСТ 25406-90
52200320000370	0	BK3	17370	3080,6	66,54	22,2	ГОСТ 25406-90
52200320000390	0	BK3	17390	3071,78	75,87	25,5	ГОСТ 25406-90
52200320000410	0	BK3	17410	3070,08	77,98	26,1	ГОСТ 25406-90
52200320000430	0	BK3	17430	3060,79	91,82	30,9	ГОСТ 25406-90
52200320000450	0	BK3	17450	3054,7	103,86	35,00	ГОСТ 25406-90
52200320000470	0	BK3	17470	3048,8	118,9	40,2	ГОСТ 25406-90
52200320000530	0	BK3	17530	7090,03	3,62	0,53	ГОСТ 25406-90
52200320000550	0	BK3	17550	6575,46	4,93	0,78	ГОСТ 25406-90
52200320000570	0	BK3	17570	5948,85	6,96	1,21	ГОСТ 25406-90
52200320000590	0	BK3	17590	4419,56	8,13	1,9	ГОСТ 25406-90
52200320000610	0	BK3	17610	4329,92	8,92	2,12	ГОСТ 25406-90
52200420000090	0	BK3	48090	3095,85	54,8	18,36	ГОСТ 25422-90
52200430000190	0	BK3	32190	3112,07	46,06	15,35	ГОСТ 25412-90
52200430000210	0	BK3	32210	3073,58	73,77	24,9	ГОСТ 25412-90
52200430000230	0	BK3	32230	3041,91	142,97	48,76	ГОСТ 25412-90
52200430000250	0	BK3	32250	3225,98	211,3	65,5	ГОСТ 25412-90
52200430000270	0	BK3	32270	3196,34	476,25	154,56	ГОСТ 25412-90
52200430000290	0	BK3	32290	3191,08	612,69	199,17	ГОСТ 25412-90
52200520000151	0	BK3	61151	3076,63	70,45	23,6	ГОСТ 25395-90
52200520000351	0	BK3	61351	3398,14	10,98	3,34	ГОСТ 25395-90
52200520000411	0	BK3	61411	3251,25	143,38	45,7	ГОСТ 25395-90
52200520000431	0	BK3	61431	3027,89	242,23	83,00	ГОСТ 25395-90
52200520000451	0	BK3	61451	3196,82	466,74	150,00	ГОСТ 25395-90
52200520000471	0	BK3	61471	3187,49	761,81	246,00	ГОСТ 25395-90
52200540000251	0	BK3	62251	3117,65	43,65	14,4	ГОСТ 25395-90
52200540000271	0	BK3	62271	3071,78	75,87	25,4	ГОСТ 25395-90
52200540000311	0	BK3	62311	3260,38	128,46	40,4	ГОСТ 25395-90
52200540000511	0	BK3	62511	3207,45	323,95	103,00	ГОСТ 25395-90
52200550000252	0	BK3	62252	3125,52	40,63	13,5	ГОСТ 25395-90
52200550000272	0	BK3	62272	3075,21	71,96	24,3	ГОСТ 25395-90

52200550000312	0	BK3		62312	3265,33	121,6	38,64	ГОСТ 25395-90
52200620000170	0	BK3		66170	3261,7	126,55	40,00	ГОСТ 25397-90
52200710000330	0	BK3		67330	3273,33	111,95	35,2	ГОСТ 25426-90
52200710000340	0	BK3		67340	3273,33	111,95	35,2	ГОСТ 25426-90
52200710000390	0	BK3		67390	3160,35	31,00	10,1	ГОСТ 25426-90
52200710000400	0	BK3		67400	3160,35	31,00	10,1	ГОСТ 25426-90
52200710000410	0	BK3		67410	3091,37	57,81	19,2	ГОСТ 25426-90
52200710000420	0	BK3		67420	3091,37	57,81	19,2	ГОСТ 25426-90
52200820000051	0	BK3		70051	3467,78	8,98	2,66	ГОСТ 25396-90
522008200000291	0	BK3		70291	3181,98	26,95	8,72	ГОСТ 25396-90
522008200000301	0	BK3		70301	3181,98	26,95	8,72	ГОСТ 25396-90
522008200000311	0	BK3		70311	3125,52	40,63	13,3	ГОСТ 25396-90
522008200000321	0	BK3		70321	3125,52	40,63	13,3	ГОСТ 25396-90
522008200000371	0	BK3		70371	3204,92	349,34	112,00	ГОСТ 25396-90
522008200000381	0	BK3		70381	3204,92	349,34	112,00	ГОСТ 25396-90
522008200000491	0	BK3		70491	3132,67	38,22	12,6	ГОСТ 25396-90
522008200000501	0	BK3		70501	3132,67	38,22	12,6	ГОСТ 25396-90
522008200000521	0	BK3		70521	3069,61	78,58	26,5	ГОСТ 25396-90
522008200000551	0	BK3		70551	3256,44	134,49	42,5	ГОСТ 25396-90
522008200000561	0	BK3		70561	3256,44	134,49	42,5	ГОСТ 25396-90
522008200000571	0	BK3		70571	3219,32	241,45	77,00	ГОСТ 25396-90
522008200000581	0	BK3		70581	3219,32	241,45	77,00	ГОСТ 25396-90
522008200000591	0	BK3		70591	3217,55	250,97	80,00	ГОСТ 25396-90
522008200000601	0	BK3		70601	3217,55	250,97	80,00	ГОСТ 25396-90
52201620000011	0	BK3		13011	4812,08	5,58	1,29	ГОСТ 17163-90
522016200000031	0	BK3		13031	4827,4	5,5	1,29	ГОСТ 17163-90
522016200000051	0	BK3		13051	3482,33	8,64	2,58	ГОСТ 17163-90
522016200000071	0	BK3		13071	3487,85	8,51	2,53	ГОСТ 17163-90
522016200000131	0	BK3		13131	3305,76	15,01	4,74	ГОСТ 17163-90
522016200000151	0	BK3		13151	3310,13	14,76	4,68	ГОСТ 17163-90
522016200000171	0	BK3		13171	3201,89	24,01	7,78	ГОСТ 17163-90
522016200000191	0	BK3		13191	3279,39	105,6	33,1	ГОСТ 17163-90
522016200000351	0	BK3		13351	3204,91	23,62	7,65	ГОСТ 17163-90
522016200000371	0	BK3		13371	3112,14	46,03	15,34	ГОСТ 17163-90
522016200000391	0	BK3		13391	3114,16	45,12	15,03	ГОСТ 17163-90
522016200000411	0	BK3		13411	3069,91	78,19	26,43	ГОСТ 17163-90
522016200000431	0	BK3		13431	3071,31	76,44	25,83	ГОСТ 17163-90
522016200000471	0	BK3		13471	3260,88	127,73	40,64	ГОСТ 17163-90
522016300000492	0	BK3		13492	4925,7	5,02	1,26	ГОСТ 17163-90
522016300000512	0	BK3		13512	4635,95	6,58	1,65	ГОСТ 17163-90
522016300000532	0	BK3		13532	4272,42	9,48	2,61	ГОСТ 17163-90
522016300000552	0	BK3		13552	4094,87	11,63	3,3	ГОСТ 17163-90
522016300000572	0	BK3		13572	3869,78	15,79	4,6	ГОСТ 17163-90
522016300000592	0	BK3		13592	3632,00	24,37	7,8	ГОСТ 17163-90
522016300000612	0	BK3		13612	3445,12	41,34	13,55	ГОСТ 17163-90
522016300000632	0	BK3		13632	3346,31	64,92	19,9	ГОСТ 17163-90
522016300000652	0	BK3		13652	3291,56	94,8	29,7	ГОСТ 17163-90
522026900000150	0	BK3		11150	4469,8	7,73	1,8	ГОСТ 25398-90
522026900000170	0	BK3		11170	4078,36	11,87	3,03	ГОСТ 25398-90
522026900000190	0	BK3		11190	3814,22	17,24	4,7	ГОСТ 25398-90
522026900000210	0	BK3		11210	3516,18	32,74	9,66	ГОСТ 25398-90
522026900000230	0	BK3		11230	3364,34	58,81	18,14	ГОСТ 25398-90
522198000000022	0	BK3	1980-0022		4717,48	7,6	1,61	ГОСТ 9453-75
522198000000024	0	BK3	1980-0024		4450,83	15,44	3,63	ГОСТ 9453-75
522198000000041	0	BK3	1980-0041		4261,13	23,82	5,59	ГОСТ 9453-75
522198000000043	0	BK3	1980-0043		4264,01	23,67	5,55	ГОСТ 9453-75
522198000000044	0	BK3	1980-0044		4264,01	23,67	5,55	ГОСТ 9453-75
522198000000045	0	BK3	1980-0045		4264,73	23,63	5,54	ГОСТ 9453-75
522198000000046	0	BK3	1980-0046		4269,09	23,39	5,48	ГОСТ 9453-75
522198000000051	0	BK3	1980-0051		3963,45	49,31	12,9	ГОСТ 9453-75
522198000000052	0	BK3	1980-0052		3952,87	50,79	12,9	ГОСТ 9453-75
522198000000053	0	BK3	1980-0053		3956,43	50,29	12,7	ГОСТ 9453-75
522198000000072	0	BK3	1980-0072		3696,21	135,24	38,4	ГОСТ 9453-75
522198000000073	0	BK3	1980-0073		3697,1	134,57	38,3	ГОСТ 9453-75
522198000000074	0	BK3	1980-0074		3697,1	134,57	38,2	ГОСТ 9453-75
522198000000075	0	BK3	1980-0075		3697,56	134,22	38,1	ГОСТ 9453-75
522198000000076	0	BK3	1980-0076		3695,56	135,74	38,1	ГОСТ 9453-75
522198000000097	0	BK3	1980-0097		3692,52	138,1	38,8	ГОСТ 9453-75
522198000000101	0	BK3	1980-0101		3694,23	136,76	38,4	ГОСТ 9453-75
522198000000106	0	BK3	1980-0106		3696,16	135,28	37,4	ГОСТ 9453-75
522198000000122	0	BK3	1980-0122		3590,34	312,83	90,00	ГОСТ 9453-75
522198000000123	0	BK3	1980-0123		3593,41	301,85	89,00	ГОСТ 9453-75
522300000000151	0	BK3		1151	3079,96	67,14	22,5	ГОСТ 25395-90
522300000000152	0	BK3		1152	3084,24	63,32	21,32	ГОСТ 25395-90
522300000000251	0	BK3		1251	3195,29	498,46	161,00	ГОСТ 25395-90
522300000000271	0	BK3		1271	3189,67	663,45	215,00	ГОСТ 25395-90
522300000000311	0	BK3		1311	3886,46	3,42	0,91	ГОСТ 25395-90

52230000000331	0	ВК3	1331	3658,06	5,63	1,8	ГОСТ 25395-90
52230000000451	0	ВК3	1451	3198,02	444,53	143,00	ГОСТ 25395-90
52300710000420	0	ВК4	67420	3091,37	57,81	19,1	ГОСТ 25426-90
52400000000000	0	ВК6	НЕЛИКВИДЫ	3219,32	241,45	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАН
52400080000051	0	ВК6	2051	3227,81	20,98	6,55	ГОСТ 25395-90
524000800000251	0	ВК6	2251	3123,04	41,54	13,4	ГОСТ 25395-90
524000800000252	0	ВК6	2252	3131,73	38,52	12,4	ГОСТ 25395-90
524000800000271	0	ВК6	2271	3074,93	72,26	23,8	ГОСТ 25395-90
524000800000272	0	ВК6	2272	3078,41	68,65	22,6	ГОСТ 25395-90
524000800000311	0	ВК6	2311	3050,41	114,39	38,00	ГОСТ 25395-90
524000800000312	0	ВК6	2312	3052,87	108,1	35,89	ГОСТ 25395-90
524000800000351	0	ВК6	2351	3224,8	216,06	67,00	ГОСТ 25395-90
524000800000352	0	ВК6	2352	3228,66	201,18	63,17	ГОСТ 25395-90
524000800000411	0	ВК6	2411	3068,69	79,79	26,5	ГОСТ 25395-90
524000800000511	0	ВК6	2511	3209,24	308,09	97,00	ГОСТ 25395-90
524000800000512	0	ВК6	2512	3211,25	292,03	92,19	ГОСТ 25395-90
524000800000611	0	ВК6	2611	3525,5	7,72	2,22	ГОСТ 25395-90
524000800000631	0	ВК6	2631	3326,49	13,9	4,23	ГОСТ 25395-90
524000800000651	0	ВК6	2651	3167,3	29,58	9,47	ГОСТ 25395-90
524000800000671	0	ВК6	2671	3096,71	54,25	17,76	ГОСТ 25395-90
524000800000691	0	ВК6	2691	3215,34	22,35	7,12	ГОСТ 25395-90
524000900000010	0	ВК6	6010	3631,06	5,99	1,67	ГОСТ 25397-90
524000900000030	0	ВК6	6030	3487,85	8,51	2,73	ГОСТ 25397-90
524000900000050	0	ВК6	6050	3287,09	16,14	4,97	ГОСТ 25397-90
524000900000060	0	ВК6	6060	3287,09	16,14	4,97	ГОСТ 25397-90
524000900000090	0	ВК6	6090	3138,63	36,41	11,7	ГОСТ 25397-90
524000900000100	0	ВК6	6100	3138,63	36,41	11,7	ГОСТ 25397-90
524000900000130	0	ВК6	6130	3077,8	69,25	22,8	ГОСТ 25397-90
524000900000140	0	ВК6	6140	3077,8	69,25	22,8	ГОСТ 25397-90
524000900000170	0	ВК6	6170	3266,16	120,52	37,4	ГОСТ 25397-90
524000900000180	0	ВК6	6180	3266,16	120,52	37,4	ГОСТ 25397-90
524000900000300	0	ВК6	6300	3207,45	323,95	102,00	ГОСТ 25397-90
524000900000330	0	ВК6	6330	3493,5	8,38	2,44	ГОСТ 25397-90
524000900000350	0	ВК6	6350	3293,87	15,71	4,84	ГОСТ 25397-90
524000900000360	0	ВК6	6360	3293,87	15,71	4,84	ГОСТ 25397-90
524000900000370	0	ВК6	6370	3159,51	31,18	9,99	ГОСТ 25397-90
524000900000380	0	ВК6	6380	3159,51	31,18	9,99	ГОСТ 25397-90
524000900000390	0	ВК6	6390	3096,33	54,5	17,84	ГОСТ 25397-90
524000900000400	0	ВК6	6400	3096,33	54,5	17,84	ГОСТ 25397-90
524000900000410	0	ВК6	6410	3286,99	98,58	30,4	ГОСТ 25397-90
524000900000420	0	ВК6	6420	3286,99	98,58	30,4	ГОСТ 25397-90
524001000000010	0	ВК6	7010	3558,31	7,12	2,01	ГОСТ 25426-90
524001000000030	0	ВК6	7030	4925,7	5,02	1,03	ГОСТ 25426-90
524001000000050	0	ВК6	7050	3466,5	9,01	2,64	ГОСТ 25426-90
524001000000060	0	ВК6	7060	3466,5	9,01	2,64	ГОСТ 25426-90
524001000000070	0	ВК6	7070	3273,58	17,06	5,28	ГОСТ 25426-90
524001000000080	0	ВК6	7080	3273,58	17,06	5,28	ГОСТ 25426-90
524001000000090	0	ВК6	7090	3200,98	24,14	7,64	ГОСТ 25426-90
524001000000100	0	ВК6	7100	3200,98	24,14	7,64	ГОСТ 25426-90
524001000000110	0	ВК6	7110	3148,84	33,66	10,83	ГОСТ 25426-90
524001000000120	0	ВК6	7120	3148,84	33,66	10,83	ГОСТ 25426-90
524001000000130	0	ВК6	7130	3116,2	44,25	14,4	ГОСТ 25426-90
524001000000140	0	ВК6	7140	3116,2	44,25	14,4	ГОСТ 25426-90
524001000000150	0	ВК6	7150	3090,19	58,65	19,24	ГОСТ 25426-90
524001000000160	0	ВК6	7160	3090,19	58,65	19,24	ГОСТ 25426-90
524001000000170	0	ВК6	7170	3070,89	76,96	25,41	ГОСТ 25426-90
524001000000330	0	ВК6	7330	3278,12	106,87	33,00	ГОСТ 25426-90
524001000000340	0	ВК6	7340	3278,12	106,87	33,00	ГОСТ 25426-90
524001000000370	0	ВК6	7370	3385,62	11,41	3,75	ГОСТ 25426-90
524001200000051	0	ВК6	10051	3483,7	8,6	2,5	ГОСТ 25396-90
524001200000061	0	ВК6	10061	3483,7	8,6	2,5	ГОСТ 25396-90
524001200000151	0	ВК6	10151	3084,67	62,96	20,6	ГОСТ 25396-90
524001200000161	0	ВК6	10161	3084,67	62,96	20,6	ГОСТ 25396-90
524001200000162	0	ВК6	10162	3083,04	64,34	21,16	ГОСТ 25396-90
524001200000271	0	ВК6	10271	3369,07	12,03	3,95	ГОСТ 25396-90
524001200000291	0	ВК6	10291	3189,68	25,74	8,16	ГОСТ 25396-90
524001200000292	0	ВК6	10292	3187,49	26,07	8,29	ГОСТ 25396-90
524001200000301	0	ВК6	10301	3189,68	25,74	8,16	ГОСТ 25396-90
524001200000302	0	ВК6	10302	3187,49	26,07	8,29	ГОСТ 25396-90
524001200000411	0	ВК6	10411	5666,39	2,38	0,42	ГОСТ 25396-90
524001200000431	0	ВК6	10431	5107,7	4,24	0,84	ГОСТ 25396-90
524001200000451	0	ВК6	10451	4648,15	6,51	1,55	ГОСТ 25396-90
524001200000471	0	ВК6	10471	3254,86	18,49	5,74	ГОСТ 25396-90
524001200000472	0	ВК6	10472	3248,72	19,01	5,93	ГОСТ 25396-90
524001200000481	0	ВК6	10481	3254,86	18,49	5,74	ГОСТ 25396-90
524001200000482	0	ВК6	10482	3248,72	19,01	5,93	ГОСТ 25396-90
524001200000491	0	ВК6	10491	3138,53	36,44	11,8	ГОСТ 25396-90

52400120000492	0	BK6	10492	3135,29	37,4	12,1	ГОСТ 25396-90
52400120000501	0	BK6	10501	3138,53	36,44	11,8	ГОСТ 25396-90
52400120000502	0	BK6	10502	3135,29	37,4	12,1	ГОСТ 25396-90
52400120000531	0	BK6	10531	3272,76	112,58	34,8	ГОСТ 25396-90
52400120000541	0	BK6	10541	3272,76	112,58	34,8	ГОСТ 25396-90
52400120000571	0	BK6	10571	3221,91	228,76	72,00	ГОСТ 25396-90
52400120000572	0	BK6	10572	3220,69	234,59	73,84	ГОСТ 25396-90
52400120000581	0	BK6	10581	3221,91	228,76	72,00	ГОСТ 25396-90
52400120000582	0	BK6	10582	3220,69	234,59	73,84	ГОСТ 25396-90
52400120000611	0	BK6	10611	3199,36	422,31	133,00	ГОСТ 25396-90
52400120000612	0	BK6	10612	3198,96	428,66	136,00	ГОСТ 25396-90
52400120000621	0	BK6	10621	3199,36	422,31	133,00	ГОСТ 25396-90
52400120000622	0	BK6	10622	3198,96	428,66	136,00	ГОСТ 25396-90
52400120000631	0	BK6	10631	3188,75	701,53	222,00	ГОСТ 25396-90
52400120000632	0	BK6	10632	3188,47	714,22	227,00	ГОСТ 25396-90
52400120000641	0	BK6	10641	3188,75	701,53	222,00	ГОСТ 25396-90
52400120000642	0	BK6	10642	3188,47	714,22	227,00	ГОСТ 25396-90
52400120000652	0	BK6	10652	3571,47	6,89	1,93	ГОСТ 25396-90
52400120000672	0	BK6	10672	3430,11	9,98	2,95	ГОСТ 25396-90
52400120000682	0	BK6	10682	3430,11	9,98	2,95	ГОСТ 25396-90
52400120000692	0	BK6	10692	3118,54	43,29	14,07	ГОСТ 25396-90
52400120000712	0	BK6	10712	3066,04	83,46	27,6	ГОСТ 25396-90
52400140000011	0	BK6	14011	7566,03	2,57	0,34	ГОСТ 25399-90
52400140000051	0	BK6	14051	6730,55	4,51	0,68	ГОСТ 25399-90
52400140000071	0	BK6	14071	6417,1	5,39	0,85	ГОСТ 25399-90
52400140000091	0	BK6	14091	6304,26	5,74	0,92	ГОСТ 25399-90
52400140000111	0	BK6	14111	6035,88	6,64	1,12	ГОСТ 25399-90
52400140000151	0	BK6	14151	5960,94	6,91	1,17	ГОСТ 25399-90
52400140000211	0	BK6	14211	5201,66	10,61	2,07	ГОСТ 25399-90
52400140000251	0	BK6	14251	5613,32	8,36	1,51	ГОСТ 25399-90
52400140000271	0	BK6	14271	5559,78	8,62	1,57	ГОСТ 25399-90
52400140000291	0	BK6	14291	5312,05	9,93	1,89	ГОСТ 25399-90
52400140000312	0	BK6	14312	5631,74	8,28	1,49	ГОСТ 25399-90
52400140000332	0	BK6	14332	5177,46	10,77	2,1	ГОСТ 25399-90
52400140000352	0	BK6	14352	4768,68	14,12	3,00	ГОСТ 25399-90
52400140000392	0	BK6	14392	3336,66	13,41	4,07	ГОСТ 25399-90
52400140000412	0	BK6	14412	4221,85	22,84	6,8	ГОСТ 25399-90
52400140000432	0	BK6	14432	4084,43	26,92	6,67	ГОСТ 25399-90
52400140000452	0	BK6	14452	4023,06	29,25	8,2	ГОСТ 25399-90
52400140000472	0	BK6	14472	3189,27	25,8	8,19	ГОСТ 25399-90
52400140000492	0	BK6	14492	3839,36	39,55	12,85	ГОСТ 25399-90
52400140000512	0	BK6	14512	3818,11	41,24	10,9	ГОСТ 25399-90
52400140000532	0	BK6	14532	3802,37	42,59	11,2	ГОСТ 25399-90
52400140000552	0	BK6	14552	3742,66	48,65	13,1	ГОСТ 25399-90
52400140000572	0	BK6	14572	3731,42	50,00	13,6	ГОСТ 25399-90
52400140000592	0	BK6	14592	3627,04	67,46	18,8	ГОСТ 25399-90
52400140000632	0	BK6	14632	3609,06	71,82	20,2	ГОСТ 25399-90
52400140000652	0	BK6	14652	3601,49	73,83	20,8	ГОСТ 25399-90
52400140000692	0	BK6	14692	3544,00	93,92	26,8	ГОСТ 25399-90
52400140000752	0	BK6	14752	3502,68	116,99	33,8	ГОСТ 25399-90
52400140000772	0	BK6	14772	3501,25	117,99	34,1	ГОСТ 25399-90
52400140000792	0	BK6	14792	3450,17	170,78	50,00	ГОСТ 25399-90
52400140000812	0	BK6	14812	3446,93	175,79	52,00	ГОСТ 25399-90
52400140000832	0	BK6	14832	3422,54	225,89	66,7	ГОСТ 25399-90
52400140000872	0	BK6	14872	3400,24	306,02	91,00	ГОСТ 25399-90
52400150000010	0	BK6	15010	3261,71	17,94	5,55	ГОСТ 25404-90
52400150000030	0	BK6	15030	3132,67	38,22	12,4	ГОСТ 25404-90
52400150000040	0	BK6	15040	3132,67	38,22	12,4	ГОСТ 25404-90
52400150000100	0	BK6	15100	3059,12	94,83	31,5	ГОСТ 25404-90
52400150000160	0	BK6	15160	3219,32	241,45	75,77	ГОСТ 25404-90
52400160000030	0	BK6	16030	3325,27	13,97	4,25	ГОСТ 25405-90
52400160000050	0	BK6	16050	3195,27	24,92	7,9	ГОСТ 25405-90
524001600000210	0	BK6	16210	3123,04	41,54	13,5	ГОСТ 25405-90
524001600000370	0	BK6	16370	3050,18	114,99	38,2	ГОСТ 25405-90
524001600000390	0	BK6	16390	3215,91	260,49	82,00	ГОСТ 25405-90
52400200000010	0	BK6	20010	3487,85	8,51	2,47	ГОСТ 25408-90
524002000000030	0	BK6	20030	3364,39	12,21	3,67	ГОСТ 25408-90
524002000000050	0	BK6	20050	3680,04	22,01	6,06	ГОСТ 25408-90
524002000000070	0	BK6	20070	3431,2	43,58	12,9	ГОСТ 25408-90
524002000000080	0	BK6	20080	3431,2	43,58	12,9	ГОСТ 25408-90
524002000000090	0	BK6	20090	3320,27	76,37	23,2	ГОСТ 25408-90
52400200000100	0	BK6	20100	3320,27	76,37	23,2	ГОСТ 25408-90
52400200000130	0	BK6	20130	3262,83	124,97	38,8	ГОСТ 25408-90
52400200000140	0	BK6	20140	3262,83	124,97	38,8	ГОСТ 25408-90
52400210000010	0	BK6	21010	3991,09	2,71	0,69	ГОСТ 25400-90
52400210000070	0	BK6	21070	3872,65	3,52	0,92	ГОСТ 25400-90
52400210000090	0	BK6	21090	4062,43	12,11	3,01	ГОСТ 25400-90

52400210000110	0	BK6	21110	3915,08	14,76	3,8	ГОСТ 25400-90
52400210000130	0	BK6	21130	3272,73	17,12	5,3	ГОСТ 25400-90
52400210000150	0	BK6	21150	3237,63	20,01	6,25	ГОСТ 25400-90
52400210000170	0	BK6	21170	5936,87	7,01	1,19	ГОСТ 25400-90
52400210000190	0	BK6	21190	3552,85	7,21	2,05	ГОСТ 25400-90
52400210000210	0	BK6	21210	4239,3	9,84	2,35	ГОСТ 25400-90
52400210000250	0	BK6	21250	3266,09	17,6	5,46	ГОСТ 25400-90
52400210000270	0	BK6	21270	4279,29	9,41	2,24	ГОСТ 25400-90
52400210000310	0	BK6	21310	3807,32	17,44	4,64	ГОСТ 25400-90
52400210000350	0	BK6	21350	3822,46	17,01	4,51	ГОСТ 25400-90
52400210000370	0	BK6	21370	3704,73	5,08	1,39	ГОСТ 25400-90
52400210000410	0	BK6	21410	3640,5	23,92	6,65	ГОСТ 25400-90
52400210000470	0	BK6	21470	3204,91	23,62	7,46	ГОСТ 25400-90
52400210000490	0	BK6	21490	3125,52	40,63	13,1	ГОСТ 25400-90
52400210000510	0	BK6	21510	3103,56	50,28	16,4	ГОСТ 25400-90
52400210000530	0	BK6	21530	3059,12	94,83	31,00	ГОСТ 25400-90
52400210000570	0	BK6	21570	3067,79	80,99	26,7	ГОСТ 25400-90
52400210000590	0	BK6	21590	3045,56	129,13	42,9	ГОСТ 25400-90
52400210000610	0	BK6	21610	3770,87	18,55	4,99	ГОСТ 25400-90
52400210000650	0	BK6	21650	3179,44	27,37	8,73	ГОСТ 25400-90
52400210000710	0	BK6	21710	3209,01	23,1	7,29	ГОСТ 25400-90
52400240000050	0	BK6	24050	3517,5	7,88	2,27	ГОСТ 25409-90
52400240000070	0	BK6	24070	3573,4	6,86	1,94	ГОСТ 25409-90
52400240000090	0	BK6	24090	3442,34	9,64	2,83	ГОСТ 25409-90
52400240000130	0	BK6	24130	3278,83	16,69	5,15	ГОСТ 25409-90
52400240000170	0	BK6	24170	3245,25	19,31	6,03	ГОСТ 25409-90
52400240000210	0	BK6	24210	3219,34	21,89	6,85	ГОСТ 25409-90
52400240000250	0	BK6	24250	3198,52	24,47	7,75	ГОСТ 25409-90
52400240000270	0	BK6	24270	3147,52	33,99	11,00	ГОСТ 25409-90
52400240000290	0	BK6	24290	3135,58	37,31	12,00	ГОСТ 25409-90
52400240000470	0	BK6	24470	3098,78	52,99	17,3	ГОСТ 25409-90
52400240000550	0	BK6	24550	3080,28	66,84	22,00	ГОСТ 25409-90
52400240000570	0	BK6	24570	3071,53	76,17	25,00	ГОСТ 25409-90
52400240000590	0	BK6	24590	3064,47	85,81	28,2	ГОСТ 25409-90
52400240000650	0	BK6	24650	3262,83	124,97	38,8	ГОСТ 25409-90
52400240000770	0	BK6	24770	3386,49	11,38	3,4	ГОСТ 25409-90
52400240000790	0	BK6	24790	3121,45	42,14	13,6	ГОСТ 25409-90
52400240000850	0	BK6	24850	3253,03	140,21	43,6	ГОСТ 25409-90
52400240000870	0	BK6	24870	3088,49	59,92	19,6	ГОСТ 25409-90
52400250000110	0	BK6	25110	4508,96	7,44	1,67	ГОСТ 25424-90
52400250000130	0	BK6	25130	4066,92	12,04	3,00	ГОСТ 25424-90
52400250000150	0	BK6	25150	3800,57	17,63	4,7	ГОСТ 25424-90
52400250000190	0	BK6	25190	3103,00	50,58	16,5	ГОСТ 25424-90
52400250000210	0	BK6	25210	3898,35	15,13	3,93	ГОСТ 25424-90
52400250000230	0	BK6	25230	3621,53	24,95	6,99	ГОСТ 25424-90
52400250000250	0	BK6	25250	3374,27	55,91	16,8	ГОСТ 25424-90
52400260000010	0	BK6	26010	7870,45	1,97	0,25	ГОСТ 25425-90
52400260000030	0	BK6	26030	6813,8	4,29	0,64	ГОСТ 25425-90
52400260000050	0	BK6	26050	6115,23	6,36	1,06	ГОСТ 25425-90
52400260000070	0	BK6	26070	4415,19	8,17	2,00	ГОСТ 25425-90
52400260000090	0	BK6	26090	4073,75	11,94	2,97	ГОСТ 25425-90
52400260000130	0	BK6	26130	3712,52	20,64	5,63	ГОСТ 25425-90
52400260000250	0	BK6	26250	3628,46	24,56	6,8	ГОСТ 25425-90
52400310000090	0	BK6	31090	3433,1	43,26	12,7	ГОСТ 25411-90
52400320000190	0	BK6	17190	3734,79	19,79	5,35	ГОСТ 25406-90
52400320000290	0	BK6	17290	3475,38	37,19	10,8	ГОСТ 25406-90
52400320000390	0	BK6	17390	3071,78	75,87	25,00	ГОСТ 25406-90
52400320000450	0	BK6	17450	3054,7	103,86	34,4	ГОСТ 25406-90
52400320000510	0	BK6	17510	3039,89	151,99	50,2	ГОСТ 25406-90
52400380000031	0	BK6	38031	3589,32	26,92	7,6	ГОСТ 25415-90
52400390000010	0	BK6	39010	4514,02	7,4	1,66	ГОСТ 25416-90
52400390000030	0	BK6	39030	4153,62	10,84	2,64	ГОСТ 25416-90
52400390000050	0	BK6	39050	3604,56	25,95	7,3	ГОСТ 25416-90
52400390000110	0	BK6	39110	3291,96	94,48	29,00	ГОСТ 25416-90
52400390000130	0	BK6	39130	3410,38	47,4	14,00	ГОСТ 25416-90
52400390000150	0	BK6	39150	3335,91	69,05	21,00	ГОСТ 25416-90
52400410000050	0	BK6	47050	4534,65	7,26	1,62	ГОСТ 25421-90
52400410000070	0	BK6	47070	4373,07	8,53	1,98	ГОСТ 25421-90
52400410000090	0	BK6	47090	4242,52	9,8	2,34	ГОСТ 25421-90
52400420000010	0	BK6	48010	3503,72	8,16	2,36	ГОСТ 25422-90
52400420000070	0	BK6	48070	3128,1	39,73	12,9	ГОСТ 25422-90
52400420000090	0	BK6	48090	3095,85	54,8	17,9	ГОСТ 25422-90
52400430000190	0	BK6	32190	3112,07	46,06	14,9	ГОСТ 25412-90
52400430000210	0	BK6	32210	3073,58	73,77	24,3	ГОСТ 25412-90
52400430000230	0	BK6	32230	3041,91	142,97	47,6	ГОСТ 25412-90
52400430000250	0	BK6	32250	3225,98	211,3	66,3	ГОСТ 25412-90
52400430000270	0	BK6	32270	3196,34	476,25	151,00	ГОСТ 25412-90

52400430000290	0	BK6	32290	3191,08	612,69	195,00	ГОСТ 25412-90
52400500000242	0	BK6	50242	3463,97	9,08	2,66	ГОСТ 25394-90
52400500000291	0	BK6	50291	3158,81	31,34	10,00	ГОСТ 25394-90
52400500000322	0	BK6	50322	3111,41	46,36	15,1	ГОСТ 25394-90
52400520000151	0	BK6	61151	3076,63	70,45	23,1	ГОСТ 25395-90
52400520000271	0	BK6	61271	3188,9	695,18	222,00	ГОСТ 25395-90
52400520000351	0	BK6	61351	3398,14	10,98	3,28	ГОСТ 25395-90
52400520000371	0	BK6	61371	3232,31	20,53	6,41	ГОСТ 25395-90
52400520000391	0	BK6	61391	3124,68	40,93	13,2	ГОСТ 25395-90
52400520000411	0	BK6	61411	3251,25	143,38	44,6	ГОСТ 25395-90
52400520000431	0	BK6	61431	3027,89	242,23	81,00	ГОСТ 25395-90
52400520000451	0	BK6	61451	3196,82	466,74	148,00	ГОСТ 25395-90
52400520000471	0	BK6	61471	3187,49	761,81	242,00	ГОСТ 25395-90
52400530000152	0	BK6	61152	3080,28	66,84	22,00	ГОСТ 25395-90
52400530000392	0	BK6	61392	3132,67	38,22	12,4	ГОСТ 25395-90
52400530000412	0	BK6	61412	3254,89	137,03	42,59	ГОСТ 25395-90
52400540000251	0	BK6	62251	3117,65	43,65	14,1	ГОСТ 25395-90
52400540000271	0	BK6	62271	3071,78	75,87	25,00	ГОСТ 25395-90
52400540000311	0	BK6	62311	3260,38	128,46	40,00	ГОСТ 25395-90
52400540000351	0	BK6	62351	3223,32	222,41	70,00	ГОСТ 25395-90
52400540000451	0	BK6	62451	3035,98	173,05	58,00	ГОСТ 25395-90
52400540000511	0	BK6	62511	3207,45	323,95	102,00	ГОСТ 25395-90
52400550000252	0	BK6	62252	3125,52	40,63	13,2	ГОСТ 25395-90
52400550000272	0	BK6	62272	3075,21	71,96	23,8	ГОСТ 25395-90
52400550000312	0	BK6	62312	3265,33	121,6	37,75	ГОСТ 25395-90
52400550000352	0	BK6	62352	3225,88	211,71	66,53	ГОСТ 25395-90
52400560000050	0	BK6	49050	3436,98	42,62	12,6	ГОСТ 25423-90
52400600000150	0	BK6	51150	3250,9	144,01	44,8	ГОСТ 20312-90
52400620000050	0	BK6	66050	3275,74	16,9	5,22	ГОСТ 25397-90
52400620000060	0	BK6	66060	3275,74	16,9	5,22	ГОСТ 25397-90
52400620000090	0	BK6	66090	3132,67	38,22	12,3	ГОСТ 25397-90
52400620000100	0	BK6	66100	3132,67	38,22	12,3	ГОСТ 25397-90
52400620000130	0	BK6	66130	3074,66	72,56	23,9	ГОСТ 25397-90
52400620000140	0	BK6	66140	3074,66	72,56	23,9	ГОСТ 25397-90
52400620000170	0	BK6	66170	3261,7	126,55	39,3	ГОСТ 25397-90
52400620000180	0	BK6	66180	3261,7	126,55	39,3	ГОСТ 25397-90
52400710000330	0	BK6	67330	3273,33	111,95	34,6	ГОСТ 25426-90
52400710000340	0	BK6	67340	3273,33	111,95	34,6	ГОСТ 25426-90
52400710000390	0	BK6	67390	3160,35	31,00	9,92	ГОСТ 25426-90
52400710000400	0	BK6	67400	3160,35	31,00	9,92	ГОСТ 25426-90
52400710000410	0	BK6	67410	3091,37	57,81	18,9	ГОСТ 25426-90
52400710000420	0	BK6	67420	3091,37	57,81	18,9	ГОСТ 25426-90
52400820000051	0	BK6	70051	3467,78	8,98	2,63	ГОСТ 25396-90
52400820000061	0	BK6	70061	3467,78	8,98	2,63	ГОСТ 25396-90
52400820000151	0	BK6	70151	3081,26	65,94	21,6	ГОСТ 25396-90
52400820000161	0	BK6	70161	3081,26	65,94	21,6	ГОСТ 25396-90
52400820000291	0	BK6	70291	3181,98	26,95	8,57	ГОСТ 25396-90
52400820000301	0	BK6	70301	3181,98	26,95	8,57	ГОСТ 25396-90
52400820000311	0	BK6	70311	3125,52	40,63	13,1	ГОСТ 25396-90
52400820000321	0	BK6	70321	3125,52	40,63	13,1	ГОСТ 25396-90
52400820000371	0	BK6	70371	3204,92	349,34	110,00	ГОСТ 25396-90
52400820000381	0	BK6	70381	3204,92	349,34	110,00	ГОСТ 25396-90
52400820000471	0	BK6	70471	3181,98	26,95	8,57	ГОСТ 25396-90
52400820000481	0	BK6	70481	3181,98	26,95	8,57	ГОСТ 25396-90
52400820000491	0	BK6	70491	3132,67	38,22	12,4	ГОСТ 25396-90
52400820000501	0	BK6	70501	3132,67	38,22	12,4	ГОСТ 25396-90
52400820000511	0	BK6	70511	3069,61	78,58	25,9	ГОСТ 25396-90
52400820000521	0	BK6	70521	3069,61	78,58	25,9	ГОСТ 25396-90
52400820000531	0	BK6	70531	3268,18	117,98	36,5	ГОСТ 25396-90
52400820000541	0	BK6	70541	3268,18	117,98	36,5	ГОСТ 25396-90
52400820000551	0	BK6	70551	3256,44	134,49	41,8	ГОСТ 25396-90
52400820000561	0	BK6	70561	3256,44	134,49	41,8	ГОСТ 25396-90
52400820000571	0	BK6	70571	3219,32	241,45	76,00	ГОСТ 25396-90
52400820000581	0	BK6	70581	3219,32	241,45	76,00	ГОСТ 25396-90
52400820000591	0	BK6	70591	3217,55	250,97	79,00	ГОСТ 25396-90
52400820000601	0	BK6	70601	3217,55	250,97	79,00	ГОСТ 25396-90
52401620000011	0	BK6	13011	4812,08	5,58	1,26	ГОСТ 17163-90
52401620000031	0	BK6	13031	4827,4	5,5	1,26	ГОСТ 17163-90
52401620000051	0	BK6	13051	3482,33	8,64	2,52	ГОСТ 17163-90
52401620000071	0	BK6	13071	3487,85	8,51	2,48	ГОСТ 17163-90
52401620000131	0	BK6	13131	3305,76	15,01	4,6	ГОСТ 17163-90
52401620000151	0	BK6	13151	3310,13	14,76	4,53	ГОСТ 17163-90
52401620000171	0	BK6	13171	3201,89	24,01	7,6	ГОСТ 17163-90
52401620000191	0	BK6	13191	3279,39	105,6	32,6	ГОСТ 17163-90
52401620000351	0	BK6	13351	3204,91	23,62	7,47	ГОСТ 17163-90
52401620000371	0	BK6	13371	3112,14	46,03	14,99	ГОСТ 17163-90
52401620000391	0	BK6	13391	3114,16	45,12	14,68	ГОСТ 17163-90

52401620000411	0	BK6		13411	3069,91	78,19	25,82	ГОСТ 17163-90
52401620000431	0	BK6		13431	3071,31	76,44	25,23	ГОСТ 17163-90
52401620000451	0	BK6		13451	3258,76	130,87	40,7	ГОСТ 17163-90
52401620000471	0	BK6		13471	3260,88	127,73	39,7	ГОСТ 17163-90
52401630000492	0	BK6		13492	4925,7	5,02	1,25	ГОСТ 17163-90
52401630000512	0	BK6		13512	4635,95	6,58	1,6	ГОСТ 17163-90
52401630000532	0	BK6		13532	4272,42	9,48	2,5	ГОСТ 17163-90
52401630000552	0	BK6		13552	4094,87	11,63	3,2	ГОСТ 17163-90
52401630000572	0	BK6		13572	3869,78	15,79	4,6	ГОСТ 17163-90
52401630000592	0	BK6		13592	3632,00	24,37	7,6	ГОСТ 17163-90
52401630000612	0	BK6		13612	3445,12	41,34	13,2	ГОСТ 17163-90
52401630000632	0	BK6		13632	3346,31	64,92	19,6	ГОСТ 17163-90
52401630000652	0	BK6		13652	3291,56	94,8	29,2	ГОСТ 17163-90
52401860000004	0	BK6	2005-0004		4914,97	7,03	1,44	ТУ 48-19-64-91
52401860000011	0	BK6	2005-0011		4705,09	19,01	4,08	ТУ 48-19-64-91
52401860000018	0	BK6	2005-0018		4569,6	33,13	7,32	ТУ 48-19-64-91
52401860000023	0	BK6	2005-0023		6372,35	54,42	8,2	ТУ 48-19-64-91
52401860000044	0	BK6	2005-0044		4788,06	13,36	2,82	ТУ 48-19-64-91
52401860000046	0	BK6	2005-0046		6115,29	72,41	11,7	ТУ 48-19-64-91
52401860000048	0	BK6	2005-0048		4339,31	112,39	26,15	ТУ 48-19-64-91
52401860000049	0	BK6	2005-0049		5453,51	219,23	40,2	ТУ 48-19-64-91
52401860000050	0	BK6	2005-0050		4278,28	200,22	47,28	ТУ 48-19-64-91
52401870000047	0	BK6	2005-0047		5726,78	124,04	19,3	ТУ 48-19-64-91
52401890008058	0	BK6	2005-8058		4286,44	182,17	43,00	ТУ 48-19-64-91
52401890008112	0	BK6	2005-8112		4296,74	163,28	38,00	ТУ 48-19-64-91
52401890008113	0	BK6	2005-8113		4252,96	284,95	67,00	ТУ 48-19-64-91
52401910008202	0	BK6	2005-8202		4854,82	9,76	2,01	ТУ 48-19-64-91
52401910008203	0	BK6	2005-8203		4744,49	16,13	3,4	ТУ 48-19-64-91
52401920008303	0	BK6	2005-8303		4309,68	6,12	1,42	ТУ 48-19-64-91
52401920008304	0	BK6	2005-8304		4260,75	10,65	2,5	ТУ 48-19-64-91
52401920008306	0	BK6	2005-8306		4173,01	23,95	5,74	ТУ 48-19-64-91
52401920008307	0	BK6	2005-8307		4135,66	33,75	8,16	ТУ 48-19-64-91
52401920008309	0	BK6	2005-8309		6041,86	79,15	13,1	ТУ 48-19-64-91
52401940008459	0	BK6	2005-8459		4988,41	4,19	0,85	ТУ 48-19-64-91
52401940008467	0	BK6	2005-8467		4848,23	10,08	2,1	ТУ 48-19-64-91
52401940008468	0	BK6	2005-8468		4772,31	14,32	3,00	ТУ 48-19-64-91
52401970008861	0	BK6	2005-8861		4629,00	25,92	5,6	ТУ 48-19-64-91
52401990008659	0	BK6	2005-8659		5343,34	15,92	3,01	ТУ 48-19-64-91
52401990008660	0	BK6	2005-8660		4719,19	17,93	3,8	ТУ 48-19-64-91
52401990008665	0	BK6	2005-8665		6486,05	48,39	7,46	ТУ 48-19-64-91
52401990008670	0	BK6	2005-8670		4644,34	122,61	26,4	ТУ 48-19-64-91
52402000008703	0	BK6	2005-8703		4861,55	9,43	1,94	ТУ 48-19-64-91
52402000008712	0	BK6	2005-8712		4439,34	60,38	13,6	ТУ 48-19-64-91
52402000008716	0	BK6	2005-8716		4284,22	186,79	43,6	ТУ 48-19-64-91
52402010008752	0	BK6	2005-8752		0,00	0,00	2,6	ТУ 48-19-64-91
52402010008754	0	BK6	2005-8754		4997,37	38,23	7,65	ТУ 48-19-64-91
52402020008753	0	BK6	2005-8753		5286,01	18,5	3,5	ТУ 48-19-64-91
52402020008755	0	BK6	2005-8755		4806,74	65,71	13,67	ТУ 48-19-64-91
52402020008803	0	BK6	2005-8803		5644,35	5,87	1,06	ТУ 48-19-64-91
52402020008804	0	BK6	2005-8804		5493,18	10,33	1,88	ТУ 48-19-64-91
52402020008806	0	BK6	2005-8806		5039,95	34,27	6,8	ТУ 48-19-64-91
52402030008401	0	BK6	2005-8401		4946,83	5,74	1,16	ТУ 48-19-64-91
52402030008403	0	BK6	2005-8403		4678,51	21,19	4,53	ТУ 48-19-64-91
52402690000130	0	BK6		11130	5017,00	4,62	0,92	ГОСТ 25398-90
52402690000150	0	BK6		11150	4469,8	7,73	1,76	ГОСТ 25398-90
52402690000170	0	BK6		11170	4078,36	11,87	2,95	ГОСТ 25398-90
52402690000190	0	BK6		11190	3814,22	17,24	4,59	ГОСТ 25398-90
52402690000210	0	BK6		11210	3516,18	32,74	9,44	ГОСТ 25398-90
52402690000230	0	BK6		11230	3364,34	58,81	17,72	ГОСТ 25398-90
52403010000001	0	BK6	3001-0001		4070,03	4,76	1,2	ГОСТ 13833-77
52403010000002	0	BK6	3001-0002		4067,46	5,41	1,4	ГОСТ 13833-77
52403010000003	0	BK6	3001-0003		4064,31	6,22	1,6	ГОСТ 13833-77
52403010000004	0	BK6	3001-0004		4061,39	6,99	1,8	ГОСТ 13833-77
52403010000005	0	BK6	3001-0005		4058,53	7,75	2,00	ГОСТ 13833-77
52403010000006	0	BK6	3001-0006		4055,59	8,56	2,2	ГОСТ 13833-77
52403010000007	0	BK6	3001-0007		4075,17	3,5	0,75	ГОСТ 13833-77
52403010000008	0	BK6	3001-0008		4072,00	4,28	0,95	ГОСТ 13833-77
52403010000127	0	BK6	3001-0127		4065,72	5,85	1,2	ГОСТ 13833-77
52403010000128	0	BK6	3001-0128		4048,95	10,45	2,13	ГОСТ 13833-77
52403110000047	0	BK6	3001-0047		3818,79	16,99	4,45	ГОСТ 13834-77
52403110000050	0	BK6	3001-0050		3786,00	23,47	6,2	ГОСТ 13834-77
52403110000060	0	BK6	3001-0060		3747,62	34,85	9,3	ГОСТ 13834-77
52403110000062	0	BK6	3001-0062		3709,87	54,35	14,65	ГОСТ 13834-77
52403110000064	0	BK6	3001-0064		4622,6	83,21	18,00	ГОСТ 13834-77
52403110000065	0	BK6	3001-0065		3687,3	74,89	20,31	ГОСТ 13834-77
52403113000056	0	BK6	3001-0056*3		3755,41	32,07	8,63	ГОСТ 13834-77
52403114000067	0	BK6	3001-0067*4		4368,76	233,29	53,9	ГОСТ 13834-77

52403520110304	0	BK6	01111-110304	4802,83	11,53	2,46	ГОСТ 19043-80
52403520110308	0	BK6	01111-110308	4802,83	11,53	2,4	ГОСТ 19043-80
52403520160304	0	BK6	01111-160304	4725,55	25,57	5,53	ГОСТ 19043-80
52403520160308	0	BK6	01111-160308	4725,55	25,57	5,49	ГОСТ 19043-80
52403520160312	0	BK6	01111-160312	4725,55	25,57	5,41	ГОСТ 19043-80
52403520160404	0	BK6	01111-160404	4670,49	37,83	8,28	ГОСТ 19043-80
52403520160408	0	BK6	01111-160408	4670,49	37,83	8,21	ГОСТ 19043-80
52403520160412	0	BK6	01111-160412	4670,49	37,83	8,09	ГОСТ 19043-80
52403520160416	0	BK6	01111-160416	4670,49	37,83	7,93	ГОСТ 19043-80
52403520220404	0	BK6	01111-220404	4574,01	66,32	14,7	ГОСТ 19043-80
52403520220412	0	BK6	01111-220412	4574,01	66,32	14,6	ГОСТ 19043-80
52403520220416	0	BK6	01111-220416	4574,01	66,32	14,4	ГОСТ 19043-80
52403530160412	0	BK6	01131-160412	6577,61	53,28	8,09	ГОСТ 19043-80
52403530220412	0	BK6	01131-220412	6317,12	91,6	14,6	ГОСТ 19043-80
52403540110304	0	BK6	01113-110304	4848,66	4,51	0,96	ГОСТ 19044-80
52403540160308	0	BK6	01113-160308	4737,8	23,12	4,95	ГОСТ 19044-80
52403540160312	0	BK6	01113-160312	4737,8	23,12	4,87	ГОСТ 19044-80
52403540160408	0	BK6	01113-160408	4685,34	34,3	7,42	ГОСТ 19044-80
52403540220408	0	BK6	01113-220408	4593,27	59,71	13,2	ГОСТ 19044-80
52403540220412	0	BK6	01113-220412	4593,27	59,71	13,1	ГОСТ 19044-80
52403540220416	0	BK6	01113-220416	4593,27	59,71	12,9	ГОСТ 19044-80
52403540270616	0	BK6	01113-270616	4670,48	125,64	27,3	ГОСТ 19044-80
52403550110304	0	BK6	01123-110304	5735,95	5,33	0,96	ГОСТ 19044-80
52403550160308	0	BK6	01123-160308	5553,83	27,1	4,95	ГОСТ 19044-80
52403550160408	0	BK6	01123-160408	5467,65	40,02	7,42	ГОСТ 19044-80
52403550160412	0	BK6	01123-160412	5467,65	40,02	7,29	ГОСТ 19044-80
52403550270612	0	BK6	01123-270612	5100,76	137,21	27,5	ГОСТ 19044-80
52403550270616	0	BK6	01123-270616	5100,76	137,21	27,3	ГОСТ 19044-80
52403560160408	0	BK6	01133-160408	6617,7	48,44	7,42	ГОСТ 19044-80
52403560160412	0	BK6	01133-160412	6617,7	48,44	7,29	ГОСТ 19044-80
52403560220408	0	BK6	01133-220408	6369,11	82,8	13,2	ГОСТ 19044-80
52403570110304	0	BK6	01311-110304	5681,15	11,25	2,01	ГОСТ 19045-80
52403570110308	0	BK6	01311-110308	5681,15	11,25	1,99	ГОСТ 19045-80
52403570160304	0	BK6	01311-160304	5557,33	26,62	4,85	ГОСТ 19045-80
52403570160308	0	BK6	01311-160308	5557,33	26,62	4,83	ГОСТ 19045-80
52403570160312	0	BK6	01311-160312	5557,33	26,62	4,77	ГОСТ 19045-80
52403570220416	0	BK6	01311-220416	5329,86	66,09	12,5	ГОСТ 19045-80
52403580110300	0	BK6	01331-110300	6968,59	13,8	2,01	ГОСТ 19045-80
52403580110304	0	BK6	01331-110304	6968,59	13,8	2,01	ГОСТ 19045-80
52403580110308	0	BK6	01331-110308	6968,59	13,8	1,99	ГОСТ 19045-80
52403580160304	0	BK6	01331-160304	6765,1	32,4	4,85	ГОСТ 19045-80
52403580160308	0	BK6	01331-160308	6765,1	32,4	4,83	ГОСТ 19045-80
52403580160312	0	BK6	01331-160312	6765,1	32,4	4,77	ГОСТ 19045-80
52403580220408	0	BK6	01331-220408	6391,25	79,25	12,67	ГОСТ 19045-80
52403580220412	0	BK6	01331-220412	6391,25	79,25	12,6	ГОСТ 19045-80
52403590160304	0	BK6	01114-160304	5564,81	25,6	4,71	ГОСТ 19046-80
52403590160308	0	BK6	01114-160308	5564,81	25,6	4,66	ГОСТ 19046-80
52403590160404	0	BK6	01114-160404	5477,07	38,5	7,18	ГОСТ 19046-80
52403590160408	0	BK6	01114-160408	4945,35	34,77	7,12	ГОСТ 19046-80
52403590160412	0	BK6	01114-160412	4945,35	34,77	7,01	ГОСТ 19046-80
52403590220404	0	BK6	01114-220404	4837,82	59,99	12,6	ГОСТ 19046-80
52403590220408	0	BK6	01114-220408	4837,82	59,99	12,6	ГОСТ 19046-80
52403590220412	0	BK6	01114-220412	4837,82	59,99	12,5	ГОСТ 19046-80
52403590220416	0	BK6	01114-220416	4837,82	59,99	12,3	ГОСТ 19046-80
52403590270612	0	BK6	01114-270612	4678,63	121,18	26,3	ГОСТ 19046-80
52403600160312	0	BK6	01124-160312	5564,81	25,6	4,59	ГОСТ 19046-80
52403600160408	0	BK6	01124-160408	5477,07	38,5	7,12	ГОСТ 19046-80
52403600160412	0	BK6	01124-160412	5477,07	38,5	7,01	ГОСТ 19046-80
52403600220404	0	BK6	01124-220404	5329,86	66,09	12,6	ГОСТ 19046-80
52403600220408	0	BK6	01124-220408	5329,86	66,09	12,6	ГОСТ 19046-80
52403600220416	0	BK6	01124-220416	5329,86	66,09	12,3	ГОСТ 19046-80
52403600270616	0	BK6	01124-270616	5111,91	132,4	26,00	ГОСТ 19046-80
52403620060304	0	BK6	02114-060304	5037,77	18,44	3,72	ГОСТ 19048-80
52403620060308	0	BK6	02114-060308	5037,77	18,44	3,71	ГОСТ 19048-80
52403620060404	0	BK6	02114-060404	4980,53	28,09	5,71	ГОСТ 19048-80
52403620080404	0	BK6	02114-080404	4887,43	47,31	9,84	ГОСТ 19048-80
52403620080408	0	BK6	02114-080408	4887,43	47,31	9,81	ГОСТ 19048-80
52403620100408	0	BK6	02114-100408	4799,05	71,51	15,1	ГОСТ 19048-80
52403620100412	0	BK6	02114-100412	4799,05	71,51	15,1	ГОСТ 19048-80
52403620100608	0	BK6	02114-100608	4732,8	95,6	20,5	ГОСТ 19048-80
52403620100612	0	BK6	02114-100612	4732,8	95,6	20,4	ГОСТ 19048-80
52403620120612	0	BK6	02114-120612	4658,89	132,31	28,8	ГОСТ 19048-80
52403630120312	0	BK6	03111-120312	4682,61	34,93	7,53	ГОСТ 19049-80
52403630120408	0	BK6	03111-120408	4618,82	51,73	11,3	ГОСТ 19049-80
52403630120412	0	BK6	03111-120412	4618,82	51,73	11,3	ГОСТ 19049-80
52403630120424	0	BK6	03111-120424	4618,82	51,73	11,2	ГОСТ 19049-80
52403630150416	0	BK6	03111-150416	4541,17	79,02	17,6	ГОСТ 19049-80

52403630150424	0	BK6	03111-150424	4541,17	79,02	17,4	ГОСТ 19049-80
52403630190416	0	BK6	03111-190416	4474,46	112,31	25,4	ГОСТ 19049-80
52403631150416	0	BK6	03111-150416(S=6,35)	4488,71	104,14	23,48	ГОСТ 19049-80
52403640090308	0	BK6	03131-090308	6803,24	28,64	4,24	ГОСТ 19049-80
52403640120312	0	BK6	03131-120312	6610,34	49,31	7,53	ГОСТ 19049-80
52403640120408	0	BK6	03131-120408	6438,09	72,11	11,3	ГОСТ 19049-80
52403640120412	0	BK6	03131-120412	6438,09	72,11	11,3	ГОСТ 19049-80
52403640150416	0	BK6	03131-150416	6228,44	108,37	17,6	ГОСТ 19049-80
52403640190416	0	BK6	03131-190416	6291,66	157,92	25,4	ГОСТ 19049-80
52403650090308	0	BK6	03311-090308	5898,75	21,71	3,73	ГОСТ 19050-80
52403650120304	0	BK6	03311-120304	5485,7	37,14	6,88	ГОСТ 19050-80
52403650120308	0	BK6	03311-120308	5485,7	37,14	6,86	ГОСТ 19050-80
52403650120312	0	BK6	03311-120312	5485,7	37,14	6,83	ГОСТ 19050-80
52403650120408	0	BK6	03311-120408	5386,48	54,4	10,3	ГОСТ 19050-80
52403650150408	0	BK6	03311-150408	5265,15	81,61	15,8	ГОСТ 19050-80
52403650150412	0	BK6	03311-150412	5265,15	81,61	15,7	ГОСТ 19050-80
52403650150416	0	BK6	03311-150416	5265,15	81,61	15,7	ГОСТ 19050-80
52403650190408	0	BK6	03311-190408	5378,86	122,64	23,1	ГОСТ 19050-80
52403650190412	0	BK6	03311-190412	5378,86	122,64	23,1	ГОСТ 19050-80
52403660120300	0	BK6	03331-120300	6647,38	45,00	6,88	ГОСТ 19050-80
52403660120304	0	BK6	03331-120304	6647,38	45,00	6,87	ГОСТ 19050-80
52403660120308	0	BK6	03331-120308	6647,38	45,00	6,86	ГОСТ 19050-80
52403660120312	0	BK6	03331-120312	6647,38	45,00	6,83	ГОСТ 19050-80
52403660190412	0	BK6	03331-190412	6095,33	138,97	23,1	ГОСТ 19050-80
52403670120408	0	BK6	03113-120408	4642,14	45,12	9,85	ГОСТ 19051-80
52403670120412	0	BK6	03113-120412	4642,14	45,12	9,8	ГОСТ 19051-80
52403670150412	0	BK6	03113-150412	4565,59	69,4	15,4	ГОСТ 19051-80
52403670150416	0	BK6	03113-150416	4565,59	69,4	15,4	ГОСТ 19051-80
52403670190616	0	BK6	03113-190616	4451,12	127,3	29,3	ГОСТ 19051-80
52403670190624	0	BK6	03113-190624	4451,12	127,3	29,00	ГОСТ 19051-80
52403680120408	0	BK6	03123-120408	5396,68	52,46	9,85	ГОСТ 19051-80
52403700090304	0	BK6	03114-090304	5042,18	17,75	3,57	ГОСТ 19052-80
52403700090308	0	BK6	03114-090308	5042,18	17,75	3,55	ГОСТ 19052-80
52403700120408	0	BK6	03114-120408	4895,91	45,34	9,39	ГОСТ 19052-80
52403700120412	0	BK6	03114-120412	4895,91	45,34	9,34	ГОСТ 19052-80
52403700150412	0	BK6	03114-150412	4806,35	69,21	14,6	ГОСТ 19052-80
52403700150416	0	BK6	03114-150416	4806,35	69,21	14,6	ГОСТ 19052-80
52403700190612	0	BK6	03114-190612	4664,98	128,75	28,00	ГОСТ 19052-80
52403700190616	0	BK6	03114-190616	4664,98	128,75	27,9	ГОСТ 19052-80
52403700190624	0	BK6	03114-190624	4664,98	128,75	27,5	ГОСТ 19052-80
52403700250716	0	BK6	03114-250716	4690,82	296,93	64,4	ГОСТ 19052-80
52403700250724	0	BK6	03114-250724	4690,82	296,93	64,2	ГОСТ 19052-80
52403710090304	0	BK6	03124-090304	5609,63	19,75	2,75	ГОСТ 19052-80
52403710120408	0	BK6	03124-120408	5409,38	50,09	9,39	ГОСТ 19052-80
52403710150412	0	BK6	03124-150412	5286,78	76,13	14,6	ГОСТ 19052-80
52403710150416	0	BK6	03124-150416	5286,78	76,13	14,6	ГОСТ 19052-80
52403770120412	0	BK6	05113-120412	4643,64	44,72	9,8	ГОСТ 19057-80
52403770190612	0	BK6	05113-190612	4449,27	128,58	29,3	ГОСТ 19057-80
52403780120408	0	BK6	05123-120408	5399,13	51,99	9,85	ГОСТ 19057-80
52403810120404	0	BK6	05114-120404	4895,5	45,43	9,43	ГОСТ 19059-80
52403810120408	0	BK6	05114-120408	4895,5	45,43	9,4	ГОСТ 19059-80
52403810120412	0	BK6	05114-120412	4895,5	45,43	9,36	ГОСТ 19059-80
52403810160416	0	BK6	05114-160416	4804,88	69,67	14,7	ГОСТ 19059-80
52403810190612	0	BK6	05114-190612	4664,98	128,75	28,00	ГОСТ 19059-80
52403810190616	0	BK6	05114-190616	4665,76	128,31	27,9	ГОСТ 19059-80
52403820120404	0	BK6	05124-120404	5408,82	50,19	9,43	ГОСТ 19059-80
52403820120408	0	BK6	05124-120408	5408,82	50,19	9,4	ГОСТ 19059-80
52403820120412	0	BK6	05124-120412	5408,82	50,19	9,36	ГОСТ 19059-80
52403820190608	0	BK6	05124-190608	5313,93	146,66	28,1	ГОСТ 19059-80
52403820190616	0	BK6	05124-190616	5313,93	146,66	27,9	ГОСТ 19059-80
52403860060308	0	BK6	10111-060308	4764,2	18,15	3,86	ГОСТ 19063-80
52403860090412	0	BK6	10111-090412	4634,33	47,27	10,3	ГОСТ 19063-80
52403880110408	0	BK6	10113-110408	4584,07	62,8	13,9	ГОСТ 19064-80
52403880130412	0	BK6	10113-130412	4521,33	87,71	19,7	ГОСТ 19064-80
52403880130612	0	BK6	10113-130612	4468,81	115,74	26,3	ГОСТ 19064-80
52403880160612	0	BK6	10113-160612	4407,71	162,2	37,4	ГОСТ 19064-80
52403890110408	0	BK6	10123-110408	5301,27	72,63	13,9	ГОСТ 19064-80
52403890160612	0	BK6	10123-160612	5011,53	184,42	37,4	ГОСТ 19064-80
52403900110408	0	BK6	10153-110408	6620,51	90,7	13,9	ГОСТ 19064-80
52403900110416	0	BK6	10153-110416	6620,51	90,7	13,8	ГОСТ 19064-80
52403910110408	0	BK6	10114-110408	4831,22	61,84	13,00	ГОСТ 19065-80
52403910110416	0	BK6	10114-110416	4831,22	61,84	12,9	ГОСТ 19065-80
52403910130412	0	BK6	10114-130412	4756,85	86,1	18,3	ГОСТ 19065-80
52403910130612	0	BK6	10114-130612	4689,76	115,37	24,9	ГОСТ 19065-80
52403910160612	0	BK6	10114-160612	4616,58	160,66	35,3	ГОСТ 19065-80
52403920110408	0	BK6	10124-110408	5575,17	71,36	13,00	ГОСТ 19065-80
52403920130612	0	BK6	10124-130612	5352,88	131,68	24,9	ГОСТ 19065-80

52403960120612	0	BK6	11114-120612	0,00	0,00	33,74	ГОСТ 19068-80
52403970090300	0	BK6	12111-090300	4777,36	15,81	3,42	ГОСТ 19069-80
52403990150400	0	BK6	12133-150400	6706,97	77,8	11,7	ГОСТ 19070-80
52404000150400	0	BK6	12114-150400	4864,1	53,02	11,00	ГОСТ 19071-80
52404000150600	0	BK6	12114-150600	4803,41	70,13	14,8	ГОСТ 19071-80
52404000190600	0	BK6	12114-190600	4931,32	109,97	22,6	ГОСТ 19071-80
52404000220600	0	BK6	12114-220600	4868,86	138,76	28,9	ГОСТ 19071-80
52404030120400	0	BK6	12113-120400	4684,75	34,43	7,45	ГОСТ 19070-80
52404430150612	0	BK6	13123-150612	5570,08	72,41	13,13	ГОСТ 24255-80
52404490000055	0	BK6	2008-0055	8678,37	46,95	5,41	ТУ 48-19-307-87
52404630001068	0	BK6	2008-1068	6044,04	142,03	23,5	ТУ 48-19-307-87
52405720006030	0	BK6	2008-6030	7036,53	84,44	12,00	ТУ 48-19-63-87
52410910006003	0	BK6	2008-6003	8465,9	108,11	12,77	ТУ 48-19-63-87
52419800000022	0	BK6	1980-0022	4717,48	7,6	1,6	ГОСТ 9453-75
52419800000024	0	BK6	1980-0024	4450,83	15,44	3,6	ГОСТ 9453-75
52419800000041	0	BK6	1980-0041	4261,13	23,82	5,53	ГОСТ 9453-75
52419800000042	0	BK6	1980-0042	4262,57	23,74	5,55	ГОСТ 9453-75
52419800000043	0	BK6	1980-0043	4264,01	23,67	5,5	ГОСТ 9453-75
52419800000044	0	BK6	1980-0044	4264,01	23,67	5,5	ГОСТ 9453-75
52419800000045	0	BK6	1980-0045	4264,73	23,63	5,5	ГОСТ 9453-75
52419800000046	0	BK6	1980-0046	4269,09	23,39	5,43	ГОСТ 9453-75
52419800000051	0	BK6	1980-0051	3963,45	49,31	12,85	ГОСТ 9453-75
52419800000052	0	BK6	1980-0052	3952,87	50,79	12,85	ГОСТ 9453-75
52419800000053	0	BK6	1980-0053	3956,43	50,29	12,65	ГОСТ 9453-75
52419800000054	0	BK6	1980-0054	3967,17	48,8	12,3	ГОСТ 9453-75
52419800000055	0	BK6	1980-0055	3969,6	48,47	12,21	ГОСТ 9453-75
52419800000071	0	BK6	1980-0071	3695,33	135,91	38,00	ГОСТ 9453-75
52419800000072	0	BK6	1980-0072	3696,21	135,24	37,8	ГОСТ 9453-75
52419800000073	0	BK6	1980-0073	3697,1	134,57	37,6	ГОСТ 9453-75
52419800000074	0	BK6	1980-0074	3697,1	134,57	37,6	ГОСТ 9453-75
52419800000075	0	BK6	1980-0075	3697,56	134,22	37,5	ГОСТ 9453-75
52419800000076	0	BK6	1980-0076	3695,56	135,74	37,4	ГОСТ 9453-75
52419800000077	0	BK6	1980-0077	3698,04	133,87	37,4	ГОСТ 9453-75
52419800000078	0	BK6	1980-0078	3696,44	135,07	37,2	ГОСТ 9453-75
52419800000079	0	BK6	1980-0079	3696,91	134,72	37,2	ГОСТ 9453-75
52419800000081	0	BK6	1980-0081	3698,75	133,34	36,7	ГОСТ 9453-75
52419800000082	0	BK6	1980-0082	3701,06	131,65	36,1	ГОСТ 9453-75
52419800000091	0	BK6	1980-0091	3689,02	140,92	38,2	ГОСТ 9453-75
52419800000092	0	BK6	1980-0092	3689,02	140,92	38,2	ГОСТ 9453-75
52419800000093	0	BK6	1980-0093	3689,02	140,92	38,2	ГОСТ 9453-75
52419800000094	0	BK6	1980-0094	3689,02	140,92	38,2	ГОСТ 9453-75
52419800000095	0	BK6	1980-0095	3691,63	138,81	38,2	ГОСТ 9453-75
52419800000096	0	BK6	1980-0096	3692,08	138,45	38,1	ГОСТ 9453-75
52419800000097	0	BK6	1980-0097	3692,52	138,1	38,00	ГОСТ 9453-75
52419800000098	0	BK6	1980-0098	3692,97	137,75	37,9	ГОСТ 9453-75
52419800000099	0	BK6	1980-0099	3696,21	135,24	37,8	ГОСТ 9453-75
52419800000101	0	BK6	1980-0101	3694,23	136,76	37,6	ГОСТ 9453-75
52419800000102	0	BK6	1980-0102	3695,24	135,98	37,4	ГОСТ 9453-75
52419800000103	0	BK6	1980-0103	3693,42	137,4	37,2	ГОСТ 9453-75
52419800000104	0	BK6	1980-0104	3696,91	134,72	37,00	ГОСТ 9453-75
52419800000105	0	BK6	1980-0105	3695,24	135,98	36,8	ГОСТ 9453-75
52419800000106	0	BK6	1980-0106	3696,16	135,28	36,6	ГОСТ 9453-75
52419800000113	0	BK6	1980-0113	3586,77	326,65	92,00	ГОСТ 9453-75
52419800000114	0	BK6	1980-0114	3588,56	319,6	92,00	ГОСТ 9453-75
52419800000115	0	BK6	1980-0115	3585,97	329,91	92,00	ГОСТ 9453-75
52419800000116	0	BK6	1980-0116	3585,97	329,91	92,00	ГОСТ 9453-75
52419800000117	0	BK6	1980-0117	3587,16	325,07	92,00	ГОСТ 9453-75
52419800000118	0	BK6	1980-0118	3587,62	323,24	92,00	ГОСТ 9453-75
52419800000119	0	BK6	1980-0119	3588,89	318,3	91,00	ГОСТ 9453-75
52419800000121	0	BK6	1980-0121	3588,51	319,77	91,00	ГОСТ 9453-75
52419800000122	0	BK6	1980-0122	3590,34	312,83	89,00	ГОСТ 9453-75
52419800000123	0	BK6	1980-0123	3593,41	301,85	87,00	ГОСТ 9453-75
52419800000124	0	BK6	1980-0124	3593,18	302,62	87,00	ГОСТ 9453-75
52419800000131	0	BK6	1980-0131	3582,69	343,94	96,00	ГОСТ 9453-75
52419800000132	0	BK6	1980-0132	3586,84	326,37	94,00	ГОСТ 9453-75
52419800000133	0	BK6	1980-0133	3584,3	336,92	94,00	ГОСТ 9453-75
52419800000134	0	BK6	1980-0134	3586,84	326,37	94,00	ГОСТ 9453-75
52419800000135	0	BK6	1980-0135	3585,54	331,66	94,00	ГОСТ 9453-75
52419800000136	0	BK6	1980-0136	3586,4	328,16	93,00	ГОСТ 9453-75
52419800000137	0	BK6	1980-0137	3587,69	322,96	93,00	ГОСТ 9453-75
52419800000138	0	BK6	1980-0138	3586,33	328,44	93,00	ГОСТ 9453-75
52419800000139	0	BK6	1980-0139	3589,44	316,19	91,00	ГОСТ 9453-75
52419800000141	0	BK6	1980-0141	3590,35	312,79	90,00	ГОСТ 9453-75
52419800000142	0	BK6	1980-0142	3590,35	312,79	90,00	ГОСТ 9453-75
52419800000143	0	BK6	1980-0143	3592,23	305,99	88,00	ГОСТ 9453-75
52419800000151	0	BK6	1980-0151	3543,76	683,95	196,00	ГОСТ 9453-75
52419800000152	0	BK6	1980-0152	3544,17	676,94	194,00	ГОСТ 9453-75

52419800000153	0	ВК6	1980-0153	3544,38	673,43	192,00	ГОСТ 9453-75
52419800000155	0	ВК6	1980-0155	3545,03	662,92	190,00	ГОСТ 9453-75
52419800000156	0	ВК6	1980-0156	3545,25	659,42	188,00	ГОСТ 9453-75
52419800000157	0	ВК6	1980-0157	3545,66	652,97	188,00	ГОСТ 9453-75
52419800000158	0	ВК6	1980-0158	3545,47	655,91	187,00	ГОСТ 9453-75
52419800000159	0	ВК6	1980-0159	3545,92	648,9	185,00	ГОСТ 9453-75
52419800000161	0	ВК6	1980-0161	3546,38	641,89	184,00	ГОСТ 9453-75
52419800000162	0	ВК6	1980-0162	3546,61	638,39	182,00	ГОСТ 9453-75
52419800000163	0	ВК6	1980-0163	3547,08	631,38	180,00	ГОСТ 9453-75
52419800000164	0	ВК6	1980-0164	3547,57	624,37	178,00	ГОСТ 9453-75
52419800000165	0	ВК6	1980-0165	3548,06	617,36	176,00	ГОСТ 9453-75
52419800000166	0	ВК6	1980-0166	3548,83	606,85	173,00	ГОСТ 9453-75
52419800000167	0	ВК6	1980-0167	3549,35	599,84	171,00	ГОСТ 9453-75
52419800000168	0	ВК6	1980-0168	3551,00	578,81	165,00	ГОСТ 9453-75
52419800000169	0	ВК6	1980-0169	3553,7	547,27	156,00	ГОСТ 9453-75
52419800000171	0	ВК6	1980-0171	3542,57	704,97	202,00	ГОСТ 9453-75
52419800000175	0	ВК6	1980-0175	3543,97	680,44	194,00	ГОСТ 9453-75
52419800000177	0	ВК6	1980-0177	3546,15	645,4	185,00	ГОСТ 9453-75
52419800000178	0	ВК6	1980-0178	3547,08	631,38	180,00	ГОСТ 9453-75
52419800000191	0	ВК6	1980-0191	3532,73	943,24	270,00	ГОСТ 9453-75
52419800000192	0	ВК6	1980-0192	3533,4	922,22	263,00	ГОСТ 9453-75
52419800000193	0	ВК6	1980-0193	3534,21	897,69	257,00	ГОСТ 9453-75
52419800000194	0	ВК6	1980-0194	3534,82	880,17	252,00	ГОСТ 9453-75
52419800000195	0	ВК6	1980-0195	3535,46	862,65	247,00	ГОСТ 9453-75
52419800000196	0	ВК6	1980-0196	3536,39	838,12	240,00	ГОСТ 9453-75
52419800000197	0	ВК6	1980-0197	3537,38	813,6	233,00	ГОСТ 9453-75
52419800000198	0	ВК6	1980-0198	3538,43	789,07	225,00	ГОСТ 9453-75
52419800000211	0	ВК6	1980-0211	3514,43	2498,76	726,00	ГОСТ 9453-75
52419800000212	0	ВК6	1980-0212	3514,58	2467,23	717,00	ГОСТ 9453-75
52419800000213	0	ВК6	1980-0213	3514,74	2432,2	706,00	ГОСТ 9453-75
52419800000214	0	ВК6	1980-0214	3514,92	2393,66	696,00	ГОСТ 9453-75
52419800000215	0	ВК6	1980-0215	3515,04	2369,14	688,00	ГОСТ 9453-75
52419800000216	0	ВК6	1980-0216	3515,17	2344,62	682,00	ГОСТ 9453-75
52419800000217	0	ВК6	1980-0217	3515,37	2306,08	671,00	ГОСТ 9453-75
52419800000219	0	ВК6	1980-0219	3515,78	2229,01	648,00	ГОСТ 9453-75
52419800000222	0	ВК6	1980-0222	3516,17	2162,44	629,00	ГОСТ 9453-75
52419800000223	0	ВК6	1980-0223	3516,36	2130,91	620,00	ГОСТ 9453-75
52419800000299	0	УСЛУГИ	ВК6 1,55*1,5*4	3364,34	58,81	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАН
52419800000332	0	ВК6	1980-0332	3681,88	2897,64	847,16	ГОСТ 5426
52419800000603	0	ВК6	1980-0603	3699,95	132,46	35,8	ГОСТ 9453-75
52419800000604	0	ВК6	1980-0604	3709,03	126,11	34,4	ГОСТ 9453-75
52420020220412	0	ВК6	3-01111-220412	3962,45	58,64	14,9	ОСТ 48-93-81
52420020270612	0	ВК6	3-01111-270612	3874,46	119,33	30,8	ОСТ 48-93-81
52420030160312	0	ВК6	3-01131-160312	4061,23	23,19	5,71	ОСТ 48-93-81
52420030160412	0	ВК6	3-01131-160412	4025,41	33,81	8,39	ОСТ 48-93-81
52420040110304	0	ВК6	3-01311-110304	4460,8	10,17	2,31	ОСТ 48-93-81
52420040160312	0	ВК6	3-01311-160312	4070,27	20,8	5,07	ОСТ 48-93-81
52420050160304	0	ВК6	3-01331-160304	4070,27	20,8	5,15	ОСТ 48-93-81
52420050160308	0	ВК6	3-01331-160308	4070,27	20,8	5,13	ОСТ 48-93-81
52420050160408	0	ВК6	3-01331-160408	4042,5	28,5	7,05	ОСТ 48-93-81
52420050220408	0	ВК6	3-01331-220408	3977,96	51,59	12,97	ОСТ 48-93-81
52420060160308	0	ВК6	3-01113-160308	4068,12	21,36	5,25	ОСТ 48-93-81
52420060160312	0	ВК6	3-01113-160312	4068,12	21,36	5,17	ОСТ 48-93-81
52420060160408	0	ВК6	3-01113-160408	4033,81	31,14	7,72	ОСТ 48-93-81
52420060220416	0	ВК6	3-01113-220412	3975,04	52,87	13,4	ОСТ 48-93-81
52420060270616	0	ВК6	3-01113-270616	3887,33	107,29	27,6	ОСТ 48-93-81
52420070160408	0	ВК6	3-01123-160408	4672,26	35,88	7,72	ОСТ 48-93-81
52420090160304	0	ВК6	3-01114-160304	4071,82	20,4	5,01	ОСТ 48-93-81
52420090160404	0	ВК6	3-01114-160404	4038,43	29,72	7,48	ОСТ 48-93-81
52420090220404	0	ВК6	3-01114-220404	3978,59	51,32	12,9	ОСТ 48-93-81
52420090220412	0	ВК6	3-01114-220412	3978,59	51,32	12,8	ОСТ 48-93-81
52420100160304	0	ВК6	3-01124-160304	4735,12	23,72	5,01	ОСТ 48-93-81
52420100220408	0	ВК6	3-01124-220408	4577,18	59,55	12,9	ОСТ 48-93-81
52420120060304	0	ВК6	3-02114-060304	4418,96	17,76	4,02	ОСТ 48-93-81
52420120080404	0	ВК6	3-02114-080404	4312,32	43,08	10,14	ОСТ 48-93-81
52420120080408	0	ВК6	3-02114-080408	4312,32	43,08	10,11	ОСТ 48-93-81
52420120100408	0	ВК6	3-02114-100408	4246,74	65,4	15,4	ОСТ 48-93-81
52420120100412	0	ВК6	3-02114-100412	4246,74	65,4	15,4	ОСТ 48-93-81
52420120100608	0	ВК6	3-02114-100608	4201,2	86,00	20,8	ОСТ 48-93-81
52420120120612	0	ВК6	3-02114-120612	4147,63	118,91	29,1	ОСТ 48-93-81
52420130120408	0	ВК6	3-03111-120408	3990,75	46,29	11,6	ОСТ 48-93-81
52420130120412	0	ВК6	3-03111-120412	3990,75	46,29	11,6	ОСТ 48-93-81
52420130120424	0	ВК6	3-03111-120424	3990,75	46,29	11,5	ОСТ 48-93-81
52420130150412	0	ВК6	3-03111-150412	3940,96	69,76	16,00	ОСТ 48-93-81
52420140090308	0	ВК6	3-03131-090308	4079,26	18,52	4,54	ОСТ 48-93-81
52420140120408	0	ВК6	3-03131-120408	3990,75	46,29	11,6	ОСТ 48-93-81
52420140120412	0	ВК6	3-03131-120412	3990,75	46,29	11,6	ОСТ 48-93-81

52420140190416	0	БК6	3-03131-190416	3894,85	100,92	25,7	OCT 48-93-81
52420150120312	0	БК6	3-03311-120312	4354,94	31,7	7,13	OCT 48-93-81
52420150150412	0	БК6	3-03311-150412	4242,68	67,03	15,8	OCT 48-93-81
52420150190412	0	БК6	3-03311-190412	4181,8	96,6	23,4	OCT 48-93-81
52420160090304	0	БК6	3-03331-090304	4088,34	16,31	4,04	OCT 48-93-81
52420160090308	0	БК6	3-03331-090308	4088,34	16,31	4,03	OCT 48-93-81
52420160120300	0	БК6	3-03331-120300	4040,78	29,01	7,18	OCT 48-93-81
52420160120308	0	БК6	3-03331-120308	4040,78	29,01	7,16	OCT 48-93-81
52420160190412	0	БК6	3-03331-190412	3908,13	90,67	23,4	OCT 48-93-81
52420200090304	0	БК6	3-03114-090304	4422,32	17,11	3,87	OCT 48-93-81
52420200120404	0	БК6	3-03114-120404	4316,65	41,83	9,69	OCT 48-93-81
52420200120408	0	БК6	3-03114-120408	4316,65	41,83	9,69	OCT 48-93-81
52420200120412	0	БК6	3-03114-120412	4316,65	41,83	9,64	OCT 48-93-81
52420200150412	0	БК6	3-03114-150412	4251,95	63,35	14,9	OCT 48-93-81
52420310120408	0	БК6	3-05124-120408	4632,21	44,93	9,7	OCT 48-93-81
52420310120412	0	БК6	3-05124-120412	4632,21	44,93	9,66	OCT 48-93-81
52420370090408	0	БК6	3-10131-090408	4000,8	42,41	10,6	OCT 48-93-81
52420380110408	0	БК6	3-10113-110408	3969,2	55,49	14,2	OCT 48-93-81
52420380130412	0	БК6	3-10113-130412	3926,14	78,52	20,00	OCT 48-93-81
52420410110408	0	БК6	3-10114-110408	4272,24	55,88	13,3	OCT 48-93-81
52420410130412	0	БК6	3-10114-130412	4218,52	77,54	18,6	OCT 48-93-81
52420410130612	0	БК6	3-10114-130612	4170,02	103,71	25,2	OCT 48-93-81
52420420110408	0	БК6	3-10124-110408	4572,88	60,82	13,3	OCT 48-93-81
52420580110408	0	БК6	3-10153-110408	3967,36	56,34	14,2	OCT 48-93-81
52420580130412	0	БК6	3-10153-130412	3926,14	78,52	20,00	OCT 48-93-81
52422340000210	0	БК6	2008-0210	11081,16	54,52	4,99	ТУ 48-19-63-87
52422340000211	0	БК6	2008-0211	11178,11	52,76	4,79	ТУ 48-19-63-87
52422340000253	0	БК6	2008-0253	8862,83	42,54	4,8	ТУ 48-19-63-87
52422340000256	0	БК6	2008-0256	7391,53	99,05	13,4	ТУ 48-19-63-87
52422340000260	0	БК6	2008-0260	8182,88	61,37	7,5	ТУ 48-19-63-87
52422340000263	0	БК6	2008-0263	8182,88	61,37	7,5	ТУ 48-19-63-87
52422350003132	0	БК6	2008-3132	7913,92	52,07	6,64	ТУ 48-4206-95-83
52425670000001	0	БК6	СТБ-1	3722,03	32,38	8,7	OCT 48-98-80
52425940000701	0	БК6	РО-701	5672,28	9,19	1,62	ТУ 48-19-66-90
52425940000703	0	БК6	РО-703	5620,13	19,11	3,4	ТУ 48-19-66-90
52426820000200	0	БК6	Г027002 (ПР2)	4555,41	3,1	0,74	ТУ 48-19-183-76
52428530002505	0	БК6	Г2505	0,00	0,00	2,2	ГОСТ 880-75
52428530002512	0	БК6	Г2512	3828,88	35,69	9,4	ГОСТ 880-75
52428530002522	0	БК6	Г2522	3828,88	35,69	14,54	ГОСТ 880-75
52428530002532	0	БК6	Г2532	0,00	0,00	25,94	ГОСТ 880-75
52428710000006	0	БК6	Г5106	3876,25	3,1	0,8	ГОСТ 880-75
52428710000008	0	БК6	Г5108	3395,19	3,67	1,1	ГОСТ 880-75
52430000000151	0	БК6	1151	3079,96	67,14	22,00	ГОСТ 25395-90
52430000000152	0	БК6	1152	3084,24	63,32	20,83	ГОСТ 25395-90
52430000000271	0	БК6	1271	3189,67	663,45	211,00	ГОСТ 25395-90
52430000000291	0	БК6	1291	4155,03	1,83	0,45	ГОСТ 25395-90
52430000000311	0	БК6	1311	3886,46	3,42	0,9	ГОСТ 25395-90
52430000000331	0	БК6	1331	3658,06	5,63	1,77	ГОСТ 25395-90
52430000000351	0	БК6	1351	3412,5	10,51	3,3	ГОСТ 25395-90
52430000000352	0	БК6	1352	3414,5	10,45	3,35	ГОСТ 25395-90
52430000000371	0	БК6	1371	3241,88	19,61	6,1	ГОСТ 25395-90
52430000000372	0	БК6	1372	3257,86	18,24	5,68	ГОСТ 25395-90
52430000000391	0	БК6	1391	3129,89	39,12	12,6	ГОСТ 25395-90
52430000000392	0	БК6	1392	3134,21	37,74	12,2	ГОСТ 25395-90
52430000000411	0	БК6	1411	3254,13	138,3	43,00	ГОСТ 25395-90
52430000000412	0	БК6	1412	3259,18	130,24	40,5	ГОСТ 25395-90
52430000000431	0	БК6	1431	3218,72	244,62	77,00	ГОСТ 25395-90
52430000000451	0	БК6	1451	3198,02	444,53	141,00	ГОСТ 25395-90
52430000000471	0	БК6	1471	3188,19	726,91	230,00	ГОСТ 25395-90
52431510000706	0	БК6	1010-0706	3860,28	347,58	90,96	ГОСТ 10284-74
52431510034720	0	БК6	1010-0347*20	3862,59	334,11	87,7	ГОСТ 10284-74
52431510071320	0	БК6	1010-0713*20	3861,04	343,05	90,05	ГОСТ 10284-74
52431510071820	0	БК6	1010-0718*20	3864,71	322,55	86,4	ГОСТ 10284-74
52432010000773	0	БК6	1011-0773	3837,76	47,97	13,94	ГОСТ 19106-73
52432010000782	0	БК6	1011-0782	3792,1	66,74	19,63	ГОСТ 19106-73
52432010000789	0	БК6	1011-0789	3747,83	99,32	29,57	ГОСТ 19106-73
52432010000797	0	БК6	1011-0797	3691,9	213,02	57,68	ГОСТ 19106-73
52432010000803	0	БК6	1011-0803	3713,76	149,29	44,85	ГОСТ 19106-73
52432290000002	0	БК6	П02	5968,66	937,08	158,00	ТУ 48-19-67-78
524322900000050	0	БК6	П50	6598,96	237,17	10,66	ТУ 48-19-67-78
524362300000000	0	БК6	Размольное тело 5мм	4483,95	5,74	1,29	ТУ 48-19-161-90
524362300000001	0	БК6	Размольное тело 10мм	4136,21	32,76	8,00	ТУ 48-19-161-90
524362300000002	0	БК6	Размольное тело 8мм	4281,56	16,95	4,00	ТУ 48-19-161-90
52436230009203	0	БК6	Д020007 (ПР92-3)	4187,4	135,67	32,4	ТУ 48-19-161-90
52436230009501	0	БК6	Ш020010 (ПР95-1)	4058,66	499,22	123,00	ТУ 48-19-161-90
52436230009502	0	БК6	Ш020011 (ПР95-2)	4056,66	519,25	128,00	ТУ 48-19-161-90
52436230009503	0	БК6	Ш020012 (ПР95-3)	4053,76	551,31	136,00	ТУ 48-19-161-90

52436230018500	0	BK6	Ш020013 (ПР185)	4043,11	711,59	176,00	ТУ 48-19-161-90
52436230018706	0	BK6	Р020033 (ПР187-6)	4976,87	9,95	2,00	ТУ 48-19-161-90
52436230018707	0	BK6	Р020034 (ПР187-7)	4949,89	10,89	2,2	ТУ 48-19-161-90
52436230018708	0	BK6	Р020035 (ПР187-8)	4912,12	12,28	2,5	ТУ 48-19-161-90
52436230019200	0	BK6	Ш020014 (ПР192)	4021,54	1689,05	420,00	ТУ 48-19-161-90
52436230022600	0	BK6	Ш020016 (ПР226)	4022,98	1548,85	385,00	ТУ 48-19-161-90
52436230024300	0	BK6	Ш020018 (ПР243)	4052,43	567,34	140,00	ТУ 48-19-161-90
52436230024600	0	BK6	Ш020019 (ПР246)	4038,55	811,75	201,00	ТУ 48-19-161-90
52436230025200	0	BK6	Ш020026 (ПР252)	4025,6	1344,55	334,00	ТУ 48-19-161-90
52436230025900	0	BK6	Ш020027 (ПР259)	4022,98	1548,85	385,00	ТУ 48-19-161-90
52436230026000	0	BK6	Ш020028 (ПР260)	4037,17	847,8	210,00	ТУ 48-19-161-90
52436230026200	0	BK6	Ш020029 (ПР262)	4038,55	811,75	201,00	ТУ 48-19-161-90
52436230028501	0	BK6	Ф020001 (ПР285-1)	4649,36	25,85	5,56	ТУ 48-19-161-90
52436230028502	0	BK6	Ф020002 (ПР285-2)	4447,02	46,25	10,4	ТУ 48-19-161-90
52436230028503	0	BK6	Ф020003 (ПР285-3)	4383,25	56,98	13,00	ТУ 48-19-161-90
52436230028504	0	BK6	Ф020004 (ПР285-4)	4314,57	73,35	17,00	ТУ 48-19-161-90
52436230028505	0	BK6	Ф020005 (ПР285-5)	4269,06	88,8	20,8	ТУ 48-19-161-90
52436230028506	0	BK6	Ф020006 (ПР285-6)	4201,47	124,78	29,7	ТУ 48-19-161-90
52436230028507	0	BK6	Ф020007 (ПР285-7)	5241,66	2,62	0,5	ТУ 48-19-161-90
52436230028508	0	BK6	Ф020008 (ПР285-8)	4079,44	354,91	87,00	ТУ 48-19-161-90
52436230028509	0	BK6	Ф020009 (ПР285-9)	4153,66	169,88	40,9	ТУ 48-19-161-90
52436230028600	0	BK6	Ф020010 (ПР286)	4273,21	87,17	20,4	ТУ 48-19-161-90
52436230028801	0	BK6	Ф020011 (ПР288-1)	4805,39	16,82	3,5	ТУ 48-19-161-90
52436230028802	0	BK6	Ф020012 (ПР288-2)	4721,19	21,25	4,5	ТУ 48-19-161-90
52436230028803	0	BK6	Ф020013 (ПР288-3)	4549,44	34,12	7,5	ТУ 48-19-161-90
52436230028804	0	BK6	Ф020014 (ПР288-4)	4601,92	29,45	6,4	ТУ 48-19-161-90
52436230028805	0	BK6	Ф020015 (ПР288-5)	3728,71	35,42	9,5	ТУ 48-19-161-90
52436230028806	0	BK6	Ф020016 (ПР288-6)	3751,52	32,64	8,7	ТУ 48-19-161-90
52436230028807	0	BK6	Ф020017 (ПР288-7)	4796,09	17,27	3,6	ТУ 48-19-161-90
52436230064700	0	BK6	Д010011(ПР647)	4624,48	0,92	0,2	ТУ 48-19-161-90
52436240011400	0	BK6	Д030019 (ПР114)	4324,31	324,32	75,00	ТУ 48-19-161-90
52436240013500	0	BK6	Д030034 (ПР135)	5987,55	2,4	0,6	ТУ 48-19-161-90
52436240015400	0	BK6	Д030020 (ПР154)	4225,08	1901,29	450,00	ТУ 48-19-161-90
52436240015500	0	BK6	Д030021 (ПР155)	4220,1	2489,86	590,00	ТУ 48-19-161-90
52436240016900	0	BK6	Д030022 (ПР169)	4228,93	1606,99	380,00	ТУ 48-19-161-90
52436240022900	0	BK6	Д030027	4224,94	1913,9	453,00	ТУ 48-19-161-90
52436240023600	0	BK6	Ф030140 (ПР236)	4567,29	98,2	21,5	ТУ 48-19-161-90
52436240025300	0	BK6	Ф030115 (ПР253)	4825,22	50,66	10,5	ТУ 48-19-161-90
52436240025400	0	BK6	Ф030116 (ПР254)	5063,79	31,4	6,2	ТУ 48-19-161-90
52436240025501	0	BK6	Ф030117 (ПР255-1)	4574,28	96,06	21,00	ТУ 48-19-161-90
52436240025502	0	BK6	Ф030118 (ПР255-2)	4641,63	78,91	17,00	ТУ 48-19-161-90
52436240025503	0	BK6	Ф030119 (ПР255-3)	4678,29	71,58	15,3	ТУ 48-19-161-90
52436240025504	0	BK6	Ф030120 (ПР255-4)	4845,93	48,46	10,00	ТУ 48-19-161-90
52436240025505	0	BK6	Ф030121 (ПР255-5)	5350,44	18,19	3,4	ТУ 48-19-161-90
52436240025506	0	BK6	Ф030122 (ПР255-6)	4901,77	43,14	8,8	ТУ 48-19-161-90
52436240025507	0	BK6	Ф030123 (ПР255-7)	5454,67	14,73	2,7	ТУ 48-19-161-90
52436240025508	0	BK6	Ф030124 (ПР255-8)	5262,24	21,58	4,1	ТУ 48-19-161-90
52436240025509	0	BK6	Ф030125 (ПР255-9)	4754,21	59,43	12,5	ТУ 48-19-161-90
52436240025510	0	BK6	Ф030126 (ПР255-10)	5250,73	22,05	4,2	ТУ 48-19-161-90
52436240025511	0	BK6	Ф030127 (ПР255-11)	4805,8	52,86	11,00	ТУ 48-19-161-90
52436240025601	0	BK6	Ф030128 (ПР256-1)	5095,64	29,55	5,8	ТУ 48-19-161-90
52436240025602	0	BK6	Ф030129 (ПР256-2)	4906,86	42,69	8,7	ТУ 48-19-161-90
52436240025603	0	BK6	Ф030130 (ПР256-3)	5166,98	25,83	5,00	ТУ 48-19-161-90
52436240025604	0	BK6	Ф030131 (ПР256-4)	5641,37	9,59	1,7	ТУ 48-19-161-90
52436240025605	0	BK6	Ф030132 (ПР256-5)	5579,76	11,16	2,00	ТУ 48-19-161-90
52436240025701	0	BK6	Ф030133 (ПР257-1)	5020,06	34,14	6,8	ТУ 48-19-161-90
52436240025702	0	BK6	Ф030134 (ПР257-2)	4718,89	64,65	13,7	ТУ 48-19-161-90
52436240025801	0	BK6	Ф030135 (ПР258-1)	4605,15	87,5	19,00	ТУ 48-19-161-90
52436240025802	0	BK6	Ф030136 (ПР258-2)	4422,74	172,49	39,00	ТУ 48-19-161-90
52436240027000	0	BK6	Ф030139 (ПР270)	5056,18	31,85	6,3	ТУ 48-19-161-90
52436240027200	0	BK6	Ф030138 (ПР272)	5027,04	33,68	6,7	ТУ 48-19-161-90
52436240027300	0	BK6	Ф030137 (ПР273)	5176,71	25,37	4,9	ТУ 48-19-161-90
52436240030500	0	BK6	Д030060 (ПР305)	5262,33	21,58	4,1	ТУ 48-19-161-90
52436240035601	0	BK6	Д030082 (ПР356-1)	4229,6	1564,95	370,00	ТУ 48-19-161-90
52436240035602	0	BK6	Д030083 (ПР356-2)	4232,63	1398,46	330,4	ТУ 48-19-161-90
52436240035603	0	BK6	Д030084 (ПР356-3)	4233,67	1349,27	318,7	ТУ 48-19-161-90
52436240035604	0	BK6	Д030097 (ПР356-4)	4230,35	1519,97	361,2	ТУ 48-19-161-90
52436240035801	0	BK6	Ф030141 (ПР358-1)	4671,38	72,87	15,6	ТУ 48-19-161-90
52436240035802	0	BK6	Ф030142 (ПР358-2)	3885,22	192,32	49,5	ТУ 48-19-161-90
52436240036000	0	BK6	Ф030144 (ПР360)	4361,73	244,26	56,00	ТУ 48-19-161-90
52436240036400	0	BK6	Д030093 (ПР364)	4220,02	2502,47	593,00	ТУ 48-19-161-90
52436240036500	0	BK6	Д030094 (ПР365)	4245,43	963,71	227,00	ТУ 48-19-161-90
52436240036801	0	BK6	Ф030145 (ПР368-1)	4438,75	159,8	36,00	ТУ 48-19-161-90
52436240036802	0	BK6	Ф030146 (ПР368-2)	4444,62	155,56	35,00	ТУ 48-19-161-90
52436240036803	0	BK6	Ф030147 (ПР368-3)	4450,8	151,33	34,00	ТУ 48-19-161-90
52436240036804	0	BK6	Ф030148 (ПР368-4)	4464,15	142,85	32,00	ТУ 48-19-161-90
52436240037101	0	BK6	Ф030149 (ПР371-1)	4272,1	581,43	137,5	ТУ 48-19-161-90

52436240037500	0	BK6	Φ030150 (ΠΡ375)	5523,21	12,7	2,3	TY 48-19-161-90
52436240037601	0	BK6	Φ030151 (ΠΡ376-1)	4399,2	194,88	44,3	TY 48-19-161-90
52436240037602	0	BK6	Φ030152 (ΠΡ376-2)	4757,37	58,99	12,4	TY 48-19-161-90
52436240038201	0	BK6	Φ030157 (ΠΡ382-1)	5350,44	18,19	3,4	TY 48-19-161-90
52436240038202	0	BK6	Φ030158 (ΠΡ382-2)	5378,4	17,21	3,2	TY 48-19-161-90
52436240038301	0	BK6	Φ030159 (ΠΡ383-1)	5782,76	6,36	1,1	TY 48-19-161-90
52436240038302	0	BK6	Φ030160 (ΠΡ383-2)	4780,57	55,93	11,7	TY 48-19-161-90
52436240038401	0	BK6	Φ030161 (ΠΡ384-1)	5523,21	12,7	2,3	TY 48-19-161-90
52436240038402	0	BK6	Φ030162 (ΠΡ384-2)	4751,08	59,86	12,6	TY 48-19-161-90
52436240038800	0	BK6	Δ030085 (ΠΡ388)	4223,77	2027,41	480,00	TY 48-19-161-90
52436240038901	0	BK6	Φ030163 (ΠΡ389-1)	4275,29	554,93	131,1	TY 48-19-161-90
52436240038902	0	BK6	Φ030164 (ΠΡ389-2)	4330,74	307,05	71,6	TY 48-19-161-90
52436240043100	0	BK6	СП-1779(ΠΡ431)	4235,49	1270,65	300,00	TY 48-19-161-90
52436240054401	0	BK6	Δ030189 (ΠΡ544-1)	4398,89	195,31	44,4	TY 48-19-161-90
52436240054402	0	BK6	Δ030190 (ΠΡ544-2)	4402,1	191,93	43,6	TY 48-19-161-90
52436240054403	0	BK6	Δ030191 (ΠΡ544-3)	4405,41	188,55	42,8	TY 48-19-161-90
52436240055100	0	BK6	Φ030172 (ΠΡ551)	4322,45	329,37	77,00	TY 48-19-161-90
52436240055500	0	BK6	Φ030173 (ΠΡ555)	4421,25	173,76	39,7	TY 48-19-161-90
52436240057602	0	BK6	Μ050013 (ΠΡ576-2)	6082,82	1000,62	166,2	TY 48-19-161-90
52436240057603	0	BK6	Μ050014 (ΠΡ576-3)	6092,91	944,4	156,6	TY 48-19-161-90
52436240062501	0	BK6	Φ030174 (ΠΡ625-1)	4640,93	26,45	5,7	TY 48-19-161-90
52436240062502	0	BK6	Φ030175 (ΠΡ625-2)	4642,12	26,37	5,68	TY 48-19-161-90
52436240062503	0	BK6	Φ030176 (ΠΡ625-3)	4643,92	26,24	5,65	TY 48-19-161-90
52436240062504	0	BK6	Φ030177 (ΠΡ625-4)	4648,14	25,94	5,62	TY 48-19-161-90
52436240062505	0	BK6	Φ030178 (ΠΡ625-5)	4651,81	25,68	5,59	TY 48-19-161-90
52436240062506	0	BK6	Φ030179 (ΠΡ625-6)	4648,14	25,94	5,58	TY 48-19-161-90
52436240062507	0	BK6	Φ030180 (ΠΡ625-7)	4651,81	25,68	5,52	TY 48-19-161-90
52436240062508	0	BK6	Φ030181 (ΠΡ625-8)	4652,42	25,63	5,51	TY 48-19-161-90
52436240062509	0	BK6	Φ030182 (ΠΡ625-9)	4654,89	25,46	5,47	TY 48-19-161-90
52436240062510	0	BK6	Φ030183(ΠΡ625-10)	4658,01	25,25	5,42	TY 48-19-161-90
52436240062511	0	BK6	Φ030184(ΠΡ625-11)	4660,52	25,07	5,38	TY 48-19-161-90
52436240062512	0	BK6	Φ030185(ΠΡ625-12)	4663,06	24,9	5,34	TY 48-19-161-90
52436240062513	0	BK6	Φ030186(ΠΡ625-13)	4670,13	24,42	5,23	TY 48-19-161-90
52436240062514	0	BK6	Φ030187(ΠΡ625-14)	4704,28	22,25	4,73	TY 48-19-161-90
52436240062515	0	BK6	Φ030188(ΠΡ625-15)	4755,12	19,35	4,07	TY 48-19-161-90
52436240064101	0	BK6	Δ030211 (ΠΡ641-1)	4353,01	259,44	60,2	TY 48-19-161-90
52436240064102	0	BK6	Δ030212 (ΠΡ641-2)	4359,51	248,06	57,5	TY 48-19-161-90
52436240064103	0	BK6	Δ030213 (ΠΡ641-3)	4367,44	235,4	54,5	TY 48-19-161-90
52436240064104	0	BK6	Δ030214 (ΠΡ641-4)	4347,88	269,13	62,5	TY 48-19-161-90
52436240065400	0	BK6	Δ030217 (ΠΡ654)	4368,28	234,14	53,6	TY 48-19-161-90
52436240065500	0	BK6	Δ030218 (ΠΡ655)	4570,14	97,34	21,3	TY 48-19-161-90
52436240113000	0	BK6	P030032 (ΠΡ130-A)	4253,31	808,13	190,00	TY 48-19-161-90
52436250023701	0	BK6	Φ040001 (ΠΡ237-1)	4912,03	42,24	8,6	TY 48-19-161-90
52436250023702	0	BK6	Φ040002 (ΠΡ237-2)	4610,23	86,21	18,7	TY 48-19-161-90
52436250023703	0	BK6	Φ040003 (ΠΡ237-3)	4538,26	108,01	23,8	TY 48-19-161-90
52436250023704	0	BK6	Φ040004 (ΠΡ237-4)	4467,71	140,73	31,5	TY 48-19-161-90
52436250023705	0	BK6	Φ040005 (ΠΡ237-5)	4400,4	193,62	44,00	TY 48-19-161-90
52436250023706	0	BK6	Φ040006 (ΠΡ237-6)	4353,4	258,59	59,4	TY 48-19-161-90
52436250023707	0	BK6	Φ040007 (ΠΡ237-7)	4286,44	478,37	111,6	TY 48-19-161-90
52437020000010	0	BK6	Ш020044 (ΠΡ10)	4021,54	1689,05	415,00	TY 48-4207-26-99
524370200000400	0	BK6	Ш020034 (ΠΡ4)	4022,98	1548,85	385,00	TY 48-4207-26-99
524370200000500	0	BK6	Ш020033 (ΠΡ5)	4021,73	1669,02	415,00	TY 48-4207-26-99
524370200000600	0	BK6	Ш020035 (ΠΡ6)	4052,43	567,34	140,00	TY 48-4207-26-99
524370200000700	0	BK6	Ш020037 (ΠΡ7)	4037,92	827,77	205,00	TY 48-4207-26-99
524370200000800	0	BK6	Ш020038 (ΠΡ8)	4021,54	1689,05	420,00	TY 48-4207-26-99
524370200000900	0	BK6	Ш020039 (ΠΡ9)	4021,54	1689,05	420,00	TY 48-4207-26-99
524370200405000	0	BK6	Ш020040(ΠΡ5A)	4021,89	1653,00	415,00	TY 48-4207-26-99
524370300000004	0	BK6	KB-4	6398,48	453,01	70,8	TY 48-19-428-87
524370600000001	0	BK6	KB-1	6300,32	787,54	125,00	TY 48-19-428-87
524370600000002	0	BK6	KB-2	5780,87	289,04	50,00	TY 48-19-428-87
524370600000003	0	BK6	KB-3	5698,46	569,85	100,00	TY 48-19-428-87
524370600000005	0	BK6	KB-5	6020,26	571,93	95,00	TY 48-19-428-87
524370600000006	0	BK6	KB-6	6020,26	571,93	95,00	TY 48-19-428-87
524370600000007	0	BK6	KB-7	5672,56	805,5	142,00	TY 48-19-428-87
524370800000011	0	BK6	KB-11	6816,96	1883,52	276,3	TY 48-19-428-87
524370800000012	0	BK6	KB-12	6960,51	762,87	109,6	TY 48-19-428-87
524370800000013	0	BK6	KB-13	6871,22	1212,77	176,5	TY 48-19-428-87
524370800000014	0	BK6	KB-14	6530,3	1613,96	247,15	TY 48-19-428-87
524370800000015	0	BK6	KB-15	6803,69	2177,18	320,00	TY 48-19-428-87
524370800000017	0	BK6	KB-17	6764,62	4017,51	593,9	TY 48-19-428-87
524370900000089	0	BK6	KB-89	6815,67	1908,39	280,00	TY 48-19-428-87
524371000000035	0	BK6	KB-35	6182,33	5687,74	920,00	TY 48-19-428-87
524371100000037	0	BK6	KB-37	5704,34	62,18	10,9	TY 48-19-428-87
524371200000039	0	BK6	KB-39	6229,41	213,05	34,2	TY 48-19-428-87
524371300000040	0	BK6	KB-40	6190,49	242,67	39,2	TY 48-19-428-87
524371400000043	0	BK6	KB-43	5446,16	252,16	46,3	TY 48-19-428-87
524371500000044	0	BK6	KB-44	6065,21	424,56	70,00	TY 48-19-428-87

5243716000045	0	BK6	KB-45	5692,79	609,13	107,00	TY 48-19-428-87
5243718000048	0	BK6	KB-48	5767,51	314,91	54,6	TY 48-19-428-87
5243718000049	0	BK6	KB-49	5734,72	401,43	70,00	TY 48-19-428-87
5243719000053	0	BK6	KB-53	6231,54	9,97	1,6	TY 48-19-428-87
5243719000054	0	BK6	KB-54	5884,09	33,77	5,00	TY 48-19-428-87
5243720000064	0	BK6	KB-64	5758,44	335,08	58,19	TY 48-19-428-87
5243723000067	0	BK6	KB-67	5726,79	429,51	75,00	TY 48-19-428-87
5243723000068	0	BK6	KB-68	5672,69	803,82	141,7	TY 48-19-428-87
5243725000076	0	BK6	KB-76	5876,46	178,82	30,43	TY 48-19-428-87
5243727000081	0	BK6	KB-81	6278,18	941,73	150,00	TY 48-19-428-87
5243727000082	0	BK6	KB-82	6231,42	1595,24	256,00	TY 48-19-428-87
5243728000020	0	BK6	KB-20	5918,72	2367,49	400,00	TY 48-19-428-87
5243827000003	0	BK6	I03	6415,76	3,08	0,48	TY 48-19-67-78
5243827000004	0	BK6	I04	6446,31	2,13	0,33	TY 48-19-67-78
5243828000006	0	BK6	I06	6061,06	96,98	16,00	TY 48-19-67-78
5243829000007	0	BK6	I07	6034,42	515,94	85,5	TY 48-19-67-78
5243829000010	0	BK6	I10	6017,62	583,71	97,00	TY 48-19-67-78
5243829000011	0	BK6	I11	5998,26	686,8	114,5	TY 48-19-67-78
5243829000012	0	BK6	I12	6002,68	660,29	110,00	TY 48-19-67-78
5243829000014	0	BK6	I14	6000,67	672,08	112,00	TY 48-19-67-78
5243829000016	0	BK6	I16	6006,9	636,73	106,00	TY 48-19-67-78
5243830000018	0	BK6	I18	6452,62	1,94	0,3	TY 48-19-67-78
5243830000019	0	BK6	I19	6411,81	3,21	0,5	TY 48-19-67-78
5243830000020	0	BK6	I20	6392,49	3,84	0,6	TY 48-19-67-78
5243830000021	0	BK6	I21	6321,67	6,32	1,00	TY 48-19-67-78
5243831000022	0	BK6	I22	6757,35	22,16	3,28	TY 48-19-67-78
5243832000023	0	BK6	I23	6305,42	6,94	1,1	TY 48-19-67-78
5243834000025	0	BK6	I25	6392,49	3,84	0,6	TY 48-19-67-78
5243835000026	0	BK6	I26	6289,69	7,55	1,2	TY 48-19-67-78
5243835000027	0	BK6	I27	5925,08	29,63	5,00	TY 48-19-67-78
5243835000028	0	BK6	I28	6267,03	8,46	1,35	TY 48-19-67-78
5243835000029	0	BK6	I29	5746,2	53,44	9,3	TY 48-19-67-78
5243835000030	0	BK6	I30	5794,95	45,2	7,8	TY 48-19-67-78
5243835000031	0	BK6	I31	5538,93	130,16	23,5	TY 48-19-67-78
5243835000032	0	BK6	I32	10684,18	21,37	2,00	TY 48-19-67-78
5243836000033	0	BK6	I33	7412,3	259,43	35,00	TY 48-19-67-78
5243836000034	0	BK6	I34	7137,64	1641,66	230,00	TY 48-19-67-78
5243837000035	0	BK6	I35	6497,36	37,03	5,7	TY 48-19-67-78
5243837000036	0	BK6	I36	6579,05	31,58	4,8	TY 48-19-67-78
5243837000037	0	BK6	I37	6323,46	52,48	8,3	TY 48-19-67-78
5243837000038	0	BK6	I38	6387,99	45,99	7,2	TY 48-19-67-78
5243837000039	0	BK6	I39	6655,94	665,59	100,00	TY 48-19-67-78
5243838000041	0	BK6	I41	6662,28	646,24	97,00	TY 48-19-67-78
5243838000042	0	BK6	I42	6499,37	2469,76	380,00	TY 48-19-67-78
5243839000002	0	BK6	I02	7607,53	21,53	2,83	TY 48-19-67-78
5243840000082	0	BK6	I82	5879,76	176,39	30,00	TY 48-19-67-78
5243841000043	0	BK6	I43	6559,63	32,8	5,00	TY 48-19-67-78
5243841000044	0	BK6	I44	6797,58	20,39	3,00	TY 48-19-67-78
5243841000045	0	BK6	I45	6339,98	50,72	8,00	TY 48-19-67-78
5243841000047	0	BK6	I47	6255,31	60,68	9,7	TY 48-19-67-78
5243841000048	0	BK6	I48	6505,75	36,43	5,6	TY 48-19-67-78
5243841000049	0	BK6	I49	6130,79	80,93	13,2	TY 48-19-67-78
5243841000050	0	BK6	I50	6351,42	49,54	7,8	TY 48-19-67-78
5243841000051	0	BK6	I51	6076,69	92,97	15,3	TY 48-19-67-78
5243841000052	0	BK6	I52	6307,68	54,25	8,6	TY 48-19-67-78
5243841000054	0	BK6	I54	6287,68	56,59	9,00	TY 48-19-67-78
5243841000055	0	BK6	I55	6061,06	96,98	16,00	TY 48-19-67-78
5243841000056	0	BK6	I56	6264,24	59,51	9,5	TY 48-19-67-78
5243841000057	0	BK6	I57	5975,31	124,88	20,9	TY 48-19-67-78
5243841000059	0	BK6	I59	5921,94	149,83	25,3	TY 48-19-67-78
5243841000060	0	BK6	I60	6048,47	100,4	16,6	TY 48-19-67-78
5243841000061	0	BK6	I61	5875,93	179,22	30,5	TY 48-19-67-78
5243841000062	0	BK6	I62	6018,08	109,53	18,2	TY 48-19-67-78
5243841000063	0	BK6	I63	5820,74	231,08	39,7	TY 48-19-67-78
5243841000064	0	BK6	I64	5922,98	149,26	25,2	TY 48-19-67-78
5243841000065	0	BK6	I65	5819,32	232,77	40,00	TY 48-19-67-78
5243841000066	0	BK6	I66	5918,86	151,52	25,6	TY 48-19-67-78
5243842000067	0	BK6	I67	6411,81	3,21	0,5	TY 48-19-67-78
5243842000068	0	BK6	I68	6407,89	3,33	0,52	TY 48-19-67-78
5243842000069	0	BK6	I69	6123,38	15,31	2,5	TY 48-19-67-78
5243842000070	0	BK6	I70	5886,16	33,55	5,7	TY 48-19-67-78
5243842000071	0	BK6	I71	6030,06	21,11	3,5	TY 48-19-67-78
5243842000072	0	BK6	I72	6305,42	6,94	1,1	TY 48-19-67-78
5243842000073	0	BK6	I73	6252,5	9,07	1,45	TY 48-19-67-78
5243842000074	0	BK6	I74	5819,81	41,61	7,15	TY 48-19-67-78
5243842000075	0	BK6	I75	6102,78	16,48	2,7	TY 48-19-67-78
5243842000076	0	BK6	I76	5881,02	34,11	5,8	TY 48-19-67-78

52438420000077	0	ВК6	И77	5886,16	33,55	5,7	ТУ 48-19-67-78
52438420000078	0	ВК6	И78	5737,65	55,08	9,6	ТУ 48-19-67-78
52438420000079	0	ВК6	И79	5648,32	77,38	13,7	ТУ 48-19-67-78
52438430000080	0	ВК6	И80	6284,28	893,62	142,2	ТУ 48-19-67-78
52438440000085	0	ВК6	И85	5962,97	129,99	21,8	ТУ 48-19-67-78
52438440000086	0	ВК6	И86	6054,67	98,69	16,3	ТУ 48-19-67-78
52438620000057	0	ВК6	Д57	6851,66	342,58	50,00	ТУ 48-19-67-78
52438640000015	0	ВК6	Д15	6637,22	730,09	110,00	ТУ 48-19-67-78
52438640000016	0	ВК6	Д16	6823,8	368,49	54,00	ТУ 48-19-67-78
52438640000017	0	ВК6	Д17	6713,01	523,61	78,00	ТУ 48-19-67-78
52438650000072	0	ВК6	Д72	7786,23	91,88	11,8	ТУ 48-19-67-78
52438660000019	0	ВК6	Д19	6788,43	407,31	55,00	ТУ 48-19-67-78
52438660000020	0	ВК6	Д20	6686,37	581,71	87,00	ТУ 48-19-67-78
52438660000021	0	ВК6	Д21	6542,75	274,8	42,00	ТУ 48-19-67-78
52438660000034	0	ВК6	Д34	7033,6	109,02	15,5	ТУ 48-19-67-78
52438670000073	0	ВК6	Д73	6208,22	2421,21	390,00	ТУ 48-19-67-78
52438670000074	0	ВК6	Д74	6201,42	2852,65	460,00	ТУ 48-19-67-78
52438670000731	0	ВК6	Д73-1	6207,88	2439,7	393,00	ТУ 48-19-67-78
52438680000027	0	ВК6	Д27	6824,02	150,13	22,00	ТУ 48-19-67-78
52438690000077	0	ВК6	Д77	6242,36	62,42	10,00	ТУ 48-19-67-78
52438700000102	0	ВК6	Д102	5938,3	1484,58	250,00	ТУ 48-19-67-78
52438800000059	0	ВК6	Д59	7086,53	212,6	30,00	ТУ 48-19-67-78
52438810000003	0	ВК6	Д03	6559,63	1213,53	185,00	ТУ 48-19-67-78
52438820000004	0	ВК6	Д04	7005,79	245,2	35,00	ТУ 48-19-67-78
52438820000005	0	ВК6	Д05	7086,53	212,6	30,00	ТУ 48-19-67-78
52438820000006	0	ВК6	Д06	6988,01	253,66	36,7	ТУ 48-19-67-78
52438820000007	0	ВК6	Д07	7225,57	171,97	23,8	ТУ 48-19-67-78
52438820000008	0	ВК6	Д08	6943,00	277,72	40,00	ТУ 48-19-67-78
52438820000009	0	ВК6	Д09	6742,06	471,94	70,00	ТУ 48-19-67-78
52438820000010	0	ВК6	Д10	6943,00	277,72	40,00	ТУ 48-19-67-78
52438820000011	0	ВК6	Д11	6784,73	411,83	60,7	ТУ 48-19-67-78
52438820000012	0	ВК6	Д12	6788,43	407,31	60,00	ТУ 48-19-67-78
52438820000013	0	ВК6	Д13	6686,37	581,71	87,00	ТУ 48-19-67-78
52438820000014	0	ВК6	Д14	6713,01	523,61	78,00	ТУ 48-19-67-78
52438820000075	0	ВК6	Д75	6238,98	1434,97	242,7	ТУ 48-19-67-78
52438820000078	0	ВК6	Д78	7022,82	237,58	33,6	ТУ 48-19-67-78
52438820000079	0	ВК6	Д79	6851,66	342,58	50,00	ТУ 48-19-67-78
52438820000080	0	ВК6	Д80	6943,00	277,72	40,00	ТУ 48-19-67-78
52438820000081	0	ВК6	Д81	6811,24	381,43	56,00	ТУ 48-19-67-78
52438820000083	0	ВК6	Д83	6764,52	438,34	64,8	ТУ 48-19-67-78
52438820000084	0	ВК6	Д84	6788,43	407,31	60,00	ТУ 48-19-67-78
52438830000032	0	ВК6	Д32	5942,32	1378,62	232,00	ТУ 48-19-67-78
52438830000033	0	ВК6	Д33	7086,53	212,6	30,00	ТУ 48-19-67-78
52438830000036	0	ВК6	Д36	6271,2	1003,39	165,29	ТУ 48-19-67-78
52438830000037	0	ВК6	Д37	6915,66	294,54	43,2	ТУ 48-19-67-78
52438830000041	0	ВК6	Д41	6200,61	2914,29	451,00	ТУ 48-19-67-78
52438830000061	0	ВК6	Д61	5928,23	1837,75	310,00	ТУ 48-19-67-78
52438830000062	0	ВК6	Д62	5954,57	1131,37	190,00	ТУ 48-19-67-78
52438830000085	0	ВК6	Д85	5928,23	1837,75	310,00	ТУ 48-19-67-78
52438830000086	0	ВК6	Д86	5920,91	2220,34	375,00	ТУ 48-19-67-78
52438840000018	0	ВК6	Д18	6714,66	520,39	77,5	ТУ 48-19-67-78
52438850000022	0	ВК6	Д22	5924,53	2013,16	343,3	ТУ 48-19-67-78
52438850000023	0	ВК6	Д23	6259,51	1126,71	180,00	ТУ 48-19-67-78
52438850000024	0	ВК6	Д24	6357,02	553,06	87,00	ТУ 48-19-67-78
52438850000045	0	ВК6	Д45	6774,22	163,94	24,2	ТУ 48-19-67-78
52438850000055	0	ВК6	Д55	6250,09	1250,02	200,00	ТУ 48-19-67-78
524388600000025	0	ВК6	Д25	8207,29	184,66	25,00	ТУ 48-19-67-78
52438870000026	0	ВК6	Д26	8229,72	181,05	22,00	ТУ 48-19-67-78
524388800000028	0	ВК6	Д28	6065,21	424,56	70,00	ТУ 48-19-67-78
524389000000031	0	ВК6	Д31	7853,51	86,39	11,00	ТУ 48-19-67-78
52438930000105	0	ВК6	Д105	6959,67	765,56	110,00	ТУ 48-19-67-78
52438940000107	0	ВК6	Д107	6050,93	99,72	16,48	ТУ 48-19-67-78
52438990000103	0	ВК6	Д103	6593,39	942,86	144,4	ТУ 48-19-67-78
52438990000104	0	ВК6	Д104	6637,22	730,09	110,5	ТУ 48-19-67-78
52440120017000	0	ВК6	Р010010 (ПР170)	4176,82	27,15	6,85	ТУ 48-19-165-84
52440120017202	0	ВК6	Р010013 (ПР172-2)	4554,11	3,14	0,7	ТУ 48-19-165-84
52440120017203	0	ВК6	Р010014 (ПР172-3)	4515,53	4,52	1,02	ТУ 48-19-165-84
52440120017204	0	ВК6	Р010015 (ПР172-4)	4439,65	7,64	1,74	ТУ 48-19-165-84
52440120017205	0	ВК6	Р010016 (ПР172-5)	4038,5	12,48	3,12	ТУ 48-19-165-84
52440130017206	0	ВК6	Р020040 (ПР172-6)	4761,88	19,00	4,04	ТУ 48-19-165-84
52440130017207	0	ВК6	Р020041 (ПР172-7)	4690,98	23,08	4,98	ТУ 48-19-165-84
52440130017208	0	ВК6	Р020042 (ПР172-8)	4524,61	36,65	8,19	ТУ 48-19-165-84
52440130017209	0	ВК6	Р020043 (ПР172-9)	4400,89	53,69	12,4	ТУ 48-19-165-84
52440130017210	0	ВК6	Р020044 (ПР172-10)	4354,27	63,14	14,6	ТУ 48-19-165-84
52440140003400	0	ВК6	Р030014 (ПР34)	5560,48	11,68	2,1	ТУ 48-19-165-84
52440140020001	0	ВК6	Р030051 (ПР200-1)	4780,66	55,93	11,7	ТУ 48-19-165-84
52440140020002	0	ВК6	Р030052 (ПР200-2)	4705,56	66,82	14,2	ТУ 48-19-165-84

52440140020003	0	ВК6	Р030053 (ПР200-3)	4626,35	82,35	17,8	ТУ 48-19-165-84
52440140023200	0	ВК6	Д030048 (ПР232)	5514,34	12,96	2,5	ТУ 48-19-165-84
52440140047900	0	ВК6	Р030062 (ПР479)	4387,03	208,82	47,6	ТУ 48-19-165-84
52440140049000	0	ВК6	Р030064 (ПР490)	4379,03	218,95	50,00	ТУ 48-19-165-84
52440610000353	0	ВК6	035Д-3	5414,57	45,59	8,2	ТУ 48-19-304-81
52440610000372	0	ВК6	037Д-2	5847,26	16,61	2,8	ТУ 48-19-304-81
52440610000390	0	ВК6	039Д	5030,59	158,11	31,00	ТУ 48-19-304-81
52500080000051	0	ВК8	2051	3227,81	20,98	6,5	ГОСТ 25395-90
52500080000052	0	ВК8	2052	3254,12	18,55	6,2	ГОСТ 25395-90
52500080000231	0	ВК8	2231	3153,72	32,48	10,3	ГОСТ 25395-90
52500080000232	0	ВК8	2232	3160,49	30,97	10,4	ГОСТ 25395-90
52500080000251	0	ВК8	2251	3123,04	41,54	13,3	ГОСТ 25395-90
52500080000252	0	ВК8	2252	3131,73	38,52	12,3	ГОСТ 25395-90
52500080000271	0	ВК8	2271	3074,93	72,26	23,5	ГОСТ 25395-90
52500080000272	0	ВК8	2272	3078,41	68,65	22,3	ГОСТ 25395-90
52500080000291	0	ВК8	2291	3059,94	93,33	30,5	ГОСТ 25395-90
52500080000292	0	ВК8	2292	3061,66	90,32	29,5	ГОСТ 25395-90
52500080000311	0	ВК8	2311	3050,41	114,39	37,5	ГОСТ 25395-90
52500080000312	0	ВК8	2312	3052,87	108,1	35,41	ГОСТ 25395-90
52500080000351	0	ВК8	2351	3224,8	216,06	67,00	ГОСТ 25395-90
52500080000352	0	ВК8	2352	3228,66	201,18	62,31	ГОСТ 25395-90
52500080000411	0	ВК8	2411	3068,69	79,79	26,00	ГОСТ 25395-90
52500080000412	0	ВК8	2412	3071,04	76,78	25,00	ГОСТ 25395-90
52500080000431	0	ВК8	2431	3253,58	139,25	42,8	ГОСТ 25395-90
52500080000451	0	ВК8	2451	3237,11	174,8	54,00	ГОСТ 25395-90
52500080000511	0	ВК8	2511	3209,24	308,09	96,00	ГОСТ 25395-90
52500080000512	0	ВК8	2512	3211,25	292,03	90,94	ГОСТ 25395-90
52500080000611	0	ВК8	2611	3525,5	7,72	2,19	ГОСТ 25395-90
52500080000631	0	ВК8	2631	3326,49	13,9	4,18	ГОСТ 25395-90
52500080000651	0	ВК8	2651	3167,3	29,58	9,34	ГОСТ 25395-90
52500080000671	0	ВК8	2671	3096,71	54,25	17,52	ГОСТ 25395-90
52500080000691	0	ВК8	2691	3215,34	22,35	7,6	ГОСТ 25395-90
52500080000692	0	ВК8	2692	3223,49	21,44	6,65	ГОСТ 25395-90
52500090000010	0	ВК8	6010	3631,06	5,99	1,65	ГОСТ 25397-90
52500090000030	0	ВК8	6030	3487,85	8,51	2,7	ГОСТ 25397-90
52500090000050	0	ВК8	6050	3287,09	16,14	4,91	ГОСТ 25397-90
52500090000060	0	ВК8	6060	3287,09	16,14	4,91	ГОСТ 25397-90
52500090000090	0	ВК8	6090	3138,63	36,41	11,6	ГОСТ 25397-90
52500090000100	0	ВК8	6100	3138,63	36,41	11,6	ГОСТ 25397-90
52500090000130	0	ВК8	6130	3077,8	69,25	22,5	ГОСТ 25397-90
52500090000140	0	ВК8	6140	3077,8	69,25	22,5	ГОСТ 25397-90
52500090000170	0	ВК8	6170	3266,16	120,52	36,9	ГОСТ 25397-90
52500090000180	0	ВК8	6180	3266,16	120,52	36,9	ГОСТ 25397-90
52500090000270	0	ВК8	6270	3227,21	206,54	64,00	ГОСТ 25397-90
52500090000280	0	ВК8	6280	3227,21	206,54	64,00	ГОСТ 25397-90
52500090000290	0	ВК8	6290	3207,45	323,95	101,00	ГОСТ 25397-90
52500090000300	0	ВК8	6300	3207,45	323,95	101,00	ГОСТ 25397-90
52500090000330	0	ВК8	6330	3493,5	8,38	2,6	ГОСТ 25397-90
52500090000340	0	ВК8	6340	3493,5	8,38	2,6	ГОСТ 25397-90
52500090000350	0	ВК8	6350	3293,87	15,71	4,77	ГОСТ 25397-90
52500090000360	0	ВК8	6360	3293,87	15,71	4,77	ГОСТ 25397-90
52500090000370	0	ВК8	6370	3159,51	31,18	9,87	ГОСТ 25397-90
52500090000380	0	ВК8	6380	3159,51	31,18	9,87	ГОСТ 25397-90
52500090000390	0	ВК8	6390	3096,33	54,5	18,6	ГОСТ 25397-90
52500090000400	0	ВК8	6400	3096,33	54,5	18,6	ГОСТ 25397-90
52500090000410	0	ВК8	6410	3286,99	98,58	29,99	ГОСТ 25397-90
52500090000420	0	ВК8	6420	3286,99	98,58	29,99	ГОСТ 25397-90
52500100000010	0	ВК8	7010	3558,31	7,12	2,00	ГОСТ 25426-90
52500100000030	0	ВК8	7030	4925,7	5,02	1,02	ГОСТ 25426-90
52500100000040	0	ВК8	07040 (СНЯТА)	4925,7	5,02	1,02	ГОСТ 25426-90
52500100000050	0	ВК8	7050	3466,5	9,01	2,6	ГОСТ 25426-90
52500100000060	0	ВК8	7060	3466,5	9,01	2,6	ГОСТ 25426-90
52500100000070	0	ВК8	7070	3273,58	17,06	5,21	ГОСТ 25426-90
52500100000080	0	ВК8	7080	3273,58	17,06	5,21	ГОСТ 25426-90
52500100000090	0	ВК8	7090	3200,98	24,14	7,54	ГОСТ 25426-90
52500100000100	0	ВК8	7100	3200,98	24,14	7,54	ГОСТ 25426-90
52500100000110	0	ВК8	7110	3148,84	33,66	10,69	ГОСТ 25426-90
52500100000120	0	ВК8	7120	3148,84	33,66	10,69	ГОСТ 25426-90
52500100000130	0	ВК8	7130	3116,2	44,25	14,2	ГОСТ 25426-90
52500100000140	0	ВК8	7140	3116,2	44,25	14,2	ГОСТ 25426-90
52500100000150	0	ВК8	7150	3090,19	58,65	18,98	ГОСТ 25426-90
52500100000160	0	ВК8	7160	3090,19	58,65	18,98	ГОСТ 25426-90
52500100000170	0	ВК8	7170	3070,89	76,96	25,06	ГОСТ 25426-90
52500100000180	0	ВК8	7180	3070,89	76,96	25,06	ГОСТ 25426-90
52500100000330	0	ВК8	7330	3278,12	106,87	32,6	ГОСТ 25426-90
52500100000340	0	ВК8	7340	3278,12	106,87	32,6	ГОСТ 25426-90
52500100000350	0	ВК8	7350	5331,87	3,41	0,64	ГОСТ 25426-90

5250010000370	0	BK8	7370	3385,62	11,41	3,7	ГОСТ 25426-90
52500120000051	0	BK8	10051	3483,7	8,6	2,47	ГОСТ 25396-90
52500120000061	0	BK8	10061	3483,7	8,6	2,47	ГОСТ 25396-90
52500120000151	0	BK8	10151	3084,67	62,96	20,41	ГОСТ 25396-90
52500120000152	0	BK8	10152	3083,04	64,34	20,87	ГОСТ 25396-90
52500120000161	0	BK8	10161	3084,67	62,96	20,41	ГОСТ 25396-90
52500120000162	0	BK8	10162	3083,04	64,34	20,87	ГОСТ 25396-90
52500120000271	0	BK8	10271	3369,07	12,03	3,9	ГОСТ 25396-90
52500120000291	0	BK8	10291	3189,68	25,74	8,07	ГОСТ 25396-90
52500120000292	0	BK8	10292	3187,49	26,07	8,18	ГОСТ 25396-90
52500120000301	0	BK8	10301	3189,68	25,74	8,07	ГОСТ 25396-90
52500120000302	0	BK8	10302	3187,49	26,07	8,18	ГОСТ 25396-90
52500120000411	0	BK8	10411	5666,39	2,38	0,42	ГОСТ 25396-90
52500120000431	0	BK8	10431	5107,7	4,24	0,83	ГОСТ 25396-90
52500120000451	0	BK8	10451	4648,15	6,51	1,5	ГОСТ 25396-90
52500120000471	0	BK8	10471	3254,86	18,49	5,68	ГОСТ 25396-90
52500120000472	0	BK8	10472	3248,72	19,01	5,85	ГОСТ 25396-90
52500120000481	0	BK8	10481	3254,86	18,49	5,68	ГОСТ 25396-90
52500120000482	0	BK8	10482	3248,72	19,01	5,85	ГОСТ 25396-90
52500120000491	0	BK8	10491	3138,53	36,44	11,61	ГОСТ 25396-90
52500120000492	0	BK8	10492	3135,29	37,4	11,93	ГОСТ 25396-90
52500120000501	0	BK8	10501	3138,53	36,44	11,61	ГОСТ 25396-90
52500120000502	0	BK8	10502	3135,29	37,4	11,93	ГОСТ 25396-90
52500120000531	0	BK8	10531	3272,76	112,58	34,4	ГОСТ 25396-90
52500120000532	0	BK8	10532	3270,68	114,96	35,15	ГОСТ 25396-90
52500120000541	0	BK8	10541	3272,76	112,58	34,4	ГОСТ 25396-90
52500120000542	0	BK8	10542	3270,68	114,96	35,15	ГОСТ 25396-90
52500120000571	0	BK8	10571	3221,91	228,76	71,00	ГОСТ 25396-90
52500120000572	0	BK8	10572	3220,69	234,59	72,84	ГОСТ 25396-90
52500120000581	0	BK8	10581	3221,91	228,76	71,00	ГОСТ 25396-90
52500120000582	0	BK8	10582	3220,69	234,59	72,84	ГОСТ 25396-90
52500120000611	0	BK8	10611	3199,36	422,31	132,00	ГОСТ 25396-90
52500120000612	0	BK8	10612	3198,96	428,66	134,00	ГОСТ 25396-90
52500120000621	0	BK8	10621	3199,36	422,31	132,00	ГОСТ 25396-90
52500120000622	0	BK8	10622	3198,96	428,66	134,00	ГОСТ 25396-90
52500120000631	0	BK8	10631	3188,75	701,53	220,00	ГОСТ 25396-90
52500120000632	0	BK8	10632	3188,47	714,22	224,00	ГОСТ 25396-90
52500120000641	0	BK8	10641	3188,75	701,53	220,00	ГОСТ 25396-90
52500120000642	0	BK8	10642	3188,47	714,22	224,00	ГОСТ 25396-90
52500120000652	0	BK8	10652	3571,47	6,89	1,93	ГОСТ 25396-90
52500120000672	0	BK8	10672	3430,11	9,98	2,91	ГОСТ 25396-90
52500120000682	0	BK8	10682	3430,11	9,98	2,91	ГОСТ 25396-90
52500120000692	0	BK8	10692	3118,54	43,29	15,00	ГОСТ 25396-90
52500120000702	0	BK8	10702	3118,54	43,29	15,00	ГОСТ 25396-90
52500120000712	0	BK8	10712	3066,04	83,46	27,22	ГОСТ 25396-90
52500120000722	0	BK8	10722	3066,04	83,46	27,22	ГОСТ 25396-90
52500140000011	0	BK8	14011	7566,03	2,57	0,34	ГОСТ 25399-90
52500140000031	0	BK8	14031	6835,26	4,24	0,62	ГОСТ 25399-90
52500140000051	0	BK8	14051	6730,55	4,51	0,67	ГОСТ 25399-90
52500140000071	0	BK8	14071	6417,1	5,39	0,84	ГОСТ 25399-90
52500140000091	0	BK8	14091	6304,26	5,74	0,91	ГОСТ 25399-90
52500140000111	0	BK8	14111	6035,88	6,64	1,1	ГОСТ 25399-90
52500140000131	0	BK8	14131	6835,26	4,24	0,44	ГОСТ 25399-90
52500140000151	0	BK8	14151	5960,94	6,91	1,16	ГОСТ 25399-90
52500140000171	0	BK8	14171	5398,19	9,45	1,75	ГОСТ 25399-90
52500140000191	0	BK8	14191	5347,05	9,73	1,82	ГОСТ 25399-90
52500140000211	0	BK8	14211	5201,66	10,61	2,04	ГОСТ 25399-90
52500140000251	0	BK8	14251	5613,32	8,36	1,49	ГОСТ 25399-90
52500140000271	0	BK8	14271	5559,78	8,62	1,55	ГОСТ 25399-90
52500140000291	0	BK8	14291	5312,05	9,93	1,87	ГОСТ 25399-90
52500140000312	0	BK8	14312	5631,74	8,28	1,47	ГОСТ 25399-90
52500140000332	0	BK8	14332	5177,46	10,77	2,4	ГОСТ 25399-90
52500140000352	0	BK8	14352	4768,68	14,12	3,75	ГОСТ 25399-90
52500140000372	0	BK8	14372	4602,62	16,02	4,1	ГОСТ 25399-90
52500140000392	0	BK8	14392	4466,58	17,96	4,8	ГОСТ 25399-90
52500140000412	0	BK8	14412	4221,85	22,84	6,7	ГОСТ 25399-90
52500140000432	0	BK8	14432	4084,43	26,92	7,3	ГОСТ 25399-90
52500140000452	0	BK8	14452	4023,06	29,25	8,1	ГОСТ 25399-90
52500140000472	0	BK8	14472	3961,26	32,05	9,3	ГОСТ 25399-90
52500140000492	0	BK8	14492	3839,36	39,55	12,7	ГОСТ 25399-90
52500140000512	0	BK8	14512	3818,11	41,24	13,8	ГОСТ 25399-90
52500140000532	0	BK8	14532	3802,37	42,59	13,5	ГОСТ 25399-90
52500140000552	0	BK8	14552	3742,66	48,65	16,6	ГОСТ 25399-90
52500140000572	0	BK8	14572	3731,42	50,00	17,4	ГОСТ 25399-90
52500140000592	0	BK8	14592	3627,04	67,46	21,5	ГОСТ 25399-90
52500140000612	0	BK8	14612	3618,45	69,47	23,6	ГОСТ 25399-90
52500140000632	0	BK8	14632	3609,06	71,82	24,5	ГОСТ 25399-90

52500140000652	0	BK8	14652	3601,49	73,83	26,5	ГОСТ 25399-90
52500140000672	0	BK8	14672	3549,38	91,57	32,3	ГОСТ 25399-90
52500140000692	0	BK8	14692	3544,00	93,92	33,5	ГОСТ 25399-90
52500140000712	0	BK8	14712	3539,6	95,92	33,3	ГОСТ 25399-90
52500140000732	0	BK8	14732	3511,77	110,97	40,6	ГОСТ 25399-90
52500140000752	0	BK8	14752	3502,68	116,99	42,3	ГОСТ 25399-90
52500140000772	0	BK8	14772	3501,25	117,99	43,00	ГОСТ 25399-90
52500140000792	0	BK8	14792	3450,17	170,78	63,5	ГОСТ 25399-90
52500140000812	0	BK8	14812	3446,93	175,79	65,8	ГОСТ 25399-90
52500140000832	0	BK8	14832	3442,9	182,47	66,00	ГОСТ 25399-90
52500140000852	0	BK8	14852	3429,36	209,19	77,00	ГОСТ 25399-90
52500140000872	0	BK8	14872	3400,24	306,02	90,00	ГОСТ 25399-90
52500150000010	0	BK8	15010	3261,71	17,94	5,5	ГОСТ 25404-90
52500150000030	0	BK8	15030	3132,67	38,22	12,2	ГОСТ 25404-90
52500150000040	0	BK8	15040	3132,67	38,22	12,2	ГОСТ 25404-90
52500150000090	0	BK8	15090	3059,12	94,83	31,00	ГОСТ 25404-90
52500150000100	0	BK8	15100	3059,12	94,83	31,00	ГОСТ 25404-90
52500150000110	0	BK8	15110	3239,54	168,46	52,00	ГОСТ 25404-90
52500150000120	0	BK8	15120	3239,54	168,46	52,00	ГОСТ 25404-90
52500150000150	0	BK8	15150	3219,32	241,45	75,00	ГОСТ 25404-90
52500150000160	0	BK8	15160	3219,32	241,45	75,00	ГОСТ 25404-90
52500160000010	0	BK8	16010	3503,72	8,16	2,33	ГОСТ 25405-90
52500160000030	0	BK8	16030	3325,27	13,97	4,2	ГОСТ 25405-90
52500160000050	0	BK8	16050	3195,27	24,92	7,8	ГОСТ 25405-90
525001600000210	0	BK8	16210	3123,04	41,54	13,3	ГОСТ 25405-90
525001600000250	0	BK8	16250	3078,71	68,35	22,2	ГОСТ 25405-90
525001600000370	0	BK8	16370	3050,18	114,99	37,7	ГОСТ 25405-90
525001600000390	0	BK8	16390	3215,91	260,49	81,00	ГОСТ 25405-90
525002000000010	0	BK8	20010	3487,85	8,51	2,44	ГОСТ 25408-90
525002000000030	0	BK8	20030	3364,39	12,21	3,63	ГОСТ 25408-90
525002000000050	0	BK8	20050	3680,04	22,01	5,98	ГОСТ 25408-90
525002000000070	0	BK8	20070	3431,2	43,58	12,7	ГОСТ 25408-90
525002000000080	0	BK8	20080	3431,2	43,58	12,7	ГОСТ 25408-90
525002000000090	0	BK8	20090	3320,27	76,37	23,00	ГОСТ 25408-90
52500200000100	0	BK8	20100	3320,27	76,37	23,00	ГОСТ 25408-90
52500200000130	0	BK8	20130	3262,83	124,97	38,3	ГОСТ 25408-90
52500200000140	0	BK8	20140	3262,83	124,97	38,3	ГОСТ 25408-90
525002100000010	0	BK8	21010	6710,35	4,56	0,68	ГОСТ 25400-90
525002100000050	0	BK8	21050	6969,77	3,9	0,56	ГОСТ 25400-90
525002100000070	0	BK8	21070	6304,26	5,74	0,91	ГОСТ 25400-90
525002100000090	0	BK8	21090	4062,43	12,11	2,98	ГОСТ 25400-90
52500210000110	0	BK8	21110	3915,08	14,76	3,77	ГОСТ 25400-90
52500210000130	0	BK8	21130	3272,73	17,12	5,23	ГОСТ 25400-90
52500210000150	0	BK8	21150	3237,63	20,01	6,18	ГОСТ 25400-90
52500210000170	0	BK8	21170	5936,87	7,01	1,18	ГОСТ 25400-90
52500210000190	0	BK8	21190	4341,38	8,81	2,03	ГОСТ 25400-90
52500210000210	0	BK8	21210	4239,3	9,84	2,32	ГОСТ 25400-90
52500210000230	0	BK8	21230	4159,08	10,77	2,59	ГОСТ 25400-90
52500210000250	0	BK8	21250	3266,09	17,6	5,39	ГОСТ 25400-90
52500210000270	0	BK8	21270	4279,29	9,41	2,2	ГОСТ 25400-90
52500210000290	0	BK8	21290	3856,32	16,12	4,18	ГОСТ 25400-90
52500210000310	0	BK8	21310	3807,32	17,44	4,58	ГОСТ 25400-90
52500210000350	0	BK8	21350	3822,46	17,01	4,45	ГОСТ 25400-90
52500210000370	0	BK8	21370	5728,52	7,85	1,37	ГОСТ 25400-90
52500210000410	0	BK8	21410	3640,5	23,92	6,57	ГОСТ 25400-90
52500210000470	0	BK8	21470	3204,91	23,62	7,37	ГОСТ 25400-90
52500210000490	0	BK8	21490	3125,52	40,63	13,00	ГОСТ 25400-90
52500210000510	0	BK8	21510	3103,56	50,28	16,2	ГОСТ 25400-90
52500210000530	0	BK8	21530	3059,12	94,83	31,00	ГОСТ 25400-90
52500210000550	0	BK8	21550	3075,49	71,66	23,3	ГОСТ 25400-90
52500210000570	0	BK8	21570	3067,79	80,99	26,4	ГОСТ 25400-90
52500210000590	0	BK8	21590	3045,56	129,13	42,4	ГОСТ 25400-90
52500210000610	0	BK8	21610	3770,87	18,55	4,92	ГОСТ 25400-90
52500210000630	0	BK8	21630	3334,71	13,51	4,05	ГОСТ 25400-90
52500210000650	0	BK8	21650	3179,44	27,37	8,61	ГОСТ 25400-90
52500210000670	0	BK8	21670	3166,22	29,79	9,41	ГОСТ 25400-90
52500210000690	0	BK8	21690	3150,93	33,15	10,52	ГОСТ 25400-90
52500210000710	0	BK8	21710	3209,01	23,1	7,2	ГОСТ 25400-90
52500210000730	0	BK8	21730	3107,33	48,32	15,55	ГОСТ 25400-90
52500210000750	0	BK8	21750	3096,09	54,65	17,65	ГОСТ 25400-90
525002400000010	0	BK8	24010	3626,39	6,06	1,78	ГОСТ 25409-90
525002400000050	0	BK8	24050	3517,5	7,88	2,24	ГОСТ 25409-90
525002400000070	0	BK8	24070	3573,4	6,86	2,15	ГОСТ 25409-90
525002400000090	0	BK8	24090	3442,34	9,64	2,98	ГОСТ 25409-90
52500240000130	0	BK8	24130	3278,83	16,69	5,09	ГОСТ 25409-90
52500240000170	0	BK8	24170	3245,25	19,31	5,95	ГОСТ 25409-90
52500240000210	0	BK8	24210	3219,34	21,89	6,8	ГОСТ 25409-90

52500240000250	0	BK8		24250	3198,52	24,47	7,65	ГОСТ 25409-90
52500240000270	0	BK8		24270	3147,52	33,99	10,8	ГОСТ 25409-90
52500240000290	0	BK8		24290	3135,58	37,31	11,9	ГОСТ 25409-90
52500240000470	0	BK8		24470	3098,78	52,99	17,1	ГОСТ 25409-90
52500240000550	0	BK8		24550	3080,28	66,84	21,7	ГОСТ 25409-90
52500240000570	0	BK8		24570	3071,53	76,17	24,8	ГОСТ 25409-90
52500240000590	0	BK8		24590	3064,47	85,81	28,00	ГОСТ 25409-90
52500240000650	0	BK8		24650	3262,83	124,97	38,3	ГОСТ 25409-90
52500240000770	0	BK8		24770	3386,49	11,38	3,6	ГОСТ 25409-90
52500240000790	0	BK8		24790	3121,45	42,14	13,5	ГОСТ 25409-90
52500240000850	0	BK8		24850	3253,03	140,21	43,1	ГОСТ 25409-90
52500240000870	0	BK8		24870	3088,49	59,92	19,4	ГОСТ 25409-90
52500245000470	0	BK8	24470*5		3081,26	65,94	21,4	ГОСТ 25409-90
52500250000110	0	BK8		25110	4508,96	7,44	1,65	ГОСТ 25424-90
52500250000130	0	BK8		25130	4066,92	12,04	2,96	ГОСТ 25424-90
52500250000150	0	BK8		25150	3800,57	17,63	4,64	ГОСТ 25424-90
52500250000190	0	BK8		25190	3103,00	50,58	16,3	ГОСТ 25424-90
52500250000210	0	BK8		25210	3898,35	15,13	3,88	ГОСТ 25424-90
52500250000230	0	BK8		25230	3621,53	24,95	6,89	ГОСТ 25424-90
52500250000250	0	BK8		25250	3374,27	55,91	16,57	ГОСТ 25424-90
52500260000010	0	BK8		26010	7870,45	1,97	0,25	ГОСТ 25425-90
52500260000030	0	BK8		26030	6813,8	4,29	0,63	ГОСТ 25425-90
52500260000050	0	BK8		26050	6115,23	6,36	1,04	ГОСТ 25425-90
52500260000070	0	BK8		26070	4415,19	8,17	1,85	ГОСТ 25425-90
52500260000090	0	BK8		26090	4073,75	11,94	2,93	ГОСТ 25425-90
52500260000130	0	BK8		26130	3712,52	20,64	5,56	ГОСТ 25425-90
52500260000250	0	BK8		26250	3628,46	24,56	6,77	ГОСТ 25425-90
52500310000050	0	BK8		31050	3785,36	18,09	4,78	ГОСТ 25411-90
52500310000070	0	BK8		31070	3618,14	25,15	6,95	ГОСТ 25411-90
52500310000090	0	BK8		31090	3433,1	43,26	12,6	ГОСТ 25411-90
52500310000110	0	BK8		31110	3560,16	87,22	24,5	ГОСТ 25411-90
52500320000110	0	BK8		17110	4159,08	10,77	2,59	ГОСТ 25406-90
52500320000130	0	BK8		17130	4119,52	11,29	2,74	ГОСТ 25406-90
52500320000150	0	BK8		17150	3879,52	15,56	4,01	ГОСТ 25406-90
52500320000170	0	BK8		17170	3853,69	16,19	4,2	ГОСТ 25406-90
52500320000190	0	BK8		17190	3734,79	19,79	5,3	ГОСТ 25406-90
52500320000210	0	BK8		17210	3717,5	20,45	5,5	ГОСТ 25406-90
52500320000230	0	BK8		17230	3609,89	25,63	7,1	ГОСТ 25406-90
52500320000250	0	BK8		17250	3537,78	30,78	8,7	ГОСТ 25406-90
52500320000270	0	BK8		17270	3526,83	31,74	9,00	ГОСТ 25406-90
52500320000290	0	BK8		17290	3475,38	37,19	10,7	ГОСТ 25406-90
52500320000310	0	BK8		17310	3123,04	41,54	13,3	ГОСТ 25406-90
52500320000330	0	BK8		17330	3107,03	48,47	15,6	ГОСТ 25406-90
52500320000350	0	BK8		17350	3094,46	55,7	18,00	ГОСТ 25406-90
52500320000370	0	BK8		17370	3080,6	66,54	21,6	ГОСТ 25406-90
52500320000390	0	BK8		17390	3071,78	75,87	24,7	ГОСТ 25406-90
52500320000410	0	BK8		17410	3070,08	77,98	25,4	ГОСТ 25406-90
52500320000430	0	BK8		17430	3060,79	91,82	30,00	ГОСТ 25406-90
52500320000450	0	BK8		17450	3054,7	103,86	34,00	ГОСТ 25406-90
52500320000470	0	BK8		17470	3048,8	118,9	39,00	ГОСТ 25406-90
52500320000490	0	BK8		17490	3044,29	133,64	43,9	ГОСТ 25406-90
52500320000510	0	BK8		17510	3039,89	151,99	50,00	ГОСТ 25406-90
52500320000530	0	BK8		17530	7090,03	3,62	0,51	ГОСТ 25406-90
52500320000550	0	BK8		17550	6575,46	4,93	0,75	ГОСТ 25406-90
52500320000570	0	BK8		17570	5948,85	6,96	1,17	ГОСТ 25406-90
52500320000590	0	BK8		17590	4419,56	8,13	1,84	ГОСТ 25406-90
52500320000610	0	BK8		17610	4329,92	8,92	2,06	ГОСТ 25406-90
52500370000030	0	BK8		23030	4275,85	9,45	2,21	ГОСТ 25401-90
52500370000050	0	BK8		23050	3372,27	11,9	3,6	ГОСТ 25401-90
52500370000070	0	BK8		23070	3670,76	22,43	6,11	ГОСТ 25401-90
52500370000090	0	BK8		23090	3151,68	32,97	10,46	ГОСТ 25401-90
52500370000110	0	BK8		23110	3102,45	50,88	16,4	ГОСТ 25401-90
52500370000130	0	BK8		23130	3067,34	81,62	26,61	ГОСТ 25401-90
52500370000150	0	BK8		23150	3255,23	136,46	41,92	ГОСТ 25401-90
52500370000170	0	BK8		23170	3227,66	204,83	63,46	ГОСТ 25401-90
52500370000190	0	BK8		23190	3210,18	300,31	93,55	ГОСТ 25401-90
52500380000011	0	BK8		38011	4129,76	11,15	2,7	ГОСТ 25415-90
52500380000031	0	BK8		38031	3589,32	26,92	7,5	ГОСТ 25415-90
52500380000051	0	BK8		38051	3348,9	63,96	19,1	ГОСТ 25415-90
52500380000152	0	BK8		38152	3200,18	409,62	128,00	ГОСТ 25415-90
52500380000192	0	BK8		38192	3231,36	191,94	59,4	ГОСТ 25415-90
52500390000010	0	BK8		39010	4514,02	7,4	1,64	ГОСТ 25416-90
52500390000030	0	BK8		39030	4153,62	10,84	2,61	ГОСТ 25416-90
52500390000050	0	BK8		39050	3604,56	25,95	7,2	ГОСТ 25416-90
52500390000110	0	BK8		39110	3291,96	94,48	28,7	ГОСТ 25416-90
52500390000130	0	BK8		39130	3410,38	47,4	13,9	ГОСТ 25416-90
52500390000150	0	BK8		39150	3335,91	69,05	20,7	ГОСТ 25416-90

52500410000010	0	BK8	47010	5046,27	4,49	0,89	ГОСТ 25421-90
52500410000030	0	BK8	47030	4699,02	6,2	1,4	ГОСТ 25421-90
52500410000050	0	BK8	47050	4534,65	7,26	1,75	ГОСТ 25421-90
52500410000070	0	BK8	47070	4373,07	8,53	2,2	ГОСТ 25421-90
52500410000090	0	BK8	47090	4242,52	9,8	2,6	ГОСТ 25421-90
52500420000010	0	BK8	48010	3503,72	8,16	2,33	ГОСТ 25422-90
52500420000030	0	BK8	48030	3317,52	14,36	4,33	ГОСТ 25422-90
52500420000050	0	BK8	48050	3148,72	33,69	10,7	ГОСТ 25422-90
52500420000070	0	BK8	48070	3128,1	39,73	12,7	ГОСТ 25422-90
52500420000090	0	BK8	48090	3095,85	54,8	17,7	ГОСТ 25422-90
52500420000110	0	BK8	48110	3076,34	70,76	23,00	ГОСТ 25422-90
52500420000130	0	BK8	48130	3051,55	111,38	36,5	ГОСТ 25422-90
52500430000190	0	BK8	32190	3112,07	46,06	14,8	ГОСТ 25412-90
52500430000210	0	BK8	32210	3073,58	73,77	24,00	ГОСТ 25412-90
52500430000230	0	BK8	32230	3041,91	142,97	47,00	ГОСТ 25412-90
52500430000250	0	BK8	32250	3225,98	211,3	65,5	ГОСТ 25412-90
52500430000270	0	BK8	32270	3196,34	476,25	149,00	ГОСТ 25412-90
52500430000290	0	BK8	32290	3191,08	612,69	192,00	ГОСТ 25412-90
52500500000242	0	BK8	50242	3463,97	9,08	2,62	ГОСТ 25394-90
52500500000251	0	BK8	50251	3310,13	14,76	4,46	ГОСТ 25394-90
52500500000262	0	BK8	50262	3302,57	15,19	4,6	ГОСТ 25394-90
52500500000271	0	BK8	50271	3227,81	20,98	6,5	ГОСТ 25394-90
52500500000291	0	BK8	50291	3158,81	31,34	9,92	ГОСТ 25394-90
52500500000302	0	BK8	50302	3491,74	35,27	10,1	ГОСТ 25394-90
52500500000311	0	BK8	50311	3108,86	47,57	15,3	ГОСТ 25394-90
52500500000322	0	BK8	50322	3111,41	46,36	14,9	ГОСТ 25394-90
52500500000331	0	BK8	50331	3079,65	67,44	21,9	ГОСТ 25394-90
52500500000342	0	BK8	50342	3076,05	71,06	23,1	ГОСТ 25394-90
52500500000351	0	BK8	50351	3056,81	99,35	32,5	ГОСТ 25394-90
52500500000362	0	BK8	50362	3274,48	110,68	33,8	ГОСТ 25394-90
52500520000151	0	BK8	61151	3076,63	70,45	22,9	ГОСТ 25395-90
52500520000251	0	BK8	61251	3194,19	523,85	164,00	ГОСТ 25395-90
52500520000271	0	BK8	61271	3188,9	695,18	218,00	ГОСТ 25395-90
52500520000351	0	BK8	61351	3398,14	10,98	3,4	ГОСТ 25395-90
52500520000371	0	BK8	61371	3232,31	20,53	6,35	ГОСТ 25395-90
52500520000391	0	BK8	61391	3124,68	40,93	13,1	ГОСТ 25395-90
52500520000411	0	BK8	61411	3251,25	143,38	44,1	ГОСТ 25395-90
52500520000431	0	BK8	61431	3027,89	242,23	80,00	ГОСТ 25395-90
52500520000451	0	BK8	61451	3196,82	466,74	146,00	ГОСТ 25395-90
52500520000471	0	BK8	61471	3187,49	761,81	239,00	ГОСТ 25395-90
52500520000491	0	BK8	61491	3208,14	317,61	99,00	ГОСТ 25395-90
52500530000152	0	BK8	61152	3080,28	66,84	21,7	ГОСТ 25395-90
52500530000252	0	BK8	61252	3194,86	507,98	159,00	ГОСТ 25395-90
52500530000272	0	BK8	61272	3189,43	672,97	211,00	ГОСТ 25395-90
52500530000352	0	BK8	61352	3418,55	10,32	3,2	ГОСТ 25395-90
52500530000372	0	BK8	61372	3246,97	19,16	6,3	ГОСТ 25395-90
52500530000392	0	BK8	61392	3132,67	38,22	12,2	ГОСТ 25395-90
52500530000412	0	BK8	61412	3254,89	137,03	42,02	ГОСТ 25395-90
52500530000432	0	BK8	61432	3029,04	229,18	75,66	ГОСТ 25395-90
52500530000452	0	BK8	61452	3198,02	444,53	139,00	ГОСТ 25395-90
52500530000472	0	BK8	61472	3188,33	720,56	226,00	ГОСТ 25395-90
52500530000492	0	BK8	61492	3209,43	306,5	95,5	ГОСТ 25395-90
52500540000251	0	BK8	62251	3117,65	43,65	14,00	ГОСТ 25395-90
52500540000271	0	BK8	62271	3071,78	75,87	24,7	ГОСТ 25395-90
52500540000311	0	BK8	62311	3260,38	128,46	39,4	ГОСТ 25395-90
52500540000351	0	BK8	62351	3223,32	222,41	69,00	ГОСТ 25395-90
52500540000451	0	BK8	62451	3233,78	184,33	57,00	ГОСТ 25395-90
52500540000511	0	BK8	62511	3207,45	323,95	101,00	ГОСТ 25395-90
52500550000252	0	BK8	62252	3125,52	40,63	13,00	ГОСТ 25395-90
52500550000272	0	BK8	62272	3075,21	71,96	23,4	ГОСТ 25395-90
52500550000312	0	BK8	62312	3265,33	121,6	37,24	ГОСТ 25395-90
52500550000352	0	BK8	62352	3225,88	211,71	65,63	ГОСТ 25395-90
52500550000512	0	BK8	62512	3209,33	307,29	95,75	ГОСТ 25395-90
52500560000010	0	BK8	49010	3688,91	21,62	5,86	ГОСТ 25423-90
52500560000050	0	BK8	49050	3436,98	42,62	12,4	ГОСТ 25423-90
52500560000060	0	BK8	49060	3436,98	42,62	12,4	ГОСТ 25423-90
52500560000070	0	BK8	49070	3453,76	40,06	11,6	ГОСТ 25423-90
52500560000080	0	BK8	49080	3453,76	40,06	11,6	ГОСТ 25423-90
52500600000010	0	BK8	51010	3431,19	9,95	2,9	ГОСТ 20312-90
52500600000030	0	BK8	51030	3264,88	17,7	5,42	ГОСТ 20312-90
52500600000050	0	BK8	51050	3204,91	23,62	7,37	ГОСТ 20312-90
52500600000070	0	BK8	51070	3136,58	37,01	11,8	ГОСТ 20312-90
52500600000090	0	BK8	51090	3092,23	57,21	18,5	ГОСТ 20312-90
52500600000110	0	BK8	51110	3301,49	87,49	26,5	ГОСТ 20312-90
52500600000150	0	BK8	51150	3250,9	144,01	44,3	ГОСТ 20312-90
52500620000050	0	BK8	66050	3275,74	16,9	5,16	ГОСТ 25397-90
52500620000060	0	BK8	66060	3275,74	16,9	5,16	ГОСТ 25397-90

52500620000090	0	BK8	66090	3132,67	38,22	12,2	ГОСТ 25397-90
52500620000100	0	BK8	66100	3132,67	38,22	12,2	ГОСТ 25397-90
52500620000130	0	BK8	66130	3074,66	72,56	23,6	ГОСТ 25397-90
52500620000140	0	BK8	66140	3074,66	72,56	23,6	ГОСТ 25397-90
52500620000170	0	BK8	66170	3261,7	126,55	38,8	ГОСТ 25397-90
52500620000180	0	BK8	66180	3261,7	126,55	38,8	ГОСТ 25397-90
52500620000270	0	BK8	66270	3224,8	216,06	67,00	ГОСТ 25397-90
52500620000280	0	BK8	66280	3224,8	216,06	67,00	ГОСТ 25397-90
52500620000300	0	BK8	66300	3206,46	333,47	106,00	ГОСТ 25397-90
52500710000330	0	BK8	67330	3273,33	111,95	34,2	ГОСТ 25426-90
52500710000340	0	BK8	67340	3273,33	111,95	34,2	ГОСТ 25426-90
52500710000390	0	BK8	67390	3160,35	31,00	9,81	ГОСТ 25426-90
52500710000400	0	BK8	67400	3160,35	31,00	9,81	ГОСТ 25426-90
52500710000410	0	BK8	67410	3091,37	57,81	18,7	ГОСТ 25426-90
52500710000420	0	BK8	67420	3091,37	57,81	18,7	ГОСТ 25426-90
52500820000051	0	BK8	70051	3467,78	8,98	2,59	ГОСТ 25396-90
52500820000061	0	BK8	70061	3467,78	8,98	2,59	ГОСТ 25396-90
52500820000151	0	BK8	70151	3081,26	65,94	21,4	ГОСТ 25396-90
52500820000161	0	BK8	70161	3081,26	65,94	21,4	ГОСТ 25396-90
52500820000291	0	BK8	70291	3181,98	26,95	8,47	ГОСТ 25396-90
52500820000301	0	BK8	70301	3181,98	26,95	8,47	ГОСТ 25396-90
52500820000311	0	BK8	70311	3125,52	40,63	13,00	ГОСТ 25396-90
52500820000321	0	BK8	70321	3125,52	40,63	13,00	ГОСТ 25396-90
52500820000371	0	BK8	70371	3204,92	349,34	109,00	ГОСТ 25396-90
52500820000381	0	BK8	70381	3204,92	349,34	109,00	ГОСТ 25396-90
52500820000471	0	BK8	70471	3181,98	26,95	8,47	ГОСТ 25396-90
52500820000481	0	BK8	70481	3181,98	26,95	8,47	ГОСТ 25396-90
52500820000491	0	BK8	70491	3132,67	38,22	12,2	ГОСТ 25396-90
52500820000501	0	BK8	70501	3132,67	38,22	12,2	ГОСТ 25396-90
52500820000511	0	BK8	70511	3069,61	78,58	25,6	ГОСТ 25396-90
52500820000521	0	BK8	70521	3069,61	78,58	25,6	ГОСТ 25396-90
52500820000531	0	BK8	70531	3268,18	117,98	36,1	ГОСТ 25396-90
52500820000541	0	BK8	70541	3268,18	117,98	36,1	ГОСТ 25396-90
52500820000551	0	BK8	70551	3256,44	134,49	41,3	ГОСТ 25396-90
52500820000561	0	BK8	70561	3256,44	134,49	41,3	ГОСТ 25396-90
52500820000571	0	BK8	70571	3219,32	241,45	75,00	ГОСТ 25396-90
52500820000581	0	BK8	70581	3219,32	241,45	75,00	ГОСТ 25396-90
52500820000591	0	BK8	70591	3217,55	250,97	78,00	ГОСТ 25396-90
52500820000601	0	BK8	70601	3217,55	250,97	78,00	ГОСТ 25396-90
52500820000611	0	BK8	70611	3198,02	444,53	139,00	ГОСТ 25396-90
52500820000621	0	BK8	70621	3198,02	444,53	139,00	ГОСТ 25396-90
52500820000631	0	BK8	70631	3187,99	736,43	231,00	ГОСТ 25396-90
52500820000641	0	BK8	70641	3187,99	736,43	231,00	ГОСТ 25396-90
52501620000011	0	BK8	13011	4812,08	5,58	1,25	ГОСТ 17163-90
52501620000031	0	BK8	13031	4827,4	5,5	1,25	ГОСТ 17163-90
52501620000051	0	BK8	13051	3482,33	8,64	2,48	ГОСТ 17163-90
52501620000071	0	BK8	13071	3487,85	8,51	2,44	ГОСТ 17163-90
52501620000131	0	BK8	13131	3305,76	15,01	4,54	ГОСТ 17163-90
52501620000151	0	BK8	13151	3310,13	14,76	4,46	ГОСТ 17163-90
52501620000171	0	BK8	13171	3201,89	24,01	7,5	ГОСТ 17163-90
52501620000191	0	BK8	13191	3279,39	105,6	32,2	ГОСТ 17163-90
52501620000351	0	BK8	13351	3204,91	23,62	7,37	ГОСТ 17163-90
52501620000371	0	BK8	13371	3112,14	46,03	14,79	ГОСТ 17163-90
52501620000391	0	BK8	13391	3114,16	45,12	14,49	ГОСТ 17163-90
52501620000411	0	BK8	13411	3069,91	78,19	25,47	ГОСТ 17163-90
52501620000431	0	BK8	13431	3071,31	76,44	24,89	ГОСТ 17163-90
52501620000451	0	BK8	13451	3258,76	130,87	40,16	ГОСТ 17163-90
52501620000471	0	BK8	13471	3260,88	127,73	39,17	ГОСТ 17163-90
52501630000492	0	BK8	13492	4925,7	5,02	1,25	ГОСТ 17163-90
52501630000512	0	BK8	13512	4635,95	6,58	1,6	ГОСТ 17163-90
52501630000532	0	BK8	13532	4272,42	9,48	2,5	ГОСТ 17163-90
52501630000552	0	BK8	13552	4094,87	11,63	3,15	ГОСТ 17163-90
52501630000572	0	BK8	13572	3869,78	15,79	4,5	ГОСТ 17163-90
52501630000592	0	BK8	13592	3632,00	24,37	7,5	ГОСТ 17163-90
52501630000612	0	BK8	13612	3445,12	41,34	13,00	ГОСТ 17163-90
52501630000632	0	BK8	13632	3346,31	64,92	19,4	ГОСТ 17163-90
52501630000652	0	BK8	13652	3291,56	94,8	28,8	ГОСТ 17163-90
52501890008058	0	BK8	2005-8058	4286,44	182,17	42,5	ТУ 48-19-64-91
52501890008107	0	BK8	2005-8107	4245,75	322,68	76,00	ТУ 48-19-64-91
52501910008208	0	BK8	2005-8208	4503,65	44,18	9,81	ТУ 48-19-64-91
52501940008456	0	BK8	2005-8456	5063,35	1,72	0,34	ТУ 48-19-64-91
52501940008457	0	BK8	2005-8457	4370,88	1,92	0,44	ТУ 48-19-64-91
52501940008458	0	BK8	2005-8458	4354,62	2,92	0,67	ТУ 48-19-64-91
52501940008459	0	BK8	2005-8459	4988,41	4,19	0,84	ТУ 48-19-64-91
52501940008460	0	BK8	2005-8460	4339,00	3,95	0,91	ТУ 48-19-64-91
52501940008462	0	BK8	2005-8462	4946,83	5,74	1,16	ТУ 48-19-64-91
52501940008465	0	BK8	2005-8465	4287,42	8,02	1,87	ТУ 48-19-64-91

52501940008467	0	BK8	2005-8467		4848,23	10,08	2,08	ТУ 48-19-64-91
52501940008470	0	BK8	2005-8470		4211,74	16,93	4,02	ТУ 48-19-64-91
52501940008484	0	BK8	2005-8484		4339,8	111,97	25,8	ТУ 48-19-64-91
52501990008659	0	BK8	2005-8659		5343,34	15,92	2,98	ТУ 48-19-64-91
52501990008662	0	BK8	2005-8662		5137,22	26,87	5,23	ТУ 48-19-64-91
52502000008710	0	BK8	2005-8710		4483,87	48,43	10,8	ТУ 48-19-64-91
52502010008751	0	BK8	2005-8751		5530,78	9,13	1,65	ТУ 48-19-64-91
52502020008804	0	BK8	2005-8804		5493,18	10,33	1,88	ТУ 48-19-64-91
52502690000130	0	BK8		11130	5017,00	4,62	1,05	ГОСТ 25398-90
52502690000150	0	BK8		11150	4469,8	7,73	1,73	ГОСТ 25398-90
52502690000170	0	BK8		11170	4078,36	11,87	2,91	ГОСТ 25398-90
52502690000190	0	BK8		11190	3814,22	17,24	4,9	ГОСТ 25398-90
52502690000210	0	BK8		11210	3516,18	32,74	9,8	ГОСТ 25398-90
52502690000230	0	BK8		11230	3364,34	58,81	17,48	ГОСТ 25398-90
52503010000002	0	BK8	3001-0002		3729,87	5,22	1,4	ГОСТ 13833-77
52503010000003	0	BK8	3001-0003		4064,31	6,22	1,58	ГОСТ 13833-77
52503010000004	0	BK8	3001-0004		4061,39	6,99	1,78	ГОСТ 13833-77
52503010000005	0	BK8	3001-0005		4058,53	7,75	1,98	ГОСТ 13833-77
52503010000006	0	BK8	3001-0006		4055,59	8,56	2,17	ГОСТ 13833-77
52503010000007	0	BK8	3001-0007		4075,17	3,5	0,75	ГОСТ 13833-77
52503010000008	0	BK8	3001-0008		4072,00	4,28	0,95	ГОСТ 13833-77
52503010000127	0	BK8	3001-0127		4065,72	5,85	1,48	ГОСТ 13833-77
52503013000048	0	BK8	3001-0048*3		3767,59	28,26	7,00	ГОСТ 13834-77
52503110000041	0	BK8	3001-0041		5064,53	7,19	1,5	ГОСТ 13834-77
52503110000042	0	BK8	3001-0042		5020,27	8,53	1,8	ГОСТ 13834-77
52503110000043	0	BK8	3001-0043		4423,96	8,36	2,00	ГОСТ 13834-77
52503110000044	0	BK8	3001-0044		4376,84	10,77	2,6	ГОСТ 13834-77
52503110000045	0	BK8	3001-0045		4336,41	13,14	3,2	ГОСТ 13834-77
52503110000046	0	BK8	3001-0046		4296,22	15,85	3,9	ГОСТ 13834-77
52503110000047	0	BK8	3001-0047		4271,13	17,77	4,4	ГОСТ 13834-77
52503110000048	0	BK8	3001-0048		4243,96	20,07	5,00	ГОСТ 13834-77
52503110000049	0	BK8	3001-0049		4223,83	21,96	5,5	ГОСТ 13834-77
52503110000050	0	BK8	3001-0050		4201,79	24,24	6,1	ГОСТ 13834-77
52503110000051	0	BK8	3001-0051		4407,41	9,17	2,2	ГОСТ 13834-77
52503110000052	0	BK8	3001-0052		4376,84	10,77	2,6	ГОСТ 13834-77
52503110000053	0	BK8	3001-0053		4349,24	12,35	3,00	ГОСТ 13834-77
52503110000054	0	BK8	3001-0054		4296,22	15,85	3,9	ГОСТ 13834-77
52503110000055	0	BK8	3001-0055		4252,66	19,31	4,8	ГОСТ 13834-77
52503110000056	0	BK8	3001-0056		4216,22	22,73	5,7	ГОСТ 13834-77
52503110000057	0	BK8	3001-0057		4185,29	26,12	6,6	ГОСТ 13834-77
52503110000058	0	BK8	3001-0058		4158,42	29,52	7,5	ГОСТ 13834-77
52503110000059	0	BK8	3001-0059		4137,92	32,48	8,3	ГОСТ 13834-77
52503110000060	0	BK8	3001-0060		4117,41	35,82	9,2	ГОСТ 13834-77
52503110000061	0	BK8	3001-0061		4076,53	43,94	11,4	ГОСТ 13834-77
52503110000062	0	BK8	3001-0062		4034,24	55,35	14,5	ГОСТ 13834-77
52503110000063	0	BK8	3001-0063		4686,62	70,06	15,8	ГОСТ 13834-77
52503110000064	0	BK8	3001-0064		4641,04	79,04	18,00	ГОСТ 13834-77
52503110000065	0	BK8	3001-0065		4604,98	87,54	20,1	ГОСТ 13834-77
52503110000066	0	BK8	3001-0066		4572,86	96,49	22,3	ГОСТ 13834-77
52503110000067	0	BK8	3001-0067		4522,13	114,23	26,7	ГОСТ 13834-77
52503110000068	0	BK8	3001-0068		4732,55	158,92	35,5	ГОСТ 13834-77
52503110000069	0	BK8	3001-0069		4700,32	177,44	39,9	ГОСТ 13834-77
52503110000070	0	BK8	3001-0070		4674,46	195,44	44,2	ГОСТ 13834-77
52503110000087	0	BK8	3001-0087		4025,49	58,25	15,3	ГОСТ 13834-77
52503110000090	0	BK8	3001-0090		3960,1	90,29	24,1	ГОСТ 13834-77
52503110000092	0	BK8	3001-0092		4150,48	30,63	7,8	ГОСТ 13834-77
52503110000093	0	BK8	3001-0093		4126,26	34,33	8,8	ГОСТ 13834-77
52503110000094	0	BK8	3001-0094		4399,06	9,59	2,3	ГОСТ 13834-77
52503110000095	0	BK8	3001-0095		4248,03	19,71	4,9	ГОСТ 13834-77
52503110000096	0	BK8	3001-0096		4324,18	13,92	3,4	ГОСТ 13834-77
52503110000097	0	BK8	3001-0097		4205,11	23,89	6,00	ГОСТ 13834-77
52503110000098	0	BK8	3001-0098		4115,16	36,21	9,3	ГОСТ 13834-77
52503110000099	0	BK8	3001-0099		5427,66	15,58	3,03	ГОСТ 13834-77
52503110000103	0	BK8	3001-0103		4735,38	62,13	13,87	ГОСТ 13834-77
52503110000104	0	BK8	3001-0104		4261,71	18,54	4,6	ГОСТ 13834-77
52503110000105	0	BK8	3001-0105		4212,32	23,13	5,8	ГОСТ 13834-77
52503110000106	0	BK8	3001-0106		4631,36	234,39	53,5	ГОСТ 13834-77
52503110000107	0	BK8	3001-0107		4599,19	274,53	63,1	ГОСТ 13834-77
52503110000112	0	BK8	3001-0112		4391,73	9,97	2,4	ГОСТ 13834-77
52503110000113	0	BK8	3001-0113		4391,73	9,97	2,4	ГОСТ 13834-77
52503110000114	0	BK8	3001-0114		4318,58	14,29	3,5	ГОСТ 13834-77
52503110000115	0	BK8	3001-0115		4231,74	21,2	5,3	ГОСТ 13834-77
52503110000117	0	BK8	3001-0117		4330,55	13,51	3,3	ГОСТ 13834-77
52503110000118	0	BK8	3001-0118		4271,13	17,77	4,4	ГОСТ 13834-77
52503110000119	0	BK8	3001-0119		4280,96	17,00	4,2	ГОСТ 13834-77
52503110000123	0	BK8	3001-0123		4099,29	39,15	10,1	ГОСТ 13834-77
52503110000124	0	BK8	3001-0124		4370,05	11,14	2,7	ГОСТ 13834-77

52503110000125	0	BK8	3001-0125	4200,33	24,4	6,14	ГОСТ 13834-77
52503110000126	0	BK8	3001-0126	4118,09	35,7	9,17	ГОСТ 13834-77
52503110000128	0	BK8	3001-0128	4048,95	10,45	2,67	ГОСТ 13834-77
52503110000695	0	BK8	3001-0069*5	3627,89	361,88	99,75	ГОСТ 13834-77
52503111500042	0	BK8	3001-0042*1,5	4476,41	6,04	1,35	ГОСТ 13834-77
52503111500043	0	BK8	3001-0043*1,5	3914,02	5,87	1,5	ГОСТ 13834-77
52503112500050	0	BK8	3001-0050*2,5	4143,68	31,62	7,63	ГОСТ 13834-77
52503112500051	0	BK8	3001-0051*2,5	3864,82	10,63	2,75	ГОСТ 13834-77
52503112500055	0	BK8	3001-0055*2,5	3789,22	22,74	6,00	ГОСТ 13834-77
52503112500057	0	BK8	3001-0057*2,5	4127,94	34,06	8,25	ГОСТ 13834-77
52503112500061	0	BK8	3001-0061*2,5	3711,97	52,9	14,25	ГОСТ 13834-77
52503112500063	0	BK8	3001-0063*2,5	4279,68	84,74	19,8	ГОСТ 13834-77
52503112500065	0	BK8	3001-0065*2,5	4198,96	126,6	25,1	ГОСТ 13834-77
52503112500066	0	BK8	3001-0066*2,5	4212,19	117,52	27,9	ГОСТ 13834-77
52503112500067	0	BK8	3001-0067*2,5	4452,71	150,06	33,7	ГОСТ 13834-77
52503112500068	0	BK8	3001-0068*2,5	4398,81	195,31	44,4	ГОСТ 13834-77
52503112500069	0	BK8	3001-0069*2,5	4629,36	236,56	51,1	ГОСТ 13834-77
52503113000041	0	BK8	3001-0041*3	4393,34	9,89	2,25	ГОСТ 13834-77
52503113000042	0	BK8	3001-0042*3	3866,48	10,44	2,7	ГОСТ 13834-77
52503113000043	0	BK8	3001-0043*3	5407,77	16,22	3,00	ГОСТ 13834-77
52503113000044	0	BK8	3001-0044*3	3831,76	14,94	3,9	ГОСТ 13834-77
52503113000045	0	BK8	3001-0045*3	5103,18	23,17	4,8	ГОСТ 13833-77
52503113000046	0	BK8	3001-0046*3	4198,88	24,56	5,85	ГОСТ 13834-77
52503113000047	0	BK8	3001-0047*3	4173,56	27,55	6,6	ГОСТ 13834-77
52503113000048	0	BK8	3001-0048*3	3767,59	28,26	7,00	ГОСТ 13834-77
52503113000049	0	BK8	3001-0049*3	4127,94	34,06	7,00	ГОСТ 13834-77
52503113000050	0	BK8	3001-0050*3	3749,09	34,3	9,15	ГОСТ 13834-77
52503113000053	0	BK8	3001-0053*3	3817,69	17,18	4,5	ГОСТ 13834-77
52503113000054	0	BK8	3001-0054*3	3791,72	22,18	5,85	ГОСТ 13834-77
52503113000055	0	BK8	3001-0055*3	3771,49	27,15	7,2	ГОСТ 13834-77
52503113000056	0	BK8	3001-0056*3	3755,3	32,11	8,55	ГОСТ 13834-77
52503113000057	0	BK8	3001-0057*3	3742,04	37,05	9,9	ГОСТ 13834-77
52503113000058	0	BK8	3001-0058*3	3730,98	41,97	11,25	ГОСТ 13834-77
52503113000059	0	BK8	3001-0059*3	4050,76	50,43	12,45	ГОСТ 13834-77
52503113000060	0	BK8	3001-0060*3	3714,43	51,26	13,83	ГОСТ 13834-77
52503113000061	0	BK8	3001-0061*3	3996,1	69,93	17,5	ГОСТ 13834-77
52503113000062	0	BK8	3001-0062*3	3966,1	86,26	21,75	ГОСТ 13834-77
52503113000063	0	BK8	3001-0063*3	4242,43	100,55	23,7	ГОСТ 13834-77
52503113000064	0	BK8	3001-0064*3	4218,00	113,89	27,00	ГОСТ 13834-77
52503113000065	0	BK8	3001-0065*3	4198,96	126,6	30,15	ГОСТ 13834-77
52503113000066	0	BK8	3001-0066*3	4447,98	153,23	34,00	ГОСТ 13834-77
52503113000067	0	BK8	3001-0067*3	4416,92	177,56	40,2	ГОСТ 13834-77
52503113000068	0	BK8	3001-0068*3	4369,19	232,66	53,25	ГОСТ 13834-77
52503113000070	0	BK8	3001-0070*3	4338,92	287,67	66,3	ГОСТ 13834-77
52503114000050	0	BK8	3001-0050*4	3724,24	45,44	9,15	ГОСТ 13834-77
52503114000052	0	BK8	3001-0052*4	3803,36	19,78	5,2	ГОСТ 13834-77
52503114000054	0	BK8	3001-0054*4	3763,87	29,36	7,8	ГОСТ 13834-77
52503114000061	0	BK8	3001-0061*4	4550,29	103,75	22,8	ГОСТ 13834-77
52503114000063	0	BK8	3001-0063*4	4191,3	132,45	31,6	ГОСТ 13834-77
52503114000064	0	BK8	3001-0064*4	4438,75	159,8	36,00	ГОСТ 13834-77
52503114000066	0	BK8	3001-0066*4	4398,02	196,15	44,6	ГОСТ 13834-77
52503114000067	0	BK8	3001-0067*4	4121,96	220,11	53,4	ГОСТ 13834-77
52503114000068	0	BK8	3001-0068*4	4330,57	307,47	71,00	ГОСТ 13834-77
52503115000070	0	BK8	3001-0070*5	4503,71	497,66	110,5	ГОСТ 13834-77
52503115000107	0	BK8	3001-0107*5	4488,03	643,58	143,4	ГОСТ 13834-77
52503116000060	0	BK8	3001-0060*6	3669,78	101,29	9,15	ГОСТ 13834-77
52503116000107	0	BK8	3001-0107*6	4474,11	769,99	172,1	ГОСТ 13834-77
52503116500128	0	BK8	3001-0128*6,5	3720,36	10,42	2,8	ГОСТ 13834-77
52503117000128	0	BK8	3001-0128*7,0	3853,16	12,02	3,12	ГОСТ 13834-77
52503117500128	0	BK8	3001-0128*7,5	4314,92	14,54	3,37	ГОСТ 13834-77
52503118000128	0	BK8	3001-0128*8	3843,62	13,26	3,45	ГОСТ 13834-77
52503520110308	0	BK8	01111-110308	4802,83	11,53	2,37	ГОСТ 19043-80
52503520160304	0	BK8	01111-160304	4725,55	25,57	5,46	ГОСТ 19043-80
52503520160308	0	BK8	01111-160308	4725,55	25,57	5,41	ГОСТ 19043-80
52503520160312	0	BK8	01111-160312	4725,55	25,57	5,33	ГОСТ 19043-80
52503520160404	0	BK8	01111-160404	4670,49	37,83	8,17	ГОСТ 19043-80
52503520160408	0	BK8	01111-160408	4670,49	37,83	8,1	ГОСТ 19043-80
52503520160412	0	BK8	01111-160412	4670,49	37,83	7,99	ГОСТ 19043-80
52503520220404	0	BK8	01111-220404	4574,01	66,32	14,5	ГОСТ 19043-80
52503520220412	0	BK8	01111-220412	4574,01	66,32	14,4	ГОСТ 19043-80
52503520220416	0	BK8	01111-220416	4574,01	66,32	14,2	ГОСТ 19043-80
52503530110308	0	BK8	01131-110308	6934,93	16,64	2,37	ГОСТ 19043-80
52503530160308	0	BK8	01131-160308	6726,27	36,39	5,41	ГОСТ 19043-80
52503530160408	0	BK8	01131-160408	6577,61	53,28	8,1	ГОСТ 19043-80
52503530160412	0	BK8	01131-160412	6577,61	53,28	7,99	ГОСТ 19043-80
52503530220408	0	BK8	01131-220408	6317,12	91,6	14,5	ГОСТ 19043-80
52503530220412	0	BK8	01131-220412	6317,12	91,6	14,4	ГОСТ 19043-80

52503531220412	0	BK8	01131-220412*6,3	6179,99	118,66	19,06	ГОСТ 19043-80
52503540110304	0	BK8	01113-110304	4848,66	4,51	0,95	ГОСТ 19044-80
52503540160308	0	BK8	01113-160308	4737,8	23,12	4,88	ГОСТ 19044-80
52503540160312	0	BK8	01113-160312	4737,8	23,12	4,81	ГОСТ 19044-80
52503540160404	0	BK8	01113-160404	4685,34	34,3	7,38	ГОСТ 19044-80
52503540160408	0	BK8	01113-160408	4685,34	34,3	7,32	ГОСТ 19044-80
52503540220408	0	BK8	01113-220408	4593,27	59,71	13,00	ГОСТ 19044-80
52503540220412	0	BK8	01113-220412	4593,27	59,71	12,9	ГОСТ 19044-80
52503540220416	0	BK8	01113-220416	4593,27	59,71	12,7	ГОСТ 19044-80
52503550110304	0	BK8	01123-110304	5735,95	5,33	0,95	ГОСТ 19044-80
52503550160312	0	BK8	01123-160312	5553,83	27,1	4,81	ГОСТ 19044-80
52503550160404	0	BK8	01123-160404	5467,65	40,02	7,38	ГОСТ 19044-80
52503550160408	0	BK8	01123-160408	5467,65	40,02	7,32	ГОСТ 19044-80
52503550160412	0	BK8	01123-160412	5467,65	40,02	7,19	ГОСТ 19044-80
52503550220408	0	BK8	01123-220408	5316,38	69,11	13,00	ГОСТ 19044-80
52503550220412	0	BK8	01123-220412	5316,38	69,11	12,9	ГОСТ 19044-80
52503550220416	0	BK8	01123-220416	5316,38	69,11	12,7	ГОСТ 19044-80
52503550270612	0	BK8	01123-270612	5100,76	137,21	27,1	ГОСТ 19044-80
52503550270616	0	BK8	01123-270616	5100,76	137,21	26,9	ГОСТ 19044-80
52503560160408	0	BK8	01133-160408	6617,7	48,44	7,32	ГОСТ 19044-80
52503560160412	0	BK8	01133-160412	6617,7	48,44	7,19	ГОСТ 19044-80
52503560220408	0	BK8	01133-220408	6369,11	82,8	13,00	ГОСТ 19044-80
52503570110304	0	BK8	01311-110304	5681,15	11,25	1,98	ГОСТ 19045-80
52503570110308	0	BK8	01311-110308	5681,15	11,25	1,96	ГОСТ 19045-80
52503570160300	0	BK8	01311-160300	5557,33	26,62	4,81	ГОСТ 19045-80
52503570160304	0	BK8	01311-160304	5557,33	26,62	4,79	ГОСТ 19045-80
52503570160308	0	BK8	01311-160308	5557,33	26,62	4,76	ГОСТ 19045-80
52503570160312	0	BK8	01311-160312	5557,33	26,62	4,71	ГОСТ 19045-80
52503570220408	0	BK8	01311-220408	5329,86	66,09	12,5	ГОСТ 19045-80
52503570220412	0	BK8	01311-220412	5329,86	66,09	12,4	ГОСТ 19045-80
52503570220416	0	BK8	01311-220416	5329,86	66,09	12,3	ГОСТ 19045-80
52503570270616	0	BK8	01311-270616	5339,33	136,69	25,6	ГОСТ 19045-80
52503580110300	0	BK8	01331-110300	6968,59	13,8	1,98	ГОСТ 19045-80
52503580110304	0	BK8	01331-110304	6968,59	13,8	1,98	ГОСТ 19045-80
52503580110308	0	BK8	01331-110308	6968,59	13,8	1,96	ГОСТ 19045-80
52503580160300	0	BK8	01331-160300	6765,1	32,4	4,81	ГОСТ 19045-80
52503580160304	0	BK8	01331-160304	6765,1	32,4	4,79	ГОСТ 19045-80
52503580160308	0	BK8	01331-160308	6765,1	32,4	4,76	ГОСТ 19045-80
52503580160312	0	BK8	01331-160312	6765,1	32,4	4,71	ГОСТ 19045-80
52503580160408	0	BK8	01331-160408	6765,1	32,4	6,66	ГОСТ 19045-80
52503580220408	0	BK8	01331-220408	6391,25	79,25	12,49	ГОСТ 19045-80
52503580220412	0	BK8	01331-220412	6391,25	79,25	12,4	ГОСТ 19045-80
52503580220416	0	BK8	01331-220416	6391,25	79,25	12,3	ГОСТ 19045-80
52503590160304	0	BK8	01114-160304	5009,44	23,04	4,65	ГОСТ 19046-80
52503590160308	0	BK8	01114-160308	5009,44	23,04	4,6	ГОСТ 19046-80
52503590160312	0	BK8	01114-160312	5009,44	23,04	4,53	ГОСТ 19046-80
52503590160404	0	BK8	01114-160404	4945,35	34,77	7,08	ГОСТ 19046-80
52503590160408	0	BK8	01114-160408	4945,35	34,77	7,03	ГОСТ 19046-80
52503590160412	0	BK8	01114-160412	4945,35	34,77	6,91	ГОСТ 19046-80
52503590220404	0	BK8	01114-220404	4837,82	59,99	12,4	ГОСТ 19046-80
52503590220408	0	BK8	01114-220408	4837,82	59,99	12,4	ГОСТ 19046-80
52503590220412	0	BK8	01114-220412	4837,82	59,99	12,3	ГОСТ 19046-80
52503590220416	0	BK8	01114-220416	4837,82	59,99	12,2	ГОСТ 19046-80
52503590270612	0	BK8	01114-270612	4678,63	121,18	25,9	ГОСТ 19046-80
52503590270616	0	BK8	01114-270616	4678,63	121,18	25,7	ГОСТ 19046-80
52503600160308	0	BK8	01124-160308	5564,81	25,6	4,6	ГОСТ 19046-80
52503600160312	0	BK8	01124-160312	5564,81	25,6	4,53	ГОСТ 19046-80
52503600160404	0	BK8	01124-160404	5477,07	38,5	7,08	ГОСТ 19046-80
52503600160408	0	BK8	01124-160408	5477,07	38,5	7,03	ГОСТ 19046-80
52503600160412	0	BK8	01124-160412	5477,07	38,5	6,91	ГОСТ 19046-80
52503600220404	0	BK8	01124-220404	5329,86	66,09	12,4	ГОСТ 19046-80
52503600220408	0	BK8	01124-220408	5329,86	66,09	12,4	ГОСТ 19046-80
52503600220412	0	BK8	01124-220412	5329,86	66,09	12,3	ГОСТ 19046-80
52503600220416	0	BK8	01124-220416	5329,86	66,09	12,2	ГОСТ 19046-80
52503600270612	0	BK8	01124-270612	5111,91	132,4	25,9	ГОСТ 19046-80
52503600270616	0	BK8	01124-270616	5111,91	132,4	25,7	ГОСТ 19046-80
52503610100612	0	BK8	02113-100612	4507,73	94,21	20,9	ГОСТ 19047-80
52503620060304	0	BK8	02114-060304	5037,77	18,44	3,67	ГОСТ 19048-80
52503620060308	0	BK8	02114-060308	5037,77	18,44	3,66	ГОСТ 19048-80
52503620060404	0	BK8	02114-060404	4980,53	28,09	5,64	ГОСТ 19048-80
52503620080404	0	BK8	02114-080404	4887,43	47,31	9,71	ГОСТ 19048-80
52503620080408	0	BK8	02114-080408	4887,43	47,31	9,68	ГОСТ 19048-80
52503620100408	0	BK8	02114-100408	4799,05	71,51	14,9	ГОСТ 19048-80
52503620100412	0	BK8	02114-100412	4799,05	71,51	14,9	ГОСТ 19048-80
52503620100608	0	BK8	02114-100608	4732,8	95,6	20,2	ГОСТ 19048-80
52503620100612	0	BK8	02114-100612	4732,8	95,6	20,1	ГОСТ 19048-80
52503620120612	0	BK8	02114-120612	4658,89	132,31	28,4	ГОСТ 19048-80

52503630090304	0	BK8	03111-090304	4754,06	20,01	4,21	ГОСТ 19049-80
52503630090308	0	BK8	03111-090308	4754,06	20,01	4,19	ГОСТ 19049-80
52503630120304	0	BK8	03111-120304	4682,61	34,93	7,48	ГОСТ 19049-80
52503630120308	0	BK8	03111-120308	4682,61	34,93	7,46	ГОСТ 19049-80
52503630120312	0	BK8	03111-120312	4682,61	34,93	7,43	ГОСТ 19049-80
52503630120316	0	BK8	03111-120316	4682,61	34,93	7,39	ГОСТ 19049-80
52503630120408	0	BK8	03111-120408	4618,82	51,73	11,2	ГОСТ 19049-80
52503630120412	0	BK8	03111-120412	4618,82	51,73	11,1	ГОСТ 19049-80
52503630120424	0	BK8	03111-120424	4618,82	51,73	11,00	ГОСТ 19049-80
52503630150408	0	BK8	03111-150408	4541,17	79,02	17,5	ГОСТ 19049-80
52503630150412	0	BK8	03111-150412	4541,17	79,02	17,4	ГОСТ 19049-80
52503630150416	0	BK8	03111-150416	4541,17	79,02	17,4	ГОСТ 19049-80
52503630150424	0	BK8	03111-150424	4541,17	79,02	17,2	ГОСТ 19049-80
52503630190412	0	BK8	03111-190412	4474,46	112,31	25,1	ГОСТ 19049-80
52503630190416	0	BK8	03111-190416	4474,46	112,31	25,1	ГОСТ 19049-80
52503630190424	0	BK8	03111-190424	4474,46	112,31	24,9	ГОСТ 19049-80
52503640120300	0	BK8	03131-120300	6610,34	49,31	7,49	ГОСТ 19049-80
52503640120304	0	BK8	03131-120304	6610,34	49,31	7,48	ГОСТ 19049-80
52503640120308	0	BK8	03131-120308	6610,34	49,31	7,46	ГОСТ 19049-80
52503640120312	0	BK8	03131-120312	6610,34	49,31	7,43	ГОСТ 19049-80
52503640120408	0	BK8	03131-120408	6438,09	72,11	11,2	ГОСТ 19049-80
52503640120412	0	BK8	03131-120412	6438,09	72,11	11,1	ГОСТ 19049-80
52503640150408	0	BK8	03131-150408	6228,44	108,37	17,5	ГОСТ 19049-80
52503640150412	0	BK8	03131-150412	6228,44	108,37	17,4	ГОСТ 19049-80
52503640190400	0	BK8	03131-190400	6291,66	157,92	25,21	ГОСТ 19049-80
52503650090304	0	BK8	03311-090304	5898,75	21,71	3,68	ГОСТ 19050-80
52503650090308	0	BK8	03311-090308	5898,75	21,71	3,68	ГОСТ 19050-80
52503650120304	0	BK8	03311-120304	5485,7	37,14	6,78	ГОСТ 19050-80
52503650120308	0	BK8	03311-120308	5485,7	37,14	6,77	ГОСТ 19050-80
52503650120312	0	BK8	03311-120312	5485,7	37,14	6,75	ГОСТ 19050-80
52503650120408	0	BK8	03311-120408	5386,48	54,4	10,1	ГОСТ 19050-80
52503650150408	0	BK8	03311-150408	5265,15	81,61	15,5	ГОСТ 19050-80
52503650150412	0	BK8	03311-150412	5265,15	81,61	15,5	ГОСТ 19050-80
52503650150416	0	BK8	03311-150416	5265,15	81,61	15,5	ГОСТ 19050-80
52503650190408	0	BK8	03311-190408	5378,86	122,64	22,8	ГОСТ 19050-80
52503650190412	0	BK8	03311-190412	5378,86	122,64	22,8	ГОСТ 19050-80
52503650250620	0	BK8	03311-250620	5107,34	275,85	54,00	ГОСТ 19050-80
52503660090304	0	BK8	03331-090304	6839,72	25,17	3,68	ГОСТ 19050-80
52503660090308	0	BK8	03331-090308	6839,72	25,17	3,67	ГОСТ 19050-80
52503660120300	0	BK8	03331-120300	6647,38	45,00	6,78	ГОСТ 19050-80
52503660120304	0	BK8	03331-120304	6647,38	45,00	6,77	ГОСТ 19050-80
52503660120308	0	BK8	03331-120308	6647,38	45,00	6,77	ГОСТ 19050-80
52503660120312	0	BK8	03331-120312	6647,38	45,00	6,74	ГОСТ 19050-80
52503660120408	0	BK8	03331-120408	6484,31	65,49	10,1	ГОСТ 19050-80
52503660150408	0	BK8	03331-150408	6284,9	97,42	15,5	ГОСТ 19050-80
52503660150412	0	BK8	03331-150412	6284,9	97,42	15,5	ГОСТ 19050-80
52503660150416	0	BK8	03331-150416	6284,9	97,42	15,5	ГОСТ 19050-80
52503660190408	0	BK8	03331-190408	6095,33	138,97	22,8	ГОСТ 19050-80
52503660190412	0	BK8	03331-190412	6095,33	138,97	22,8	ГОСТ 19050-80
52503670120408	0	BK8	03113-120408	4642,14	45,12	9,72	ГОСТ 19051-80
52503670120412	0	BK8	03113-120412	4642,14	45,12	9,67	ГОСТ 19051-80
52503670150412	0	BK8	03113-150412	4565,59	69,4	15,2	ГОСТ 19051-80
52503670150416	0	BK8	03113-150416	4565,59	69,4	15,2	ГОСТ 19051-80
52503670190616	0	BK8	03113-190616	4451,12	127,3	28,9	ГОСТ 19051-80
52503670250716	0	BK8	03113-250716	4499,06	299,64	66,9	ГОСТ 19051-80
52503680120408	0	BK8	03123-120408	5396,68	52,46	9,72	ГОСТ 19051-80
52503680120412	0	BK8	03123-120412	5396,68	52,46	9,67	ГОСТ 19051-80
52503680190616	0	BK8	03123-190616	5082,85	145,37	28,9	ГОСТ 19051-80
52503690250724	0	BK8	03113-250724	4318,59	288,91	66,6	ГОСТ 19051-80
52503700090304	0	BK8	03114-090304	5042,18	17,75	3,52	ГОСТ 19052-80
52503700090308	0	BK8	03114-090308	5042,18	17,75	3,5	ГОСТ 19052-80
52503700120404	0	BK8	03114-120404	4895,91	45,34	9,25	ГОСТ 19052-80
52503700120408	0	BK8	03114-120408	4895,91	45,34	9,25	ГОСТ 19052-80
52503700120412	0	BK8	03114-120412	4895,91	45,34	9,21	ГОСТ 19052-80
52503700150412	0	BK8	03114-150412	4806,35	69,21	14,4	ГОСТ 19052-80
52503700150416	0	BK8	03114-150416	4806,35	69,21	14,4	ГОСТ 19052-80
52503700150612	0	BK8	03114-150612	4743,82	91,13	19,21	ГОСТ 19052-80
52503700190612	0	BK8	03114-190612	4664,98	128,75	27,6	ГОСТ 19052-80
52503700190616	0	BK8	03114-190616	4664,98	128,75	27,5	ГОСТ 19052-80
52503700190624	0	BK8	03114-190624	4664,98	128,75	27,2	ГОСТ 19052-80
52503700250716	0	BK8	03114-250716	4690,82	296,93	63,5	ГОСТ 19052-80
52503700250724	0	BK8	03114-250724	4690,82	296,93	63,3	ГОСТ 19052-80
52503710090308	0	BK8	03124-090308	5609,63	19,75	3,5	ГОСТ 19052-80
52503710120404	0	BK8	03124-120404	5409,38	50,09	9,25	ГОСТ 19052-80
52503710120408	0	BK8	03124-120408	5409,38	50,09	9,25	ГОСТ 19052-80
52503710120412	0	BK8	03124-120412	5409,38	50,09	9,21	ГОСТ 19052-80
52503710150412	0	BK8	03124-150412	5286,78	76,13	14,4	ГОСТ 19052-80

52503710150416	0	BK8	03124-150416	5286,78	76,13	14,4	ГОСТ 19052-80
52503710190612	0	BK8	03124-190612	5313,93	146,66	27,6	ГОСТ 19052-80
52503710190616	0	BK8	03124-190616	5313,93	146,66	27,5	ГОСТ 19052-80
52503710190624	0	BK8	03124-190624	5313,93	146,66	27,2	ГОСТ 19052-80
52503710250716	0	BK8	03124-250716	5257,07	332,77	63,5	ГОСТ 19052-80
52503710250724	0	BK8	03124-250724	5257,07	332,77	63,3	ГОСТ 19052-80
52503770120408	0	BK8	05113-120408	4643,64	44,72	9,71	ГОСТ 19057-80
52503780120404	0	BK8	05123-120404	5399,13	51,99	9,75	ГОСТ 19057-80
52503780120408	0	BK8	05123-120408	5399,13	51,99	9,71	ГОСТ 19057-80
52503780120412	0	BK8	05123-120412	5399,13	51,99	9,66	ГОСТ 19057-80
52503780190612	0	BK8	05123-190612	5301,44	151,89	28,9	ГОСТ 19057-80
52503810090304	0	BK8	05114-090304	5043,13	17,6	3,51	ГОСТ 19059-80
52503810120404	0	BK8	05114-120404	4895,5	45,43	9,31	ГОСТ 19059-80
52503810120408	0	BK8	05114-120408	4895,5	45,43	9,28	ГОСТ 19059-80
52503810120412	0	BK8	05114-120412	4895,5	45,43	9,23	ГОСТ 19059-80
52503810160412	0	BK8	05114-160412	4804,88	69,67	14,5	ГОСТ 19059-80
52503810160416	0	BK8	05114-160416	4804,88	69,67	14,5	ГОСТ 19059-80
52503810190608	0	BK8	05114-190608	4664,98	128,75	27,7	ГОСТ 19059-80
52503810190612	0	BK8	05114-190612	4664,98	128,75	27,6	ГОСТ 19059-80
52503810190616	0	BK8	05114-190616	4664,98	128,75	27,3	ГОСТ 19059-80
52503810190624	0	BK8	05114-190624	4664,98	128,75	27,3	ГОСТ 19059-80
52503820120404	0	BK8	05124-120404	5408,82	50,19	9,31	ГОСТ 19059-80
52503820120408	0	BK8	05124-120408	5408,82	50,19	9,28	ГОСТ 19059-80
52503820120412	0	BK8	05124-120412	5408,82	50,19	9,23	ГОСТ 19059-80
52503820160412	0	BK8	05124-160412	5284,75	76,63	14,5	ГОСТ 19059-80
52503820190608	0	BK8	05124-190608	5313,93	146,66	27,7	ГОСТ 19059-80
52503820190612	0	BK8	05124-190612	5313,93	146,66	27,6	ГОСТ 19059-80
52503820190616	0	BK8	05124-190616	5313,93	146,66	27,3	ГОСТ 19059-80
52503851704051	0	BK8	08116-170405-130	6204,53	61,86	10,2	ГОСТ 19062-80
52503851704101	0	BK8	08116-170410-130	6204,53	61,86	10,1	ГОСТ 19062-80
52503851906051	0	BK8	08116-190605-130	6018,35	93,89	15,9	ГОСТ 19062-80
52503851906101	0	BK8	08116-190610-130	6018,35	93,89	15,7	ГОСТ 19062-80
52503851906102	0	BK8	08116-190610-136	6018,35	93,89	15,8	ГОСТ 19062-80
52503851906151	0	BK8	08116-190615-130	6018,35	93,89	15,6	ГОСТ 19062-80
52503851906152	0	BK8	08116-190615-136	6018,35	93,89	15,6	ГОСТ 19062-80
52503860060308	0	BK8	10111-060308	4764,2	18,15	3,81	ГОСТ 19063-80
52503860060312	0	BK8	10111-060312	4764,71	18,06	3,79	ГОСТ 19063-80
52503860090408	0	BK8	10111-090408	4634,33	47,27	10,2	ГОСТ 19063-80
52503860090412	0	BK8	10111-090412	4634,33	47,27	10,1	ГОСТ 19063-80
52503860130412	0	BK8	10111-130412	4491,07	102,85	22,9	ГОСТ 19063-80
52503870090412	0	BK8	10131-090412	6479,97	66,1	10,1	ГОСТ 19063-80
52503870130412	0	BK8	10131-130412	6093,18	139,53	22,9	ГОСТ 19063-80
52503880110408	0	BK8	10113-110408	4584,07	62,8	13,7	ГОСТ 19064-80
52503880130412	0	BK8	10113-130412	4521,33	87,71	19,4	ГОСТ 19064-80
52503880130612	0	BK8	10113-130612	4468,81	115,74	25,9	ГОСТ 19064-80
52503880160612	0	BK8	10113-160612	4407,71	162,2	36,8	ГОСТ 19064-80
52503890110408	0	BK8	10123-110408	5301,27	72,63	13,7	ГОСТ 19064-80
52503890130412	0	BK8	10123-130412	5198,21	100,85	19,4	ГОСТ 19064-80
52503890130612	0	BK8	10123-130612	5111,91	132,4	25,9	ГОСТ 19064-80
52503890160612	0	BK8	10123-160612	5011,53	184,42	36,8	ГОСТ 19064-80
52503900110408	0	BK8	10153-110408	6620,51	90,7	13,7	ГОСТ 19064-80
52503900110416	0	BK8	10153-110416	6620,51	90,7	13,6	ГОСТ 19064-80
52503900130412	0	BK8	10153-130412	6432,3	124,79	19,4	ГОСТ 19064-80
52503900130612	0	BK8	10153-130612	6274,72	162,52	25,9	ГОСТ 19064-80
52503910110408	0	BK8	10114-110408	4831,22	61,84	12,8	ГОСТ 19065-80
52503910110416	0	BK8	10114-110416	4831,22	61,84	12,8	ГОСТ 19065-80
52503910130412	0	BK8	10114-130412	4756,85	86,1	18,1	ГОСТ 19065-80
52503910130420	0	BK8	10114-130420	4756,85	86,1	18,00	ГОСТ 19065-80
52503910130612	0	BK8	10114-130612	4689,76	115,37	24,6	ГОСТ 19065-80
52503910130620	0	BK8	10114-130620	4689,76	115,37	24,5	ГОСТ 19065-80
52503910160612	0	BK8	10114-160612	4616,58	160,66	34,8	ГОСТ 19065-80
52503920110408	0	BK8	10124-110408	5575,17	71,36	12,8	ГОСТ 19065-80
52503920110416	0	BK8	10124-110416	5575,17	71,36	12,8	ГОСТ 19065-80
52503920130412	0	BK8	10124-130412	5458,29	98,8	18,1	ГОСТ 19065-80
52503920130420	0	BK8	10124-130420	5458,29	98,8	18,00	ГОСТ 19065-80
52503920130612	0	BK8	10124-130612	5352,88	131,68	24,6	ГОСТ 19065-80
52503920160612	0	BK8	10124-160612	5237,87	182,28	34,8	ГОСТ 19065-80
52503960090408	0	BK8	11114-090408	4839,5	59,53	12,37	ГОСТ 19068-80
52503960110612	0	BK8	11114-110612	4917,84	115,57	23,5	ГОСТ 19068-80
52503960120612	0	BK8	11114-120612	4624,97	154,47	33,4	ГОСТ 19068-80
52503990150400	0	BK8	12133-150400	5872,14	68,12	11,6	ГОСТ 19070-80
52504000090300	0	BK8	12114-090300	5072,53	13,19	2,6	ГОСТ 19071-80
52504000120300	0	BK8	12114-120300	5011,48	22,7	4,53	ГОСТ 19071-80
52504000120400	0	BK8	12114-120400	4946,56	34,53	6,98	ГОСТ 19071-80
52504000150400	0	BK8	12114-150400	4864,1	53,02	10,9	ГОСТ 19071-80
52504000150600	0	BK8	12114-150600	4803,41	70,13	14,6	ГОСТ 19071-80
52504000190600	0	BK8	12114-190600	4931,32	109,97	22,3	ГОСТ 19071-80

52504000220600	0	ВК8	12114-220600	4868,86	138,76	28,5	ГОСТ 19071-80
52504020120400	0	ВК8	12124-120400	5756,41	40,18	6,98	ГОСТ 19071-80
52504020150400	0	ВК8	12124-150400	5626,83	61,33	10,9	ГОСТ 19071-80
52504020150600	0	ВК8	12124-150600	5531,46	80,76	14,6	ГОСТ 19071-80
52504030120400	0	ВК8	12113-120400	4684,75	34,43	7,35	ГОСТ 19070-80
52504030150400	0	ВК8	12113-150400	4612,89	53,51	11,6	ГОСТ 19070-80
52504030150600	0	ВК8	12113-150600	4563,25	70,27	15,4	ГОСТ 19070-80
52504040120400	0	ВК8	12123-120400	5742,59	42,21	7,35	ГОСТ 19070-80
52504040150400	0	ВК8	12123-150400	5607,07	65,04	11,6	ГОСТ 19070-80
52504101906051	0	ВК8	08116-190605-230	6018,35	93,89	15,9	ГОСТ 19062-80
52504101906101	0	ВК8	08116-190610-230	6018,35	93,89	15,7	ГОСТ 19062-80
52504101906102	0	ВК8	08116-190610-236	5021,65	78,84	15,7	ГОСТ 19062-80
52504101906151	0	ВК8	08116-190615-230	6018,35	93,89	15,6	ГОСТ 19062-80
52504101906152	0	ВК8	08116-190615-236	6018,35	93,89	15,6	ГОСТ 19062-80
52504430150612	0	ВК8	13123-150612	5570,08	72,41	12,7	ГОСТ 24255-80
52504640001059	0	ВК8	2008-1059	8204,79	60,63	7,39	ТУ 48-19-307-87
52504990003001	0	ВК8	2008-3001	9600,15	119,81	12,35	ТУ 48-19-307-87
52507080002710	0	ВК8	РПУХ-2710МО24	6898,84	484,23	70,19	ТУ 48-4206-558-96
52508890000001	0	ВК8	ПР1	5772,93	24,82	4,3	ТУ 48-19-4206-435-93
52518010000005	0	ВК8	ОТХОДЫ	0,00	0,00	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАН
52519800000015	0	ВК8	1980-0015	4453,08	15,36	3,45	ГОСТ 9453-75
52519800000024	0	ВК8	1980-0024	4450,83	15,44	3,47	ГОСТ 9453-75
52519800000042	0	ВК8	1980-0042 (шлиф)	4290,11	22,31	5,2	ГОСТ 9453-75
52519800000043	0	ВК8	1980-0043	4290,11	22,31	5,2	ГОСТ 9453-75
52519800000044	0	ВК8	1980-0044	4290,11	22,31	5,2	ГОСТ 9453-75
52519800000045	0	ВК8	1980-0045	4290,11	22,31	5,2	ГОСТ 9453-75
52519800000046	0	ВК8	1980-0046	4297,9	21,92	5,1	ГОСТ 9453-75
52519800000051	0	ВК8	1980-0051	3963,45	49,31	12,44	ГОСТ 9453-75
52519800000071	0	ВК8	1980-0071	3695,33	135,91	36,78	ГОСТ 9453-75
52519800000072	0	ВК8	1980-0072	3696,21	135,24	36,59	ГОСТ 9453-75
52519800000073	0	ВК8	1980-0073	3697,1	134,57	36,4	ГОСТ 9453-75
52519800000074	0	ВК8	1980-0074	3697,1	134,57	36,4	ГОСТ 9453-75
52519800000075	0	ВК8	1980-0075	3697,56	134,22	36,3	ГОСТ 9453-75
52519800000076	0	ВК8	1980-0076	3695,56	135,74	36,73	ГОСТ 9453-75
52519800000077	0	ВК8	1980-0077	3698,04	133,87	36,2	ГОСТ 9453-75
52519800000078	0	ВК8	1980-0078	3696,44	135,07	36,54	ГОСТ 9453-75
52519800000079	0	ВК8	1980-0079	3696,91	134,72	36,44	ГОСТ 9453-75
52519800000081	0	ВК8	1980-0081	3698,75	133,34	36,05	ГОСТ 9453-75
52519800000082	0	ВК8	1980-0082	3701,06	131,65	35,57	ГОСТ 9453-75
52519800000091	0	ВК8	1980-0091	3690,75	139,51	37,8	ГОСТ 9453-75
52519800000092	0	ВК8	1980-0092	3690,75	139,51	37,8	ГОСТ 9453-75
52519800000093	0	ВК8	1980-0093	3690,75	139,51	37,8	ГОСТ 9453-75
52519800000094	0	ВК8	1980-0094	3690,75	139,51	37,8	ГОСТ 9453-75
52519800000095	0	ВК8	1980-0095	3691,63	138,81	37,6	ГОСТ 9453-75
52519800000096	0	ВК8	1980-0096	3692,08	138,45	37,5	ГОСТ 9453-75
52519800000097	0	ВК8	1980-0097	3692,52	138,1	37,4	ГОСТ 9453-75
52519800000098	0	ВК8	1980-0098	3692,97	137,75	37,3	ГОСТ 9453-75
52519800000099	0	ВК8	1980-0099	3696,21	135,24	36,59	ГОСТ 9453-75
52519800000101	0	ВК8	1980-0101	3694,23	136,76	37,02	ГОСТ 9453-75
52519800000102	0	ВК8	1980-0102	3695,24	135,98	36,8	ГОСТ 9453-75
52519800000104	0	ВК8	1980-0104	3696,91	134,72	36,44	ГОСТ 9453-75
52519800000112	0	ВК8	1980-0112	3586,83	326,4	91,00	ГОСТ 9453-75
52519800000114	0	ВК8	1980-0114	3588,56	319,6	89,06	ГОСТ 9453-75
52519800000115	0	ВК8	1980-0115	3586,83	326,4	91,00	ГОСТ 9453-75
52519800000116	0	ВК8	1980-0116	3586,74	326,75	91,1	ГОСТ 9453-75
52519800000117	0	ВК8	1980-0117	3587,16	325,07	90,62	ГОСТ 9453-75
52519800000118	0	ВК8	1980-0118	3587,62	323,24	90,1	ГОСТ 9453-75
52519800000119	0	ВК8	1980-0119	3588,89	318,3	88,69	ГОСТ 9453-75
52519800000121	0	ВК8	1980-0121	3588,51	319,77	89,11	ГОСТ 9453-75
52519800000122	0	ВК8	1980-0122	3590,34	312,83	87,13	ГОСТ 9453-75
52519800000123	0	ВК8	1980-0123	3593,41	301,85	84,00	ГОСТ 9453-75
52519800000124	0	ВК8	1980-0124	3593,18	302,62	84,22	ГОСТ 9453-75
52519800000132	0	ВК8	1980-0132	3586,84	326,37	90,99	ГОСТ 9453-75
52519800000134	0	ВК8	1980-0134	3586,84	326,37	90,99	ГОСТ 9453-75
52519800000135	0	ВК8	1980-0135	3585,54	331,66	92,5	ГОСТ 9453-75
52519800000136	0	ВК8	1980-0136	3586,4	328,16	91,5	ГОСТ 9453-75
52519800000137	0	ВК8	1980-0137	3587,69	322,96	90,02	ГОСТ 9453-75
52519800000138	0	ВК8	1980-0138	3586,33	328,44	91,58	ГОСТ 9453-75
52519800000139	0	ВК8	1980-0139	3589,44	316,19	88,09	ГОСТ 9453-75
52519800000141	0	ВК8	1980-0141	3590,35	312,79	87,12	ГОСТ 9453-75
52519800000142	0	ВК8	1980-0142	3590,35	312,79	87,12	ГОСТ 9453-75
52519800000143	0	ВК8	1980-0143	3592,23	305,99	85,18	ГОСТ 9453-75
52519800000151	0	ВК8	1980-0151	3543,76	683,95	193,00	ГОСТ 9453-75
52519800000152	0	ВК8	1980-0152	3544,17	676,94	191,00	ГОСТ 9453-75
52519800000153	0	ВК8	1980-0153	3544,38	673,43	190,00	ГОСТ 9453-75
52519800000154	0	ВК8	1980-0154	3544,6	669,93	189,00	ГОСТ 9453-75
52519800000155	0	ВК8	1980-0155	3545,03	662,92	187,00	ГОСТ 9453-75

52519800000156	0	BK8	1980-0156	3545,25	659,42	186,00	ГОСТ 9453-75
52519800000157	0	BK8	1980-0157	3545,66	652,97	184,16	ГОСТ 9453-75
52519800000158	0	BK8	1980-0158	3545,47	655,91	185,00	ГОСТ 9453-75
52519800000159	0	BK8	1980-0159	3545,92	648,9	183,00	ГОСТ 9453-75
52519800000161	0	BK8	1980-0161	3546,38	641,89	181,00	ГОСТ 9453-75
52519800000162	0	BK8	1980-0162	3546,61	638,39	180,00	ГОСТ 9453-75
52519800000163	0	BK8	1980-0163	3547,08	631,38	178,00	ГОСТ 9453-75
52519800000164	0	BK8	1980-0164	3547,57	624,37	176,00	ГОСТ 9453-75
52519800000165	0	BK8	1980-0165	3548,06	617,36	174,00	ГОСТ 9453-75
52519800000166	0	BK8	1980-0166	3548,83	606,85	171,00	ГОСТ 9453-75
52519800000167	0	BK8	1980-0167	3549,35	599,84	169,00	ГОСТ 9453-75
52519800000168	0	BK8	1980-0168	3551,00	578,81	163,00	ГОСТ 9453-75
52519800000169	0	BK8	1980-0169	3553,7	547,27	154,00	ГОСТ 9453-75
52519800000171	0	BK8	1980-0171	3542,57	704,97	199,00	ГОСТ 9453-75
52519800000172	0	BK8	1980-0172	3542,96	697,96	197,00	ГОСТ 9453-75
52519800000173	0	BK8	1980-0173	3543,16	694,46	196,00	ГОСТ 9453-75
52519800000174	0	BK8	1980-0174	3543,76	683,95	193,00	ГОСТ 9453-75
52519800000175	0	BK8	1980-0175	3543,97	680,44	192,00	ГОСТ 9453-75
52519800000176	0	BK8	1980-0176	3544,81	666,42	188,00	ГОСТ 9453-75
52519800000177	0	BK8	1980-0177	3546,15	645,4	182,00	ГОСТ 9453-75
52519800000178	0	BK8	1980-0178	3547,08	631,38	178,00	ГОСТ 9453-75
52519800000179	0	BK8	1980-0179	3548,57	610,35	172,00	ГОСТ 9453-75
52519800000181	0	BK8	1980-0181	3550,44	585,82	165,00	ГОСТ 9453-75
52519800000191	0	BK8	1980-0191	3532,73	943,24	267,00	ГОСТ 9453-75
52519800000192	0	BK8	1980-0192	3533,4	922,22	261,00	ГОСТ 9453-75
52519800000193	0	BK8	1980-0193	3534,21	897,69	254,00	ГОСТ 9453-75
52519800000194	0	BK8	1980-0194	3534,82	880,17	249,00	ГОСТ 9453-75
52519800000195	0	BK8	1980-0195	3535,46	862,65	244,00	ГОСТ 9453-75
52519800000196	0	BK8	1980-0196	3536,39	838,12	237,00	ГОСТ 9453-75
52519800000197	0	BK8	1980-0197	3537,38	813,6	230,00	ГОСТ 9453-75
52519800000198	0	BK8	1980-0198	3538,43	789,07	223,00	ГОСТ 9453-75
52519800000211	0	BK8	1980-0211	3514,43	2498,76	711,00	ГОСТ 9453-75
52519800000212	0	BK8	1980-0212	3514,58	2467,23	702,00	ГОСТ 9453-75
52519800000213	0	BK8	1980-0213	3514,74	2432,2	692,00	ГОСТ 9453-75
52519800000214	0	BK8	1980-0214	3514,92	2393,66	681,00	ГОСТ 9453-75
52519800000215	0	BK8	1980-0215	3515,04	2369,14	674,00	ГОСТ 9453-75
52519800000216	0	BK8	1980-0216	3515,17	2344,62	667,00	ГОСТ 9453-75
52519800000217	0	BK8	1980-0217	3515,37	2306,08	656,00	ГОСТ 9453-75
52519800000218	0	BK8	1980-0218	3515,59	2264,04	644,00	ГОСТ 9453-75
52519800000219	0	BK8	1980-0219	3515,78	2229,01	634,00	ГОСТ 9453-75
52519800000221	0	BK8	1980-0221	3515,96	2197,48	625,00	ГОСТ 9453-75
52519800000222	0	BK8	1980-0222	3516,17	2162,44	615,00	ГОСТ 9453-75
52519800000223	0	BK8	1980-0223	3516,36	2130,91	606,00	ГОСТ 9453-75
52519800000224	0	BK8	1980-0224	3516,6	2092,38	595,00	ГОСТ 9453-75
52519800000231	0	BK8	1980-0231	3514,45	2495,26	710,00	ГОСТ 9453-75
52519800000251	0	BK8	1980-0251	3510,93	3640,83	1037,00	ГОСТ 9453-75
52519800000252	0	BK8	1980-0252	3511,05	3581,28	1020,00	ГОСТ 9453-75
52519800000253	0	BK8	1980-0253	3511,08	3570,77	1017,00	ГОСТ 9453-75
52519800000254	0	BK8	1980-0254	3511,17	3528,73	1005,00	ГОСТ 9453-75
52519800000255	0	BK8	1980-0255	3511,49	3392,1	966,00	ГОСТ 9453-75
52519800000256	0	BK8	1980-0256	3511,37	3441,15	980,00	ГОСТ 9453-75
52519800000257	0	BK8	1980-0257	3511,72	3301,01	940,00	ГОСТ 9453-75
52519800000258	0	BK8	1980-0258	3511,59	3350,06	954,00	ГОСТ 9453-75
52519800000259	0	BK8	1980-0259	3511,98	3202,92	912,00	ГОСТ 9453-75
52519800000261	0	BK8	1980-0261	3511,87	3241,46	923,00	ГОСТ 9453-75
52519800000271	0	BK8	1980-0271	3508,32	5511,57	1571,00	ГОСТ 9453-75
52519800000272	0	BK8	1980-0272	3508,3	5532,59	1577,00	ГОСТ 9453-75
52519800000273	0	BK8	1980-0273	3508,37	5452,01	1554,00	ГОСТ 9453-75
52519800000274	0	BK8	1980-0274	3508,54	5283,86	1506,00	ГОСТ 9453-75
52519800000275	0	BK8	1980-0275	3508,53	5287,36	1507,00	ГОСТ 9453-75
52519800000276	0	BK8	1980-0276	3508,71	5119,2	1459,00	ГОСТ 9453-75
52519800000277	0	BK8	1980-0277	3508,78	5052,64	1440,00	ГОСТ 9453-75
52519800000278	0	BK8	1980-0278	3508,78	5052,64	1440,00	ГОСТ 9453-75
52519800000279	0	BK8	1980-0279	3508,87	4972,07	1417,00	ГОСТ 9453-75
52519800000281	0	BK8	1980-0281	3508,95	4898,5	1396,00	ГОСТ 9453-75
52519800000282	0	BK8	1980-0282	3509,05	4814,42	1372,00	ГОСТ 9453-75
52519800000291	0	BK8	1980-0291	3506,89	7662,55	2185,00	ГОСТ 9453-75
52519800000292	0	BK8	1980-0292	3506,94	7553,95	2154,00	ГОСТ 9453-75
52519800000293	0	BK8	1980-0293	3507,00	7431,34	2119,00	ГОСТ 9453-75
52519800000294	0	BK8	1980-0294	3507,07	7305,22	2083,00	ГОСТ 9453-75
52519800000296	0	BK8	1980-0296	3507,27	6947,89	1981,00	ГОСТ 9453-75
52519800000297	0	BK8	1980-0297	3507,41	6702,67	1911,00	ГОСТ 9453-75
52519800000298	0	BK8	1980-0298	3507,5	6566,04	1872,00	ГОСТ 9453-75
52519800000307	0	BK8	1980-0307	3721,59	725,71	203,19	ГОСТ 5426
52519800000309	0	BK8	1980-0309	3724,38	689,01	192,77	ГОСТ 5426
52519800000311	0	BK8	1980-0311	3726,2	666,99	179,00	ГОСТ 5426
52519800000312	0	BK8	1980-0312	3728,15	644,97	167,46	ГОСТ 5426

52519800000314	0	BK8	1980-0314	3706,27	1022,93	276,00	ГОСТ 5426
52519800000315	0	BK8	1980-0315	3707,67	986,24	257,49	ГОСТ 5426
52519800000316	0	BK8	1980-0316	3709,17	949,55	266,75	ГОСТ 5426
52519800000317	0	BK8	1980-0317	3690,6	1753,04	459,8	ГОСТ 5426
52519800000318	0	BK8	1980-0318	3691,17	1709,01	463,00	ГОСТ 5426
52519800000321	0	BK8	1980-0321	3692,45	1617,29	438,00	ГОСТ 5426
52519800000322	0	BK8	1980-0322	3685,31	2307,00	626,00	ГОСТ 5426
52519800000324	0	BK8	1980-0324	3686,23	2185,94	593,00	ГОСТ 5426
52519800000325	0	BK8	1980-0325	3687,37	2053,87	580,39	ГОСТ 5426
52519800000327	0	BK8	1980-0327	3688,74	1914,46	502,39	ГОСТ 5426
52519800000328	0	BK8	1980-0328	3680,13	3334,2	906,00	ГОСТ 5426
52519800000331	0	BK8	1980-0331	3680,85	3139,77	853,00	ГОСТ 5426
52519800000332	0	BK8	1980-0332	3681,88	2897,64	820,05	ГОСТ 5426
52519800000334	0	BK8	1980-0334	3678,92	3723,06	1054,5	ГОСТ 5426
52519800000335	0	BK8	1980-0335	3679,62	3488,28	987,82	ГОСТ 5426
52519800000357	0	BK8	1980-0357	3558,43	73,66	20,7	ГОСТ 2330-76
52519800000358	0	BK8	1980-0358	3435,66	182,09	53,00	ГОСТ 2330-76
52519800000362	0	BK8	1980-0362	3440,99	172,05	50,00	ГОСТ 2330-76
52519800000365	0	BK8	1980-0365	3370,92	562,94	167,00	ГОСТ 2330-76
52519800000366	0	BK8	1980-0366	3371,3	556,27	165,00	ГОСТ 2330-76
52519800000367	0	BK8	1980-0367	3550,72	582,32	164,00	ГОСТ 2330-76
52519800000368	0	BK8	1980-0368	3551,87	568,3	160,00	ГОСТ 2330-76
52519800000369	0	BK8	1980-0369	3372,95	529,55	157,00	ГОСТ 2330-76
52519800000372	0	BK8	1980-0372	3374,77	502,84	149,00	ГОСТ 2330-76
52519800000374	0	BK8	1980-0374	3377,32	469,45	139,00	ГОСТ 2330-76
52519800000384	0	BK8	1980-0384	3529,89	1044,85	296,00	ГОСТ 2330-76
52519800000385	0	BK8	1980-0385	3530,52	1020,32	289,00	ГОСТ 2330-76
52519800000388	0	BK8	1980-0388	3514,13	2568,83	731,00	ГОСТ 2330-76
52519800000391	0	BK8	1980-0391	3514,59	2463,73	701,00	ГОСТ 2330-76
52519800000392	0	BK8	1980-0392	3514,91	2397,17	682,00	ГОСТ 2330-76
52519800000393	0	BK8	1980-0393	3515,12	2355,13	670,00	ГОСТ 2330-76
52519800000394	0	BK8	1980-0394	3515,71	2243,02	638,00	ГОСТ 2330-76
52519800000395	0	BK8	1980-0395	3516,9	2046,83	606,44	ГОСТ 2330-76
52519800000402	0	BK8	1980-0402	3526,56	1195,5	339,00	ГОСТ 2330-76
52519800000405	0	BK8	1980-0405	3528,87	1086,89	308,00	ГОСТ 2330-76
52519800000406	0	BK8	1980-0406	3529,8	1048,35	297,00	ГОСТ 2330-76
52519800000407	0	BK8	1980-0407	3530,9	1006,31	285,00	ГОСТ 2330-76
52519800000411	0	BK8	1980-0411	3508,82	5017,61	1490,06	ГОСТ 2330-76
52519800000413	0	BK8	1980-0413	3509,04	4828,43	1433,79	ГОСТ 2330-76
52519800000415	0	BK8	1980-0415	3509,3	4621,74	1372,31	ГОСТ 2330-76
52519800000419	0	BK8	1980-0419	3509,95	4173,33	1189,00	ГОСТ 2330-76
52519800000424	0	BK8	1980-0424	3515,84	2218,5	657,5	ГОСТ 2330-76
52519800000431	0	BK8	1980-0431	3519,44	1724,53	490,00	ГОСТ 2330-76
52519800000433	0	BK8	1980-0433	3521,38	1538,84	437,00	ГОСТ 2330-76
52519800000445	0	BK8	1980-0445	3511,58	3353,56	955,00	ГОСТ 2330-76
52519800000447	0	BK8	1980-0447	3512,29	3090,82	880,00	ГОСТ 2330-76
52519800000473	0	BK8	1980-0473	3507,11	7217,64	2144,44	ГОСТ 2330-76
52519800000483	0	BK8	1980-0483	3507,32	6849,8	2035,03	ГОСТ 2330-76
52519800000484	0	BK8	1980-0484	3506,05	9925,64	2949,9	ГОСТ 2330-76
52519800000485	0	BK8	1980-0485	3506,12	9697,93	2882,17	ГОСТ 2330-76
52519800000508	0	BK8	1980-0508	3505,32	13397,34	3957,00	ГОСТ 2330-76
52519800000511	0	BK8	1980-0511	3339,52	12219,32	3659,00	ГОСТ 2330-76
52519800000512	0	BK8	1980-0512	3339,56	11942,27	3576,00	ГОСТ 2330-76
52519800000604	0	BK8	1980-0604	3709,03	126,11	34,00	ГОСТ 9453-75
52519801000079	0	BK8	1980-0079	3696,91	134,72	36,01	ГОСТ 9453-75
52520020160308	0	BK8	3-01111-160308	4057,88	24,1	5,71	OCT 48-93-81
52520020160408	0	BK8	3-01111-160408	4025,41	33,81	8,4	OCT 48-93-81
52520020160412	0	BK8	3-01111-160412	4025,41	33,81	8,29	OCT 48-93-81
52520020220404	0	BK8	3-01111-220404	3962,45	58,64	14,8	OCT 48-93-81
52520020220408	0	BK8	3-01111-220408	3962,45	58,64	14,8	OCT 48-93-81
52520030160408	0	BK8	3-01131-160408	4025,41	33,81	8,4	OCT 48-93-81
52520030220408	0	BK8	3-01131-220408	3962,45	58,64	14,8	OCT 48-93-81
52520040110304	0	BK8	3-01311-110304	4460,8	10,17	2,28	OCT 48-93-81
52520040110308	0	BK8	3-01311-110308	4460,8	10,17	2,26	OCT 48-93-81
52520040160300	0	BK8	3-01311-160300	4395,7	22,46	5,11	OCT 48-93-81
52520040160304	0	BK8	3-01311-160304	4395,7	22,46	5,09	OCT 48-93-81
52520040160308	0	BK8	3-01311-160308	4395,7	22,46	5,06	OCT 48-93-81
52520040160312	0	BK8	3-01311-160312	4395,7	22,46	5,01	OCT 48-93-81
52520040220412	0	BK8	3-01311-220412	4272,00	55,96	12,7	OCT 48-93-81
52520040220416	0	BK8	3-01311-220416	4272,00	55,96	12,6	OCT 48-93-81
52520050110300	0	BK8	3-01331-110300	4119,25	9,43	2,29	OCT 48-93-81
52520050110304	0	BK8	3-01331-110304	4119,25	9,43	2,28	OCT 48-93-81
52520050160300	0	BK8	3-01331-160300	4070,27	20,8	5,11	OCT 48-93-81
52520050160304	0	BK8	3-01331-160304	4070,27	20,8	5,09	OCT 48-93-81
52520050160308	0	BK8	3-01331-160308	4070,27	20,8	5,06	OCT 48-93-81
52520050160312	0	BK8	3-01331-160312	4070,27	20,8	5,01	OCT 48-93-81
52520050160408	0	BK8	3-01331-160408	4042,5	28,5	6,96	OCT 48-93-81

52520050220408	0	BK8	3-01331-220408	3977,96	51,59	12,8	OCT 48-93-81
52520050220412	0	BK8	3-01331-220412	3977,96	51,59	12,7	OCT 48-93-81
52520060110304	0	BK8	3-01113-110304	4145,61	4,23	1,02	OCT 48-93-81
52520060160308	0	BK8	3-01113-160308	4068,12	21,36	5,18	OCT 48-93-81
52520060160312	0	BK8	3-01113-160312	4068,12	21,36	5,11	OCT 48-93-81
52520060160408	0	BK8	3-01113-160408	4033,81	31,14	7,62	OCT 48-93-81
52520060160412	0	BK8	3-01113-160412	4033,81	31,14	7,49	OCT 48-93-81
52520060220408	0	BK8	3-01113-220408	3975,04	52,87	13,3	OCT 48-93-81
52520060220412	0	BK8	3-01113-220412	3975,04	52,87	13,2	OCT 48-93-81
52520060220416	0	BK8	3-01113-220416	3975,04	52,87	13,00	OCT 48-93-81
52520060270616	0	BK8	3-01113-270616	3887,33	107,29	27,2	OCT 48-93-81
52520070110304	0	BK8	3-01123-110304	4858,83	4,96	1,02	OCT 48-93-81
52520070160308	0	BK8	3-01123-160308	4730,72	24,51	5,18	OCT 48-93-81
52520070160404	0	BK8	3-01123-160404	4672,26	35,88	7,68	OCT 48-93-81
52520070160408	0	BK8	3-01123-160408	4672,26	35,88	7,62	OCT 48-93-81
52520070220408	0	BK8	3-01123-220408	4572,88	60,82	13,3	OCT 48-93-81
52520070220416	0	BK8	3-01123-220416	4572,88	60,82	13,00	OCT 48-93-81
52520070270616	0	BK8	3-01123-270616	4428,73	120,46	27,2	OCT 48-93-81
52520090160304	0	BK8	3-01114-160304	4397,75	22,03	4,95	OCT 48-93-81
52520090160308	0	BK8	3-01114-160308	4397,75	22,03	4,9	OCT 48-93-81
52520090160404	0	BK8	3-01114-160404	4353,56	32,04	7,38	OCT 48-93-81
52520090160408	0	BK8	3-01114-160408	4353,56	32,04	7,33	OCT 48-93-81
52520090160412	0	BK8	3-01114-160412	4353,56	32,04	7,21	OCT 48-93-81
52520090220404	0	BK8	3-01114-220404	4274,36	55,14	12,7	OCT 48-93-81
52520090220408	0	BK8	3-01114-220408	4274,36	55,14	12,7	OCT 48-93-81
52520090220412	0	BK8	3-01114-220412	4274,36	55,14	12,6	OCT 48-93-81
52520090220416	0	BK8	3-01114-220416	4274,36	55,14	12,5	OCT 48-93-81
52520090270612	0	BK8	3-01114-270612	4161,77	109,04	26,2	OCT 48-93-81
52520090270616	0	BK8	3-01114-270616	4161,77	109,04	26,00	OCT 48-93-81
52520100160304	0	BK8	3-01124-160304	4735,12	23,72	4,95	OCT 48-93-81
52520100160308	0	BK8	3-01124-160308	4735,12	23,72	4,9	OCT 48-93-81
52520100160412	0	BK8	3-01124-160412	4676,11	35,07	7,21	OCT 48-93-81
52520100220408	0	BK8	3-01124-220408	4577,18	59,55	12,7	OCT 48-93-81
52520100220412	0	BK8	3-01124-220412	4577,18	59,55	12,6	OCT 48-93-81
52520100270616	0	BK8	3-01124-270616	4432,36	118,39	26,00	OCT 48-93-81
52520120060304	0	BK8	3-02114-060304	4418,96	17,76	3,97	OCT 48-93-81
52520120060308	0	BK8	3-02114-060308	4418,96	17,76	3,96	OCT 48-93-81
52520120060404	0	BK8	3-02114-060404	4379,31	26,01	5,94	OCT 48-93-81
52520120080404	0	BK8	3-02114-080404	4312,32	43,08	10,01	OCT 48-93-81
52520120080408	0	BK8	3-02114-080408	4312,32	43,08	9,97	OCT 48-93-81
52520120100408	0	BK8	3-02114-100408	4246,74	65,4	15,2	OCT 48-93-81
52520120100412	0	BK8	3-02114-100412	4246,74	65,4	15,2	OCT 48-93-81
52520120100608	0	BK8	3-02114-100608	4201,2	86,00	20,5	OCT 48-93-81
52520120100612	0	BK8	3-02114-100612	4201,2	86,00	20,4	OCT 48-93-81
52520120120612	0	BK8	3-02114-120612	4147,63	118,91	28,7	OCT 48-93-81
52520130090304	0	BK8	3-03111-090304	4079,75	18,4	4,51	OCT 48-93-81
52520130120408	0	BK8	3-03111-120408	3990,75	46,29	11,5	OCT 48-93-81
52520130120412	0	BK8	3-03111-120412	3990,75	46,29	11,4	OCT 48-93-81
52520130150412	0	BK8	3-03111-150412	3940,96	69,76	17,7	OCT 48-93-81
52520130190412	0	BK8	3-03111-190412	3897,23	98,99	25,4	OCT 48-93-81
52520130190416	0	BK8	3-03111-190416	3897,23	98,99	25,4	OCT 48-93-81
52520140090308	0	BK8	3-03131-090308	4079,26	18,52	4,49	OCT 48-93-81
52520140120308	0	BK8	3-03131-120308	4033,31	31,3	7,76	OCT 48-93-81
52520140120408	0	BK8	3-03131-120408	3990,75	46,29	11,5	OCT 48-93-81
52520140120412	0	BK8	3-03131-120412	3990,75	46,29	11,4	OCT 48-93-81
52520140150408	0	BK8	3-03131-150408	3938,26	71,28	21,6	OCT 48-93-81
52520150090304	0	BK8	3-03311-090304	4419,85	17,59	3,98	OCT 48-93-81
52520150090308	0	BK8	3-03311-090308	4419,85	17,59	3,98	OCT 48-93-81
52520150120308	0	BK8	3-03311-120308	4354,94	31,7	7,07	OCT 48-93-81
52520150120312	0	BK8	3-03311-120312	4354,94	31,7	7,05	OCT 48-93-81
52520150120408	0	BK8	3-03311-120408	4306,53	44,79	10,4	OCT 48-93-81
52520150150408	0	BK8	3-03311-150408	4242,68	67,03	15,8	OCT 48-93-81
52520150150412	0	BK8	3-03311-150412	4242,68	67,03	15,8	OCT 48-93-81
52520150190408	0	BK8	3-03311-190408	4181,8	96,6	23,1	OCT 48-93-81
52520150190412	0	BK8	3-03311-190412	4181,8	96,6	23,1	OCT 48-93-81
52520150250616	0	BK8	3-03311-250616	4056,2	220,66	54,4	OCT 48-93-81
52520160090300	0	BK8	3-03331-090300	4088,34	16,31	3,99	OCT 48-93-81
52520160090304	0	BK8	3-03331-090304	4088,34	16,31	3,98	OCT 48-93-81
52520160090308	0	BK8	3-03331-090308	4088,34	16,31	3,98	OCT 48-93-81
52520160120304	0	BK8	3-03331-120304	4040,78	29,01	7,08	OCT 48-93-81
52520160120308	0	BK8	3-03331-120308	4040,78	29,01	7,07	OCT 48-93-81
52520160120312	0	BK8	3-03331-120312	4040,78	29,01	7,05	OCT 48-93-81
52520160120408	0	BK8	3-03331-120408	4002,89	41,63	10,4	OCT 48-93-81
52520160150408	0	BK8	3-03331-150408	3954,65	62,48	15,8	OCT 48-93-81
52520160150412	0	BK8	3-03331-150412	3954,65	62,48	15,8	OCT 48-93-81
52520160150416	0	BK8	3-03331-150416	3954,65	62,48	15,8	OCT 48-93-81
52520160190400	0	BK8	3-03331-190400	3908,13	90,67	23,2	OCT 48-93-81

52520160190412	0	BK8	3-03331-190412	3908,13	90,67	23,1	OCT 48-93-81
52520170090304	0	BK8	3-03113-090304	4088,51	16,27	3,98	OCT 48-93-81
52520170120408	0	BK8	3-03113-120408	4006,94	40,15	10,02	OCT 48-93-81
52520170150412	0	BK8	3-03113-150412	3956,95	61,33	15,5	OCT 48-93-81
52520170150416	0	BK8	3-03113-150416	3956,95	61,33	15,5	OCT 48-93-81
52520170190616	0	BK8	3-03113-190616	3880,69	113,32	29,2	OCT 48-93-81
52520170250724	0	BK8	3-03113-250724	3794,96	253,88	66,9	OCT 48-93-81
52520200090304	0	BK8	3-03114-090304	4422,32	17,11	3,82	OCT 48-93-81
52520200090308	0	BK8	3-03114-090308	4422,32	17,11	3,8	OCT 48-93-81
52520200120404	0	BK8	3-03114-120404	4316,65	41,83	9,56	OCT 48-93-81
52520200120408	0	BK8	3-03114-120408	4316,65	41,83	9,56	OCT 48-93-81
52520200120412	0	BK8	3-03114-120412	4316,65	41,83	9,51	OCT 48-93-81
52520200150412	0	BK8	3-03114-150412	4251,95	63,35	14,7	OCT 48-93-81
52520200150416	0	BK8	3-03114-150416	4251,95	63,35	14,7	OCT 48-93-81
52520200190612	0	BK8	3-03114-190612	4151,88	115,84	27,9	OCT 48-93-81
52520200190616	0	BK8	3-03114-190616	4151,88	115,84	27,8	OCT 48-93-81
52520200190624	0	BK8	3-03114-190624	4151,88	115,84	27,5	OCT 48-93-81
52520200250716	0	BK8	3-03114-250716	4036,8	257,55	63,8	OCT 48-93-81
52520210120408	0	BK8	3-03124-120408	4630,73	45,29	9,56	OCT 48-93-81
52520210120412	0	BK8	3-03124-120412	4630,73	45,29	9,51	OCT 48-93-81
52520210150412	0	BK8	3-03124-150412	4553,13	66,93	14,7	OCT 48-93-81
52520210150416	0	BK8	3-03124-150416	4553,13	66,93	14,7	OCT 48-93-81
52520210190616	0	BK8	3-03124-190616	4419,76	125,79	27,8	OCT 48-93-81
52520210250716	0	BK8	3-03124-250716	4277,91	272,93	63,8	OCT 48-93-81
52520210250724	0	BK8	3-03124-250724	4277,91	272,93	63,6	OCT 48-93-81
52520300090308	0	BK8	3-05114-090308	4424,14	16,77	3,79	OCT 48-93-81
52520300120404	0	BK8	3-05114-120404	4317,82	41,49	9,61	OCT 48-93-81
52520300120408	0	BK8	3-05114-120408	4317,82	41,49	9,58	OCT 48-93-81
52520300120412	0	BK8	3-05114-120412	4317,82	41,49	9,53	OCT 48-93-81
52520300160412	0	BK8	3-05114-160412	4253,01	62,94	14,8	OCT 48-93-81
52520300190612	0	BK8	3-05114-190612	4148,18	118,51	27,9	OCT 48-93-81
52520310120408	0	BK8	3-05124-120408	4632,21	44,93	9,58	OCT 48-93-81
52520370090412	0	BK8	3-10131-090412	4000,8	42,41	10,4	OCT 48-93-81
52520380110408	0	BK8	3-10113-110408	3969,2	55,49	14,00	OCT 48-93-81
52520380130412	0	BK8	3-10113-130412	3926,14	78,52	19,7	OCT 48-93-81
52520380130612	0	BK8	3-10113-130612	3893,52	102,01	26,2	OCT 48-93-81
52520390110408	0	BK8	3-10123-110408	4562,8	63,88	14,00	OCT 48-93-81
52520410110408	0	BK8	3-10114-110408	4272,24	55,88	13,1	OCT 48-93-81
52520410110416	0	BK8	3-10114-110416	4272,24	55,88	13,1	OCT 48-93-81
52520410130412	0	BK8	3-10114-130412	4218,52	77,54	18,4	OCT 48-93-81
52520410130420	0	BK8	3-10114-130420	4218,52	77,54	18,3	OCT 48-93-81
52520410130612	0	BK8	3-10114-130612	4170,02	103,71	24,9	OCT 48-93-81
52520410130620	0	BK8	3-10114-130620	4170,02	103,71	24,8	OCT 48-93-81
52520410160612	0	BK8	3-10114-160612	4116,78	144,5	35,1	OCT 48-93-81
52520420110408	0	BK8	3-10124-110408	4572,88	60,82	13,1	OCT 48-93-81
52520420110416	0	BK8	3-10124-110416	4572,88	60,82	13,1	OCT 48-93-81
52520420130412	0	BK8	3-10124-130412	4507,87	82,94	18,4	OCT 48-93-81
52520420160612	0	BK8	3-10124-160612	4379,22	153,71	35,1	OCT 48-93-81
52520580110408	0	BK8	3-10153-110408	3967,36	56,34	14,00	OCT 48-93-81
52520580110416	0	BK8	3-10153-110416	3967,36	56,34	13,9	OCT 48-93-81
52520580130412	0	BK8	3-10153-130412	3926,14	78,52	19,7	OCT 48-93-81
52520580130420	0	BK8	3-10153-130420	3926,14	78,52	19,6	OCT 48-93-81
52520580130612	0	BK8	3-10153-130612	3893,52	102,01	26,2	OCT 48-93-81
52520580130620	0	BK8	3-10153-130620	3893,52	102,01	26,1	OCT 48-93-81
52525670000001	0	BK8	СТБ-1	3722,03	32,38	8,7	OCT 48-98-80
52525940000703	0	BK8	PO-702	5523,17	42,14	7,63	ТУ 48-19-66-90
52526820000200	0	BK8	Г027002 (ПР2)	5204,68	3,49	0,67	ТУ 48-19-183-76
52527130001006	0	BK8	ZNУX-1006TF	6238,01	102,93	16,5	ТУ 48-19-165-84
525285200000006	0	BK8	Г1106	3153,09	271,17	86,00	ГОСТ 880-75
525285300000003	0	BK8	Г1203	3397,49	93,43	27,5	ГОСТ 880-75
525285400000001	0	BK8	Г1301	3347,4	193,14	57,7	ГОСТ 880-75
525285600000000	0	BK8	Г22	3177,27	104,85	31,94	ГОСТ 880-75
525285900000002	0	BK8	Г24A02	3536,66	31,48	8,9	ГОСТ 880-75
52528600002524	0	BK8	Г2524	3228,54	38,74	12,00	ГОСТ 880-75
52528600002532	0	BK8	Г2532	3187,47	81,28	25,5	ГОСТ 880-75
525286100000078	0	BK8	Г2678	3528,82	228,31	64,7	ГОСТ 880-75
525286200000000	0	BK8	Г32	4056,41	121,69	30,00	ГОСТ 880-75
525286300000000	0	BK8	Г33	4300,38	60,21	14,00	ГОСТ 880-75
525286400000000	0	BK8	Г34	4370,27	51,57	11,8	ГОСТ 880-75
525286500000000	0	BK8	Г34A	3494,68	41,24	11,8	ГОСТ 880-75
525286600000000	0	BK8	Г36	4442,7	44,43	10,00	ГОСТ 880-75
525286700000000	0	BK8	Г37	4546,7	36,37	8,00	ГОСТ 880-75
525286800000000	0	BK8	Г38	4012,19	56,17	14,00	ГОСТ 880-75
525287000000002	0	BK8	Г4102	3267,2	22,87	7,00	ГОСТ 880-75
525287000000003	0	BK8	Г4103	3218,78	45,06	14,00	ГОСТ 880-75
525287100000005	0	BK8	Г5105	3259,96	25,1	7,7	ГОСТ 880-75
525287100000006	0	BK8	Г5106	3876,25	3,1	0,8	ГОСТ 880-75

52528710000007	0	BK8	Г5107		3354,83	7,38	2,2	ГОСТ 880-75
52528710000008	0	BK8	Г5108		3395,19	3,67	1,00	ГОСТ 880-75
52528710000010	0	BK8	Г5110		3398,65	3,4	1,00	ГОСТ 880-75
52528720000003	0	BK8	Г5303		3351,83	7,71	2,3	ГОСТ 880-75
52528720000004	0	BK8	Г5304		3261,95	24,46	7,5	ГОСТ 880-75
52528720000005	0	BK8	Г5305		3240,91	32,41	10,00	ГОСТ 880-75
52528730000002	0	BK8	Г5402		4383,65	3,51	0,77	ГОСТ 880-75
52528730000003	0	BK8	Г5403		4283,23	6,42	1,4	ГОСТ 880-75
52528730000010	0	BK8	Г5410		3603,59	21,26	5,72	ГОСТ 880-75
52528730000011	0	BK8	Г5411		3631,49	18,16	4,84	ГОСТ 880-75
52528730000012	0	BK8	Г5412		3521,87	34,51	9,49	ГОСТ 880-75
52528730000014	0	BK8	Г5414		3218,64	45,16	14,03	ГОСТ 880-75
52528730005409	0	BK8	Г5409		3938,44	24,02	6,1	ГОСТ 880-75
52528770000000	0	BK8	Г40		3215,02	47,9	14,9	ГОСТ 880-75
52528830000002	0	BK8	Г6302		3418,68	75,21	22,00	ГОСТ 880-75
52528840000000	0	BK8	Г64		3572,75	141,12	39,5	ГОСТ 880-75
52528850000000	0	BK8	Г65		3366,18	139,7	41,5	ГОСТ 880-75
52528860000000	0	BK8	Г66		3432,24	66,45	19,36	ГОСТ 880-75
52529730001008	0	BK8	Г54-10*8		5299,92	48,76	9,2	ТУ 48-19-281-90
52529730001210	0	BK8	Г54-12*10		4989,65	83,33	16,7	ТУ 48-19-281-90
52530000000151	0	BK8		1151	3079,96	67,14	21,8	ГОСТ 25395-90
52530000000152	0	BK8		1152	3084,24	63,32	20,53	ГОСТ 25395-90
52530000000251	0	BK8		1251	3195,29	498,46	156,00	ГОСТ 25395-90
52530000000252	0	BK8		1252	3195,95	484,19	151,5	ГОСТ 25395-90
52530000000271	0	BK8		1271	3189,67	663,45	208,00	ГОСТ 25395-90
52530000000272	0	BK8		1272	3190,26	641,24	201,00	ГОСТ 25395-90
52530000000291	0	BK8		1291	4155,03	1,83	0,44	ГОСТ 25395-90
52530000000311	0	BK8		1311	3886,46	3,42	0,88	ГОСТ 25395-90
52530000000331	0	BK8		1331	3658,06	5,63	1,75	ГОСТ 25395-90
52530000000351	0	BK8		1351	3412,5	10,51	3,25	ГОСТ 25395-90
52530000000352	0	BK8		1352	3414,5	10,45	3,06	ГОСТ 25395-90
52530000000371	0	BK8		1371	3241,88	19,61	6,05	ГОСТ 25395-90
52530000000372	0	BK8		1372	3257,86	18,24	5,9	ГОСТ 25395-90
52530000000391	0	BK8		1391	3129,89	39,12	12,5	ГОСТ 25395-90
52530000000392	0	BK8		1392	3134,21	37,74	12,04	ГОСТ 25395-90
52530000000411	0	BK8		1411	3254,13	138,3	42,5	ГОСТ 25395-90
52530000000412	0	BK8		1412	3259,18	130,24	39,96	ГОСТ 25395-90
52530000000431	0	BK8		1431	3218,72	244,62	76,00	ГОСТ 25395-90
52530000000432	0	BK8		1432	3221,32	231,55	71,88	ГОСТ 25395-90
52530000000451	0	BK8		1451	3198,02	444,53	139,00	ГОСТ 25395-90
52530000000452	0	BK8		1452	3199,36	422,31	132,00	ГОСТ 25395-90
52530000000471	0	BK8		1471	3188,19	726,91	228,00	ГОСТ 25395-90
52530000000472	0	BK8		1472	3188,97	692,01	217,00	ГОСТ 25395-90
52530000000491	0	BK8		1491	3210,01	301,74	94,00	ГОСТ 25395-90
52530000000492	0	BK8		1492	3211,22	292,22	91,00	ГОСТ 25395-90
52531510000335	0	BK8	1010-0335		4048,94	72,15	17,82	ГОСТ 10284-74
52531510000347	0	BK8	1010-0347		3832,8	656,6	171,31	ГОСТ 10284-74
52531510000703	0	BK8	1010-0703		3914,59	175,1	44,73	ГОСТ 10284-74
52531510000706	0	BK8	1010-0706		3860,28	347,58	90,04	ГОСТ 10284-74
52531510000712	0	BK8	1010-0712		3844,25	480,53	125,00	ГОСТ 10284-74
52531510000715	0	BK8	1010-0715		3845,1	471,06	122,51	ГОСТ 10284-74
52531510000716	0	BK8	1010-0716		3816,6	1337,83	350,53	ГОСТ 10284-74
52531510000717	0	BK8	1010-0717		3826,9	807,48	213,1	ГОСТ 10284-74
52531510000718	0	BK8	1010-0718		3670,97	347,27	170,5	ГОСТ 10284-74
52531510000721	0	BK8	1010-0721		3817,04	1301,95	341,09	ГОСТ 10284-74
52531510000722	0	BK8	1010-0722		3817,11	1296,02	339,53	ГОСТ 10284-74
52531510000723	0	BK8	1010-0723		3981,74	1999,47	502,16	ГОСТ 10284-74
52531510000724	0	BK8	1010-0724		3982,09	1955,69	491,12	ГОСТ 10284-74
52531510000727	0	BK8	1010-0727		3810,72	2129,05	564,45	ГОСТ 10284-74
52531510000728	0	BK8	1010-0728		4014,28	3103,04	781,4	ГОСТ 10284-74
52531510000734	0	BK8	1010-0734		3976,99	2861,45	719,5	ГОСТ 10284-74
52531510000743	0	BK8	1010-0743		3972,92	4530,16	1151,9	ГОСТ 10284-74
52531510000748	0	BK8	1010-0748		3969,92	7929,8	1915,1	ГОСТ 10284-74
52531510000775	0	BK8	1010-0775		3978,01	2618,69	665,00	ГОСТ 10284-74
52531510000911	0	BK8	1010-0911		3824,61	885,78	231,6	ГОСТ 10284-74
52531510001708	0	BK8	1010-1708		3645,5	1263,13	346,49	ГОСТ 10284-74
52531510001711	0	BK8	1010-1711		3645,6	1249,97	342,87	ГОСТ 10284-74
52531510001721	0	BK8	1010-1721		4165,23	28,62	6,87	ГОСТ 10284-74
52531510001722	0	BK8	1010-1722		3903,07	32,12	8,23	ГОСТ 10284-74
52531510001726	0	BK8	1010-1726		3929,77	27,63	7,3	ГОСТ 10284-74
52531510001727	0	BK8	1010-1727		3937,3	26,5	6,8	ГОСТ 10284-74
52531510001728	0	BK8	1010-1728		3831,27	50,11	13,08	ГОСТ 10284-74
52531510001729	0	BK8	1010-1729		3839,98	47,27	12,5	ГОСТ 10284-74
52531510001732	0	BK8	1010-1732		3851,73	43,79	11,6	ГОСТ 10284-74
52531510001733	0	BK8	1010-1733		3866,71	39,87	10,5	ГОСТ 10284-74
52531510001734	0	BK8	1010-1734		3736,45	112,28	30,05	ГОСТ 10284-74
52531510001736	0	BK8	1010-1736		3742,99	104,5	28,4	ГОСТ 10284-74

52531510001737	0	BK8	1010-1737	3701,15	180,88	49,6	ГОСТ 10284-74
52531510001738	0	BK8	1010-1738	3703,75	173,41	47,6	ГОСТ 10284-74
52531510001746	0	BK8	1010-1746	3657,58	566,19	154,8	ГОСТ 10284-74
52531510001803	0	BK8	1010-1803	3637,17	7360,9	2023,8	ГОСТ 10284-74
52531510071820	0	BK8	1010-0718*20	3864,71	322,55	85,25	ГОСТ 10284-74
52531810027751	0	BK8	2775/1	4210,13	6500,44	1544,00	ТУ 48-4207-7-89
52531810027752	0	BK8	2775/2	4208,5	8816,81	2095,00	ТУ 48-4207-7-89
52531810027753	0	BK8	2775/3	4207,65	10826,29	2573,00	ТУ 48-4207-7-89
52531810027754	0	BK8	2775/4	4207,33	11856,25	2818,00	ТУ 48-4207-7-89
52531810027755	0	BK8	2775/5	4207,18	12373,33	2941,00	ТУ 48-4207-7-89
52532010000351	0	BK8	1011-0351	3836,16	48,49	12,64	ГОСТ 19106-73
52532010000352	0	BK8	1011-0352	3805,91	60,02	15,77	ГОСТ 19106-73
52532010000353	0	BK8	1011-0353	3783,58	71,51	18,9	ГОСТ 19106-73
52532010000354	0	BK8	1011-0354	3792,8	66,37	18,9	ГОСТ 19106-73
52532010000355	0	BK8	1011-0355	3767,06	82,5	23,65	ГОСТ 19106-73
52532010000356	0	BK8	1011-0356	3748,55	98,59	28,4	ГОСТ 19106-73
52532010000357	0	BK8	1011-0357	3723,95	130,34	37,8	ГОСТ 19106-73
52532010000358	0	BK8	1011-0358	3760,1	87,99	25,27	ГОСТ 19106-73
52532010000359	0	BK8	1011-0359	3720,75	135,81	39,42	ГОСТ 19106-73
52532010000361	0	BK8	1011-0361	3707,98	162,41	47,3	ГОСТ 19106-73
52532010000362	0	BK8	1011-0362	3691,27	215,57	63,07	ГОСТ 19106-73
52532010000363	0	BK8	1011-0363	3680,82	268,7	78,84	ГОСТ 19106-73
52532010000364	0	BK8	1011-0364	3672,31	334,18	98,6	ГОСТ 19106-73
52532010000365	0	BK8	1011-0365	3673,66	321,81	94,61	ГОСТ 19106-73
52532010000367	0	BK8	1011-0367	3658,87	534,2	157,68	ГОСТ 19106-73
52532010000368	0	BK8	1011-0368	3654,31	666,91	197,1	ГОСТ 19106-73
52532010000369	0	BK8	1011-0369	3650,26	852,7	252,29	ГОСТ 19106-73
52532010000371	0	BK8	1011-0371	3736,88	111,73	32,29	ГОСТ 19106-73
52532010000372	0	BK8	1011-0372	3693,47	206,83	60,48	ГОСТ 19106-73
52532010000373	0	BK8	1011-0373	3684,4	247,96	72,68	ГОСТ 19106-73
52532010000374	0	BK8	1011-0374	3672,81	329,45	96,88	ГОСТ 19106-73
52532010000375	0	BK8	1011-0375	3665,66	410,92	121,07	ГОСТ 19106-73
52532010000376	0	BK8	1011-0376	3659,81	513,11	151,42	ГОСТ 19106-73
52532010000377	0	BK8	1011-0377	3654,62	655,64	193,75	ГОСТ 19106-73
52532010000379	0	BK8	1011-0379	3653,87	682,91	201,85	ГОСТ 19106-73
52532010000381	0	BK8	1011-0381	3649,92	873,06	258,34	ГОСТ 19106-73
52532010000382	0	BK8	1011-0382	3934,29	147,14	40,39	ГОСТ 19106-73
52532010000383	0	BK8	1011-0383	3876,21	271,33	75,6	ГОСТ 19106-73
52532010000384	0	BK8	1011-0384	3675,21	308,72	90,72	ГОСТ 19106-73
52532010000385	0	BK8	1011-0385	3665,66	410,92	121,07	ГОСТ 19106-73
52532010000386	0	BK8	1011-0386	3659,81	513,11	151,42	ГОСТ 19106-73
52532010000387	0	BK8	1011-0387	3655,07	640,37	189,22	ГОСТ 19106-73
52532010000388	0	BK8	1011-0388	3650,86	818,89	242,24	ГОСТ 19106-73
52532010000389	0	BK8	1011-0389	3653,88	682,55	201,74	ГОСТ 19106-73
52532010000391	0	BK8	1011-0391	3647,07	1090,47	322,92	ГОСТ 19106-73
52532010000392	0	BK8	1011-0392	3644,77	1362,41	403,7	ГОСТ 19106-73
52532010000393	0	BK8	1011-0393	3650,26	852,7	252,29	ГОСТ 19106-73
52532010000394	0	BK8	1011-0394	3644,77	1362,41	403,7	ГОСТ 19106-73
52532010000395	0	BK8	1011-0395	3642,92	1701,97	504,58	ГОСТ 19106-73
52532010000396	0	BK8	1011-0396	3647,34	1065,02	292,00	ГОСТ 19106-73
52532010000398	0	BK8	1011-0398	3642,92	1701,97	504,58	ГОСТ 19106-73
52532010000399	0	BK8	1011-0399	3641,43	2126,6	584,00	ГОСТ 19106-73
52532010000401	0	BK8	1011-0401	3910,25	182,61	50,44	ГОСТ 19106-73
52532010000402	0	BK8	1011-0402	3861,85	338,3	94,61	ГОСТ 19106-73
52532010000403	0	BK8	1011-0403	3852,13	404,86	113,51	ГОСТ 19106-73
52532010000404	0	BK8	1011-0404	3659,83	512,74	151,31	ГОСТ 19106-73
52532010000405	0	BK8	1011-0405	3655,07	640,37	189,22	ГОСТ 19106-73
52532010000406	0	BK8	1011-0406	3651,23	799,62	236,52	ГОСТ 19106-73
52532010000407	0	BK8	1011-0407	3647,83	1022,49	302,72	ГОСТ 19106-73
52532010000408	0	BK8	1011-0408	3650,26	852,7	233,6	ГОСТ 19106-73
52532010000409	0	BK8	1011-0409	3647,34	1065,02	315,36	ГОСТ 19106-73
52532010000411	0	BK8	1011-0411	3644,77	1362,41	403,7	ГОСТ 19106-73
52532010000412	0	BK8	1011-0412	3641,43	2126,6	630,72	ГОСТ 19106-73
52532010000413	0	BK8	1011-0413	3640,24	2657,37	788,4	ГОСТ 19106-73
52532010000415	0	BK8	1011-0415	3640,24	2657,37	788,4	ГОСТ 19106-73
52532010000416	0	BK8	1011-0416	3639,28	3320,84	985,5	ГОСТ 19106-73
52532010000417	0	BK8	1011-0417	3638,44	4249,7	1261,44	ГОСТ 19106-73
52532010000418	0	BK8	1011-0418	3893,39	218,42	60,59	ГОСТ 19106-73
52532010000419	0	BK8	1011-0419	3852,13	404,86	113,51	ГОСТ 19106-73
52532010000421	0	BK8	1011-0421	3843,88	484,71	126,1	ГОСТ 19106-73
52532010000422	0	BK8	1011-0422	3655,88	614,55	181,55	ГОСТ 19106-73
52532010000423	0	BK8	1011-0423	3651,88	767,62	227,02	ГОСТ 19106-73
52532010000424	0	BK8	1011-0424	3648,64	958,86	283,82	ГОСТ 19106-73
52532010000425	0	BK8	1011-0425	3645,79	1226,44	363,31	ГОСТ 19106-73
52532010000426	0	BK8	1011-0426	3647,83	1022,49	302,72	ГОСТ 19106-73
52532010000427	0	BK8	1011-0427	3645,38	1277,34	378,43	ГОСТ 19106-73
52532010000428	0	BK8	1011-0428	3643,23	1633,99	448,5	ГОСТ 19106-73

52532010000429	0	BK8	1011-0429	3640,44	2551,22	756,86	ГОСТ 19106-73
52532010000431	0	BK8	1011-0431	3639,44	3188,15	946,08	ГОСТ 19106-73
52532010000432	0	BK8	1011-0432	3638,57	4079,92	1211,00	ГОСТ 19106-73
52532010000433	0	BK8	1011-0433	3639,44	3188,15	946,08	ГОСТ 19106-73
52532010000434	0	BK8	1011-0434	3638,64	3984,31	1182,6	ГОСТ 19106-73
52532010000435	0	BK8	1011-0435	3637,94	5098,94	1513,73	ГОСТ 19106-73
52532010000436	0	BK8	1011-0436	3639,61	3060,91	908,28	ГОСТ 19106-73
52532010000437	0	BK8	1011-0437	3638,77	3825,08	1135,3	ГОСТ 19106-73
52532010000438	0	BK8	1011-0438	3638,11	4780,47	1314,00	ГОСТ 19106-73
52532010000439	0	BK8	1011-0439	1774,26	2984,13	1681,9	ГОСТ 19106-73
52532010000441	0	BK8	1011-0441	3881,15	253,83	70,63	ГОСТ 19106-73
52532010000442	0	BK8	1011-0442	3845,07	471,41	132,41	ГОСТ 19106-73
52532010000443	0	BK8	1011-0443	3837,89	564,94	147,2	ГОСТ 19106-73
52532010000444	0	BK8	1011-0444	3653,02	716,72	211,9	ГОСТ 19106-73
52532010000445	0	BK8	1011-0445	3649,57	895,24	264,92	ГОСТ 19106-73
52532010000447	0	BK8	1011-0447	3644,33	1430,4	423,9	ГОСТ 19106-73
52532010000448	0	BK8	1011-0448	3646,09	1192,27	353,16	ГОСТ 19106-73
52532010000449	0	BK8	1011-0449	3643,98	1489,66	441,5	ГОСТ 19106-73
52532010000452	0	BK8	1011-0452	3639,73	2975,84	883,01	ГОСТ 19106-73
52532010000454	0	BK8	1011-0454	3638,12	4759,39	1412,86	ГОСТ 19106-73
52532010000455	0	BK8	1011-0455	3638,87	3718,92	1103,76	ГОСТ 19106-73
52532010000456	0	BK8	1011-0456	3638,18	4649,6	1380,24	ГОСТ 19106-73
52532010000457	0	BK8	1011-0457	3637,58	5947,44	1635,00	ГОСТ 19106-73
52532010000458	0	BK8	1011-0458	3638,3	4460,55	1324,08	ГОСТ 19106-73
52532010000462	0	BK8	1011-0462	3804,61	5444,4	1545,48	ГОСТ 19106-73
52532010000464	0	BK8	1011-0464	4066,49	304,17	80,78	ГОСТ 19106-73
52532010000465	0	BK8	1011-0465	3839,69	538,32	151,42	ГОСТ 19106-73
52532010000466	0	BK 8	1011-0466	3833,38	644,77	168,2	ГОСТ 19106-73
52532010000467	0	BK8	1011-0467	3650,86	818,89	242,24	ГОСТ 19106-73
52532010000471	0	BK8	1011-0471	3643,23	1633,99	484,38	ГОСТ 19106-73
52532010000472	0	BK8	1011-0472	3644,77	1362,41	403,7	ГОСТ 19106-73
52532010000473	0	BK8	1011-0473	3642,92	1701,97	504,58	ГОСТ 19106-73
52532010000475	0	BK8	1011-0475	3639,19	3399,37	1009,15	ГОСТ 19106-73
52532010000476	0	BK8	1011-0476	3638,44	4249,7	1261,44	ГОСТ 19106-73
52532010000478	0	BK8	1011-0478	3638,44	4249,7	1261,44	ГОСТ 19106-73
52532010000482	0	BK8	1011-0482	3637,94	5100,39	1514,16	ГОСТ 19106-73
52532010000483	0	BK8	1011-0483	3637,44	6372,79	1892,16	ГОСТ 19106-73
52532010000484	0	BK8	1011-0484	3637,00	8157,78	2422,44	ГОСТ 19106-73
52532010000486	0	BK8	1011-0486	3803,69	7109,1	2018,52	ГОСТ 19106-73
52532010000487	0	BK8	1011-0487	4056,00	341,11	90,83	ГОСТ 19106-73
52532010000488	0	BK8	1011-0488	3835,49	604,86	157,7	ГОСТ 19106-73
52532010000489	0	BK8	1011-0489	3829,84	724,61	189,2	ГОСТ 19106-73
52532010000492	0	BK8	1011-0492	3646,47	1150,1	340,63	ГОСТ 19106-73
52532010000495	0	BK8	1011-0495	3643,74	1532,19	454,14	ГОСТ 19106-73
52532010000496	0	BK8	1011-0496	3642,09	1914,29	567,65	ГОСТ 19106-73
52532010000497	0	BK8	1011-0497	3640,65	2449,43	726,62	ГОСТ 19106-73
52532010000498	0	BK8	1011-0498	3638,77	3824,35	1135,08	ГОСТ 19106-73
52532010000499	0	BK8	1011-0499	3638,11	4780,47	1419,12	ГОСТ 19106-73
52532010000505	0	BK8	1011-0505	3637,66	5736,59	1703,16	ГОСТ 19106-73
52532010000506	0	BK8	1011-0506	3637,38	6567,07	2128,68	ГОСТ 19106-73
52532010000508	0	BK8	1011-0508	3803,74	6998,88	1987,2	ГОСТ 19106-73
52532010000509	0	BK8	1011-0509	3803,36	7994,66	2270,16	ГОСТ 19106-73
52532010000511	0	BK8	1011-0511	3803,06	8994,23	2554,2	ГОСТ 19106-73
52532010000512	0	BK8	1011-0512	4047,48	378,03	100,87	ГОСТ 19106-73
52532010000514	0	BK8	1011-0514	3829,36	737,00	226,8	ГОСТ 19106-73
52532010000516	0	BK8	1011-0516	3645,4	1275,89	378,00	ГОСТ 19106-73
52532010000519	0	BK8	1011-0519	3638,44	4249,7	1261,44	ГОСТ 19106-73
52532010000521	0	BK8	1011-0521	3637,84	5311,24	1576,8	ГОСТ 19106-73
52532010000522	0	BK8	1011-0522	3637,44	6372,79	1892,16	ГОСТ 19106-73
52532010000523	0	BK8	1011-0523	3637,15	7434,33	2207,52	ГОСТ 19106-73
52532010000525	0	BK8	1011-0525	3802,6	11103,61	3153,6	ГОСТ 19106-73
52532010000526	0	BK8	1011-0526	4014,27	646,3	161,00	ГОСТ 19106-73
52532010000528	0	BK8	1011-0528	3824,67	883,5	249,48	ГОСТ 19106-73
52532010000531	0	BK8	1011-0531	3644,5	1403,13	415,8	ГОСТ 19106-73
52532010000532	0	BK8	1011-0532	3642,69	1755,78	520,56	ГОСТ 19106-73
52532010000534	0	BK8	1011-0534	3638,17	4675,04	1387,8	ГОСТ 19106-73
52532010000535	0	BK8	1011-0535	3804,18	6109,52	1734,48	ГОСТ 19106-73
52532010000537	0	BK8	1011-0537	3803,18	8549,55	2427,84	ГОСТ 19106-73
52532010000539	0	BK8	1011-0539	3802,43	12213,4	3468,96	ГОСТ 19106-73
52532010000542	0	BK8	1011-0542	4008,61	733,58	197,64	ГОСТ 19106-73
52532010000543	0	BK8	1011-0543	3992,94	1165,94	315,36	ГОСТ 19106-73
52532010000545	0	BK8	1011-0545	3812,67	1780,52	504,36	ГОСТ 19106-73
52532010000546	0	BK8	1011-0546	3641,43	2126,6	630,72	ГОСТ 19106-73
52532010000547	0	BK8	1011-0547	3640,24	2657,37	788,4	ГОСТ 19106-73
52532010000551	0	BK8	1011-0551	3803,76	6941,87	1971,00	ГОСТ 19106-73
52532010000552	0	BK8	1011-0552	3803,25	8329,12	2190,00	ГОСТ 19106-73
52532010000553	0	BK8	1011-0553	3802,6	11103,61	3153,6	ГОСТ 19106-73

52532010000554	0	BK8	1011-0554	3802,22	13878,1	3942,00	ГОСТ 19106-73
52532010000555	0	BK8	1011-0555	3801,91	17348,11	4928,04	ГОСТ 19106-73
52532010000556	0	BK8	1011-0556	4004,32	816,88	220,32	ГОСТ 19106-73
52532010000557	0	BK8	1011-0557	3990,09	1304,76	353,16	ГОСТ 19106-73
52532010000559	0	BK8	1011-0559	3811,4	1993,36	564,84	ГОСТ 19106-73
52532010000561	0	BK8	1011-0561	3809,27	2491,26	706,32	ГОСТ 19106-73
52532010000562	0	BK8	1011-0562	3807,55	3114,58	883,44	ГОСТ 19106-73
52532010000563	0	BK8	1011-0563	3806,05	3984,94	1130,76	ГОСТ 19106-73
52532010000564	0	BK8	1011-0564	3803,43	7774,22	2207,52	ГОСТ 19106-73
52532010000565	0	BK8	1011-0565	3802,51	11658,5	3311,28	ГОСТ 19106-73
52532010000568	0	BK8	1011-0568	3449,72	22036,81	6388,00	ГОСТ 19106-73
52532010000569	0	BK8	1011-0569	3967,04	28380,17	7726,32	ГОСТ 19106-73
52532010000571	0	BK8	1011-0571	3999,5	935,88	252,72	ГОСТ 19106-73
52532010000572	0	BK8	1011-0572	3967,06	27801,15	7568,64	ГОСТ 19106-73
52532010000581	0	BK8	1011-0581	4023,26	16,62	4,46	ГОСТ 19106-73
52532010000582	0	BK8	1011-0582	3922,37	28,79	7,93	ГОСТ 19106-73
52532010000583	0	BK8	1011-0583	3892,02	34,25	9,5	ГОСТ 19106-73
52532010000584	0	BK8	1011-0584	3847,46	45,02	12,64	ГОСТ 19106-73
52532010000585	0	BK8	1011-0585	3815,17	56,08	15,88	ГОСТ 19106-73
52532010000586	0	BK8	1011-0586	3850,03	44,28	12,42	ГОСТ 19106-73
52532010000587	0	BK8	1011-0587	3823,77	52,77	14,9	ГОСТ 19106-73
52532010000588	0	BK8	1011-0588	3787,4	69,31	19,76	ГОСТ 19106-73
52532010000589	0	BK8	1011-0589	3762,34	86,16	24,73	ГОСТ 19106-73
52532010000591	0	BK8	1011-0591	3740,5	107,35	31,00	ГОСТ 19106-73
52532010000592	0	BK8	1011-0592	3800,12	62,7	17,82	ГОСТ 19106-73
52532010000593	0	BK8	1011-0593	3778,2	74,81	21,38	ГОСТ 19106-73
52532010000594	0	BK8	1011-0594	3748,19	98,95	28,51	ГОСТ 19106-73
52532010000595	0	BK8	1011-0595	3728,61	123,04	35,64	ГОСТ 19106-73
52532010000596	0	BK8	1011-0596	3711,9	153,3	44,6	ГОСТ 19106-73
52532010000597	0	BK8	1011-0597	3764,18	84,69	24,3	ГОСТ 19106-73
52532010000598	0	BK8	1011-0598	3746,08	101,14	29,16	ГОСТ 19106-73
52532010000601	0	BK8	1011-0601	3706,38	166,42	44,9	ГОСТ 19106-73
52532010000602	0	BK8	1011-0602	3693,28	207,56	60,7	ГОСТ 19106-73
52532010000603	0	BK8	1011-0603	3681,47	264,7	77,65	ГОСТ 19106-73
52532010000604	0	BK8	1011-0604	3738,66	109,54	31,64	ГОСТ 19106-73
52532010000605	0	BK8	1011-0605	3723,51	131,07	38,02	ГОСТ 19106-73
52532010000606	0	BK8	1011-0606	3703,65	173,7	50,65	ГОСТ 19106-73
52532010000607	0	BK8	1011-0607	3691,01	216,66	63,4	ГОСТ 19106-73
52532010000608	0	BK8	1011-0608	3680,59	270,16	79,27	ГОСТ 19106-73
52532010000609	0	BK8	1011-0609	3671,23	344,73	101,41	ГОСТ 19106-73
52532010000611	0	BK8	1011-0611	3719,53	137,99	40,07	ГОСТ 19106-73
52532010000613	0	BK8	1011-0613	3690,41	219,21	64,15	ГОСТ 19106-73
52532010000614	0	BK8	1011-0614	3680,07	273,43	80,24	ГОСТ 19106-73
52532010000615	0	BK8	1011-0615	3671,63	340,73	100,22	ГОСТ 19106-73
52532010000616	0	BK8	1011-0616	3664,02	435,29	128,3	ГОСТ 19106-73
52532010000617	0	BK8	1011-0617	3705,13	169,69	45,8	ГОСТ 19106-73
52532010000618	0	BK8	1011-0618	3694,44	203,19	55,00	ГОСТ 19106-73
52532010000619	0	BK8	1011-0619	3680,59	270,16	79,27	ГОСТ 19106-73
52532010000621	0	BK8	1011-0621	3672,04	336,73	99,04	ГОСТ 19106-73
52532010000622	0	BK8	1011-0622	3665,03	420,01	114,6	ГОСТ 19106-73
52532010000623	0	BK8	1011-0623	3658,76	536,74	158,44	ГОСТ 19106-73
52532010000624	0	BK8	1011-0624	3654,22	670,18	198,07	ГОСТ 19106-73
52532010000625	0	BK8	1011-0625	3693,95	205,01	59,94	ГОСТ 19106-73
52532010000627	0	BK8	1011-0627	3673,17	326,18	88,8	ГОСТ 19106-73
52532010000631	0	BK8	1011-0631	3654,82	648,73	191,7	ГОСТ 19106-73
52532010000633	0	BK8	1011-0633	3647,96	1011,94	299,59	ГОСТ 19106-73
52532010000636	0	BK8	1011-0636	3665,03	420,01	114,6	ГОСТ 19106-73
52532010000637	0	BK8	1011-0637	3659,3	524,38	154,76	ГОСТ 19106-73
52532010000638	0	BK8	1011-0638	3654,66	654,55	193,43	ГОСТ 19106-73
52532010000639	0	BK8	1011-0639	3650,54	836,7	247,54	ГОСТ 19106-73
52532010000641	0	BK8	1011-0641	3647,57	1045,03	309,42	ГОСТ 19106-73
52532010000642	0	BK8	1011-0642	3816,27	1366,99	386,86	ГОСТ 19106-73
52532010000644	0	BK8	1011-0644	3672,73	330,18	97,09	ГОСТ 19106-73
52532010000646	0	BK8	1011-0646	3659,22	526,2	155,3	ГОСТ 19106-73
52532010000648	0	BK8	1011-0648	3650,84	819,98	242,57	ГОСТ 19106-73
52532010000649	0	BK8	1011-0649	3647,53	1048,66	287,5	ГОСТ 19106-73
52532010000651	0	BK8	1011-0651	3645,14	1310,06	388,15	ГОСТ 19106-73
52532010000652	0	BK8	1011-0652	3813,14	1713,24	485,24	ГОСТ 19106-73
52532010000655	0	BK8	1011-0655	3659,71	515,29	140,8	ГОСТ 19106-73
52532010000656	0	BK8	1011-0656	3653,8	685,82	202,82	ГОСТ 19106-73
52532010000657	0	BK8	1011-0657	3650,19	856,7	253,48	ГОСТ 19106-73
52532010000658	0	BK8	1011-0658	3647,29	1070,11	316,87	ГОСТ 19106-73
52532010000659	0	BK8	1011-0659	3644,73	1368,96	375,6	ГОСТ 19106-73
52532010000661	0	BK8	1011-0661	3642,88	1710,33	507,06	ГОСТ 19106-73
52532010000663	0	BK8	1011-0663	3808,66	2682,06	704,2	ГОСТ 19106-73
52532010000664	0	BK8	1011-0664	3658,49	543,29	160,38	ГОСТ 19106-73
52532010000665	0	BK8	1011-0665	3654,75	651,28	192,46	ГОСТ 19106-73

52532010000668	0	BK8	1011-0668	3644,83	1353,33	401,00	ГОСТ 19106-73
52532010000671	0	BK8	1011-0671	3641,33	2163,32	641,63	ГОСТ 19106-73
52532010000676	0	BK8	1011-0676	3647,29	1070,11	316,87	ГОСТ 19106-73
52532010000677	0	BK8	1011-0677	3644,95	1336,97	396,14	ГОСТ 19106-73
52532010000678	0	BK8	1011-0678	3643,06	1669,98	495,07	ГОСТ 19106-73
52532010000679	0	BK8	1011-0679	3641,41	2133,14	633,74	ГОСТ 19106-73
52532010000681	0	BK8	1011-0681	3640,22	2670,1	792,18	ГОСТ 19106-73
52532010000682	0	BK8	1011-0682	3806,82	3486,67	990,25	ГОСТ 19106-73
52532010000683	0	BK8	1011-0683	3805,8	4186,37	1188,00	ГОСТ 19106-73
52532010000684	0	BK8	1011-0684	3650,36	847,25	250,67	ГОСТ 19106-73
52532010000686	0	BK8	1011-0686	3644,83	1353,33	401,00	ГОСТ 19106-73
52532010000687	0	BK8	1011-0687	3642,97	1691,07	501,34	ГОСТ 19106-73
52532010000688	0	BK8	1011-0688	3641,47	2112,78	626,62	ГОСТ 19106-73
52532010000689	0	BK8	1011-0689	3640,16	2703,54	802,12	ГОСТ 19106-73
52532010000691	0	BK8	1011-0691	3806,74	3533,8	1002,56	ГОСТ 19106-73
52532010000692	0	BK8	1011-0692	3805,53	4414,42	1252,8	ГОСТ 19106-73
52532010000693	0	BK8	1011-0693	3637,95	5067,67	1504,44	ГОСТ 19106-73
52532010000695	0	BK8	1011-0695	3643,06	1669,98	495,07	ГОСТ 19106-73
52532010000696	0	BK8	1011-0696	3641,55	2086,97	618,95	ГОСТ 19106-73
52532010000697	0	BK8	1011-0697	3640,33	2607,57	773,6	ГОСТ 19106-73
52532010000698	0	BK8	1011-0698	3639,26	3336,84	990,25	ГОСТ 19106-73
52532010000699	0	BK8	1011-0699	3638,5	4169,72	1237,68	ГОСТ 19106-73
52532010000701	0	BK8	1011-0701	3804,61	5452,00	1547,64	ГОСТ 19106-73
52532010000702	0	BK8	1011-0702	3803,95	6539,00	1856,52	ГОСТ 19106-73
52532010000703	0	BK8	1011-0703	3643,83	1515,83	449,28	ГОСТ 19106-73
52532010000705	0	BK8	1011-0705	3640,49	2524,32	748,87	ГОСТ 19106-73
52532010000706	0	BK8	1011-0706	3639,48	3154,34	866,7	ГОСТ 19106-73
52532010000707	0	BK8	1011-0707	3638,6	4035,21	1197,72	ГОСТ 19106-73
52532010000708	0	BK8	1011-0708	3637,97	5045,86	1497,96	ГОСТ 19106-73
52532010000709	0	BK8	1011-0709	3637,46	6307,35	1734,00	ГОСТ 19106-73
52532010000711	0	BK8	1011-0711	3803,39	7911,04	2080,00	ГОСТ 19106-73
52532010000713	0	BK8	1011-0713	3640,74	2403,62	713,02	ГОСТ 19106-73
52532010000714	0	BK8	1011-0714	3639,69	3003,47	891,22	ГОСТ 19106-73
52532010000715	0	BK8	1011-0715	3638,84	3755,28	1114,56	ГОСТ 19106-73
52532010000716	0	BK8	1011-0716	3638,09	4802,28	1425,6	ГОСТ 19106-73
52532010000717	0	BK8	1011-0717	3637,56	6001,98	1782,00	ГОСТ 19106-73
52532010000719	0	BK8	1011-0719	3802,95	9416,11	2476,00	ГОСТ 19106-73
52532010000721	0	BK8	1011-0721	3639,96	2820,24	836,78	ГОСТ 19106-73
52532010000722	0	BK8	1011-0722	3639,06	3524,43	1045,98	ГОСТ 19106-73
52532010000723	0	BK8	1011-0723	3638,33	4406,02	1307,88	ГОСТ 19106-73
52532010000724	0	BK8	1011-0724	3637,7	5638,43	1674,00	ГОСТ 19106-73
52532010000725	0	BK8	1011-0725	3637,24	7045,34	2091,96	ГОСТ 19106-73
52532010000726	0	BK8	1011-0726	3803,22	8434,17	2614,68	ГОСТ 19106-73
52532010000727	0	BK8	1011-0727	3802,61	11046,6	2905,00	ГОСТ 19106-73
52532010000728	0	BK8	1011-0728	3639,34	3269,95	970,38	ГОСТ 19106-73
52532010000729	0	BK8	1011-0729	3638,56	4086,1	1212,84	ГОСТ 19106-73
52532010000731	0	BK8	1011-0731	3637,93	5107,66	1516,32	ГОСТ 19106-73
52532010000732	0	BK8	1011-0732	3637,39	6536,38	1940,76	ГОСТ 19106-73
52532010000733	0	BK8	1011-0733	3636,99	8168,69	2425,68	ГОСТ 19106-73
52532010000736	0	BK8	1011-0736	3638,84	3755,28	1114,56	ГОСТ 19106-73
52532010000738	0	BK8	1011-0738	3637,61	5863,83	1740,96	ГОСТ 19106-73
52532010000739	0	BK8	1011-0739	3637,13	7503,41	2228,04	ГОСТ 19106-73
52532010000741	0	BK8	1011-0741	3636,79	9379,29	2785,32	ГОСТ 19106-73
52532010000742	0	BK8	1011-0742	3802,42	12255,21	3480,84	ГОСТ 19106-73
52532010000743	0	BK8	1011-0743	3802,13	14706,64	4177,44	ГОСТ 19106-73
52532010000745	0	BK8	1011-0745	3637,83	5336,69	1584,36	ГОСТ 19106-73
52532010000746	0	BK8	1011-0746	3637,35	6670,89	1980,72	ГОСТ 19106-73
52532010000747	0	BK8	1011-0747	3637,32	6754,51	2005,56	ГОСТ 19106-73
52532010000748	0	BK8	1011-0748	3636,94	8441,35	2506,68	ГОСТ 19106-73
52532010000749	0	BK8	1011-0749	3637,13	7525,22	2069,00	ГОСТ 19106-73
52532010000751	0	BK8	1011-0751	3636,79	9401,1	2791,8	ГОСТ 19106-73
52532010000752	0	BK8	1011-0752	3636,96	8335,92	2475,36	ГОСТ 19106-73
52532010000753	0	BK8	1011-0753	3636,66	10419,02	3094,2	ГОСТ 19106-73
52532010000754	0	BK8	1011-0754	3636,41	13025,62	3868,56	ГОСТ 19106-73
52532010000755	0	BK8	1011-0755	3636,21	16264,78	4830,84	ГОСТ 19106-73
52532010000761	0	BK8	1011-0761	3930,5	27,51	7,56	ГОСТ 19106-73
52532010000762	0	BK8	1011-0762	3897,72	33,13	9,18	ГОСТ 19106-73
52532010000763	0	BK8	1011-0763	3852,66	43,54	12,2	ГОСТ 19106-73
52532010000764	0	BK8	1011-0764	3932,98	27,14	7,45	ГОСТ 19106-73
52532010000765	0	BK8	1011-0765	3901,66	32,38	8,96	ГОСТ 19106-73
52532010000766	0	BK8	1011-0766	3856,73	42,42	11,88	ГОСТ 19106-73
52532010000767	0	BK8	1011-0767	3860,96	41,31	11,56	ГОСТ 19106-73
52532010000768	0	BK8	1011-0768	3833,24	49,45	13,93	ГОСТ 19106-73
52532010000769	0	BK8	1011-0769	3794,93	65,27	18,58	ГОСТ 19106-73
52532010000771	0	BK8	1011-0771	3769,04	81,03	23,22	ГОСТ 19106-73
52532010000772	0	BK8	1011-0772	3865,36	40,2	11,23	ГОСТ 19106-73
52532010000773	0	BK8	1011-0773	3837,76	47,97	13,5	ГОСТ 19106-73

52532010000774	0	BK8	1011-0774	3798,6	63,44	18,04	ГОСТ 19106-73
52532010000775	0	BK8	1011-0775	3772,14	78,84	22,57	ГОСТ 19106-73
52532010000776	0	BK8	1011-0776	3811,59	57,56	16,31	ГОСТ 19106-73
52532010000777	0	BK8	1011-0777	3788,71	68,58	19,55	ГОСТ 19106-73
52532010000778	0	BK8	1011-0778	3756,69	90,91	26,14	ГОСТ 19106-73
52532010000779	0	BK8	1011-0779	3736,02	112,83	32,62	ГОСТ 19106-73
52532010000781	0	BK8	1011-0781	3815,17	56,08	15,88	ГОСТ 19106-73
52532010000782	0	BK8	1011-0782	3792,1	66,74	19,01	ГОСТ 19106-73
52532010000783	0	BK8	1011-0783	3759,67	88,35	25,38	ГОСТ 19106-73
52532010000784	0	BK8	1011-0784	3738,66	109,54	31,64	ГОСТ 19106-73
52532010000785	0	BK8	1011-0785	3746,08	101,14	29,16	ГОСТ 19106-73
52532010000786	0	BK8	1011-0786	3730,1	120,86	34,99	ГОСТ 19106-73
52532010000787	0	BK8	1011-0787	3708,89	160,22	46,66	ГОСТ 19106-73
52532010000788	0	BK8	1011-0788	3695,44	199,55	58,32	ГОСТ 19106-73
52532010000789	0	BK8	1011-0789	3747,83	99,32	28,62	ГОСТ 19106-73
52532010000791	0	BK8	1011-0791	3731,64	118,67	34,34	ГОСТ 19106-73
52532010000792	0	BK8	1011-0792	3710,13	157,31	45,79	ГОСТ 19106-73
52532010000793	0	BK8	1011-0793	3696,47	195,91	57,24	ГОСТ 19106-73
52532010000794	0	BK8	1011-0794	3750,02	97,13	27,97	ГОСТ 19106-73
52532010000795	0	BK8	1011-0795	3733,78	115,75	33,48	ГОСТ 19106-73
52532010000796	0	BK8	1011-0796	3711,74	153,67	44,71	ГОСТ 19106-73
52532010000797	0	BK8	1011-0797	3691,9	213,02	55,84	ГОСТ 19106-73
52532010000798	0	BK8	1011-0798	3752,67	94,57	27,22	ГОСТ 19106-73
52532010000799	0	BK8	1011-0799	3735,73	113,19	32,72	ГОСТ 19106-73
52532010000801	0	BK8	1011-0801	3713,59	149,66	43,52	ГОСТ 19106-73
52532010000802	0	BK8	1011-0802	3699,34	186,45	54,43	ГОСТ 19106-73
52532010000803	0	BK8	1011-0803	3713,76	149,29	43,42	ГОСТ 19106-73
52532010000804	0	BK8	1011-0804	3701,86	178,8	52,16	ГОСТ 19106-73
52532010000805	0	BK8	1011-0805	3686,44	237,41	69,55	ГОСТ 19106-73
52532010000806	0	BK8	1011-0806	3676,84	295,99	86,94	ГОСТ 19106-73
52532010000807	0	BK8	1011-0807	3716,82	143,1	41,58	ГОСТ 19106-73
52532010000808	0	BK8	1011-0808	3704,58	171,15	49,9	ГОСТ 19106-73
52532010000809	0	BK8	1011-0809	3688,59	227,22	66,53	ГОСТ 19106-73
52532010000811	0	BK8	1011-0811	3678,6	283,25	83,16	ГОСТ 19106-73
52532010000812	0	BK8	1011-0812	3688,04	229,76	67,28	ГОСТ 19106-73
52532010000813	0	BK8	1011-0813	3679,79	275,25	80,78	ГОСТ 19106-73
52532010000814	0	BK8	1011-0814	3669,21	366,19	107,78	ГОСТ 19106-73
52532010000815	0	BK8	1011-0815	3662,72	456,74	134,68	ГОСТ 19106-73
52532010000816	0	BK8	1011-0816	3689,73	222,12	65,02	ГОСТ 19106-73
52532010000817	0	BK8	1011-0817	3681,29	265,79	77,98	ГОСТ 19106-73
52532010000818	0	BK8	1011-0818	3670,38	353,46	104,00	ГОСТ 19106-73
52532010000819	0	BK8	1011-0819	3663,68	440,74	129,92	ГОСТ 19106-73
52532010000821	0	BK8	1011-0821	3691,81	213,39	62,42	ГОСТ 19106-73
52532010000822	0	BK8	1011-0822	3683,08	255,24	74,84	ГОСТ 19106-73
52532010000823	0	BK8	1011-0823	3671,78	339,27	99,79	ГОСТ 19106-73
52532010000824	0	BK8	1011-0824	3664,81	423,29	124,74	ГОСТ 19106-73
52532010000825	0	BK8	1011-0825	3668,86	370,19	108,97	ГОСТ 19106-73
52532010000826	0	BK8	1011-0826	3663,52	443,29	130,68	ГОСТ 19106-73
52532010000827	0	BK8	1011-0827	3656,7	590,19	174,31	ГОСТ 19106-73
52532010000828	0	BK8	1011-0828	3652,55	736,72	217,84	ГОСТ 19106-73
52532010000829	0	BK8	1011-0829	3673,5	323,27	95,04	ГОСТ 19106-73
52532010000831	0	BK8	1011-0831	3667,44	387,28	114,05	ГОСТ 19106-73
52532010000832	0	BK8	1011-0832	3659,71	515,29	152,06	ГОСТ 19106-73
52532010000833	0	BK8	1011-0833	3654,97	643,64	190,19	ГОСТ 19106-73
52532010000834	0	BK8	1011-0834	3657,69	563,28	166,32	ГОСТ 19106-73
52532010000835	0	BK8	1011-0835	3654,07	675,64	199,69	ГОСТ 19106-73
52532010000836	0	BK8	1011-0836	3649,5	899,6	266,22	ГОСТ 19106-73
52532010000837	0	BK8	1011-0837	3646,73	1123,56	332,75	ГОСТ 19106-73
52532010000838	0	BK8	1011-0838	3658,84	534,92	157,9	ГОСТ 19106-73
52532010000839	0	BK8	1011-0839	3655,04	641,46	189,54	ГОСТ 19106-73
52532010000841	0	BK8	1011-0841	3650,24	854,16	252,72	ГОСТ 19106-73
52532010000842	0	BK8	1011-0842	3647,32	1066,84	315,9	ГОСТ 19106-73
52532010000843	0	BK8	1011-0843	3660,27	503,29	148,5	ГОСТ 19106-73
52532010000844	0	BK8	1011-0844	3656,25	603,28	178,2	ГОСТ 19106-73
52532010000845	0	BK8	1011-0845	3651,15	803,62	237,71	ГОСТ 19106-73
52532010000846	0	BK8	1011-0846	3648,06	1003,58	297,11	ГОСТ 19106-73
52532010000847	0	BK8	1011-0847	3650,42	843,61	249,59	ГОСТ 19106-73
52532010000848	0	BK8	1011-0848	3647,96	1011,58	299,48	ГОСТ 19106-73
52532010000849	0	BK8	1011-0849	3644,87	1347,51	399,28	ГОСТ 19106-73
52532010000851	0	BK8	1011-0851	3643,00	1683,43	499,07	ГОСТ 19106-73
52532010000852	0	BK8	1011-0852	3641,5	2103,33	623,81	ГОСТ 19106-73
52532010000854	0	BK8	1011-0854	3645,57	1253,35	371,3	ГОСТ 19106-73
52532010000855	0	BK8	1011-0855	3643,57	1566,00	464,18	ГОСТ 19106-73
52532010000856	0	BK8	1011-0856	3641,95	1956,46	580,18	ГОСТ 19106-73
52532010000857	0	BK8	1011-0857	3650,11	861,43	254,88	ГОСТ 19106-73
52532010000858	0	BK8	1011-0858	3646,5	1147,55	339,88	ГОСТ 19106-73
52532010000859	0	BK8	1011-0859	3644,31	1433,31	424,76	ГОСТ 19106-73

52532010000861	0	BK8	1011-0861	3642,55	1791,04	531,04	ГОСТ 19106-73
52532010000862	0	BK8	1011-0862	3645,28	1291,52	382,64	ГОСТ 19106-73
52532010000863	0	BK8	1011-0863	3642,84	1720,88	510,19	ГОСТ 19106-73
52532010000864	0	BK8	1011-0864	3641,37	2150,23	637,74	ГОСТ 19106-73
52532010000865	0	BK8	1011-0865	3640,19	2686,82	797,15	ГОСТ 19106-73
52532010000866	0	BK8	1011-0866	3646,42	1155,55	342,25	ГОСТ 19106-73
52532010000867	0	BK8	1011-0867	3643,7	1539,47	422,5	ГОСТ 19106-73
52532010000868	0	BK8	1011-0868	3642,06	1923,37	570,35	ГОСТ 19106-73
52532010000869	0	BK8	1011-0869	3640,74	2403,62	713,02	ГОСТ 19106-73
52532010000871	0	BK8	1011-0871	3639,91	2853,33	846,61	ГОСТ 19106-73
52532010000872	0	BK8	1011-0872	3639,02	3565,87	1058,29	ГОСТ 19106-73
52532010000873	0	BK8	1011-0873	3638,3	4456,55	1322,89	ГОСТ 19106-73
52532010000874	0	BK8	1011-0874	3641,23	2203,31	653,51	ГОСТ 19106-73
52532010000875	0	BK8	1011-0875	3640,07	2753,35	816,91	ГОСТ 19106-73
52532010000876	0	BK8	1011-0876	3639,15	3440,81	1021,14	ГОСТ 19106-73
52532010000877	0	BK8	1011-0877	3807,69	3054,91	802,3	ГОСТ 19106-73
52532010000878	0	BK8	1011-0878	3806,29	3816,95	1083,02	ГОСТ 19106-73
52532010000879	0	BK8	1011-0879	3805,17	4769,78	1353,78	ГОСТ 19106-73
52532010000881	0	BK8	1011-0881	3808,53	2723,86	772,42	ГОСТ 19106-73
52532010000882	0	BK8	1011-0882	3806,97	3403,43	965,52	ГОСТ 19106-73
52532010000883	0	BK8	1011-0883	3805,72	4252,51	1206,79	ГОСТ 19106-73
52532010000884	0	BK8	1011-0884	3805,52	4426,96	1256,36	ГОСТ 19106-73
52532010000885	0	BK8	1011-0885	3804,55	5532,2	1570,43	ГОСТ 19106-73
52532010000886	0	BK8	1011-0886	3973,66	4098,83	1114,02	ГОСТ 19106-73
52532010000887	0	BK8	1011-0887	3805,04	4906,22	1392,55	ГОСТ 19106-73
52532010000888	0	BK8	1011-0888	3804,93	5036,59	1429,6	ГОСТ 19106-73
52532010000889	0	BK8	1011-0889	3804,08	6294,61	1787,08	ГОСТ 19106-73
52532010000891	0	BK8	1011-0891	3804,09	6278,27	1782,43	ГОСТ 19106-73
52532010000892	0	BK8	1011-0892	3803,41	7846,43	2228,04	ГОСТ 19106-73
52532010000893	0	BK8	1011-0893	3804,47	5646,6	1602,94	ГОСТ 19106-73
52532010000894	0	BK8	1011-0894	3803,71	7056,65	2003,62	ГОСТ 19106-73
52532010000895	0	BK8	1011-0895	3803,34	8042,54	2283,77	ГОСТ 19106-73
52532010000896	0	BK8	1011-0896	3802,81	10051,58	2854,66	ГОСТ 19106-73
52532010000897	0	BK8	1011-0897	3970,07	7643,98	2079,43	ГОСТ 19106-73
52532010000898	0	BK8	1011-0898	3969,24	9553,17	2599,34	ГОСТ 19106-73
52532010000899	0	BK8	1011-0899	3970,35	7166,88	1949,51	ГОСТ 19106-73
52532010000901	0	BK8	1011-0901	3969,46	8956,7	2436,91	ГОСТ 19106-73
52532010000912	0	BK8	1011-0912	5371,56	3,81	0,77	ГОСТ 19106-73
52532010000913	0	BK8	1011-0913	5277,39	5,91	1,21	ГОСТ 19106-73
52532010000914	0	BK8	1011-0914	5154,99	9,02	1,89	ГОСТ 19106-73
52532010000915	0	BK8	1011-0915	4608,88	9,26	2,17	ГОСТ 19106-73
52532010000916	0	BK8	1011-0916	4489,91	14,46	3,48	ГОСТ 19106-73
52532010000917	0	BK8	1011-0917	4461,76	15,93	3,86	ГОСТ 19106-73
52532010000918	0	BK8	1011-0918	4626,51	33,08	7,72	ГОСТ 19106-73
52532010000919	0	BK8	1011-0919	3931,00	27,44	7,54	ГОСТ 19106-73
52532010000921	0	BK8	1011-0921	4099,49	57,23	15,08	ГОСТ 19106-73
52532010000922	0	BK8	1011-0922	3877,29	37,38	10,41	ГОСТ 19106-73
52532010000923	0	BK8	1011-0923	4034,01	77,78	20,82	ГОСТ 19106-73
52532010000924	0	BK8	1011-0924	3790,25	67,73	19,3	ГОСТ 19106-73
52532010000925	0	BK8	1011-0925	3725,59	127,68	37,01	ГОСТ 19106-73
52532010000926	0	BK8	1011-0926	3742,99	104,5	30,15	ГОСТ 19106-73
52532010000927	0	BK8	1011-0927	3879,35	259,95	72,37	ГОСТ 19106-73
52532010000928	0	BK8	1011-0928	3713,74	149,33	43,43	ГОСТ 19106-73
52532010000929	0	BK8	1011-0929	3856,49	372,15	104,22	ГОСТ 19106-73
52532010000932	0	BK8	1011-0932	3842,22	504,68	141,86	ГОСТ 19106-73
52532010000934	0	BK8	1011-0934	3659,35	523,14	154,4	ГОСТ 19106-73
52532010000935	0	BK8	1011-0935	3828,28	766,23	216,16	ГОСТ 19106-73
52532010000938	0	BK8	1011-0938	3822,6	968,27	273,56	ГОСТ 19106-73
52532010000939	0	BK8	1011-0939	3665,77	409,43	120,63	ГОСТ 19106-73
52532010000941	0	BK8	1011-0941	3650,93	815,54	241,25	ГОСТ 19106-73
52532010000942	0	BK8	1011-0942	3818,5	1194,16	337,75	ГОСТ 19106-73
52532010052531	0	BK8	1011-0525*31	3801,72	20536,87	5402,00	ГОСТ 19106-73
52532010100874	0	BK8	1011-0874A	3976,72	2934,82	738,00	ГОСТ 19106-73
52532220000001	0	BK8	П01	6550,92	1310,18	200,00	ТУ 48-19-67-78
525322200000003	0	BK8	П03	5628,73	2532,93	450,00	ТУ 48-19-67-78
525322200000014	0	BK8	П14	5614,44	8028,65	1430,00	ТУ 48-19-67-78
525322200000023	0	BK8	П23	5613,11	10047,47	1790,00	ТУ 48-19-67-78
525322200000031	0	BK8	П31	5616,09	6430,42	1145,00	ТУ 48-19-67-78
525322200000057	0	BK8	П57	5620,01	4355,51	775,00	ТУ 48-19-67-78
525322200000058	0	BK8	П58	5780,87	289,04	50,00	ТУ 48-19-67-78
525322200000065	0	BK8	П65	5611,23	15599,21	2780,00	ТУ 48-19-67-78
525322200000151	0	BK8	П15-1	5621,41	3906,88	695,00	ТУ 48-19-67-78
525322300000036	0	BK8	П36	5902,82	4545,11	769,99	ТУ 48-19-67-78
525322500000038	0	BK8	П38	5630,2	2364,69	420,00	ТУ 48-19-67-78
525322500000059	0	BK8	П59	5621,31	3934,92	700,00	ТУ 48-19-67-78
525322600000421	0	BK8	П42-1	5622,45	3626,48	645,00	ТУ 48-19-67-78
525322600000422	0	BK8	П42-2	5625,77	2953,53	525,00	ТУ 48-19-67-78

52532260000423	0	BK8	П42-3	5619,42	4579,82	815,00	TY 48-19-67-78
52532270000041	0	BK8	П41	5612,13	12346,68	2200,00	TY 48-19-67-78
52532280000037	0	BK8	П37	5615,71	6738,85	1200,00	TY 48-19-67-78
52532290000002	0	BK8	П02	6577,66	1052,42	160,00	TY 48-19-67-78
52532290000004	0	BK8	П04	5630,74	2308,61	410,00	TY 48-19-67-78
52532290000005	0	BK8	П05	5681,03	710,13	125,00	TY 48-19-67-78
52532290000006	0	BK8	П06	5618,69	4888,26	870,00	TY 48-19-67-78
52532290000007	0	BK8	П07	5617,88	5280,81	940,00	TY 48-19-67-78
52532290000008	0	BK8	П08	5619,01	4748,06	845,00	TY 48-19-67-78
52532290000009	0	BK8	П09	5651,07	1214,98	215,00	TY 48-19-67-78
52532290000010	0	BK8	П10	5617,78	5336,89	950,00	TY 48-19-67-78
52532290000011	0	BK8	П11	5629,69	2420,77	430,00	TY 48-19-67-78
52532290000012	0	BK8	П12	5617,00	5785,52	1030,00	TY 48-19-67-78
52532290000013	0	BK8	П13	5613,08	10103,55	1800,00	TY 48-19-67-78
52532290000015	0	BK8	П15	5614,94	7467,87	1330,00	TY 48-19-67-78
52532290000016	0	BK8	П16	5622,23	3682,56	655,00	TY 48-19-67-78
52532290000017	0	BK8	П17	5613,85	8813,75	1570,00	TY 48-19-67-78
52532290000018	0	BK8	П18	5622,34	3654,52	650,00	TY 48-19-67-78
52532290000019	0	BK8	П19	5616,09	6424,81	1144,00	TY 48-19-67-78
52532290000020	0	BK8	П20	5612,6	11112,96	1980,00	TY 48-19-67-78
52532290000021	0	BK8	П21	5613,74	8981,98	1600,00	TY 48-19-67-78
52532290000022	0	BK8	П22	5621,03	4019,04	715,00	TY 48-19-67-78
52532290000024	0	BK8	П24	5613,02	10215,7	1820,00	TY 48-19-67-78
52532290000025	0	BK8	П25	5616,66	6009,83	1070,00	TY 48-19-67-78
52532290000026	0	BK8	П26	5615,84	6626,69	1180,00	TY 48-19-67-78
52532290000027	0	BK8	П27	5653,13	1158,89	205,00	TY 48-19-67-78
52532290000028	0	BK8	П28	5629,89	2398,33	426,00	TY 48-19-67-78
52532290000029	0	BK8	П29	5615,07	7327,67	1305,00	TY 48-19-67-78
52532290000030	0	BK8	П30	5625,27	3037,65	540,00	TY 48-19-67-78
52532290000032	0	BK8	П32	5615,77	6682,77	1190,00	TY 48-19-67-78
52532290000052	0	BK8	П52	5623,54	3374,12	600,00	TY 48-19-67-78
52532290000053	0	BK8	П53	6566,24	1149,09	175,00	TY 48-19-67-78
52532290000054	0	BK8	П54	5617,67	5392,97	960,00	TY 48-19-67-78
525322900000511	0	BK8	П51-1	5641,21	1579,54	280,00	TY 48-19-67-78
525322900000512	0	BK8	П51-2	5622,34	3654,52	650,00	TY 48-19-67-78
52532300000043	0	BK8	П43	5624,08	3261,97	580,00	TY 48-19-67-78
52532310000044	0	BK8	П44	5628,28	2589,01	460,00	TY 48-19-67-78
52532330000046	0	BK8	П46	5614,03	8561,4	1525,00	TY 48-19-67-78
52532340000047	0	BK8	П47	5638,03	1747,79	310,00	TY 48-19-67-78
52532350000047	0	BK8	П47-A	5928,92	1808,32	305,00	TY 48-19-67-78
52532360000048	0	BK8	П48	5983,13	795,76	133,00	TY 48-19-67-78
52532380000033	0	BK8	П33	7335,19	293,41	40,00	TY 48-19-67-78
52532380000034	0	BK8	П34	7076,48	513,04	72,5	TY 48-19-67-78
52532380000035	0	BK8	П35	7145,36	428,72	60,00	TY 48-19-67-78
52532380000056	0	BK8	П56	6803,5	389,84	57,3	TY 48-19-67-78
52532430000049	0	BK8	П49	7295,25	13131,44	1800,00	TY 48-19-67-78
52532450000063	0	BK8	П63	5611,51	14408,11	2567,6	TY 48-19-67-78
52532520000201	0	BK8	Ш20-1	5929,63	1778,89	300,00	TY 48-19-67-78
52532520000202	0	BK8	Ш20-2	5929,63	1778,89	300,00	TY 48-19-67-78
52532530000025	0	BK8	Ш25	5918,72	2367,49	400,00	TY 48-19-67-78
52532550000028	0	BK8	Ш28	6174,02	10001,91	1620,00	TY 48-19-67-78
52532570000030	0	BK8	Ш30	5901,57	4898,3	830,00	TY 48-19-67-78
52532590000032	0	BK8	Ш32	6180,79	6180,79	1000,00	TY 48-19-67-78
52532770000052	0	BK8	Ш52	6236,06	1492,91	239,4	TY 48-19-67-78
52534570440000	0	BK8	298030440000	4227,05	1733,09	410,00	TY 48-19-136-75
52534570440001	0	BK8	298030440001	4229,18	1585,94	375,00	TY 48-19-136-75
52534570440002	0	BK8	298030440002	4232,59	1396,75	330,00	TY 48-19-136-75
52534570440003	0	BK8	298030440003	4237,4	1194,95	282,00	TY 48-19-136-75
52534570440004	0	BK8	298030440004	4245,00	972,1	229,00	TY 48-19-136-75
52534570440005	0	BK8	298030440005	4253,23	808,11	190,00	TY 48-19-136-75
52534570440006	0	BK8	298030440006	4263,66	665,13	156,00	TY 48-19-136-75
52534570440007	0	BK8	298030440007	4272,63	576,81	135,00	TY 48-19-136-75
52534570440008	0	BK8	298030440008	4293,85	437,97	102,00	TY 48-19-136-75
52534570440009	0	BK8	298030440009	4337,61	290,62	67,00	TY 48-19-136-75
52534570440010	0	BK8	298030440010	4356,72	252,69	58,00	TY 48-19-136-75
52534570440011	0	BK8	298030440011	4408,76	185,17	42,00	TY 48-19-136-75
52534570440012	0	BK8	298030440012	4450,8	151,33	34,00	TY 48-19-136-75
52534570440013	0	BK8	298030440013	4589,1	91,78	20,00	TY 48-19-136-75
52534570440014	0	BK8	298030440014	4641,63	78,91	17,00	TY 48-19-136-75
52534570440015	0	BK8	298030440015	4770,39	57,24	12,00	TY 48-19-136-75
52534570440016	0	BK8	298030440016	4685,41	70,28	15,00	TY 48-19-136-75
52536220031802	0	BK8	Ш010011 (ПР318-2)	4361,25	11,64	2,67	TY 48-19-161-90
52536220035700	0	BK8	Ш010012 (ПР357)	4525,01	4,16	0,92	TY 48-19-161-90
52536220036300	0	BK8	М010008 (ПР363)	6002,13	11,04	1,84	TY 48-19-161-90
52536220064201	0	BK8	М020006 (ПР642/1)	5550,62	495,67	89,3	TY 48-19-161-90
52536220064202	0	BK8	М020007 (ПР642/2)	5761,33	191,28	33,2	TY 48-19-161-90
52536220067800	0	BK8	Д010012(ПР678)	4624,48	0,92	0,2	TY 48-19-161-90

52536230009201	0	BK8	D020003 (ПР92-1)	4186,44	136,48	32,6	ТУ 48-19-161-90
52536230009202	0	BK8	D020005 (ПР92-2)	4186,92	136,07	32,5	ТУ 48-19-161-90
52536230009203	0	BK8	D020007 (ПР92-3)	4187,4	135,67	32,4	ТУ 48-19-161-90
52536230009204	0	BK8	D020008 (ПР92-4)	4187,89	135,27	32,3	ТУ 48-19-161-90
52536230009205	0	BK8	D020012 (ПР92-5)	4188,38	134,87	32,2	ТУ 48-19-161-90
52536230009206	0	BK8	D020014 (ПР92-6)	4188,87	134,46	32,1	ТУ 48-19-161-90
52536230009207	0	BK8	D020015 (ПР92-7)	4189,37	134,06	32,00	ТУ 48-19-161-90
52536230009208	0	BK8	D020016 (ПР92-8)	4189,87	133,66	31,9	ТУ 48-19-161-90
52536230009209	0	BK8	D020017 (ПР92-9)	4190,37	133,25	31,8	ТУ 48-19-161-90
52536230009210	0	BK8	D020018 (ПР92-10)	4190,87	132,85	31,7	ТУ 48-19-161-90
52536230009211	0	BK8	D020019 (ПР92-11)	4191,38	132,45	31,6	ТУ 48-19-161-90
52536230009212	0	BK8	D020020 (ПР92-12)	4191,88	132,04	31,5	ТУ 48-19-161-90
52536230009213	0	BK8	D020021 (ПР92-13)	4192,4	131,64	31,4	ТУ 48-19-161-90
52536230009214	0	BK8	D020022 (ПР92-14)	4192,91	131,24	31,3	ТУ 48-19-161-90
52536230009215	0	BK8	D020023 (ПР92-15)	4193,43	130,83	31,2	ТУ 48-19-161-90
52536230009216	0	BK8	D020024 (ПР92-16)	4193,95	130,43	31,1	ТУ 48-19-161-90
52536230009217	0	BK8	D020025 (ПР92-17)	4194,47	130,03	31,00	ТУ 48-19-161-90
52536230009218	0	BK8	D020026 (ПР92-18)	4195,00	129,63	30,9	ТУ 48-19-161-90
52536230009219	0	BK8	D020027 (ПР92-19)	4195,53	129,22	30,8	ТУ 48-19-161-90
52536230009220	0	BK8	D020028 (ПР92-20)	4196,06	128,82	30,7	ТУ 48-19-161-90
52536230009221	0	BK8	D020029 (ПР92-21)	4196,59	128,42	30,6	ТУ 48-19-161-90
52536230009222	0	BK8	D020030 (ПР92-22)	4197,13	128,01	30,5	ТУ 48-19-161-90
52536230009223	0	BK8	D020031 (ПР92-23)	4197,67	127,61	30,4	ТУ 48-19-161-90
52536230009224	0	BK8	D020032 (ПР92-24)	4198,22	127,21	30,3	ТУ 48-19-161-90
52536230009225	0	BK8	D020033 (ПР92-25)	4198,76	126,8	30,2	ТУ 48-19-161-90
52536230009226	0	BK8	D020034 (ПР92-26)	4199,31	126,4	30,1	ТУ 48-19-161-90
52536230009227	0	BK8	D020035 (ПР92-27)	4200,42	125,99	29,9	ТУ 48-19-161-90
52536230009228	0	BK8	D020036 (ПР92-28)	4200,98	125,59	29,8	ТУ 48-19-161-90
52536230009229	0	BK8	D020037 (ПР92-29)	4201,55	125,19	29,7	ТУ 48-19-161-90
52536230009230	0	BK8	D020038 (ПР92-30)	4202,11	124,78	29,6	ТУ 48-19-161-90
52536230009231	0	BK8	D020039 (ПР92-31)	4202,68	124,38	29,5	ТУ 48-19-161-90
52536230009232	0	BK8	D020040 (ПР92-32)	4203,26	123,98	29,4	ТУ 48-19-161-90
52536230019300	0	BK8	B020023 (ПР193)	4165,51	156,21	37,5	ТУ 48-19-161-90
52536230021700	0	BK8	Ш020015 (ПР217)	4115,2	234,57	57,00	ТУ 48-19-161-90
52536230022501	0	BK8	B020024	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230022502	0	BK8	B020025	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230022503	0	BK8	B020026	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230022504	0	BK8	B020027	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230022505	0	BK8	B020028	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230022506	0	BK8	B020029	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230022507	0	BK8	B020030	4113,46	238,58	58,00	ТУ 48-19-161-90
52536230022508	0	BK8	B020031	4113,46	238,58	58,00	ТУ 48-19-161-90
52536230022509	0	BK8	B020032	4117,00	230,55	56,00	ТУ 48-19-161-90
52536230022510	0	BK8	B020033	4117,00	230,55	56,00	ТУ 48-19-161-90
52536230022511	0	BK8	B020034	4118,86	226,54	55,00	ТУ 48-19-161-90
52536230022512	0	BK8	B020035	4118,86	226,54	55,00	ТУ 48-19-161-90
52536230022513	0	BK8	B020036	4122,76	218,51	53,00	ТУ 48-19-161-90
52536230022514	0	BK8	B020037	4122,76	218,51	53,00	ТУ 48-19-161-90
52536230022515	0	BK8	B020038	4124,82	214,49	52,00	ТУ 48-19-161-90
52536230022516	0	BK8	B020039	4124,82	214,49	52,00	ТУ 48-19-161-90
52536230022517	0	BK8	B020040	4124,82	214,49	52,00	ТУ 48-19-161-90
52536230024101	0	BK8	D020041 (ПР241-1)	4185,48	137,28	32,8	ТУ 48-19-161-90
52536230024102	0	BK8	D020042 (ПР241-2)	4185,96	136,88	32,7	ТУ 48-19-161-90
52536230024103	0	BK8	D020043 (ПР241-3)	4186,44	136,48	32,6	ТУ 48-19-161-90
52536230024104	0	BK8	D020044 (ПР241-4)	4186,92	136,07	32,5	ТУ 48-19-161-90
52536230024105	0	BK8	D020045 (ПР241-5)	4310,49	74,57	17,3	ТУ 48-19-161-90
52536230024106	0	BK8	D020046 (ПР241-6)	4311,87	74,16	17,2	ТУ 48-19-161-90
52536230024107	0	BK8	D020047 (ПР241-7)	4311,87	74,16	17,2	ТУ 48-19-161-90
52536230024108	0	BK8	D020048 (ПР241-8)	4312,42	74,00	17,16	ТУ 48-19-161-90
52536230028301	0	BK8	D020050 (ПР283-1)	3919,76	128,53	32,79	ТУ 48-19-161-90
52536230028302	0	BK8	D020051 (ПР283-2)	3919,91	128,34	32,74	ТУ 48-19-161-90
52536230028303	0	BK8	D020052 (ПР283-3)	3920,72	127,31	32,47	ТУ 48-19-161-90
52536230028304	0	BK8	D020053 (ПР283-4)	3920,97	127,00	32,39	ТУ 48-19-161-90
52536230028305	0	BK8	D020054 (ПР283-5)	3921,21	126,69	32,31	ТУ 48-19-161-90
52536230028306	0	BK8	D020055 (ПР283-6)	3921,45	126,39	32,23	ТУ 48-19-161-90
52536230028307	0	BK8	D020056 (ПР283-7)	3921,73	126,04	32,14	ТУ 48-19-161-90
52536230028308	0	BK8	D020057 (ПР283-8)	3922,01	125,7	32,05	ТУ 48-19-161-90
52536230028309	0	BK8	D020058 (ПР283-9)	3922,29	125,36	31,96	ТУ 48-19-161-90
52536230028310	0	BK8	D020059 (ПР283-10)	3922,6	124,97	31,86	ТУ 48-19-161-90
52536230028311	0	BK8	D020060 (ПР283-11)	3923,26	124,17	31,65	ТУ 48-19-161-90
52536230028312	0	BK8	D020061 (ПР283-12)	3923,96	123,33	31,43	ТУ 48-19-161-90
52536230028313	0	BK8	D020062 (ПР283-13)	3924,7	122,45	31,2	ТУ 48-19-161-90
52536230028314	0	BK8	D020063 (ПР283-14)	3925,52	121,49	30,95	ТУ 48-19-161-90
52536230028315	0	BK8	D020064 (ПР283-15)	3926,38	120,5	30,69	ТУ 48-19-161-90
52536230028316	0	BK8	D020065 (ПР283-16)	3927,32	119,43	30,41	ТУ 48-19-161-90
52536230028317	0	BK8	D020066 (ПР283-17)	3928,83	117,75	29,97	ТУ 48-19-161-90
52536230028318	0	BK8	D020067 (ПР283-18)	3929,92	116,56	29,66	ТУ 48-19-161-90

52536230028319	0	BK8	D020068 (ПР283-19)	3931,1	115,3	29,33	ТУ 48-19-161-90
52536230028320	0	BK8	D020069 (ПР283-20)	3932,96	113,35	28,82	ТУ 48-19-161-90
52536230028321	0	BK8	D020070 (ПР283-21)	3936,51	109,79	27,89	ТУ 48-19-161-90
52536230028322	0	BK8	D020071 (ПР283-22)	3940,65	105,89	26,87	ТУ 48-19-161-90
52536230028323	0	BK8	D020072 (ПР283-23)	3945,51	101,6	25,75	ТУ 48-19-161-90
52536230028324	0	BK8	D020073 (ПР283-24)	3951,02	97,08	24,57	ТУ 48-19-161-90
52536230028325	0	BK8	D020074 (ПР283-25)	3965,22	86,88	21,91	ТУ 48-19-161-90
52536230028401	0	BK8	D020075 (ПР284-1)	3927,46	119,28	30,37	ТУ 48-19-161-90
52536230028402	0	BK8	D020076 (ПР284-2)	3929,07	117,48	29,9	ТУ 48-19-161-90
52536230028403	0	BK8	D020077 (ПР284-3)	4203,6	123,33	29,34	ТУ 48-19-161-90
52536230028404	0	BK8	D020078 (ПР284-4)	3933,45	112,85	28,69	ТУ 48-19-161-90
52536230028405	0	BK8	D020079 (ПР284-5)	3936,24	110,06	27,96	ТУ 48-19-161-90
52536230028406	0	BK8	D020080 (ПР284-6)	3939,53	106,92	27,14	ТУ 48-19-161-90
52536230028407	0	BK8	D020081 (ПР284-7)	3943,38	103,43	26,23	ТУ 48-19-161-90
52536230028408	0	BK8	D020082 (ПР284-8)	3947,84	99,64	25,24	ТУ 48-19-161-90
52536230028409	0	BK8	D020083 (ПР284-9)	3959,08	91,06	23,00	ТУ 48-19-161-90
52536230028410	0	BK8	D020084 (ПР284-10)	3996,59	69,74	17,45	ТУ 48-19-161-90
52536230028411	0	BK8	D020085 (ПР284-11)	4028,63	57,21	14,2	ТУ 48-19-161-90
52536230028412	0	BK8	D020086 (ПР284-12)	3959,08	91,06	23,00	ТУ 48-19-161-90
52536230028900	0	BK8	B020012 (ПР289)	4178,1	143,73	34,4	ТУ 48-19-161-90
52536230029601	0	BK8	B020041 (ПР296-1)	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230029607	0	BK8	B020042 (ПР296-7)	4113,46	238,58	58,00	ТУ 48-19-161-90
52536230029609	0	BK8	B020043 (ПР296-9)	4117,00	230,55	56,00	ТУ 48-19-161-90
52536230029614	0	BK8	B020044 (ПР296-14)	4122,76	218,51	53,00	ТУ 48-19-161-90
52536230031701	0	BK8	D020089 (ПР317-1)	4307,78	75,39	17,5	ТУ 48-19-161-90
52536230031702	0	BK8	D020090 (ПР317-2)	4308,73	75,1	17,43	ТУ 48-19-161-90
52536230031703	0	BK8	D020091 (ПР317-3)	4309,13	74,98	17,4	ТУ 48-19-161-90
52536230031704	0	BK8	D020092 (ПР317-4)	4309,95	74,73	17,34	ТУ 48-19-161-90
52536230031705	0	BK8	D020093 (ПР317-5)	4310,49	74,57	17,3	ТУ 48-19-161-90
52536230031706	0	BK8	D020094 (ПР317-6)	4202,11	124,38	29,6	ТУ 48-19-161-90
52536230032700	0	BK8	B020049 (ПР327)	4039,78	782,1	193,6	ТУ 48-19-161-90
52536230033501	0	BK8	F020018 (ПР335-1)	4101,17	271,09	66,1	ТУ 48-19-161-90
52536230033502	0	BK8	F020019 (ПР335-2)	4101,71	269,48	65,7	ТУ 48-19-161-90
52536230033503	0	BK8	F020020 (ПР335-3)	4101,98	268,68	65,5	ТУ 48-19-161-90
52536230033504	0	BK8	F020021 (ПР335-4)	4102,39	267,48	65,2	ТУ 48-19-161-90
52536230033505	0	BK8	F020022 (ПР335-5)	4102,53	267,07	65,1	ТУ 48-19-161-90
52536230033506	0	BK8	F020023 (ПР335-6)	4102,81	266,27	64,9	ТУ 48-19-161-90
52536230033507	0	BK8	F020024 (ПР335-7)	4103,09	265,47	64,7	ТУ 48-19-161-90
52536230033508	0	BK8	F020025 (ПР335-8)	4103,23	265,07	64,6	ТУ 48-19-161-90
52536230033509	0	BK8	F020026 (ПР335-9)	4101,3	270,69	66,00	ТУ 48-19-161-90
52536230033510	0	BK8	F020027 (ПР335-10)	4105,09	259,85	63,3	ТУ 48-19-161-90
52536230033511	0	BK8	F020028 (ПР335-11)	4105,23	259,45	63,2	ТУ 48-19-161-90
52536230033512	0	BK8	F020029 (ПР335-12)	4105,38	259,05	63,1	ТУ 48-19-161-90
52536230033513	0	BK8	F020030 (ПР335-13)	4105,82	257,85	62,8	ТУ 48-19-161-90
52536230033514	0	BK8	F020031 (ПР335-14)	4106,12	257,04	62,6	ТУ 48-19-161-90
52536230033515	0	BK8	F020032 (ПР335-15)	4106,72	255,44	62,2	ТУ 48-19-161-90
52536230033516	0	BK8	F020033 (ПР335-16)	4107,32	253,83	61,8	ТУ 48-19-161-90
52536230033517	0	BK8	F020034 (ПР335-17)	4107,78	252,63	61,5	ТУ 48-19-161-90
52536230033518	0	BK8	F020035 (ПР335-18)	4108,09	251,83	61,3	ТУ 48-19-161-90
52536230033519	0	BK8	F020036 (ПР335-19)	4108,4	251,02	61,1	ТУ 48-19-161-90
52536230033520	0	BK8	F020037 (ПР335-20)	4108,71	250,22	60,9	ТУ 48-19-161-90
52536230033521	0	BK8	F020038 (ПР335-21)	4109,02	249,42	60,7	ТУ 48-19-161-90
52536230033522	0	BK8	F020039 (ПР335-22)	4109,18	249,02	60,6	ТУ 48-19-161-90
52536230033523	0	BK8	F020040 (ПР335-23)	4109,5	248,21	60,4	ТУ 48-19-161-90
52536230033524	0	BK8	F020041 (ПР335-24)	4109,82	247,41	60,2	ТУ 48-19-161-90
52536230033525	0	BK8	F020042 (ПР335-25)	4112,27	241,39	58,7	ТУ 48-19-161-90
52536230033526	0	BK8	F020043 (ПР335-26)	4100,76	272,29	66,4	ТУ 48-19-161-90
52536230033527	0	BK8	F020044 (ПР335-27)	4101,84	269,08	65,6	ТУ 48-19-161-90
52536230033528	0	BK8	F020045 (ПР335-28)	4103,51	264,27	64,4	ТУ 48-19-161-90
52536230033529	0	BK8	F020046 (ПР335-29)	4105,67	258,25	62,9	ТУ 48-19-161-90
52536230033530	0	BK8	F020047 (ПР335-30)	4110,14	246,61	60,00	ТУ 48-19-161-90
52536230034100	0	BK8	D020095 (ПР341)	4388,78	206,71	47,1	ТУ 48-19-161-90
52536230034800	0	BK8	D020096 (ПР348)	5093,42	6,37	1,25	ТУ 48-19-161-90
52536230038101	0	BK8	D020108 (ПР381-1)	4070,99	403,03	99,00	ТУ 48-19-161-90
52536230038102	0	BK8	D020109 (ПР381-2)	4057,92	507,24	125,00	ТУ 48-19-161-90
52536230038103	0	BK8	D020110 (ПР381-3)	4050,08	599,01	147,9	ТУ 48-19-161-90
52536230041201	0	BK8	D020115 (ПР412-1)	4023,12	1542,87	383,5	ТУ 48-19-161-90
52536230041202	0	BK8	D020116 (ПР412-2)	4026,34	1300,59	323,00	ТУ 48-19-161-90
52536230049400	0	BK8	D020119 (ПР494)	4046,97	645,09	159,4	ТУ 48-19-161-90
52536230057800	0	BK8	B010008 (ПР578)	3842,11	449,14	116,9	ТУ 48-19-161-90
52536230061000	0	BK8	ПР610	4414,9	4414,9	1000,00	ТУ 48-19-161-90
52536230063100	0	BK8	D010010(ПР631)	4381,24	57,39	13,1	ТУ 48-19-161-90
52536230064300	0	BK8	D020122 (ПР643)	4268,12	89,2	20,9	ТУ 48-19-161-90
52536230066000	0	BK8	Ш020045 (ПР660)	4075,63	374,96	92,00	ТУ 48-19-161-90
52536230067200	0	BK8	ПР672(1333-9097-01/005)	3816,58	1719,37	450,5	ТУ 48-19-161-90
52536230068200	0	BK8	Ш020046 (ПР682)	4072,73	391,8	96,2	ТУ 48-19-161-90
52536230109201	0	BK8	D020004 (ПР92-1А)	4185,48	137,28	32,8	ТУ 48-19-161-90

52536230109202	0	BK8	Д020006 (ПР92-2А)	4186,92	136,07	32,5	ТУ 48-19-161-90
52536230109204	0	BK8	Д020009 (ПР92-4А)	4188,38	134,87	32,2	ТУ 48-19-161-90
52536230109205	0	BK8	Д020013 (ПР92-5А)	4188,38	134,87	32,2	ТУ 48-19-161-90
52536230209204	0	BK8	Д020010 (ПР92-4Б)	4188,38	134,87	32,2	ТУ 48-19-161-90
52536230309204	0	BK8	Д020011 (ПР92-4В)	4187,89	135,27	32,3	ТУ 48-19-161-90
52536240000014	0	BK8	СЦ-130ВПС 1-4	4727,41	161,68	35,5	ТУ 48-19-161-90
525362400000618	0	BK8	Д030205 (ПР618)	5839,16	5,2	0,89	ТУ 48-19-161-90
52536240001400	0	BK8	Р030011 (ПР14)	4572,94	96,49	21,1	ТУ 48-19-161-90
52536240002501	0	BK8	В030036 (ПР25-1)	5298,32	20,13	3,8	ТУ 48-19-161-90
52536240002502	0	BK8	В030037 (ПР25-2)	5056,18	31,85	6,3	ТУ 48-19-161-90
52536240003201	0	BK8	Ф030021 (ПР32-1)	4567,29	98,2	21,5	ТУ 48-19-161-90
52536240003202	0	BK8	Ф030022 (ПР32-2)	4589,1	91,78	20,00	ТУ 48-19-161-90
52536240003203	0	BK8	Ф030023 (ПР32-3)	4605,15	87,5	19,00	ТУ 48-19-161-90
52536240003204	0	BK8	Ф030024 (ПР32-4)	4613,69	85,35	18,5	ТУ 48-19-161-90
52536240003205	0	BK8	Ф030025 (ПР32-5)	4613,69	85,35	18,5	ТУ 48-19-161-90
52536240003206	0	BK8	Ф030026 (ПР32-6)	4613,69	85,35	18,5	ТУ 48-19-161-90
52536240008901	0	BK8	7858-0051/Б	5747,44	7,13	1,24	ТУ 48-19-161-90
52536240008902	0	BK8	7858-0052/Б	5528,76	12,55	2,27	ТУ 48-19-161-90
52536240008903	0	BK8	7858-0053/Б	5293,46	20,33	3,84	ТУ 48-19-161-90
52536240008904	0	BK8	7858-0054/Б	5121,21	28,17	5,5	ТУ 48-19-161-90
52536240008905	0	BK8	7858-0055/Б	5027,13	33,68	6,7	ТУ 48-19-161-90
52536240008906	0	BK8	7858-0056/Б	4696,33	68,38	14,56	ТУ 48-19-161-90
52536240008907	0	BK8	7858-0057/Б	4630,09	81,49	17,6	ТУ 48-19-161-90
52536240008908	0	BK8	7858-0058/Б	4488,87	129,28	28,8	ТУ 48-19-161-90
52536240008909	0	BK8	7858-0071/Ц	5757,4	6,91	1,2	ТУ 48-19-161-90
52536240008910	0	BK8	7858-0072/Ц	5443,5	15,08	2,77	ТУ 48-19-161-90
52536240008911	0	BK8	7858-0073/Ц	5311,00	19,65	3,7	ТУ 48-19-161-90
52536240008912	0	BK8	7858-0074/Ц	5121,21	28,17	5,5	ТУ 48-19-161-90
52536240008913	0	BK8	7858-0075/Ц	4951,13	39,06	7,89	ТУ 48-19-161-90
52536240008914	0	BK8	7858-0076/Ц	4696,33	68,38	14,56	ТУ 48-19-161-90
52536240008915	0	BK8	7858-0077/Ц	4583,26	93,45	20,39	ТУ 48-19-161-90
52536240008916	0	BK8	7858-0078/Ц	4461,79	144,34	32,35	ТУ 48-19-161-90
52536240010300	0	BK8	К030006 (ПР103)	4345,56	273,77	63,00	ТУ 48-19-161-90
52536240011501	0	BK8	В030062 (ПР115-1)	4214,48	3793,03	900,00	ТУ 48-19-161-90
52536240011502	0	BK8	В030063 (ПР115-2)	4211,45	5306,43	1260,00	ТУ 48-19-161-90
52536240011506	0	BK8	В030064 (ПР115-6)	4206,13	17665,74	4200,00	ТУ 48-19-161-90
52536240011608	0	BK8	В030065 (ПР116-8)	4204,42	69267,87	16475,00	ТУ 48-19-161-90
52536240011609	0	BK8	В030066 (ПР116-9)	4204,41	71264,7	16950,00	ТУ 48-19-161-90
52536240011700	0	BK8	В030067 (ПР117)	4204,48	62857,02	14950,00	ТУ 48-19-161-90
52536240012800	0	BK8	В030068 (ПР128)	4211,9	5010,9	1189,7	ТУ 48-19-161-90
52536240013302	0	BK8	В030069 (ПР133-2)	4219,37	2594,91	615,00	ТУ 48-19-161-90
52536240013500	0	BK8	Д030034 (ПР135)	5987,55	2,4	0,4	ТУ 48-19-161-90
52536240014000	0	BK8	Р030046 (ПР140)	4287,67	471,64	110,00	ТУ 48-19-161-90
52536240016900	0	BK8	Д030022 (ПР169)	4228,93	1606,99	380,00	ТУ 48-19-161-90
52536240017101	0	BK8	Ф030090 (ПР171-1)	4880,68	45,05	9,23	ТУ 48-19-161-90
52536240017102	0	BK8	Ф030091 (ПР171-2)	4837,49	49,34	10,2	ТУ 48-19-161-90
52536240017103	0	BK8	Ф030092 (ПР171-3)	4690,28	69,42	14,8	ТУ 48-19-161-90
52536240017104	0	BK8	Ф030093 (ПР171-4)	4556,64	101,61	22,3	ТУ 48-19-161-90
52536240017105	0	BK8	Ф030094 (ПР171-5)	4504,82	121,63	27,00	ТУ 48-19-161-90
52536240017106	0	BK8	Ф030095 (ПР171-6)	4359,18	248,47	57,00	ТУ 48-19-161-90
52536240017107	0	BK8	Ф030096 (ПР171-7)	4343,42	277,98	64,00	ТУ 48-19-161-90
52536240017108	0	BK8	Ф030097 (ПР171-8)	4289,07	463,22	108,00	ТУ 48-19-161-90
52536240017109	0	BK8	Ф030098 (ПР171-9)	4464,15	142,85	32,00	ТУ 48-19-161-90
52536240017110	0	BK8	Ф030099 (ПР171-10)	4361,73	244,26	56,00	ТУ 48-19-161-90
52536240017111	0	BK8	Ф030100 (ПР171-11)	4333,99	299,05	69,00	ТУ 48-19-161-90
52536240017112	0	BK8	Ф030101 (ПР171-12)	4286,87	475,84	111,00	ТУ 48-19-161-90
52536240017113	0	BK8	Ф030102 (ПР171-13)	4270,26	597,84	140,00	ТУ 48-19-161-90
52536240018800	0	BK8	Г033012 (ПР188)	4733,11	62,48	13,2	ТУ 48-19-161-90
52536240019900	0	BK8	Д030023 (ПР199)	4229,74	1556,54	368,00	ТУ 48-19-161-90
52536240020300	0	BK8	К030011 (ПР203)	4519,71	115,25	25,5	ТУ 48-19-161-90
52536240020500	0	BK8	Д030024 (ПР205)	4710,84	65,95	14,00	ТУ 48-19-161-90
52536240020900	0	BK8	Ш030011 (ПР209)	4206,42	15677,33	3727,00	ТУ 48-19-161-90
52536240021001	0	BK8	Д030025 (ПР210-1)	4296,53	425,36	99,00	ТУ 48-19-161-90
52536240021002	0	BK8	Д030026 (ПР210-2)	4298,34	416,94	97,00	ТУ 48-19-161-90
52536240023300	0	BK8	Ф030113	4845,93	48,46	10,00	ТУ 48-19-161-90
52536240023503	0	BK8	Ш030014 (ПР235-3)	4362,51	242,99	55,7	ТУ 48-19-161-90
52536240024800	0	BK8	Д030053 (ПР248)	5864,54	4,69	0,8	ТУ 48-19-161-90
52536240026300	0	BK8	Г037036 (ПР263)	4944,79	39,56	8,00	ТУ 48-19-161-90
52536240028000	0	BK8	Д030055 (ПР280)	6014,37	1,92	0,32	ТУ 48-19-161-90
52536240032801	0	BK8	К030028 (ПР328-1)	4424,32	171,22	38,7	ТУ 48-19-161-90
52536240032802	0	BK8	К030029 (ПР328-2)	4424,32	171,22	38,7	ТУ 48-19-161-90
52536240032803	0	BK8	К030030 (ПР328-3)	4424,32	171,22	38,7	ТУ 48-19-161-90
52536240032804	0	BK8	К030031 (ПР328-4)	4423,81	171,64	38,8	ТУ 48-19-161-90
52536240032805	0	BK8	К030032 (ПР328-5)	4424,32	171,22	38,7	ТУ 48-19-161-90
52536240032806	0	BK8	К030033 (ПР328-6)	4424,32	171,22	38,7	ТУ 48-19-161-90
52536240032807	0	BK8	К030034 (ПР328-7)	4423,81	171,64	38,8	ТУ 48-19-161-90
52536240033900	0	BK8	В030108 (ПР339)	4214,76	3697,18	877,2	ТУ 48-19-161-90

52536240035300	0	BK8	Д030080 (ПР353)	4216,85	3118,78	739,6	ТУ 48-19-161-90
52536240035400	0	BK8	Д030081 (ПР354)	4241,03	1079,34	254,5	ТУ 48-19-161-90
52536240035500	0	BK8	Д030079 (ПР355)	4515,62	116,95	25,9	ТУ 48-19-161-90
52536240035801	0	BK8	Ф030141 (ПР358-1)	4338,81	66,82	15,4	ТУ 48-19-161-90
52536240035802	0	BK8	Ф030142 (ПР358-2)	4382,2	214,73	49,00	ТУ 48-19-161-90
52536240035900	0	BK8	Ф030143 (ПР359)	5063,79	31,4	6,2	ТУ 48-19-161-90
52536240037101	0	BK8	Ф030149 (ПР371-1)	4272,1	581,43	136,1	ТУ 48-19-161-90
52536240038500	0	BK8	Г037052 (ПР385)	4317,21	345,38	80,00	ТУ 48-19-161-90
52536240038901	0	BK8	Ф030163 (ПР389-1)	4275,29	554,93	129,8	ТУ 48-19-161-90
52536240038902	0	BK8	Ф030164 (ПР389-2)	4330,74	307,05	70,9	ТУ 48-19-161-90
52536240039300	0	BK8	Д030092 (ПР393)	4215,99	3340,33	792,3	ТУ 48-19-161-90
52536240040301	0	BK8	Г037061(ПР403-1)	4394,25	200,38	45,6	ТУ 48-19-161-90
52536240040302	0	BK8	Г037062(ПР403-2)	4350,28	264,5	60,8	ТУ 48-19-161-90
52536240041001	0	BK8	Ф030167 (ПР410-1)	4279,8	521,28	121,8	ТУ 48-19-161-90
52536240041002	0	BK8	Ф030168 (ПР410-2)	4280,71	514,97	120,3	ТУ 48-19-161-90
52536240041003	0	BK8	Ф030169 (ПР410-3)	4278,27	532,22	124,4	ТУ 48-19-161-90
52536240041004	0	BK8	Ф030170 (ПР410-4)	4279,03	526,75	123,1	ТУ 48-19-161-90
52536240041005	0	BK8	Ф030171 (ПР410-5)	4281,64	508,66	118,8	ТУ 48-19-161-90
52536240041101	0	BK8	Д030104 (ПР411-1)	4230,82	1493,48	353,00	ТУ 48-19-161-90
52536240041102	0	BK8	Д030105 (ПР411-2)	4239,73	1118,87	263,9	ТУ 48-19-161-90
52536240041301	0	BK8	СП-1743(ПР413-1)	4222,62	2153,53	510,00	ТУ 48-19-161-90
52536240041302	0	BK8	СП-1743(ПР413-2)	4222,99	2111,49	500,00	ТУ 48-19-161-90
52536240041401	0	BK8	СП-1744(ПР414-1)	4222,62	2153,53	510,00	ТУ 48-19-161-90
52536240041402	0	BK8	СП-1744(ПР414-2)	4222,99	2111,49	500,00	ТУ 48-19-161-90
52536240041500	0	BK8	СП-1750(ПР415)	4222,26	2195,58	520,00	ТУ 48-19-161-90
52536240041600	0	BK8	СП-1749(ПР416)	4222,26	2195,58	520,00	ТУ 48-19-161-90
52536240041700	0	BK8	СП-1774(ПР417)	4227,12	1733,12	410,00	ТУ 48-19-161-90
52536240041801	0	BK8	СП-1767(ПР418-1)	4547,9	104,6	23,00	ТУ 48-19-161-90
52536240041802	0	BK8	СП-1767(ПР418-2)	4479,1	134,37	30,00	ТУ 48-19-161-90
52536240041803	0	BK8	СП-1767(ПР418-3)	4427,91	168,26	38,00	ТУ 48-19-161-90
52536240041804	0	BK8	СП-1767(ПР418-4)	4385,64	210,51	48,00	ТУ 48-19-161-90
52536240041805	0	BK8	СП-1767(ПР418-5)	4361,81	244,26	56,00	ТУ 48-19-161-90
52536240041806	0	BK8	СП-1767(ПР418-6)	4329,00	311,69	72,00	ТУ 48-19-161-90
52536240041807	0	BK8	СП-1767(ПР418-7)	4317,23	345,38	80,00	ТУ 48-19-161-90
52536240041808	0	BK8	СП-1767(ПР418-8)	4305,3	387,48	90,00	ТУ 48-19-161-90
52536240041809	0	BK8	СП-1767(ПР418-9)	4266,05	639,91	150,00	ТУ 48-19-161-90
52536240041810	0	BK8	СП-1767(ПР418-10)	4243,23	1018,37	240,00	ТУ 48-19-161-90
52536240041911	0	BK8	СП-1762(ПР419-1-1) ПР	4222,26	2195,58	520,00	ТУ 48-19-161-90
52536240041912	0	BK8	СП-1762(ПР419-1-2) ЛЕ	4221,92	2237,62	530,00	ТУ 48-19-161-90
52536240041921	0	BK8	СП-1762(ПР419-2-1) ПР	4222,26	2195,58	520,00	ТУ 48-19-161-90
52536240041922	0	BK8	СП-1762(ПР419-2-2) ЛЕ	4221,92	2237,62	530,00	ТУ 48-19-161-90
52536240042001	0	BK8	СП-1763(ПР420-1)	4221,92	2237,62	530,00	ТУ 48-19-161-90
52536240042002	0	BK8	СП-1763(ПР420-2)	4223,37	2069,45	490,00	ТУ 48-19-161-90
52536240042101	0	BK8	СП-1764(ПР421-1)	4228,3	1649,04	390,00	ТУ 48-19-161-90
52536240042102	0	BK8	СП-1764(ПР421-2)	4232,67	1396,78	330,00	ТУ 48-19-161-90
52536240042103	0	BK8	СП-1764(ПР421-3)	4253,31	808,13	190,00	ТУ 48-19-161-90
52536240042104	0	BK8	СП-1764(ПР421-4)	4266,05	639,91	150,00	ТУ 48-19-161-90
52536240042105	0	BK8	СП-1764(ПР421-5)	4264,11	660,94	155,00	ТУ 48-19-161-90
52536240042106	0	BK8	СП-1764(ПР421-6)	4295,64	429,56	100,00	ТУ 48-19-161-90
52536240042107	0	BK8	СП-1764(ПР421-7)	4280,97	513,72	120,00	ТУ 48-19-161-90
52536240042108	0	BK8	СП-1764(ПР421-8)	4278,00	534,75	125,00	ТУ 48-19-161-90
52536240042109	0	BK8	СП-1764(ПР421-9)	4305,3	387,48	90,00	ТУ 48-19-161-90
52536240042110	0	BK8	СП-1764(ПР421-10)	4379,03	218,95	50,00	ТУ 48-19-161-90
52536240042200	0	BK8	СП-1747(ПР422)	4220,67	2405,78	570,00	ТУ 48-19-161-90
52536240042300	0	BK8	СП-1777(ПР423)	4253,31	808,13	190,00	ТУ 48-19-161-90
52536240042400	0	BK8	СП-1752(ПР424)	4221,92	2237,62	530,00	ТУ 48-19-161-90
52536240042500	0	BK8	СП-1751(ПР425)	4221,92	2237,62	530,00	ТУ 48-19-161-90
52536240042600	0	BK8	СП2001-7130-00(ПР426)	4250,9	850,18	200,00	ТУ 48-19-161-90
52536240042701	0	BK8	СП-1748(ПР427-1)	4225,13	1897,08	449,00	ТУ 48-19-161-90
52536240042702	0	BK8	СП-1748(ПР427-2)	4227,7	1691,08	400,00	ТУ 48-19-161-90
52536240042703	0	BK8	СП-1748(ПР427-3)	4227,7	1691,08	400,00	ТУ 48-19-161-90
52536240042704	0	BK8	СП-1748(ПР427-4)	4227,76	1686,87	399,00	ТУ 48-19-161-90
52536240042705	0	BK8	СП-1748(ПР427-5)	4231,05	1480,87	350,00	ТУ 48-19-161-90
52536240042801	0	BK8	СП-1760(ПР428-1) ПРАВ	4218,62	2742,1	650,00	ТУ 48-19-161-90
52536240042802	0	BK8	СП-1760(ПР428-2) ЛЕВА	4218,62	2742,1	650,00	ТУ 48-19-161-90
52536240042901	0	BK8	СП-1753(ПР429-1)	4221,27	2321,7	550,00	ТУ 48-19-161-90
52536240042902	0	BK8	СП-1753(ПР429-2)	4220,96	2363,74	560,00	ТУ 48-19-161-90
52536240043001	0	BK8	СП-1754(ПР430-1)	4222,99	2111,49	500,00	ТУ 48-19-161-90
52536240043002	0	BK8	СП-1754(ПР430-2)	4220,96	2363,74	560,00	ТУ 48-19-161-90
52536240043300	0	BK8	СП2001-7147-00(ПР433)	4221,27	2321,7	550,00	ТУ 48-19-161-90
52536240043401	0	BK8	СП2001-7145-00(ПР434-1)	4221,27	2321,7	550,00	ТУ 48-19-161-90
52536240043402	0	BK8	СП2001-7145-00(ПР434-2)	4220,67	2405,78	570,00	ТУ 48-19-161-90
52536240043403	0	BK8	СП2001-7145-00(ПР434-3)	4220,38	2447,82	580,00	ТУ 48-19-161-90
52536240043404	0	BK8	СП2001-7145-00(ПР434-4)	4224,19	1985,37	470,00	ТУ 48-19-161-90
52536240043405	0	BK8	СП2001-7145-00(ПР434-5)	4221,27	2321,7	550,00	ТУ 48-19-161-90
52536240043500	0	BK8	СП-1746(ПР435)	4220,67	2405,78	570,00	ТУ 48-19-161-90
52536240043701	0	BK8	СП-1758(ПР437-1) ПРАВ	4214,33	3877,18	920,00	ТУ 48-19-161-90

52536240043702	0	BK8	СП-1758(ПР437-2) ЛЕВА	4214,33	3877,18	920,00	ТУ 48-19-161-90
52536240043801	0	BK8	СП-1759(ПР438-1) ПРАВ	4214,11	3961,26	940,00	ТУ 48-19-161-90
52536240043802	0	BK8	СП-1759(ПР438-2) ЛЕВА	4214,11	3961,26	940,00	ТУ 48-19-161-90
52536240043901	0	BK8	СП-1761(ПР439-1) ПРАВ	4216,67	3162,5	750,00	ТУ 48-19-161-90
52536240043902	0	BK8	СП-1761(ПР439-2) ЛЕВА	4216,67	3162,5	750,00	ТУ 48-19-161-90
52536240044000	0	BK8	СП-1771(ПР440)	4219,83	2531,9	600,00	ТУ 48-19-161-90
52536240044100	0	BK8	СП-1773(ПР441)	4217,58	2952,3	700,00	ТУ 48-19-161-90
52536240044200	0	BK8	СП-1775(ПР442)	4217,39	2994,34	710,00	ТУ 48-19-161-90
52536240044300	0	BK8	СП-1781(ПР443)	4216,03	3330,66	790,00	ТУ 48-19-161-90
52536240044400	0	BK8	СП2001-7168-00(ПР444)	4214,44	3835,14	910,00	ТУ 48-19-161-90
52536240044500	0	BK8	СП-1782(ПР445)	4218,85	2700,06	640,00	ТУ 48-19-161-90
52536240044600	0	BK8	СП-1783(ПР446)	4216,34	3246,58	770,00	ТУ 48-19-161-90
52536240044700	0	BK8	СП-1784(ПР447)	4215,18	3582,9	850,00	ТУ 48-19-161-90
52536240044801	0	BK8	СП2001-7129-00(ПР448-1)	4479,1	134,37	30,00	ТУ 48-19-161-90
52536240044802	0	BK8	СП2001-7129-00(ПР448-2)	4417,95	176,72	40,00	ТУ 48-19-161-90
52536240044803	0	BK8	СП2001-7129-00(ПР448-3)	4589,18	91,78	20,00	ТУ 48-19-161-90
52536240044804	0	BK8	СП2001-7129-00(ПР448-4)	4662,56	74,6	16,00	ТУ 48-19-161-90
52536240044805	0	BK8	СП2001-7129-00(ПР448-5)	4770,48	57,25	12,00	ТУ 48-19-161-90
52536240044806	0	BK8	СП2001-7129-00(ПР448-6)	4479,1	134,37	30,00	ТУ 48-19-161-90
52536240044900	0	BK8	СП-2459(ПР449)	4213,79	4087,38	970,00	ТУ 48-19-161-90
52536240045000	0	BK8	СП-2460(ПР450)	4212,63	4633,89	1100,00	ТУ 48-19-161-90
52536240045100	0	BK8	СП-2461(ПР451)	4213,69	4129,42	980,00	ТУ 48-19-161-90
52536240045200	0	BK8	СП-2462(ПР452)	4215,59	3456,78	820,00	ТУ 48-19-161-90
52536240045300	0	BK8	СП-2463(ПР453)	4214,11	3961,26	940,00	ТУ 48-19-161-90
52536240045400	0	BK8	СП-2464(ПР454)	4214,68	3751,06	890,00	ТУ 48-19-161-90
52536240045500	0	BK8	СП-2465(ПР455)	4212,63	4633,89	1100,00	ТУ 48-19-161-90
52536240045600	0	BK8	СП-2466(ПР456)	4226,58	1775,16	420,00	ТУ 48-19-161-90
52536240045800	0	BK8	Д030109 (ПР458)	4211,2	5548,67	1317,6	ТУ 48-19-161-90
52536240046700	0	BK8	Г047067(ПР467)	5530,31	34,84	6,3	ТУ 48-19-161-90
52536240046801	0	BK8	Ш030056 (ПР468-1)	4255,51	771,95	181,4	ТУ 48-19-161-90
52536240046900	0	BK8	Ш030058 (ПР469)	4250,82	850,16	200,00	ТУ 48-19-161-90
52536240047301	0	BK8	Д030162 (ПР473-1)	5585,78	11,00	1,97	ТУ 48-19-161-90
52536240047302	0	BK8	Д030163 (ПР473-2)	5456,4	14,68	2,69	ТУ 48-19-161-90
52536240047303	0	BK8	Д030164 (ПР473-3)	5337,05	18,68	3,5	ТУ 48-19-161-90
52536240047304	0	BK8	Д030165 (ПР473-4)	5140,84	27,14	5,28	ТУ 48-19-161-90
52536240047305	0	BK8	Д030166 (ПР473-5)	4871,85	45,89	9,42	ТУ 48-19-161-90
52536240047306	0	BK8	Д030167 (ПР473-6)	5585,78	11,00	1,97	ТУ 48-19-161-90
52536240047307	0	BK8	Д030168 (ПР473-7)	5456,4	14,68	2,69	ТУ 48-19-161-90
52536240047308	0	BK8	Д030169 (ПР473-8)	5337,05	18,68	3,5	ТУ 48-19-161-90
52536240047309	0	BK8	Д030170 (ПР473-9)	5140,84	27,14	5,28	ТУ 48-19-161-90
52536240047310	0	BK8	Д030171 (ПР473-10)	4871,85	45,89	9,42	ТУ 48-19-161-90
52536240047311	0	BK8	Д030197 (ПР473-11)	5715,94	7,83	1,37	ТУ 48-19-161-90
52536240047312	0	BK8	Д030198(ПР473-12)	4628,21	81,92	17,7	ТУ 48-19-161-90
52536240047313	0	BK8	Д030199(ПР473-13)	5715,94	7,83	1,37	ТУ 48-19-161-90
52536240047314	0	BK8	Д030200(ПР473-14)	4628,21	81,92	17,7	ТУ 48-19-161-90
52536240047400	0	BK8	Г037068(ПР474)	5213,5	23,67	4,8	ТУ 48-19-161-90
52536240047500	0	BK8	Г037069(ПР475)	5209,28	23,86	4,8	ТУ 48-19-161-90
52536240048300	0	BK8	Г037070(ПР483)	4886,99	44,47	9,1	ТУ 48-19-161-90
52536240048600	0	BK8	Г037071(ПР486)	4278,45	531,38	124,2	ТУ 48-19-161-90
52536240048801	0	BK8	Д030172 (ПР488-1)	4434,34	163,18	36,8	ТУ 48-19-161-90
52536240048802	0	BK8	Д030173 (ПР488-2)	4414,67	179,68	40,7	ТУ 48-19-161-90
52536240048803	0	BK8	Д030174 (ПР488-3)	4345,56	273,77	63,00	ТУ 48-19-161-90
52536240048804	0	BK8	Д030175 (ПР488-4)	4318,58	341,17	79,00	ТУ 48-19-161-90
52536240048805	0	BK8	Д030176 (ПР488-5)	4311,77	363,48	84,3	ТУ 48-19-161-90
52536240048806	0	BK8	Д030177 (ПР488-6)	4283,51	496,89	116,00	ТУ 48-19-161-90
52536240048807	0	BK8	Д030178 (ПР488-7)	4261,59	690,38	162,00	ТУ 48-19-161-90
52536240054101	0	BK8	Д030179 (ПР541-1)	5345,1	18,39	3,44	ТУ 48-19-161-90
52536240054102	0	BK8	Д030180 (ПР541-2)	5364,35	17,7	3,3	ТУ 48-19-161-90
52536240054103	0	BK8	Д030181 (ПР541-3)	5219,91	23,39	4,48	ТУ 48-19-161-90
52536240054104	0	BK8	Д030182 (ПР541-4)	5200,98	24,24	4,66	ТУ 48-19-161-90
52536240054105	0	BK8	Д030183 (ПР541-5)	5440,32	15,18	2,79	ТУ 48-19-161-90
52536240054106	0	BK8	Д030184 (ПР541-6)	4887,01	44,47	9,1	ТУ 48-19-161-90
52536240054107	0	BK8	Д030185 (ПР541-7)	4821,33	51,11	10,6	ТУ 48-19-161-90
52536240054108	0	BK8	Д030186 (ПР541-8)	4708,98	66,26	14,07	ТУ 48-19-161-90
52536240054109	0	BK8	Д030187 (ПР541-9)	5282,48	20,76	3,93	ТУ 48-19-161-90
52536240054110	0	BK8	Д030188 (ПР541-10)	5403,37	16,37	3,03	ТУ 48-19-161-90
52536240055500	0	BK8	Ф030173 (ПР555)	4421,25	173,76	39,3	ТУ 48-19-161-90
52536240057201	0	BK6	Д030201(ПР572-1)	4260,34	705,94	167,2	ТУ 48-19-161-90
52536240057202	0	BK6	Д030202(ПР572-2)	4311,89	363,06	84,2	ТУ 48-19-161-90
52536240058900	0	BK8	В030162(ПР589)	4275,18	555,77	130,00	ТУ 48-19-161-90
52536240059000	0	BK8	Г037080 (ПР590)	4917,35	41,8	8,5	ТУ 48-19-161-90
52536240060803	0	BK8	Г037084 (ПР608/3)	4944,79	39,56	8,00	ТУ 48-19-161-90
52536240060900	0	BK8	Ш030065 (ПР609)	4206,73	13978,97	3323,00	ТУ 48-19-161-90
52536240062901	0	BK8	Д030206 (ПР629-1)	4649,82	77,19	16,6	ТУ 48-19-161-90
52536240063001	0	BK8	Д030207 (ПР630-1)	4543,06	106,31	23,4	ТУ 48-19-161-90
52536240063400	0	BK8	Д030208 (ПР634)	4275,26	555,78	130,00	ТУ 48-19-161-90
52536240064400	0	BK8	Д030215 (ПР644)	4341,71	281,78	64,9	ТУ 48-19-161-90

52536240064500	0	BK8	Д030216 (ПР645)	4337,32	291,47	67,2	ТУ 48-19-161-90
52536240065801	0	BK8	М030014 (ПР658-1)	6791,48	3,06	0,45	ТУ 48-19-161-90
52536240065802	0	BK8	М030015 (ПР658-2)	6756,77	6,96	1,03	ТУ 48-19-161-90
52536240065803	0	BK8	М030016 (ПР658-3)	6711,37	12,35	1,84	ТУ 48-19-161-90
52536240067500	0	BK8	Д030219 (ПР675)	4355,12	255,65	58,7	ТУ 48-19-161-90
52536250047600	0	BK8	Д040004 (ПР476)	4981,65	84,69	17,00	ТУ 48-19-161-90
52536250054802	0	BK8	Д030193 (ПР548-2)	4225,66	1850,84	423,00	ТУ 48-19-161-90
52536270039101	0	BK8	Г065082(ПР391-1)	4760,64	58,56	12,3	ТУ 48-19-161-90
52536270039102	0	BK8	Г065092(ПР391-2)	4475,21	136,49	30,5	ТУ 48-19-161-90
52536270039103	0	BK8	Г065102(ПР391-3)	4407,96	186,02	42,2	ТУ 48-19-161-90
52536280049300	0	BK8	Д070001 (ПР493)	5247,06	473,28	90,2	ТУ 48-19-161-90
52536290045900	0	BK8	М080002 (ПР459)	8760,72	10,51	1,2	ТУ 48-19-161-90
52536290069000	0	BK8	М090001 (ПР690)	21536,05	342,42	15,9	ТУ 48-19-161-90
52537190000051	0	BK8	КВ-51	5627,64	84,41	15,00	ТУ 48-19-428-87
52537190000054	0	BK8	КВ-54	5884,09	33,77	5,74	ТУ 48-19-428-87
52537250000074	0	BK8	КВ-74	6249,05	1265,43	202,5	ТУ 48-19-428-87
52537280000018	0	BK8	КВ-18	6298,65	797,41	126,6	ТУ 48-19-428-87
52537280000019	0	BK8	КВ-19	5987,81	758,66	126,7	ТУ 48-19-428-87
52537280000022	0	BK8	КВ-22	6214,32	2131,51	343,00	ТУ 48-19-428-87
52537280000024	0	BK8	КВ-24	6213,31	2174,66	350,00	ТУ 48-19-428-87
52537280000025	0	BK8	КВ-25	6222,53	1835,65	295,00	ТУ 48-19-428-87
52537290000028	0	BK8	КВ-28	6198,38	3099,19	500,00	ТУ 48-19-428-87
52537290000029	0	BK8	КВ-29	6186,68	4640,01	750,00	ТУ 48-19-428-87
52537290000032	0	BK8	КВ-32	6189,43	4154,96	671,3	ТУ 48-19-428-87
52538390000001	0	BK8	И01	7868,38	14,16	1,8	ТУ 48-19-67-78
52538620000057	0	BK8	Д57	6487,52	324,38	50,00	ТУ 48-19-67-78
52538660000019	0	BK8	Д19	6437,6	386,26	60,00	ТУ 48-19-67-78
52538660000030	0	BK8	Д30	6167,7	74,01	12,00	ТУ 48-19-67-78
52538760000042	0	BK8	Д42	5845,76	204,6	35,00	ТУ 48-19-67-78
52538820000006	0	BK8	Д06	6988,01	253,66	36,3	ТУ 48-19-67-78
52538820000058	0	BK8	Д58	6044,06	483,52	80,00	ТУ 48-19-67-78
52538820000075	0	BK8	Д75	6238,98	1434,97	230,00	ТУ 48-19-67-78
52538830000036	0	BK8	Д36	6271,2	1003,39	160,00	ТУ 48-19-67-78
52538830000037	0	BK8	Д37	6538,05	278,46	42,59	ТУ 48-19-67-78
52538830000038	0	BK8	Д38	6687,94	193,95	29,00	ТУ 48-19-67-78
52538830000039	0	BK8	Д39	6717,28	182,71	27,2	ТУ 48-19-67-78
52538830000041	0	BK8	Д41	6200,61	2914,29	470,00	ТУ 48-19-67-78
52538830000048	0	BK8	Д48	6379,36	494,4	77,5	ТУ 48-19-67-78
52538830000060	0	BK8	Д60	6261,1	1108,21	177,00	ТУ 48-19-67-78
52538830000117	0	BK8	Д117	6333,49	631,45	99,7	ТУ 48-19-67-78
52538830001041	0	BK8	Д41-А	6386,12	478,96	75,00	ТУ 48-19-67-78
52538850000047	0	BK8	Д47	7165,66	91,72	12,8	ТУ 48-19-67-78
52538850000051	0	BK8	Д51	7012,88	112,21	16,00	ТУ 48-19-67-78
52538850000052	0	BK8	Д52	7182,84	89,79	12,5	ТУ 48-19-67-78
52538850000053	0	BK8	Д53	7154,52	93,01	13,00	ТУ 48-19-67-78
52538860000025	0	BK8	Д25	7727,77	173,87	22,5	ТУ 48-19-67-78
52538930000054	0	BK8	Д54	7992,32	11,19	1,4	ТУ 48-19-67-78
52538990000104	0	BK8	Д104	6002,68	660,29	110,00	ТУ 48-19-67-78
52540120014801	0	BK8	Г017033 (ПР148-1)	4407,96	186,02	10,3	ТУ 48-19-165-84
52540120014802	0	BK8	Г017034 (ПР148-2)	3609,38	20,57	5,7	ТУ 48-19-165-84
52540120015600	0	BK8	Р010007 (ПР156)	4295,74	15,89	3,7	ТУ 48-19-165-84
52540120017000	0	BK8	Р010010 (ПР170)	4176,82	27,15	6,5	ТУ 48-19-165-84
52540120017201	0	BK8	Р010012 (ПР172-1)	4581,32	2,24	0,49	ТУ 48-19-165-84
52540120017202	0	BK8	Р010013 (ПР172-2)	4554,11	3,14	0,69	ТУ 48-19-165-84
52540120017203	0	BK8	Р010014 (ПР172-3)	4515,53	4,52	1,00	ТУ 48-19-165-84
52540120017204	0	BK8	Р010015 (ПР172-4)	4439,65	7,64	1,72	ТУ 48-19-165-84
52540120017205	0	BK8	Р010016 (ПР172-5)	4332,56	13,39	3,09	ТУ 48-19-165-84
52540120022701	0	BK8	Н010002 (ПР227-1)	5183,03	17,1	3,3	ТУ 48-19-165-84
52540120022702	0	BK8	Н010003 (ПР227-2)	4656,31	247,72	53,2	ТУ 48-19-165-84
52540120027401	0	BK8	Н010012 (ПР274-1)	4920,35	46,74	9,5	ТУ 48-19-165-84
52540120027402	0	BK8	Н010013 (ПР274-2)	5054,31	27,8	5,5	ТУ 48-19-165-84
52540120029500	0	BK8	Г017039 (ПР295)	4086,86	41,69	10,2	ТУ 48-19-165-84
52540120033801	0	BK8	Н010014 (ПР338-1)	5371,69	7,25	1,35	ТУ 48-19-165-84
52540120033802	0	BK8	Н010015 (ПР338-2)	5353,15	8,03	1,5	ТУ 48-19-165-84
52540120033803	0	BK8	Н010016 (ПР338-3)	5329,74	9,06	1,7	ТУ 48-19-165-84
52540120033804	0	BK8	Н010017 (ПР338-4)	5302,36	10,34	1,95	ТУ 48-19-165-84
52540120033805	0	BK8	Н010018 (ПР338-5)	5297,12	10,59	2,00	ТУ 48-19-165-84
52540120034600	0	BK8	Р010017 (ПР346)	4208,19	23,57	5,6	ТУ 48-19-165-84
52540120035200	0	BK8	Н010019 (ПР352)	4614,59	489,61	106,1	ТУ 48-19-165-84
52540120037900	0	BK8	Г012132 (ПР379)	3950,38	97,57	24,7	ТУ 48-19-165-84
52540120048700	0	BK8	Н010022 (ПР487)	5425,67	5,15	0,95	ТУ 48-19-165-84
52540120049500	0	BK8	Н010023 (ПР495)	4802,59	80,68	16,8	ТУ 48-19-165-84
52540120049600	0	BK8	Н010024 (ПР496)	4777,67	92,69	19,4	ТУ 48-19-165-84
52540120049700	0	BK8	Н010025 (ПР497)	4761,84	101,9	21,4	ТУ 48-19-165-84
52540120049800	0	BK8	Н010026 (ПР498)	4860,07	60,75	12,5	ТУ 48-19-165-84
52540120049900	0	BK8	Н010027 (ПР499)	4848,86	64,00	13,2	ТУ 48-19-165-84
52540120050000	0	BK8	Н010028 (ПР500)	4841,37	66,33	13,7	ТУ 48-19-165-84

52540120050100	0	BK8	H010029 (ПР501)	4720,9	134,55	28,5	ТУ 48-19-165-84
52540120050200	0	BK8	H010030(ПР502)	4817,43	74,67	15,5	ТУ 48-19-165-84
52540120057500	0	BK8	P010018 (ПР575)	4115,23	36,21	8,8	ТУ 48-19-165-84
52540121049500	0	BK8	H010023 (ПР495)*3	4858,41	61,22	12,6	ТУ 48-19-165-84
52540121049600	0	BK8	H010024 (ПР496)*3	4829,51	70,27	14,55	ТУ 48-19-165-84
52540121049800	0	BK8	H010026 (ПР498)*3	4922,79	46,27	9,4	ТУ 48-19-165-84
52540121049900	0	BK8	H010027 (ПР499)*3	4910,91	48,62	9,9	ТУ 48-19-165-84
52540121050000	0	BK8	H010028 (ПР500)*3	4901,96	50,49	10,3	ТУ 48-19-165-84
52540121050100	0	BK8	H010029 (ПР501)*3	4856,77	61,68	12,7	ТУ 48-19-165-84
52540123050200	0	BK8	H010030(ПР502*3)	4845,81	64,93	13,4	ТУ 48-19-165-84
52540130008300	0	BK8	P020026 (ПР83)	4087,53	318,83	78,00	ТУ 48-19-165-84
52540130017206	0	BK8	P020040 (ПР172-6)	4761,88	19,00	3,99	ТУ 48-19-165-84
52540130017207	0	BK8	P020041 (ПР172-7)	4690,98	23,08	4,92	ТУ 48-19-165-84
52540130017208	0	BK8	P020042 (ПР172-8)	4524,61	36,65	8,1	ТУ 48-19-165-84
52540130017209	0	BK8	P020043 (ПР172-9)	4400,89	53,69	12,2	ТУ 48-19-165-84
52540130017210	0	BK8	P020044 (ПР172-10)	4354,27	63,14	14,5	ТУ 48-19-165-84
52540130018000	0	BK8	P020027 (ПР180)	4101,37	270,69	66,00	ТУ 48-19-165-84
52540130018201	0	BK8	P020028 (ПР182-1)	4900,19	12,74	2,6	ТУ 48-19-165-84
52540130018202	0	BK8	P020029 (ПР182-2)	4596,82	29,88	6,5	ТУ 48-19-165-84
52540130018401	0	BK8	P020030 (ПР184-1)	4612,65	28,6	6,2	ТУ 48-19-165-84
52540130018402	0	BK8	P020031 (ПР184-2)	4491,24	40,42	9,00	ТУ 48-19-165-84
52540130022101	0	BK8	H020001 (ПР221-1)	5339,88	55,00	10,3	ТУ 48-19-165-84
52540130022102	0	BK8	H020002 (ПР221-2)	5259,89	68,38	13,00	ТУ 48-19-165-84
52540130024900	0	BK8	P020037 (ПР249)	3713,39	51,99	14,00	ТУ 48-19-165-84
52540130025100	0	BK8	P020038 (ПР251)	4301,22	77,42	18,00	ТУ 48-19-165-84
52540130026400	0	BK8	H020004 (ПР264)	4953,12	251,12	50,7	ТУ 48-19-165-84
52540130026700	0	BK8	H020005 (ПР267)	5486,51	38,41	7,00	ТУ 48-19-165-84
52540130030600	0	BK8	P020046 (ПР306)	4607,28	29,03	6,3	ТУ 48-19-165-84
52540130040200	0	BK8	H020006(ПР402)	5381,18	49,51	9,2	ТУ 48-19-165-84
52540130046301	0	BK8	H020011 (ПР463-1)	4081,57	2,00	0,49	ТУ 48-19-165-84
52540130046302	0	BK8	H020012 (ПР463-2)	4083,35	1,59	0,39	ТУ 48-19-165-84
52540130046303	0	BK8	H020013 (ПР463-3)	4081,92	1,92	0,47	ТУ 48-19-165-84
52540130065000	0	BK8	P020049 (ПР650)	4092,78	298,77	73,00	ТУ 48-19-165-84
52540140001100	0	BK8	P030005 (ПР11)	4452,79	150,06	33,7	ТУ 48-19-165-84
52540140001200	0	BK8	P030007 (ПР12)	4364,44	240,04	55,00	ТУ 48-19-165-84
52540140002300	0	BK8	Д030007 (ПР23)	4244,9	976,33	230,00	ТУ 48-19-165-84
52540140003000	0	BK8	P030012 (ПР30)	4589,18	91,78	20,00	ТУ 48-19-165-84
52540140003100	0	BK8	P030013 (ПР31)	4589,18	91,78	20,00	ТУ 48-19-165-84
52540140004900	0	BK8	K030004 (ПР49)	4444,7	155,56	35,00	ТУ 48-19-165-84
52540140005400	0	BK8	Д030008 (ПР54)	4216,5	3204,54	760,00	ТУ 48-19-165-84
52540140005500	0	BK8	Д030009 (ПР55)	4217,48	2973,32	705,00	ТУ 48-19-165-84
52540140005900	0	BK8	Д030010 (ПР59)	4308,61	374,85	87,00	ТУ 48-19-165-84
52540140006802	0	BK8	B030048 (ПР68-2)	4215,58	3435,7	815,00	ТУ 48-19-165-84
52540140007201	0	BK8	Д030011 (ПР72-1)	4417,95	176,72	40,00	ТУ 48-19-165-84
52540140007202	0	BK8	Д030012 (ПР72-2)	4367,16	235,83	54,00	ТУ 48-19-165-84
52540140007203	0	BK8	Д030013 (ПР72-3)	4280,97	513,72	120,00	ТУ 48-19-165-84
52540140008200	0	BK8	P030024 (ПР82)	4260,91	698,79	164,00	ТУ 48-19-165-84
52540140010602	0	BK8	P030058 (ПР106-2)	4333,02	301,58	69,6	ТУ 48-19-165-84
52540140011201	0	BK8	Д030035 (ПР112-1)	4250,9	850,18	200,00	ТУ 48-19-165-84
52540140011203	0	BK8	Д030036 (ПР112-3)	4218,62	2742,1	650,00	ТУ 48-19-165-84
52540140011209	0	BK8	Д030038 (ПР112-9)	4206,83	13882,54	3300,00	ТУ 48-19-165-84
52540140011211	0	BK8	Д030039 (ПР112-11)	4206,55	15353,91	3650,00	ТУ 48-19-165-84
52540140011212	0	BK8	Д030040 (ПР112-12)	4207,12	12621,36	3000,00	ТУ 48-19-165-84
52540140011213	0	BK8	Д030041 (ПР112-13)	4206,83	13882,54	3300,00	ТУ 48-19-165-84
52540140013601	0	BK8	P030033 (ПР136-1)	5850,34	4,97	0,85	ТУ 48-19-165-84
52540140013604	0	BK8	P030036 (ПР136-4)	5274,09	21,1	4,00	ТУ 48-19-165-84
52540140013606	0	BK8	P030038 (ПР136-6)	4980,66	36,86	7,4	ТУ 48-19-165-84
52540140013608	0	BK8	P030040 (ПР136-8)	4695,32	68,55	14,6	ТУ 48-19-165-84
52540140013609	0	BK8	P030041 (ПР136-9)	4593,86	90,5	19,7	ТУ 48-19-165-84
52540140013611	0	BK8	P030043 (ПР136-11)	4450,88	151,33	34,00	ТУ 48-19-165-84
52540140013612	0	BK8	P030044 (ПР136-12)	5438,74	15,23	2,8	ТУ 48-19-165-84
52540140013700	0	BK8	P030045 (ПР137)	5239,57	22,53	4,3	ТУ 48-19-165-84
52540140013801	0	BK8	B030070 (ПР138-1)	4345,48	273,77	63,00	ТУ 48-19-165-84
52540140013802	0	BK8	B030071 (ПР138-2)	4339,11	287,25	66,2	ТУ 48-19-165-84
52540140013900	0	BK8	B030072 (ПР139)	4297,35	421,14	98,00	ТУ 48-19-165-84
52540140017701	0	BK8	B030077 (ПР177-1)	4266,38	635,69	149,00	ТУ 48-19-165-84
52540140017705	0	BK8	B030078 (ПР177-5)	4315,83	349,58	81,00	ТУ 48-19-165-84
52540140017800	0	BK8	H030001 (ПР178)	5206,7	345,2	66,3	ТУ 48-19-165-84
52540140020602	0	BK8	P030054 (ПР206-2)	4303,72	393,79	91,5	ТУ 48-19-165-84
52540140023200	0	BK8	Д030048 (ПР232)	5514,34	12,96	2,35	ТУ 48-19-165-84
52540140026501	0	BK8	H030004 (ПР265-1)	5272,56	240,96	45,7	ТУ 48-19-165-84
52540140026502	0	BK8	H030005 (ПР265-2)	5234,69	292,1	55,8	ТУ 48-19-165-84
52540140026503	0	BK8	H030006 (ПР265-3)	5190,35	385,64	74,3	ТУ 48-19-165-84
52540140026504	0	BK8	H030007 (ПР265-4)	5179,62	417,48	80,6	ТУ 48-19-165-84
52540140026600	0	BK8	H030008 (ПР266)	5724,47	68,69	12,00	ТУ 48-19-165-84
52540140026801	0	BK8	H030009 (ПР268-1)	5248,44	271,34	51,7	ТУ 48-19-165-84
52540140026802	0	BK8	H030010 (ПР268-2)	5121,42	744,91	145,45	ТУ 48-19-165-84

52540140028700	0	BK8	Д030056 (ПР287)	5514,34	12,96	0,23	ТУ 48-19-165-84
52540140032500	0	BK8	Н030012 (ПР325)	5144,24	571,01	111,00	ТУ 48-19-165-84
52540140032600	0	BK8	Н030013 (ПР326)	5214,57	328,52	63,00	ТУ 48-19-165-84
52540140033701	0	BK8	Н030014 (ПР337-1)	5406,91	145,45	26,9	ТУ 48-19-165-84
52540140033702	0	BK8	Н030015 (ПР337-2)	5327,88	190,74	35,8	ТУ 48-19-165-84
52540140033703	0	BK8	Н030016 (ПР337-3)	5277,15	235,89	44,7	ТУ 48-19-165-84
52540140034500	0	BK8	Н030019 (ПР345)	5720,49	69,22	12,1	ТУ 48-19-165-84
52540140034700	0	BK8	Г037048 (ПР347)	4385,29	210,93	48,1	ТУ 48-19-165-84
52540140035100	0	BK8	М030009 (ПР351)	6228,48	105,88	17,00	ТУ 48-19-165-84
52540140039000	0	BK8	Н030020 (ПР390)	5266,01	248,56	47,2	ТУ 48-19-165-84
52540140039201	0	BK8	Н030021 (ПР392-1)	5257,84	258,69	49,2	ТУ 48-19-165-84
52540140039202	0	BK8	Н030022 (ПР392-2)	5124,04	719,93	140,5	ТУ 48-19-165-84
52540140039901	0	BK8	Н030023 (ПР399-1)	5933,66	47,47	8,00	ТУ 48-19-165-84
52540140039902	0	BK8	Н030024 (ПР399-2)	5672,74	76,01	13,4	ТУ 48-19-165-84
52540140039903	0	BK8	Н030025 (ПР399-3)	5582,17	92,11	16,5	ТУ 48-19-165-84
52540140039904	0	BK8	Н030026 (ПР399-4)	5499,63	112,19	20,4	ТУ 48-19-165-84
52540140039905	0	BK8	Н030027 (ПР399-5)	5281,44	231,33	43,8	ТУ 48-19-165-84
52540140048000	0	BK8	М030010 (ПР480)	6371,24	68,17	10,7	ТУ 48-19-165-84
52540140049200	0	BK8	М030011 (ПР492)	6371,24	68,17	10,7	ТУ 48-19-165-84
52540140059500	0	BK8	Р030066 (ПР595)	5020,15	34,14	6,8	ТУ 48-19-165-84
52540140062301	0	BK8	М030012 (ПР623-1)	6376,73	66,96	10,5	ТУ 48-19-161-90
52540140062302	0	BK8	М030013 (ПР623-2)	6230,36	105,29	16,9	ТУ 48-19-161-90
52540140063900	0	BK8	Р030067 (ПР639)	5117,73	28,35	5,54	ТУ 48-19-165-84
52540140102200	0	BK8	Д030006 (ПР22-А)	4253,31	808,13	190,00	ТУ 48-19-165-84
52540150026803	0	BK8	Н040001 (ПР268-3)	5101,31	1014,14	198,8	ТУ 48-19-165-84
52540150046400	0	BK8	Н040002 (ПР464)	5482,25	392,53	71,6	ТУ 48-19-165-84
52540150056200	0	BK8	Н040003 (ПР562)	4525,3	445,74	98,5	ТУ 48-19-165-84
52540160024500	0	BK8	М050007 (ПР245)	6273,94	445,45	71,00	ТУ 48-19-165-84
52540170019400	0	BK8	Д060001 (ПР194)	4253,31	808,13	16,3	ТУ 48-19-165-84
52540610000351	0	BK8	035Д-1	5639,14	27,07	4,8	ТУ 48-19-304-81
52540610000353	0	BK8	035Д-3	5420,06	44,99	8,3	ТУ 48-19-304-81
52540610000361	0	BK8	036Д-1	5989,02	11,38	1,9	ТУ 48-19-304-81
52540610000362	0	BK8	036Д-2	5852,59	16,39	2,8	ТУ 48-19-304-81
52540610000363	0	BK8	036Д-3	5789,59	19,11	3,3	ТУ 48-19-304-81
52540610000371	0	BK8	037Д-1	5410,97	45,99	8,5	ТУ 48-19-304-81
52540610000372	0	BK8	037Д-2	5852,59	16,39	2,8	ТУ 48-19-304-81
52540610000373	0	BK8	037Д-3	5789,59	19,11	3,3	ТУ 48-19-304-81
52540610000390	0	BK8	039Д	5033,27	156,03	31,00	ТУ 48-19-304-81
52542020000002	0	BK8	РП42-002	4288,88	81,49	19,00	ТУ 48-19-548-92
52550180228302	0	BK8	Г022052 (2283/2)	0,00	0,00	36,00	ТУ 48-19-397-94
52588880000032	0	BK8	Г2632	3708,75	59,34	16,00	ГОСТ 880-75
52588880000049	0	BK8	Г2649	3647,88	82,08	22,5	ГОСТ 880-75
52593960000003	0	BK8	7У1.003	5541,64	12,19	2,2	ТУ МО №А9396-89
527000800000311	0	BK15	2311	0,00	0,00	36,2	ГОСТ 25395-90
527000800000451	0	BK15	2451	0,00	0,00	52,16	ГОСТ 25395-90
52700200000130	0	BK15	20130	4698,44	179,95	36,99	ГОСТ 25408-90
527002100000570	0	BK15	21570	4754,79	125,53	25,5	ГОСТ 25400-90
52701860000003	0	BK15	2005-0003	9538,25	10,97	1,15	ТУ 48-19-64-91
52701860000004	0	BK15	2005-0004	9413,32	12,99	1,38	ТУ 48-19-64-91
52701860000005	0	BK15	2005-0005	8891,88	22,76	2,56	ТУ 48-19-64-91
52701860000007	0	BK15	2005-0007	8736,82	26,21	3,00	ТУ 48-19-64-91
52701860000008	0	BK15	2005-0008	8805,13	24,65	2,8	ТУ 48-19-64-91
52701860000010	0	BK15	2005-0010	8292,78	38,15	4,6	ТУ 48-19-64-91
52701860000011	0	BK15	2005-0011	8467,4	33,02	3,9	ТУ 48-19-64-91
52701860000012	0	BK15	2005-0012	8528,1	31,38	3,68	ТУ 48-19-64-91
52701860000015	0	BK15	2005-0015	8525,27	31,46	3,69	ТУ 48-19-64-91
52701860000016	0	BK15	2005-0016	8340,02	36,7	4,4	ТУ 48-19-64-91
52701860000018	0	BK15	2005-0018	7848,74	54,94	7,00	ТУ 48-19-64-91
52701860000019	0	BK15	2005-0019	7493,51	74,94	10,00	ТУ 48-19-64-91
52701860000020	0	BK15	2005-0020	7764,16	59,01	7,6	ТУ 48-19-64-91
52701860000021	0	BK15	2005-0021	7447,67	78,2	10,5	ТУ 48-19-64-91
52701860000022	0	BK15	2005-0022	7149,04	105,81	14,8	ТУ 48-19-64-91
52701860000023	0	BK15	2005-0023	7702,08	62,23	8,08	ТУ 48-19-64-91
52701860000026	0	BK15	2005-0026	7982,43	49,17	6,16	ТУ 48-19-64-91
52701860000027	0	BK15	2005-0027	7560,98	70,47	9,32	ТУ 48-19-64-91
52701860000029	0	BK15	2005-0029	7378,58	83,53	11,32	ТУ 48-19-64-91
52701860000030	0	BK15	2005-0030	7219,11	98,11	13,59	ТУ 48-19-64-91
52701860000032	0	BK15	2005-0032	7348,86	85,98	11,7	ТУ 48-19-64-91
52701860000033	0	BK15	2005-0033	7041,4	119,7	17,00	ТУ 48-19-64-91
52701860000036	0	BK15	2005-0036	6861,99	150,96	22,00	ТУ 48-19-64-91
52701860000044	0	BK15	2005-0044	8840,62	23,87	2,7	ТУ 48-19-64-91
52701860000045	0	BK15	2005-0045	8736,82	26,21	3,00	ТУ 48-19-64-91
52701860000046	0	BK15	2005-0046	7388,25	82,75	11,2	ТУ 48-19-64-91
52701870000047	0	BK15	2005-0047	6908,75	141,56	20,49	ТУ 48-19-64-91
52701870000048	0	BK15	2005-0048	6783,05	169,58	25,00	ТУ 48-19-64-91
52701870000049	0	BK15	2005-0049	6605,96	230,94	34,96	ТУ 48-19-64-91
52701870000050	0	BK15	2005-0050	6497,16	293,67	45,2	ТУ 48-19-64-91

52701870000051	0	BK15	2005-0051	6409,3	373,66	58,3	ТУ 48-19-64-91
52703010000001	0	BK15	3001-0001	4070,03	4,76	1,1	ГОСТ 13833-77
52703010000002	0	BK15	3001-0002	4067,46	5,41	1,3	ГОСТ 13833-77
52703010000003	0	BK15	3001-0003	4064,31	6,22	1,5	ГОСТ 13833-77
52703010000004	0	BK15	3001-0004	4061,39	6,99	1,7	ГОСТ 13833-77
52703010000005	0	BK15	3001-0005	4058,53	7,75	1,9	ГОСТ 13833-77
52703010000006	0	BK15	3001-0006	4055,59	8,56	2,1	ГОСТ 13833-77
52703010000007	0	BK15	3001-0007	4075,17	3,5	0,7	ГОСТ 13833-77
52703010000008	0	BK15	3001-0008	4072,00	4,28	0,9	ГОСТ 13833-77
52703010000127	0	BK15	3001-0127	4065,72	5,85	1,1	ГОСТ 13833-77
52703010000128	0	BK15	3001-0128	4048,95	10,45	2,2	ГОСТ 13833-77
52703016500128	0	BK15	3001-0128*6,5	3863,18	10,82	2,71	ГОСТ 13833-77
52703017000128	0	BK15	3001-0128*7,0	3856,21	11,65	2,92	ГОСТ 13833-77
52703018000128	0	BK15	3001-0128*8	3716,43	12,82	3,33	ГОСТ 13833-77
52703110000041	0	BK15	3001-0041	5064,53	7,19	1,4	ГОСТ 13834-77
52703110000042	0	BK15	3001-0042	5020,27	8,53	1,7	ГОСТ 13834-77
52703110000043	0	BK15	3001-0043	4423,96	8,36	2,00	ГОСТ 13834-77
52703110000044	0	BK15	3001-0044	4376,84	10,77	2,5	ГОСТ 13834-77
52703110000045	0	BK15	3001-0045	4336,41	13,14	3,1	ГОСТ 13834-77
52703110000046	0	BK15	3001-0046	4296,22	15,85	3,8	ГОСТ 13834-77
52703110000047	0	BK15	3001-0047	4271,13	17,77	4,2	ГОСТ 13834-77
52703110000048	0	BK15	3001-0048	4243,96	20,07	4,8	ГОСТ 13834-77
52703110000049	0	BK15	3001-0049	4223,83	21,96	5,3	ГОСТ 13834-77
52703110000050	0	BK15	3001-0050	4201,79	24,24	5,9	ГОСТ 13834-77
52703110000051	0	BK15	3001-0051	4407,41	9,17	2,1	ГОСТ 13834-77
52703110000052	0	BK15	3001-0052	4376,84	10,77	2,5	ГОСТ 13834-77
52703110000053	0	BK15	3001-0053	4349,24	12,35	2,9	ГОСТ 13834-77
52703110000054	0	BK15	3001-0054	4296,22	15,85	3,8	ГОСТ 13834-77
52703110000055	0	BK15	3001-0055	4252,66	19,31	4,6	ГОСТ 13834-77
52703110000056	0	BK15	3001-0056	4216,22	22,73	5,5	ГОСТ 13834-77
52703110000057	0	BK15	3001-0057	4185,29	26,12	6,3	ГОСТ 13834-77
52703110000058	0	BK15	3001-0058	4158,42	29,52	7,2	ГОСТ 13834-77
52703110000059	0	BK15	3001-0059	4137,92	32,48	8,00	ГОСТ 13834-77
52703110000060	0	BK15	3001-0060	4117,41	35,82	8,8	ГОСТ 13834-77
52703110000061	0	BK15	3001-0061	4076,53	43,94	10,9	ГОСТ 13834-77
52703110000062	0	BK15	3001-0062	4034,24	55,35	13,9	ГОСТ 13834-77
52703110000063	0	BK15	3001-0063	4686,62	70,06	15,1	ГОСТ 13834-77
52703110000064	0	BK15	3001-0064	4641,04	79,04	18,2	ГОСТ 13834-77
52703110000065	0	BK15	3001-0065	4604,98	87,54	19,3	ГОСТ 13834-77
52703110000066	0	BK15	3001-0066	4572,86	96,49	21,4	ГОСТ 13834-77
52703110000067	0	BK15	3001-0067	4522,13	114,23	25,6	ГОСТ 13834-77
52703110000068	0	BK15	3001-0068	4732,55	158,92	34,00	ГОСТ 13834-77
52703110000069	0	BK15	3001-0069	4700,32	177,44	38,2	ГОСТ 13834-77
52703110000070	0	BK15	3001-0070	4674,46	195,44	42,4	ГОСТ 13834-77
52703110000087	0	BK15	3001-0087	4025,49	58,25	14,7	ГОСТ 13834-77
52703110000088	0	BK15	3001-0088	4004,34	66,31	16,8	ГОСТ 13834-77
52703110000089	0	BK15	3001-0089	3986,99	74,32	18,9	ГОСТ 13834-77
52703110000090	0	BK15	3001-0090	3960,1	90,29	23,1	ГОСТ 13834-77
52703110000092	0	BK15	3001-0092	4150,48	30,63	7,5	ГОСТ 13834-77
52703110000093	0	BK15	3001-0093	4126,26	34,33	8,5	ГОСТ 13834-77
52703110000094	0	BK15	3001-0094	4399,06	9,59	2,2	ГОСТ 13834-77
52703110000095	0	BK15	3001-0095	4248,03	19,71	4,7	ГОСТ 13834-77
52703110000096	0	BK15	3001-0096	4324,18	13,92	3,3	ГОСТ 13834-77
52703110000097	0	BK15	3001-0097	4205,11	23,89	5,8	ГОСТ 13834-77
52703110000098	0	BK15	3001-0098	4115,16	36,21	8,9	ГОСТ 13834-77
52703110000099	0	BK15	3001-0099	5427,66	15,58	2,92	ГОСТ 13834-77
52703110000103	0	BK15	3001-0103	4735,38	62,13	13,38	ГОСТ 13834-77
52703110000104	0	BK15	3001-0104	4261,71	18,54	4,4	ГОСТ 13834-77
52703110000105	0	BK15	3001-0105	4212,32	23,13	5,5	ГОСТ 13834-77
52703110000106	0	BK15	3001-0106	4631,36	234,39	51,3	ГОСТ 13834-77
52703110000107	0	BK15	3001-0107	4599,19	274,53	60,5	ГОСТ 13834-77
52703110000112	0	BK15	3001-0112	4391,73	9,97	2,3	ГОСТ 13834-77
52703110000113	0	BK15	3001-0113	4391,73	9,97	2,3	ГОСТ 13834-77
52703110000114	0	BK15	3001-0114	4318,58	14,29	3,4	ГОСТ 13834-77
52703110000115	0	BK15	3001-0115	4231,74	21,2	5,1	ГОСТ 13834-77
52703110000117	0	BK15	3001-0117	4330,55	13,51	3,2	ГОСТ 13834-77
52703110000118	0	BK15	3001-0118	4271,13	17,77	4,2	ГОСТ 13834-77
52703110000119	0	BK15	3001-0119	4280,96	17,00	4,1	ГОСТ 13834-77
52703110000122	0	BK15	3001-0122	5033,93	30,00	6,1	ГОСТ 13834-77
52703110000123	0	BK15	3001-0123	4099,29	39,15	9,7	ГОСТ 13834-77
52703110000124	0	BK15	3001-0124	4370,05	11,14	2,6	ГОСТ 13834-77
52703110000125	0	BK15	3001-0125	4200,33	24,4	5,92	ГОСТ 13834-77
52703110000126	0	BK15	3001-0126	4118,09	35,7	8,85	ГОСТ 13834-77
52703113000048	0	BK15	3001-0048*3	3767,59	28,26	7,2	ГОСТ 13834-77
52703113000053	0	BK15	3001-0053*3	4254,53	19,15	4,35	ГОСТ 13834-77
52703113000054	0	BK15	3001-0054*3	3791,72	22,18	5,7	ГОСТ 13834-77
52703113000055	0	BK15	3001-0055*3	3771,49	27,15	7,06	ГОСТ 13834-77

52703113000056	0	BK15	3001-0056*3	4120,84	35,23	8,25	ГОСТ 13834-77
52703113000057	0	BK15	3001-0057*3	4923,78	46,09	9,45	ГОСТ 13834-77
52703113000058	0	BK15	3001-0058*3	3730,98	41,97	10,8	ГОСТ 13834-77
52703113000059	0	BK15	3001-0059*3	4050,76	50,43	12,00	ГОСТ 13834-77
52703113000060	0	BK15	3001-0060*3	3714,43	51,26	13,37	ГОСТ 13834-77
52703113000061	0	BK15	3001-0061*3	3996,1	69,93	16,4	ГОСТ 13834-77
52703113000062	0	BK15	3001-0062*3	3683,08	80,11	20,85	ГОСТ 13834-77
52703113000063	0	BK15	3001-0063*3	3955,3	93,74	22,65	ГОСТ 13834-77
52703113000064	0	BK15	3001-0064*3	4218,00	113,89	25,8	ГОСТ 13834-77
52703113000065	0	BK15	3001-0065*3	4198,96	126,6	28,95	ГОСТ 13834-77
52703113000066	0	BK15	3001-0066*3	4450,8	151,33	32,1	ГОСТ 13834-77
52703113000067	0	BK15	3001-0067*3	4156,46	166,47	40,2	ГОСТ 13834-77
52703113000069	0	BK15	3001-0069*3	4697,21	179,43	57,3	ГОСТ 13834-77
52703113000070	0	BK15	3001-0070*3	4338,92	287,67	63,6	ГОСТ 13834-77
52703113000106	0	BK15	3001-0106*3	4513,53	493,92	69,95	ГОСТ 13834-77
52703114000055	0	BK15	3001-0055*4	3744,77	35,95	9,2	ГОСТ 13834-77
52703114000056	0	BK15	3001-0056*4	3729,87	42,52	11,00	ГОСТ 13834-77
52703114000058	0	BK15	3001-0058*4	3708,1	55,62	14,4	ГОСТ 13834-77
52703114000060	0	BK15	3001-0060*4	3696,7	65,06	17,6	ГОСТ 13834-77
52703114000064	0	BK15	3001-0064*4	4438,75	159,8	34,8	ГОСТ 13834-77
52703114000068	0	BK15	3001-0068*4	4335,78	294,83	68,00	ГОСТ 13834-77
52703114500106	0	BK15	3001-0106*4,5	4513,53	493,92	104,93	ГОСТ 13834-77
52703115000066	0	BK15	3001-0066*5	4117,46	229,55	53,5	ГОСТ 13834-77
52703115000067	0	BK15	3001-0067*5	4338,07	289,57	64,00	ГОСТ 13834-77
52703115000107	0	BK15	3001-0107*5	4488,03	643,58	137,5	ГОСТ 13834-77
52703116000048	0	BK15	3001-0048*6	3708,1	55,62	14,4	ГОСТ 13834-77
52704270001103	0	BK15	701-1103	7455,71	12,75	1,81	ГОСТ 19073-80
52704270001603	0	BK15	701-1603	6744,53	26,64	4,18	ГОСТ 19073-80
52704270001604	0	BK15	701-1604	6345,93	38,14	6,35	ГОСТ 19073-80
52704270002204	0	BK15	701-2204	5814,84	63,27	11,5	ГОСТ 19073-80
52704270002704	0	BK15	701-2704	5483,6	92,84	17,9	ГОСТ 19073-80
52704280001102	0	BK15	703-1102	9828,09	5,7	0,61	ГОСТ 19074-80
52704280001603	0	BK15	703-1603	8875,48	17,31	2,06	ГОСТ 19074-80
52704280001604	0	BK15	703-1604	8260,13	26,93	3,45	ГОСТ 19074-80
52704280002204	0	BK15	703-2204	7485,42	43,64	6,16	ГОСТ 19074-80
52704290000603	0	BK15	711-0603	6973,91	21,48	3,26	ГОСТ 19075-80
52704290000604	0	BK15	711-0604	6596,16	30,47	4,89	ГОСТ 19075-80
52704290000804	0	BK15	711-0804	6038,12	50,66	8,87	ГОСТ 19075-80
52704290001004	0	BK15	711-1004	5664,67	74,49	13,9	ГОСТ 19075-80
52704290001006	0	BK15	711-1006	5457,83	96,06	18,6	ГОСТ 19075-80
52704290001206	0	BK15	711-1206	5242,39	132,89	26,8	ГОСТ 19075-80
52704300000903	0	BK15	721-0903	7000,49	20,93	3,16	ГОСТ 19076-80
52704300001203	0	BK15	721-1203	6449,27	34,76	5,7	ГОСТ 19076-80
52704300001204	0	BK15	721-1204	6070,75	49,11	8,55	ГОСТ 19076-80
52704300001404	0	BK15	721-1404	5875,19	59,46	10,7	ГОСТ 19076-80
52704300001504	0	BK15	721-1504	5692,6	72,18	13,4	ГОСТ 19076-80
52704300001904	0	BK15	721-1904	5433,89	99,22	19,3	ГОСТ 19076-80
52704300001906	0	BK15	721-1906	5260,49	128,88	25,9	ГОСТ 19076-80
52704300002506	0	BK15	721-2506	4988,17	229,36	48,6	ГОСТ 19076-80
52704310000903	0	BK15	723-0903	8996,37	15,65	1,84	ГОСТ 19077-80
52704310001203	0	BK15	723-1203	8105,75	29,75	3,88	ГОСТ 19077-80
52704310001204	0	BK15	723-1204	7613,54	40,35	5,6	ГОСТ 19077-80
52704310001504	0	BK15	723-1504	7076,2	56,33	8,41	ГОСТ 19077-80
52704310001904	0	BK15	723-1904	6537,29	81,65	13,2	ГОСТ 19077-80
52704310002506	0	BK15	723-2506	5724,9	183,02	33,8	ГОСТ 19077-80
52704320000803	0	BK15	731-0803	7326,36	14,87	2,15	ГОСТ 19078-80
52704320000903	0	BK15	731-0903	7003,48	20,87	3,15	ГОСТ 19078-80
52704320001203	0	BK15	731-1203	6431,78	35,31	5,8	ГОСТ 19078-80
52704320001204	0	BK15	731-1204	6072,98	49,01	8,53	ГОСТ 19078-80
52704320001604	0	BK15	731-1604	5692,6	72,18	13,4	ГОСТ 19078-80
52704320001904	0	BK15	731-1904	5433,89	99,22	19,3	ГОСТ 19078-80
527043300017041	0	BK15	741-1704-1	6065,21	49,37	8,6	ГОСТ 19079-80
527043300017042	0	BK15	742-1704-2	6065,21	49,37	8,6	ГОСТ 19079-80
527043300019041	0	BK15	741-1904-1	5934,58	56,02	9,98	ГОСТ 19079-80
527043300019042	0	BK15	742-1904-2	5934,58	56,02	9,98	ГОСТ 19079-80
52704340000603	0	BK15	751-0603	7103,3	18,89	2,81	ГОСТ 19080-80
52704340000903	0	BK15	751-0903	6555,79	31,6	5,1	ГОСТ 19080-80
52704340001104	0	BK15	751-1104	5780,33	65,61	12,00	ГОСТ 19080-80
52704340001304	0	BK15	751-1304	5510,58	89,66	17,2	ГОСТ 19080-80
52704340001306	0	BK15	751-1306	5324,28	116,34	23,1	ГОСТ 19080-80
52704340001604	0	BK15	751-1604	5277,59	125,29	25,1	ГОСТ 19080-80
52704350000904	0	BK15	761-0904	5822,45	62,77	11,4	ГОСТ 19081-80
52704350001104	0	BK15	761-1104	5547,89	85,55	16,3	ГОСТ 19081-80
52704350001106	0	BK15	761-1106	5358,38	110,49	21,8	ГОСТ 19081-80
52704350001204	0	BK15	761-1204	5307,25	119,47	23,8	ГОСТ 19081-80
52704370000903	0	BK15	771-0903	7240,44	16,36	2,39	ГОСТ 19083-80
52704370001203	0	BK15	771-1203	6718,66	27,28	4,29	ГОСТ 19083-80

52704370001504	0	BK15	771-1504	5924,59	56,58	10,1	ГОСТ 19083-80
52704370001904	0	BK15	771-1904	5567,98	83,46	15,85	ГОСТ 19083-80
52704370002204	0	BK15	771-2204	5335,57	114,34	22,65	ГОСТ 19083-80
52704370002506	0	BK15	771-2506	5058,4	191,81	40,08	ГОСТ 19083-80
52704380001503	0	BK15	781-1503	6536,22	32,16	5,2	ГОСТ 24254-80
52704380001904	0	BK15	781-1904	5692,6	72,18	13,4	ГОСТ 24254-80
52705710000001	0	BK15	2007-0001	21916,77	28,71	1,38	ТУ 48-19-405-86
52705710000002	0	BK15	2007-0002	13152,85	48,53	3,9	ТУ 48-19-405-86
52705710000003	0	BK15	2007-0003	16081,65	45,67	3,00	ТУ 48-19-405-86
52705710000004	0	BK15	2007-0004	12343,71	69,99	5,99	ТУ 48-19-405-86
52705710000005	0	BK15	2007-0005	12808,57	65,45	5,4	ТУ 48-19-405-86
52705710000006	0	BK15	2007-0006	14604,36	66,3	4,8	ТУ 48-19-405-86
52705710000007	0	BK15	2007-0007	12946,29	80,66	6,59	ТУ 48-19-405-86
52705710000008	0	BK15	2007-0008	13239,45	77,58	6,19	ТУ 48-19-405-86
52705710000012	0	BK15	2007-0012	11647,75	185,08	16,8	ТУ 48-19-405-86
52705710000014	0	BK15	2007-0014	15120,94	50,05	3,5	ТУ 48-19-405-86
52705710000015	0	BK15	2007-0015	12336,12	70,07	6,00	ТУ 48-19-405-86
52705710000052	0	BK15	2007-0052	15139,19	49,96	3,49	ТУ 48-19-405-86
52705710000053	0	BK15	2007-0053	10317,53	58,81	5,7	ТУ 48-19-63-87
52705710000054	0	BK15	2007-0054	9325,75	93,26	10,00	ТУ 48-19-63-87
52705710000055	0	BK15	2007-0055	10168,15	108,6	11,29	ТУ 48-19-405-86
52705710000058	0	BK15	2007-0058	14019,99	32,39	2,44	ТУ 48-19-405-86
52705710000059	0	BK15	2007-0059	13088,29	48,95	3,95	ТУ 48-19-405-86
52705710000062	0	BK15	2007-0062	9325,75	93,26	10,00	ТУ 48-19-63-87
52705720000061	0	BK15	2007-0061	10585,17	97,49	9,74	ТУ 48-19-405-86
52705720000063	0	BK15	2007-0063	14642,12	52,57	3,79	ТУ 48-19-405-86
52705720000064	0	BK15	2007-0064	12343,27	40,86	3,5	ТУ 48-19-405-86
52705720000065	0	BK15	2007-0065	10832,8	92,08	8,99	ТУ 48-19-405-86
52705720000066	0	BK15	2007-0066	10505,97	99,39	10,00	ТУ 48-19-405-86
52705720000067	0	BK15	2007-0067	15622,17	73,89	5,00	ТУ 48-19-405-86
52705730000072	0	BK15	2007-0072	13707,95	45,24	3,49	ТУ 48-19-405-86
52705730000073	0	BK15	2007-0073	15892,15	72,15	4,8	ТУ 48-19-405-86
52705730000074	0	BK15	2007-0074	12919,49	64,47	5,28	ТУ 48-19-405-86
52705730000075	0	BK15	2007-0075	11002,25	141,6	13,6	ТУ 48-19-405-86
52705730000076	0	BK15	2007-0076	12817,65	65,37	5,39	ТУ 48-19-405-86
52705730000078	0	BK15	2007-0078	15025,42	78,13	5,5	ТУ 48-19-405-86
52705740000101	0	BK15	2007-0101	39243,99	25,12	0,68	ТУ 48-19-405-86
52705740000102	0	BK15	2007-0102	22071,11	58,27	2,79	ТУ 48-19-405-86
52705740000103	0	BK15	2007-0103	19055,39	97,18	5,39	ТУ 48-19-405-86
52705740000108	0	BK15	2007-0108	16943,42	112,17	7,00	ТУ 48-19-405-86
52705740000151	0	BK15	2007-0151	13022,56	36,98	3,00	ТУ 48-19-405-86
52705740000152	0	BK15	2007-0152	14981,95	63,82	4,5	ТУ 48-19-405-86
52705750001001	0	BK15	2007-1001	12895,44	37,65	3,09	ТУ 48-19-405-86
52705750001002	0	BK15	2007-1002	15037,18	78,04	5,49	ТУ 48-19-405-86
52705750001003	0	BK15	2007-1003	14623,93	117,43	8,49	ТУ 48-19-405-86
52705750001004	0	BK15	2007-1004	13161,4	167,94	13,49	ТУ 48-19-405-86
52705750001005	0	BK15	2007-1005	11703,41	121,83	11,00	ТУ 48-19-405-86
52705750001051	0	BK15	2007-1051	14336,43	42,01	3,1	ТУ 48-19-405-86
52705750001052	0	BK15	2007-1052	15132,59	77,33	5,4	ТУ 48-19-405-86
52705750001054	0	BK15	2007-1054	10403,75	210,47	21,38	ТУ 48-19-405-86
52705750001055	0	BK15	2007-1055	15193,5	76,88	5,35	ТУ 48-19-405-86
52705750001058	0	BK15	2007-1058	12986,28	63,89	5,2	ТУ 48-19-405-86
52705750001071	0	BK15	2007-1071	14610,4	30,1	2,18	ТУ 48-19-405-86
52705760001072	0	BK15	2007-1072	13411,27	46,94	3,7	ТУ 48-19-405-86
52705760001073	0	BK15	2007-1073	10837,53	147,5	14,39	ТУ 48-19-405-86
52705760001074	0	BK15	2007-1074	10305,15	351,92	36,1	ТУ 48-19-405-86
52705770001091	0	BK15	2007-1091	21231,51	86,2	4,29	ТУ 48-19-405-86
52705780001101	0	BK15	2007-1101	23229,95	34,84	1,59	ТУ 48-19-405-86
52705780001102	0	BK15	2007-1102	14133,07	146,98	10,99	ТУ 48-19-405-86
52705780001103	0	BK15	2007-1103	18844,41	83,67	4,69	ТУ 48-19-405-86
52705780001107	0	BK15	2007-1107	16353,54	117,58	7,6	ТУ 48-19-405-86
52705780001151	0	BK15	2007-1151	20746,19	88,38	4,5	ТУ 48-19-405-86
52705780001152	0	BK15	2007-1152	12496,74	187,83	15,89	ТУ 48-19-405-86
52705780001153	0	BK15	2007-1153	25787,13	48,48	1,99	ТУ 48-19-405-86
52705780001154	0	BK15	2007-1154	20984,15	87,29	4,4	ТУ 48-19-405-86
52705780001155	0	BK15	2007-1155	18283,04	102,02	5,9	ТУ 48-19-405-86
52705790001601	0	BK15	2007-1601	20984,15	87,29	4,4	ТУ 48-19-405-86
52705790001602	0	BK15	2007-1602	16003,88	121,15	8,00	ТУ 48-19-405-86
52705790001603	0	BK15	2007-1603	13157,99	168,03	13,5	ТУ 48-19-405-86
52705800001671	0	BK15	2007-1671	20310,19	76,77	4,00	ТУ 48-19-405-86
52705800001672	0	BK15	2007-1672	10837,53	147,5	14,39	ТУ 48-19-405-86
52705830002121	0	BK15	2007-2121	16934,83	80,1	5,00	ТУ 48-19-405-86
52705840002501	0	BK15	2007-2501	12318,78	54,57	4,68	ТУ 48-19-405-86
52705840002502	0	BK15	2007-2502	14820,26	29,34	2,09	ТУ 48-19-405-86
52705840002503	0	BK15	2007-2503	10482,23	162,58	16,4	ТУ 48-19-405-86
52705840002504	0	BK15	2007-2504	16801,25	113,41	7,14	ТУ 48-19-405-86
52705840002513	0	BK15	2007-2513	12321,00	70,23	6,03	ТУ 48-19-405-86

52705840002514	0	BK15	2007-2514	10964,15	113,81	10,97	ТУ 48-19-405-86
52705840002515	0	BK15	2007-2515	11494,21	233,79	21,5	ТУ 48-19-405-86
52705840002517	0	BK15	2007-2517	13706,7	33,72	2,6	ТУ 48-19-405-86
52705840002518	0	BK15	2007-2518	13689,8	73,38	5,67	ТУ 48-19-405-86
52705840002519	0	BK15	2007-2519	11267,88	106,59	10,00	ТУ 48-19-405-86
52705840002520	0	BK15	2007-2520	11390,13	240,33	22,3	ТУ 48-19-405-86
52705840002521	0	BK15	2007-2521	17666,17	21,2	1,27	ТУ 48-19-405-86
52705850002512	0	BK15	2007-2512	20106,3	42,63	2,24	ТУ 48-19-405-86
52705850002516	0	BK15	2007-2516	10130,59	383,34	40,00	ТУ 48-19-405-86
52705860002751	0	BK15	2007-2751	12980,35	120,33	9,8	ТУ 48-19-405-86
52705860002752	0	BK15	2007-2752	12889,7	121,94	10,00	ТУ 48-19-405-86
52705860002753	0	BK15	2007-2753	12980,35	120,33	9,8	ТУ 48-19-405-86
52705860002754	0	BK15	2007-2754	13024,48	119,56	9,7	ТУ 48-19-405-86
52705880002801	0	BK15	2007-2801	13395,54	93,63	7,39	ТУ 48-19-405-86
52705880002802	0	BK15	2007-2802	13395,54	93,63	7,39	ТУ 48-19-405-86
52705880002806	0	BK15	2007-2806	13325,76	94,48	7,5	ТУ 48-19-405-86
52705880002810	0	BK15	2007-2810	12481,69	129,93	11,00	ТУ 48-19-405-86
52705880002816	0	BK15	2007-2816	12521,41	129,1	10,9	ТУ 48-19-405-86
52705880002825	0	BK15	2007-2825	13017,13	143,97	11,69	ТУ 48-19-405-86
52705880002826	0	BK15	2007-2826	13017,13	143,97	11,69	ТУ 48-19-405-86
52705880002831	0	BK15	2007-2831	12981,66	144,75	11,79	ТУ 48-19-405-86
52705880002832	0	BK15	2007-2832	13013,16	144,06	11,7	ТУ 48-19-405-86
52705880002840	0	BK15	2007-2840	13089,68	142,42	11,5	ТУ 48-19-405-86
52705890002809	0	BK15	2007-2809	12408,11	131,53	11,2	ТУ 48-19-405-86
52705890002815	0	BK15	2007-2815	12598,85	127,5	10,7	ТУ 48-19-405-86
52705890002845	0	BK15	2007-2845	14396,55	100,78	7,4	ТУ 48-19-405-86
52705890003002	0	BK15	2007-3002	16001,13	102,89	6,8	ТУ 48-19-405-86
52705900002971	0	BK15	2007-2971	13703,31	58,38	4,5	ТУ 48-19-405-86
52705920003033	0	BK15	2007-3033	20653,53	88,81	4,55	ТУ 48-19-405-86
52705920003034	0	BK15	2007-3034	20984,15	87,29	4,4	ТУ 48-19-405-86
52705920003035	0	BK15	2007-3035	19918,92	92,42	4,9	ТУ 48-19-405-86
52705930003043	0	BK15	2007-3043	17388,28	108,5	6,6	ТУ 48-19-405-86
52705930003173	0	BK15	2007-3173	12739,83	102,43	8,5	ТУ 48-19-405-86
52705950004002	0	BK15	2007-4002	20746,19	88,38	4,5	ТУ 48-19-405-86
52705950004003	0	BK15	2007-4003	13241,19	165,91	13,25	ТУ 48-19-405-86
52705960005062	0	BK15	2007-5062	14254,9	144,83	10,74	ТУ 48-19-405-86
52705970006073	0	BK15	2007-6073	14502,65	82,38	6,00	ТУ 48-19-405-86
52705980009003	0	BK15	2007-9003	27543,01	54,81	2,1	ТУ 48-19-405-86
52705990009008	0	BK15	2007-9008	24143,62	75,33	3,3	ТУ 48-19-405-86
52706000009011	0	BK15	2007-9011	27804,9	54,22	2,06	ТУ 48-19-405-86
52706000009014	0	BK15	2007-9014	10108,32	132,42	13,1	ТУ 48-19-63-87
52706010009017	0	BK15	2007-9017	21337,69	60,6	3,00	ТУ 48-19-405-86
52706030009024	0	BK15	2007-9024	14231,00	84,82	6,3	ТУ 48-19-405-86
52706040009029	0	BK15	2007-9029	15128,29	93,49	6,53	ТУ 48-19-405-86
52706050009030	0	BK15	2007-9030	15450,43	90,69	6,2	ТУ 48-19-405-86
52706060009031	0	BK15	2007-9031	17744,67	50,39	3,00	ТУ 48-19-405-86
52718010000006	0	BK15	ОТХОДЫ	0,00	0,00	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАН
52719800000091	0	BK15	1980-0091	4437,95	160,39	36,5	ГОСТ 9453-75
52719800000094	0	BK15	1980-0094	4437,95	160,39	35,49	ГОСТ 9453-75
52719800000362	0	BK15	1980-0362	4135,54	195,61	50,00	ГОСТ 2330-76
52719800000376	0	BK15	1980-0376	4229,00	1597,72	364,9	ГОСТ 2330-76
52719800000378	0	BK15	1980-0378	4230,69	1496,39	341,62	ГОСТ 2330-76
52719800000386	0	BK15	1980-0386	4215,94	3335,23	764,1	ГОСТ 2330-76
52719800000387	0	BK15	1980-0387	4217,3	2996,18	751,00	ГОСТ 2330-76
52719800000388	0	BK15	1980-0388	4217,67	2916,64	731,00	ГОСТ 2330-76
52719800000391	0	BK15	1980-0391	4218,25	2797,34	701,00	ГОСТ 2330-76
52719800000392	0	BK15	1980-0392	5060,77	3611,87	689,3	ГОСТ 2330-76
52719800000393	0	BK15	1980-0393	4218,92	2674,03	670,00	ГОСТ 2330-76
52719800000394	0	BK15	1980-0394	4218,17	2814,07	644,84	ГОСТ 2330-76
52719800000395	0	BK15	1980-0395	4221,17	2324,05	582,00	ГОСТ 2330-76
52719800000411	0	BK15	1980-0411	4210,93	5696,47	1430,00	ГОСТ 2330-76
52719800000413	0	BK15	1980-0413	4211,21	5481,73	1376,00	ГОСТ 2330-76
52719800000414	0	BK15	1980-0414	4210,65	5935,08	1361,43	ГОСТ 2330-76
52719800000415	0	BK15	1980-0415	4211,54	5247,07	1317,00	ГОСТ 2330-76
52719800000417	0	BK15	1980-0417	4211,14	5530,5	1268,45	ГОСТ 2330-76
52719800000418	0	BK15	1980-0418	4212,13	4869,27	1222,00	ГОСТ 2330-76
52719800000419	0	BK15	1980-0419	4211,55	5240,01	1201,7	ГОСТ 2330-76
52719800000424	0	BK15	1980-0424	4219,84	2518,95	631,00	ГОСТ 2330-76
52719800000426	0	BK15	1980-0426	4221,03	2343,94	587,00	ГОСТ 2330-76
52719800000431	0	BK15	1980-0431	4224,4	1958,18	473,00	ГОСТ 2330-76
52719800000433	0	BK15	1980-0433	4226,86	1747,38	437,00	ГОСТ 2330-76
52719800000434	0	BK15	1980-0434	4208,77	8196,16	1880,94	ГОСТ 2330-76
52719800000435	0	BK15	1980-0435	4209,41	7255,38	1822,00	ГОСТ 2330-76
52719800000436	0	BK15	1980-0436	4208,99	7843,88	1800,00	ГОСТ 2330-76
52719800000437	0	BK15	1980-0437	4209,67	6929,29	1740,00	ГОСТ 2330-76
52719800000438	0	BK15	1980-0438	4209,25	7474,78	1715,8	ГОСТ 2330-76
52719800000443	0	BK15	1980-0443	4214,47	3795,51	952,00	ГОСТ 2330-76

52719800000445	0	BK15	1980-0445		4214,93	3640,43	913,00	ГОСТ 2330-76
52719800000447	0	BK15	1980-0447		4215,34	3509,19	880,00	ГОСТ 2330-76
52719800000449	0	BK15	1980-0449		4208,94	7919,51	1989,00	ГОСТ 2330-76
52719800000451	0	BK15	1980-0451		4208,55	8574,51	1967,86	ГОСТ 2330-76
52719800000452	0	BK15	1980-0452		4209,17	7581,48	1924,00	ГОСТ 2330-76
52719800000454	0	BK15	1980-0454		4209,44	7223,56	1814,00	ГОСТ 2330-76
52719800000458	0	BK15	1980-0458		4206,54	14992,69	3442,5	ГОСТ 2330-76
52719800000462	0	BK15	1980-0462		4206,99	12826,95	3223,00	ГОСТ 2330-76
52719800000464	0	BK15	1980-0464		4206,88	13303,42	3057,4	ГОСТ 2330-76
52719800000465	0	BK15	1980-0465		4207,28	11769,1	2957,00	ГОСТ 2330-76
52719800000467	0	BK15	1980-0467		4208,22	9235,86	2320,00	ГОСТ 2330-76
52719800000468	0	BK15	1980-0468		4208,32	9033,02	2269,00	ГОСТ 2330-76
52719800000471	0	BK15	1980-0471		4208,53	8619,45	2165,00	ГОСТ 2330-76
52719800000472	0	BK15	1980-0472		4208,65	8408,67	2112,00	ГОСТ 2330-76
52719800000473	0	BK15	1980-0473		4208,77	8193,93	2058,00	ГОСТ 2330-76
52719800000474	0	BK15	1980-0474		4208,91	7971,21	2002,00	ГОСТ 2330-76
52719800000475	0	BK15	1980-0475		4209,06	7748,54	1946,00	ГОСТ 2330-76
52719800000476	0	BK15	1980-0476		4209,22	7517,87	1888,00	ГОСТ 2330-76
52719800000478	0	BK15	1980-0478		4208,45	8762,63	2201,00	ГОСТ 2330-76
52719800000481	0	BK15	1980-0481		4208,72	8277,42	2079,00	ГОСТ 2330-76
52719800000482	0	BK15	1980-0482		4208,87	8030,87	2017,00	ГОСТ 2330-76
52719800000483	0	BK15	1980-0483		4209,04	7776,37	1953,00	ГОСТ 2330-76
52719800000484	0	BK15	1980-0484		4207,43	11268,04	2831,00	ГОСТ 2330-76
52719800000485	0	BK15	1980-0485		4207,51	11009,55	2766,00	ГОСТ 2330-76
52719800000486	0	BK15	1980-0486		4207,42	11288,68	2591,47	ГОСТ 2330-76
52719800000499	0	BK15	1980-0499		4206,73	13972,29	3548,00	ГОСТ 2330-76
52719800000501	0	BK15	1980-0501		4206,79	13693,91	3441,00	ГОСТ 2330-76
52719800000504	0	BK15	1980-0504		4206,99	12822,96	3222,00	ГОСТ 2330-76
52719800000505	0	BK15	1980-0505		4207,07	12528,69	3148,00	ГОСТ 2330-76
52719800000507	0	BK15	1980-0507		4207,42	11299,82	2839,00	ГОСТ 2330-76
52719800000508	0	BK15	1980-0508		4206,5	15209,06	3822,00	ГОСТ 2330-76
52721020001103	0	BK15	3-701-1103		6386,5	12,13	1,9	OCT 48-93-81
52721020001604	0	BK15	3-701-1604		5703,54	37,93	6,65	OCT 48-93-81
52721020002204	0	BK15	3-701-2204		5399,43	63,71	11,8	OCT 48-93-81
52721020002704	0	BK15	3-701-2704		5209,64	94,82	18,2	OCT 48-93-81
52721030001603	0	BK15	3-703-1603		7820,00	18,46	2,36	OCT 48-93-81
52721030002204	0	BK15	3-703-2204		6878,14	44,43	6,46	OCT 48-93-81
52721040000604	0	BK15	3-711-0604		5845,69	30,34	5,19	OCT 48-93-81
52721040000804	0	BK15	3-711-0804		5527,11	50,68	9,17	OCT 48-93-81
52721040001004	0	BK15	3-711-1004		5313,43	75,45	14,2	OCT 48-93-81
52721040001006	0	BK15	3-711-1006		5195,05	98,19	18,9	OCT 48-93-81
52721040001206	0	BK15	3-711-1206		5071,52	137,44	27,1	OCT 48-93-81
52721050000903	0	BK15	3-721-0903		6077,63	21,03	3,46	OCT 48-93-81
52721050001203	0	BK15	3-721-1203		5762,17	34,57	6,00	OCT 48-93-81
52721050001204	0	BK15	3-721-1204		5545,96	49,08	8,85	OCT 48-93-81
52721050001504	0	BK15	3-721-1504		5329,53	73,01	13,7	OCT 48-93-81
52721050001904	0	BK15	3-721-1904		5181,29	101,55	19,6	OCT 48-93-81
52721050001906	0	BK15	3-721-1906		5081,91	133,15	26,2	OCT 48-93-81
52721060001203	0	BK15	3-723-1203		7298,07	30,51	4,18	OCT 48-93-81
52721070001203	0	BK15	3-731-1203		5752,7	35,09	6,1	OCT 48-93-81
52721070001204	0	BK15	3-731-1204		5547,17	48,98	8,83	OCT 48-93-81
52721070001604	0	BK15	3-731-1604		5329,53	73,01	13,7	OCT 48-93-81
52721070001904	0	BK15	3-731-1904		5181,29	101,55	19,6	OCT 48-93-81
52721080017041	0	BK15	3-741-1704-1		6049,92	53,84	8,9	OCT 48-93-81
52721080019041	0	BK15	3-741-1904-1		5950,53	61,17	10,28	OCT 48-93-81
52721090019042	0	BK15	3-742-1904-2		5950,53	61,17	10,28	OCT 48-93-81
52721100001104	0	BK15	3-751-1104		5379,54	66,17	12,3	OCT 48-93-81
52721100001304	0	BK15	3-751-1304		5225,14	91,44	17,5	OCT 48-93-81
52721100001306	0	BK15	3-751-1306		5118,43	119,77	23,4	OCT 48-93-81
52721100001604	0	BK15	3-751-1604		5091,65	129,33	25,4	OCT 48-93-81
52721110000904	0	BK15	3-761-0904		5403,55	63,22	11,7	OCT 48-93-81
52721110001104	0	BK15	3-761-1104		5246,55	87,09	16,6	OCT 48-93-81
52721110001204	0	BK15	3-761-1204		5108,64	123,12	24,1	OCT 48-93-81
52721120001203	0	BK15	3-771-1203		5916,65	27,16	4,59	OCT 48-93-81
52721120001504	0	BK15	3-771-1504		5461,97	56,8	10,4	OCT 48-93-81
52721120001904	0	BK15	3-771-1904		5257,93	84,92	16,15	OCT 48-93-81
52721130000002	0	BK15	3-2007-0002		7216,29	32,83	4,55	ТУ 48-19-550-94
52721140000074	0	BK15	3-2007-0074		6879,61	44,37	6,45	ТУ 48-19-550-94
52721150001671	0	BK15	3-2007-1671		7226,97	32,52	4,5	ТУ 48-19-550-94
52721150001672	0	BK15	3-2007-1672		5275,26	81,77	15,5	ТУ 48-19-550-94
52721160000102	0	BK15	3-2007-0102		8241,34	28,43	3,45	ТУ 48-19-550-94
52721170001072	0	BK15	3-2007-1072		7401,79	27,76	3,75	ТУ 48-19-550-94
52721180001073	0	BK15	3-2007-1073		6165,97	91,26	14,8	ТУ 48-19-550-94
52721190001074	0	BK15	3-2007-1074		5663,45	202,18	35,7	ТУ 48-19-550-94
52721270002513	0	BK15	3-2007-2513		5275,26	81,77	15,5	ТУ 48-19-550-94
52722420000033	0	BK15	KB-33		5667,38	387,65	68,4	ТУ 48-19-263-81
52726820000100	0	BK15	ГО22012 (ПР1)		4976,61	213,99	43,00	ТУ 48-19-183-76

52726830000300	0	BK15	H030011 (ПРЗ)		5243,87	277,93	53,00	ТУ 48-19-183-76
52728520000001	0	BK15	Г1101		3802,17	164,37	43,5	ГОСТ 880-75
52728520000002	0	BK15	Г1102		3796,97	192,16	50,9	ГОСТ 880-75
52728520000003	0	BK15	Г1103		3793,67	214,61	56,9	ГОСТ 880-75
52728520000004	0	BK15	Г1104		3788,29	263,78	70,1	ГОСТ 880-75
52728520000005	0	BK15	Г1105		3792,85	221,01	58,7	ГОСТ 880-75
52728520000006	0	BK15	Г1106		3784,71	310,04	82,5	ГОСТ 880-75
52728520000007	0	BK15	Г1107		3783,18	334,62	89,1	ГОСТ 880-75
52728520000008	0	BK15	Г1108		3781,56	365,26	97,3	ГОСТ 880-75
52728520000009	0	BK15	Г1109		3780,05	399,06	106,3	ГОСТ 880-75
52728520000010	0	BK15	Г1110		3780,24	394,43	106,00	ГОСТ 880-75
527285300000003	0	BK15	Г1203		4075,5	113,71	26,6	ГОСТ 880-75
527285300000005	0	BK15	Г1205		4072,04	117,48	29,00	ГОСТ 880-75
527285300000007	0	BK15	Г1207		4067,83	122,36	30,3	ГОСТ 880-75
527285300000008	0	BK15	Г1208		4044,25	158,01	39,4	ГОСТ 880-75
52728530001206	0	BK15	Г1206		0,00	0,00	35,35	ГОСТ 880-75
527285400000001	0	BK15	Г1301		3794,8	206,4	54,00	ГОСТ 880-75
527286000000012	0	BK15	Г2512		4638,79	37,34	9,00	ГОСТ 880-75
527286000000040	0	BK15	Г2540		4381,76	96,44	24,6	ГОСТ 880-75
52728600002532	0	BK15	Г2532		4084,33	104,97	24,8	ГОСТ 880-75
52728610000017	0	BK15	Г2617		4618,32	39,76	8,8	ГОСТ 880-75
52728610000033	0	BK15	Г2633		4481,27	63,19	14,3	ГОСТ 880-75
527288600000000	0	BK15	Г66		4126,22	75,55	18,7	ГОСТ 880-75
527300000000431	0	BK15		1431	4637,23	340,37	73,4	ГОСТ 25395-90
527300000000432	0	BK15		1432	0,00	0,00	69,43	ГОСТ 25395-90
52731510000333	0	BK15	1010-0333		3991,52	72,09	17,44	ГОСТ 10284-74
52731510000335	0	BK15	1010-0335		3993,37	71,2	17,22	ГОСТ 10284-74
52731510000346	0	BK15	1010-0346		4045,59	666,55	179,19	ГОСТ 10284-74
52731510000347	0	BK15	1010-0347		4045,81	662,87	178,2	ГОСТ 10284-74
52731510000371	0	BK15	1010-0371		3833,97	590,62	167,54	ГОСТ 10284-74
52731510000477	0	BK15	1010-0477		4071,35	400,25	106,92	ГОСТ 10284-74
52731510000494	0	BK15	1010-0494		3917,19	131,81	36,59	ГОСТ 10284-74
52731510000495	0	BK15	1010-0495		3878,44	212,11	59,49	ГОСТ 10284-74
52731510000607	0	BK15	1011-0607		4432,67	246,15	59,08	ГОСТ 19106-73
52731510000701	0	BK15	1010-0701		4432,33	48,45	11,88	ГОСТ 10284-74
52731510000702	0	BK15	1010-0702		3895,68	167,71	46,82	ГОСТ 10284-74
52731510000703	0	BK15	1010-0703		3896,18	166,68	46,53	ГОСТ 10284-74
52731510000704	0	BK15	1010-0704		3884,47	194,34	54,41	ГОСТ 10284-74
52731510000705	0	BK15	1010-0705		4379,12	1096,09	241,7	ГОСТ 10284-74
52731510000706	0	BK15	1010-0706		4080,16	351,34	93,66	ГОСТ 10284-74
52731510000707	0	BK15	1010-0707		4079,45	354,87	94,61	ГОСТ 10284-74
52731510000708	0	BK15	1010-0708		4081,18	346,45	92,33	ГОСТ 10284-74
52731510000711	0	BK15	1010-0711		4065,2	442,94	118,5	ГОСТ 10284-74
52731510000712	0	BK15	1010-0712		4060,13	485,39	130,02	ГОСТ 10284-74
52731510000713	0	BK15	1010-0713		4044,8	680,38	182,95	ГОСТ 10284-74
52731510000714	0	BK15	1010-0714		4045,34	670,88	180,37	ГОСТ 10284-74
52731510000715	0	BK15	1010-0715		4061,19	475,85	127,43	ГОСТ 10284-74
52731510000716	0	BK15	1010-0716		4025,53	1349,56	364,62	ГОСТ 10284-74
52731510000717	0	BK15	1010-0717		4038,42	814,83	219,45	ГОСТ 10284-74
52731510000718	0	BK15	1010-0718		4046,4	653,13	173,25	ГОСТ 10284-74
52731510000719	0	BK15	1010-0719		4024,93	1391,42	333,9	ГОСТ 10284-74
52731510000721	0	BK15	1010-0721		4026,07	1313,38	362,09	ГОСТ 10284-74
52731510000722	0	BK15	1010-0722		4026,16	1307,42	353,17	ГОСТ 10284-74
52731510000723	0	BK15	1010-0723		4223,69	2028,22	533,08	ГОСТ 10284-74
52731510000724	0	BK15	1010-0724		4224,13	1984,12	521,36	ГОСТ 10284-74
52731510000725	0	BK15	1010-0725		4220,55	2410,78	551,7	ГОСТ 10284-74
52731510000726	0	BK15	1010-0726		4221,46	2286,59	621,71	ГОСТ 10284-74
52731510000727	0	BK15	1010-0727		4221,7	2255,95	581,18	ГОСТ 10284-74
52731510000728	0	BK15	1010-0728		4216,77	3119,36	849,07	ГОСТ 10284-74
52731510000729	0	BK15	1010-0729		4216,42	3205,75	734,3	ГОСТ 10284-74
52731510000731	0	BK15	1010-0731		4217,05	3053,86	831,2	ГОСТ 10284-74
52731510000732	0	BK15	1010-0732		4216,69	3138,48	718,8	ГОСТ 10284-74
52731510000733	0	BK15	1010-0733		4216,77	3120,83	714,8	ГОСТ 10284-74
52731510000734	0	BK15	1010-0734		4217,73	2902,35	763,81	ГОСТ 10284-74
52731510000737	0	BK15	1010-0737		4211,94	4986,73	1358,92	ГОСТ 10284-74
52731510000738	0	BK15	1010-0738		4212,08	4902,56	1291,93	ГОСТ 10284-74
52731510000741	0	BK15	1010-0741		4212,29	4777,84	1233,62	ГОСТ 10284-74
52731510000745	0	BK15	1010-0745		4210,93	5698,31	1471,76	ГОСТ 10284-74
52731510000748	0	BK15	1010-0748		4209,14	7631,42	1912,96	ГОСТ 10284-74
52731510000756	0	BK15	1010-0756		3872,22	233,88	65,7	ГОСТ 10284-74
52731510000757	0	BK15	1010-0757		3872,31	233,54	65,59	ГОСТ 10284-74
52731510000758	0	BK15	1010-0758		3872,84	231,52	65,02	ГОСТ 10284-74
52731510000759	0	BK15	1010-0759		3873,8	227,97	64,00	ГОСТ 10284-74
52731510000761	0	BK15	1010-0761		3833,92	591,57	167,81	ГОСТ 10284-74
52731510000762	0	BK15	1010-0762		4044,51	685,5	184,33	ГОСТ 10284-74
52731510000763	0	BK15	1010-0763		4046,37	653,57	175,66	ГОСТ 10284-74
52731510000764	0	BK15	1010-0764		4045,45	668,96	179,84	ГОСТ 10284-74

52731510000765	0	BK15	1010-0765	4045,86	662,1	177,98	ГОСТ 10284-74
52731510000766	0	BK15	1010-0766	4046,62	649,56	178,17	ГОСТ 10284-74
52731510000767	0	BK15	1010-0767	4026,4	1292,35	349,09	ГОСТ 10284-74
52731510000769	0	BK15	1010-0769	4227,87	1673,35	430,46	ГОСТ 10284-74
52731510000809	0	BK15	1010-0809	4049,65	604,01	162,22	ГОСТ 10284-74
52731510000825	0	BK15	1010-0825	4042,45	724,53	194,93	ГОСТ 10284-74
52731510000872	0	BK15	1010-0872	4089,53	310,6	82,61	ГОСТ 10284-74
52731510000879	0	BK15	1010-0879	4077,94	362,57	96,7	ГОСТ 10284-74
52731510000887	0	BK15	1010-0887	4060,89	478,5	128,15	ГОСТ 10284-74
52731510000901	0	BK15	1010-0901	4091,92	301,62	80,17	ГОСТ 10284-74
52731510000916	0	BK15	1010-0916	4062,85	461,7	130,43	ГОСТ 10284-74
52731510000927	0	BK15	1010-0927	4034,97	912,1	259,45	ГОСТ 10284-74
52731510000937	0	BK15	1010-0937	4036,24	873,85	248,5	ГОСТ 10284-74
52731510000939	0	BK15	1010-0939	4036,65	862,07	232,28	ГОСТ 10284-74
52731510000954	0	BK15	1010-0954	4027,4	1232,51	351,26	ГОСТ 10284-74
52731510000975	0	BK15	1010-0975	4012,55	3873,56	1049,92	ГОСТ 10284-74
52731510000983	0	BK15	1010-0983	4036,32	871,44	210,04	ГОСТ 10284-74
52731510000986	0	BK15	1010-0986	4014,04	3191,56	773,62	ГОСТ 10284-74
52731510000996	0	BK15	1010-0996	4231,27	1464,48	374,77	ГОСТ 10284-74
52731510001655	0	BK15	1010-1655	4221,68	2258,18	520,44	ГОСТ 10284-74
52731510001657	0	BK15	1010-1657	4217,64	2922,4	674,17	ГОСТ 10284-74
52731510001672	0	BK15	1010-1672	4076,01	44,06	11,76	ГОСТ 10284-74
52731510001674	0	BK15	1010-1674	3916,4	132,88	36,9	ГОСТ 10284-74
52731510001682	0	BK15	1010-1682	3835,43	559,21	141,85	ГОСТ 10284-74
52731510001741	0	BK15	1010-1741	3856,91	310,75	87,24	ГОСТ 10284-74
52731510001743	0	BK15	1010-1743	3845,00	413,57	115,7	ГОСТ 10284-74
52731510001752	0	BK15	1010-1752	3824,37	929,97	249,6	ГОСТ 10284-74
52731510034620	0	BK15	1010-0346*20	4083,32	336,51	89,6	ГОСТ 10284-74
52731510071130	0	BK15	1010-0711*30	4073,25	388,67	98,74	ГОСТ 10284-74
52731510071510	0	BK15	1010-0715*10	4203,81	123,13	32,52	ГОСТ 10284-74
52731510072230	0	BK15	1010-0722*30	4032,9	982,17	270,33	ГОСТ 10284-74
52731510075810	0	BK15	1010-0758*10	3950,56	97,38	26,03	ГОСТ 10284-74
52732010000351	0	BK15	1011-0351	4613,01	55,17	12,1	ГОСТ 19106-73
52732010000352	0	BK15	1011-0352	4575,79	68,27	15,12	ГОСТ 19106-73
52732010000353	0	BK15	1011-0353	4548,19	81,32	18,14	ГОСТ 19106-73
52732010000354	0	BK15	1011-0354	4559,56	75,51	18,14	ГОСТ 19106-73
52732010000355	0	BK15	1011-0355	4527,68	93,81	22,68	ГОСТ 19106-73
52732010000356	0	BK15	1011-0356	4504,68	112,08	27,22	ГОСТ 19106-73
52732010000357	0	BK15	1011-0357	4473,97	148,13	36,29	ГОСТ 19106-73
52732010000358	0	BK15	1011-0358	4519,04	100,05	24,19	ГОСТ 19106-73
52732010000359	0	BK15	1011-0359	4469,97	154,35	37,8	ГОСТ 19106-73
52732010000362	0	BK15	1011-0362	4433,00	244,92	60,48	ГОСТ 19106-73
52732010000363	0	BK15	1011-0363	4419,85	305,23	75,6	ГОСТ 19106-73
52732010000364	0	BK15	1011-0364	4409,12	379,58	94,5	ГОСТ 19106-73
52732010000365	0	BK15	1011-0365	4410,83	365,53	90,72	ГОСТ 19106-73
52732010000367	0	BK15	1011-0367	4392,16	606,65	151,2	ГОСТ 19106-73
52732010000369	0	BK15	1011-0369	4381,28	968,22	241,92	ГОСТ 19106-73
52732010000371	0	BK15	1011-0371	4490,12	127,03	31,00	ГОСТ 19106-73
52732010000372	0	BK15	1011-0372	4435,76	235,01	58,1	ГОСТ 19106-73
52732010000373	0	BK15	1011-0373	4424,35	281,7	69,66	ГОСТ 19106-73
52732010000374	0	BK15	1011-0374	4409,76	374,21	92,88	ГОСТ 19106-73
52732010000375	0	BK15	1011-0375	4400,74	466,7	116,1	ГОСТ 19106-73
52732010000376	0	BK15	1011-0376	4393,35	582,69	145,15	ГОСТ 19106-73
52732010000377	0	BK15	1011-0377	4386,8	744,48	185,76	ГОСТ 19106-73
52732010000378	0	BK15	1011-0378	4391,49	621,09	154,87	ГОСТ 19106-73
52732010000379	0	BK15	1011-0379	4385,85	775,46	193,54	ГОСТ 19106-73
52732010000381	0	BK15	1011-0381	4380,85	991,3	247,75	ГОСТ 19106-73
52732010000382	0	BK15	1011-0382	4729,14	167,32	38,66	ГОСТ 19106-73
52732010000383	0	BK15	1011-0383	4656,23	308,34	72,58	ГОСТ 19106-73
52732010000384	0	BK15	1011-0384	4412,78	350,64	87,05	ГОСТ 19106-73
52732010000385	0	BK15	1011-0385	4400,74	466,7	116,21	ГОСТ 19106-73
52732010000386	0	BK15	1011-0386	4393,35	582,69	145,15	ГОСТ 19106-73
52732010000387	0	BK15	1011-0387	4387,36	727,16	181,44	ГОСТ 19106-73
52732010000388	0	BK15	1011-0388	4381,01	982,66	215,00	ГОСТ 19106-73
52732010000389	0	BK15	1011-0389	4385,86	775,03	193,54	ГОСТ 19106-73
52732010000391	0	BK15	1011-0391	4377,24	1238,1	309,64	ГОСТ 19106-73
52732010000392	0	BK15	1011-0392	4374,32	1546,8	387,07	ГОСТ 19106-73
52732010000393	0	BK15	1011-0393	4381,28	968,22	241,92	ГОСТ 19106-73
52732010000394	0	BK15	1011-0394	4374,32	1546,8	387,07	ГОСТ 19106-73
52732010000395	0	BK15	1011-0395	4371,98	1932,28	483,84	ГОСТ 19106-73
52732010000396	0	BK15	1011-0396	4377,58	1209,22	302,4	ГОСТ 19106-73
52732010000397	0	BK15	1011-0397	4374,6	1510,51	350,00	ГОСТ 19106-73
52732010000399	0	BK15	1011-0399	4370,1	2414,3	604,8	ГОСТ 19106-73
52732010000401	0	BK15	1011-0401	4699,01	207,6	48,38	ГОСТ 19106-73
52732010000402	0	BK15	1011-0402	4638,14	384,36	90,72	ГОСТ 19106-73
52732010000403	0	BK15	1011-0403	4625,88	459,9	108,86	ГОСТ 19106-73
52732010000404	0	BK15	1011-0404	4393,37	582,25	145,15	ГОСТ 19106-73

52732010000405	0	BK15	1011-0405	4387,36	727,16	181,44	ГОСТ 19106-73
52732010000406	0	BK15	1011-0406	4382,5	907,92	226,8	ГОСТ 19106-73
52732010000407	0	BK15	1011-0407	4378,2	1160,92	290,3	ГОСТ 19106-73
52732010000408	0	BK15	1011-0408	4381,28	968,22	241,92	ГОСТ 19106-73
52732010000409	0	BK15	1011-0409	4377,58	1209,22	302,4	ГОСТ 19106-73
52732010000412	0	BK15	1011-0412	4370,1	2414,3	604,8	ГОСТ 19106-73
52732010000413	0	BK15	1011-0413	4368,58	3016,86	756,00	ГОСТ 19106-73
52732010000414	0	BK15	1011-0414	4367,25	3860,39	967,68	ГОСТ 19106-73
52732010000415	0	BK15	1011-0415	4368,58	3016,86	756,00	ГОСТ 19106-73
52732010000417	0	BK15	1011-0417	4366,3	4824,46	1209,6	ГОСТ 19106-73
52732010000418	0	BK15	1011-0418	4677,85	248,25	58,1	ГОСТ 19106-73
52732010000419	0	BK15	1011-0419	4625,88	459,9	108,86	ГОСТ 19106-73
52732010000421	0	BK15	1011-0421	4615,47	550,58	130,68	ГОСТ 19106-73
52732010000422	0	BK15	1011-0422	4388,38	697,84	174,2	ГОСТ 19106-73
52732010000423	0	BK15	1011-0423	4383,32	871,62	217,73	ГОСТ 19106-73
52732010000424	0	BK15	1011-0424	4379,23	1088,72	272,16	ГОСТ 19106-73
52732010000425	0	BK15	1011-0425	4375,62	1392,45	348,41	ГОСТ 19106-73
52732010000426	0	BK15	1011-0426	4378,2	1160,92	290,3	ГОСТ 19106-73
52732010000427	0	BK15	1011-0427	4375,1	1450,26	362,88	ГОСТ 19106-73
52732010000428	0	BK15	1011-0428	4372,37	1855,11	464,4	ГОСТ 19106-73
52732010000429	0	BK15	1011-0429	4368,84	2896,36	725,76	ГОСТ 19106-73
52732010000431	0	BK15	1011-0431	4367,57	3619,41	907,2	ГОСТ 19106-73
52732010000432	0	BK15	1011-0432	4366,46	4631,72	1161,22	ГОСТ 19106-73
52732010000433	0	BK15	1011-0433	4367,57	3619,41	907,2	ГОСТ 19106-73
52732010000434	0	BK15	1011-0434	4366,56	4523,18	1134,00	ГОСТ 19106-73
52732010000435	0	BK15	1011-0435	4365,67	5788,48	1451,52	ГОСТ 19106-73
52732010000436	0	BK15	1011-0436	4367,78	3474,96	870,91	ГОСТ 19106-73
52732010000437	0	BK15	1011-0437	4366,5	4590,06	1008,00	ГОСТ 19106-73
52732010000438	0	BK15	1011-0438	4365,88	5426,96	1260,00	ГОСТ 19106-73
52732010000439	0	BK15	1011-0439	4365,14	6945,28	1741,82	ГОСТ 19106-73
52732010000441	0	BK15	1011-0441	4662,44	288,47	67,72	ГОСТ 19106-73
52732010000442	0	BK15	1011-0442	4616,97	535,48	127,01	ГОСТ 19106-73
52732010000443	0	BK15	1011-0443	4607,9	641,65	152,39	ГОСТ 19106-73
52732010000444	0	BK15	1011-0444	4384,77	813,86	203,15	ГОСТ 19106-73
52732010000445	0	BK15	1011-0445	4380,4	1016,47	254,02	ГОСТ 19106-73
52732010000446	0	BK15	1011-0446	4376,88	1269,47	317,52	ГОСТ 19106-73
52732010000448	0	BK15	1011-0448	4375,99	1353,67	338,69	ГОСТ 19106-73
52732010000449	0	BK15	1011-0449	4373,32	1691,25	423,36	ГОСТ 19106-73
52732010000451	0	BK15	1011-0451	4370,97	2163,81	541,94	ГОСТ 19106-73
52732010000452	0	BK15	1011-0452	4367,93	3378,38	846,72	ГОСТ 19106-73
52732010000453	0	BK15	1011-0453	4366,85	4221,91	1058,4	ГОСТ 19106-73
52732010000455	0	BK15	1011-0455	4366,85	4221,91	1058,4	ГОСТ 19106-73
52732010000456	0	BK15	1011-0456	4365,97	5278,42	1323,00	ГОСТ 19106-73
52732010000457	0	BK15	1011-0457	4365,21	6751,72	1693,44	ГОСТ 19106-73
52732010000458	0	BK15	1011-0458	4366,12	5063,83	1270,08	ГОСТ 19106-73
52732010000459	0	BK15	1011-0459	4365,39	6330,78	1587,6	ГОСТ 19106-73
52732010000462	0	BK15	1011-0462	4565,77	6180,82	1481,76	ГОСТ 19106-73
52732010000463	0	BK15	1011-0463	4364,43	9450,7	2370,6	ГОСТ 19106-73
52732010000464	0	BK15	1011-0464	4886,19	345,75	77,44	ГОСТ 19106-73
52732010000466	0	BK15	1011-0466	4602,19	732,3	174,2	ГОСТ 19106-73
52732010000469	0	BK15	1011-0469	4375,1	1450,26	362,88	ГОСТ 19106-73
52732010000471	0	BK15	1011-0471	4372,37	1855,11	464,4	ГОСТ 19106-73
52732010000472	0	BK15	1011-0472	4374,32	1546,8	387,07	ГОСТ 19106-73
52732010000473	0	BK15	1011-0473	4371,98	1932,28	483,84	ГОСТ 19106-73
52732010000474	0	BK15	1011-0474	4369,52	2612,97	573,4	ГОСТ 19106-73
52732010000475	0	BK15	1011-0475	4367,26	3859,17	967,68	ГОСТ 19106-73
52732010000476	0	BK15	1011-0476	4366,3	4824,46	1209,6	ГОСТ 19106-73
52732010000477	0	BK15	1011-0477	4365,47	6173,95	1548,72	ГОСТ 19106-73
52732010000478	0	BK15	1011-0478	4366,3	4824,46	1209,6	ГОСТ 19106-73
52732010000479	0	BK15	1011-0479	4365,54	6029,51	1512,00	ГОСТ 19106-73
52732010000481	0	BK15	1011-0481	4364,87	7717,4	1935,36	ГОСТ 19106-73
52732010000482	0	BK15	1011-0482	4365,67	5790,14	1451,52	ГОСТ 19106-73
52732010000483	0	BK15	1011-0483	4365,03	7234,56	1814,4	ГОСТ 19106-73
52732010000484	0	BK15	1011-0484	4364,47	9260,89	2322,00	ГОСТ 19106-73
52732010000485	0	BK15	1011-0485	4565,15	7060,96	1693,44	ГОСТ 19106-73
52732010000486	0	BK15	1011-0486	4564,6	8070,54	1935,36	ГОСТ 19106-73
52732010000487	0	BK15	1011-0487	4872,96	387,69	87,05	ГОСТ 19106-73
52732010000491	0	BK15	1011-0491	4379,92	1044,96	261,25	ГОСТ 19106-73
52732010000492	0	BK15	1011-0492	4376,48	1305,81	326,59	ГОСТ 19106-73
52732010000494	0	BK15	1011-0494	4371,28	2086,63	522,5	ГОСТ 19106-73
52732010000495	0	BK15	1011-0495	4373,02	1739,55	435,46	ГОСТ 19106-73
52732010000496	0	BK15	1011-0496	4370,94	2173,32	544,32	ГОСТ 19106-73
52732010000497	0	BK15	1011-0497	4369,1	2780,8	696,71	ГОСТ 19106-73
52732010000499	0	BK15	1011-0499	4365,88	5426,96	1260,00	ГОСТ 19106-73
52732010000502	0	BK15	1011-0502	4365,88	5426,96	1360,8	ГОСТ 19106-73
52732010000504	0	BK15	1011-0504	4364,6	8683,12	2177,28	ГОСТ 19106-73
52732010000505	0	BK15	1011-0505	4365,31	6512,35	1632,96	ГОСТ 19106-73

52732010000507	0	BK15	1011-0507	4364,25	10416,42	2612,52	ГОСТ 19106-73
52732010000508	0	BK15	1011-0508	4564,66	7945,44	1905,12	ГОСТ 19106-73
52732010000509	0	BK15	1011-0509	4564,18	9075,82	2177,28	ГОСТ 19106-73
52732010000511	0	BK15	1011-0511	4563,8	10210,55	2449,44	ГОСТ 19106-73
52732010000512	0	BK15	1011-0512	4862,23	429,63	96,77	ГОСТ 19106-73
52732010000513	0	BK15	1011-0513	4815,47	798,12	181,44	ГОСТ 19106-73
52732010000515	0	BK15	1011-0515	4585,96	1214,73	290,52	ГОСТ 19106-73
52732010000516	0	BK15	1011-0516	4375,12	1448,6	362,88	ГОСТ 19106-73
52732010000517	0	BK15	1011-0517	4372,61	1811,79	453,6	ГОСТ 19106-73
52732010000518	0	BK15	1011-0518	4370,41	2319,42	581,04	ГОСТ 19106-73
52732010000519	0	BK15	1011-0519	4366,3	4824,46	1209,6	ГОСТ 19106-73
52732010000521	0	BK15	1011-0521	4365,54	6029,51	1512,00	ГОСТ 19106-73
52732010000522	0	BK15	1011-0522	4365,03	7234,56	1814,4	ГОСТ 19106-73
52732010000524	0	BK15	1011-0524	4364,39	9644,7	2419,2	ГОСТ 19106-73
52732010000525	0	BK15	1011-0525	4563,23	12605,09	3024,00	ГОСТ 19106-73
52732010000526	0	BK15	1011-0526	4820,29	734,18	166,32	ГОСТ 19106-73
52732010000527	0	BK15	1011-0527	4810,41	878,28	199,8	ГОСТ 19106-73
52732010000529	0	BK15	1011-0529	4583,71	1335,56	319,68	ГОСТ 19106-73
52732010000531	0	BK15	1011-0531	4373,98	1593,05	399,6	ГОСТ 19106-73
52732010000532	0	BK15	1011-0532	4371,69	1993,36	498,96	ГОСТ 19106-73
52732010000533	0	BK15	1011-0533	4369,69	2550,5	638,28	ГОСТ 19106-73
52732010000534	0	BK15	1011-0534	4365,96	5307,3	1330,56	ГОСТ 19106-73
52732010000535	0	BK15	1011-0535	4565,23	6935,86	1663,2	ГОСТ 19106-73
52732010000539	0	BK15	1011-0539	4563,00	13864,91	3326,4	ГОСТ 19106-73
52732010000541	0	BK15	1011-0541	4562,8	15249,88	3659,04	ГОСТ 19106-73
52732010000542	0	BK15	1011-0542	4813,14	833,25	189,00	ГОСТ 19106-73
52732010000543	0	BK15	1011-0543	4793,31	1324,06	302,4	ГОСТ 19106-73
52732010000544	0	BK15	1011-0544	4787,72	1585,21	362,88	ГОСТ 19106-73
52732010000545	0	BK15	1011-0545	4575,99	2021,58	483,84	ГОСТ 19106-73
52732010000546	0	BK15	1011-0546	4370,1	2414,3	604,8	ГОСТ 19106-73
52732010000547	0	BK15	1011-0547	4368,58	3016,86	756,00	ГОСТ 19106-73
52732010000548	0	BK15	1011-0548	4367,26	3858,73	967,68	ГОСТ 19106-73
52732010000549	0	BK15	1011-0549	4365,54	6029,51	1512,00	ГОСТ 19106-73
52732010000551	0	BK15	1011-0551	4564,7	7880,72	1890,00	ГОСТ 19106-73
52732010000552	0	BK15	1011-0552	4564,04	9455,51	2268,00	ГОСТ 19106-73
52732010000553	0	BK15	1011-0553	4563,23	12605,09	3024,00	ГОСТ 19106-73
52732010000554	0	BK15	1011-0554	4562,73	15754,67	3780,00	ГОСТ 19106-73
52732010000555	0	BK15	1011-0555	4562,34	19693,8	4725,00	ГОСТ 19106-73
52732010000556	0	BK15	1011-0556	4807,71	927,79	211,68	ГОСТ 19106-73
52732010000558	0	BK15	1011-0558	4784,69	1774,31	406,08	ГОСТ 19106-73
52732010000559	0	BK15	1011-0559	4574,37	2263,22	542,16	ГОСТ 19106-73
52732010000561	0	BK15	1011-0561	4571,67	2828,4	677,16	ГОСТ 19106-73
52732010000562	0	BK15	1011-0562	4569,5	3536,01	846,72	ГОСТ 19106-73
52732010000563	0	BK15	1011-0563	4567,6	4524,02	1084,32	ГОСТ 19106-73
52732010000564	0	BK15	1011-0564	4564,28	8825,57	2116,8	ГОСТ 19106-73
52732010000565	0	BK15	1011-0565	4563,11	13235,02	3175,2	ГОСТ 19106-73
52732010000566	0	BK15	1011-0566	4562,52	17644,42	4233,6	ГОСТ 19106-73
52732010000567	0	BK15	1011-0567	4761,05	23015,22	5292,00	ГОСТ 19106-73
52732010000568	0	BK15	1011-0568	4760,66	28768,88	6615,00	ГОСТ 19106-73
52732010000569	0	BK15	1011-0569	4760,48	32217,44	7408,8	ГОСТ 19106-73
52732010000571	0	BK15	1011-0571	4801,61	1062,88	241,92	ГОСТ 19106-73
52732010000572	0	BK15	1011-0572	4760,51	31560,16	7257,6	ГОСТ 19106-73
52732010000581	0	BK15	1011-0581	4839,37	18,92	4,28	ГОСТ 19106-73
52732010000582	0	BK15	1011-0582	4718,35	32,75	7,59	ГОСТ 19106-73
52732010000583	0	BK15	1011-0583	4681,48	38,95	9,12	ГОСТ 19106-73
52732010000584	0	BK15	1011-0584	4626,89	51,22	12,2	ГОСТ 19106-73
52732010000585	0	BK15	1011-0585	4587,18	63,81	15,23	ГОСТ 19106-73
52732010000586	0	BK15	1011-0586	4630,05	50,37	11,88	ГОСТ 19106-73
52732010000587	0	BK15	1011-0587	4597,88	60,00	14,26	ГОСТ 19106-73
52732010000588	0	BK15	1011-0588	4552,93	78,81	19,01	ГОСТ 19106-73
52732010000589	0	BK15	1011-0589	4521,86	97,94	23,76	ГОСТ 19106-73
52732010000591	0	BK15	1011-0591	4494,64	122,03	29,7	ГОСТ 19106-73
52732010000592	0	BK15	1011-0592	4568,64	71,32	17,06	ГОСТ 19106-73
52732010000593	0	BK15	1011-0593	4541,54	85,06	20,52	ГОСТ 19106-73
52732010000594	0	BK15	1011-0594	4504,25	112,47	27,32	ГОСТ 19106-73
52732010000596	0	BK15	1011-0596	4458,89	174,21	42,77	ГОСТ 19106-73
52732010000597	0	BK15	1011-0597	4524,1	96,32	23,22	ГОСТ 19106-73
52732010000598	0	BK15	1011-0598	4501,61	114,97	27,86	ГОСТ 19106-73
52732010000599	0	BK15	1011-0599	4471,54	151,85	37,26	ГОСТ 19106-73
52732010000601	0	BK15	1011-0601	4451,97	189,12	46,55	ГОСТ 19106-73
52732010000602	0	BK15	1011-0602	4435,52	235,84	58,21	ГОСТ 19106-73
52732010000603	0	BK15	1011-0603	4420,67	300,69	74,41	ГОСТ 19106-73
52732010000604	0	BK15	1011-0604	4492,34	124,53	30,35	ГОСТ 19106-73
52732010000605	0	BK15	1011-0605	4473,42	148,96	36,5	ГОСТ 19106-73
52732010000606	0	BK15	1011-0606	4448,54	197,38	48,6	ГОСТ 19106-73
52732010000608	0	BK15	1011-0608	4419,56	306,89	75,92	ГОСТ 19106-73
52732010000609	0	BK15	1011-0609	4407,76	391,54	97,2	ГОСТ 19106-73

52732010000611	0	BK15	1011-0611	4468,44	156,84	38,45	ГОСТ 19106-73
52732010000612	0	BK15	1011-0612	4452,52	187,85	46,12	ГОСТ 19106-73
52732010000613	0	BK15	1011-0613	4431,92	249,03	61,56	ГОСТ 19106-73
52732010000614	0	BK15	1011-0614	4418,91	310,61	76,9	ГОСТ 19106-73
52732010000615	0	BK15	1011-0615	4408,27	387,00	96,12	ГОСТ 19106-73
52732010000616	0	BK15	1011-0616	4398,67	494,32	123,12	ГОСТ 19106-73
52732010000617	0	BK15	1011-0617	4450,39	192,84	47,52	ГОСТ 19106-73
52732010000618	0	BK15	1011-0618	4436,98	230,86	57,02	ГОСТ 19106-73
52732010000621	0	BK15	1011-0621	4408,79	382,46	94,93	ГОСТ 19106-73
52732010000622	0	BK15	1011-0622	4399,94	477,00	118,69	ГОСТ 19106-73
52732010000623	0	BK15	1011-0623	4392,03	609,53	151,96	ГОСТ 19106-73
52732010000624	0	BK15	1011-0624	4386,28	761,02	189,86	ГОСТ 19106-73
52732010000625	0	BK15	1011-0625	4436,37	232,91	57,46	ГОСТ 19106-73
52732010000626	0	BK15	1011-0626	4424,96	278,77	68,9	ГОСТ 19106-73
52732010000627	0	BK15	1011-0627	4410,22	370,46	91,91	ГОСТ 19106-73
52732010000628	0	BK15	1011-0628	4401,13	461,72	114,91	ГОСТ 19106-73
52732010000629	0	BK15	1011-0629	4393,67	576,49	143,64	ГОСТ 19106-73
52732010000631	0	BK15	1011-0631	4387,05	736,67	183,82	ГОСТ 19106-73
52732010000633	0	BK15	1011-0633	4378,36	1148,97	287,28	ГОСТ 19106-73
52732010000634	0	BK15	1011-0634	4420,9	299,43	74,2	ГОСТ 19106-73
52732010000635	0	BK15	1011-0635	4411,68	358,93	88,99	ГОСТ 19106-73
52732010000638	0	BK15	1011-0638	4386,83	743,26	185,44	ГОСТ 19106-73
52732010000639	0	BK15	1011-0639	4381,63	950,03	237,38	ГОСТ 19106-73
52732010000641	0	BK15	1011-0641	4377,87	1186,53	296,78	ГОСТ 19106-73
52732010000642	0	BK15	1011-0642	4580,54	1552,16	370,87	ГОСТ 19106-73
52732010000643	0	BK15	1011-0643	4577,29	1861,08	445,07	ГОСТ 19106-73
52732010000644	0	BK15	1011-0644	4409,66	375,04	93,1	ГОСТ 19106-73
52732010000645	0	BK15	1011-0645	4402,19	448,94	111,67	ГОСТ 19106-73
52732010000646	0	BK15	1011-0646	4392,6	597,53	148,93	ГОСТ 19106-73
52732010000647	0	BK15	1011-0647	4386,76	745,75	186,08	ГОСТ 19106-73
52732010000648	0	BK15	1011-0648	4382,01	931,05	232,63	ГОСТ 19106-73
52732010000649	0	BK15	1011-0649	4377,82	1190,63	297,76	ГОСТ 19106-73
52732010000651	0	BK15	1011-0651	4374,79	1487,39	372,28	ГОСТ 19106-73
52732010000652	0	BK15	1011-0652	4576,58	1945,23	465,26	ГОСТ 19106-73
52732010000653	0	BK15	1011-0653	4573,97	2332,22	558,36	ГОСТ 19106-73
52732010000654	0	BK15	1011-0654	4399,09	488,56	121,5	ГОСТ 19106-73
52732010000655	0	BK15	1011-0655	4393,22	585,18	145,91	ГОСТ 19106-73
52732010000656	0	BK15	1011-0656	4385,75	778,73	194,51	ГОСТ 19106-73
52732010000657	0	BK15	1011-0657	4381,19	972,76	243,11	ГОСТ 19106-73
52732010000658	0	BK15	1011-0658	4377,51	1215,02	303,8	ГОСТ 19106-73
52732010000659	0	BK15	1011-0659	4374,27	1554,26	388,91	ГОСТ 19106-73
52732010000661	0	BK15	1011-0661	4371,93	1941,79	486,22	ГОСТ 19106-73
52732010000662	0	BK15	1011-0662	4572,91	2538,47	607,72	ГОСТ 19106-73
52732010000663	0	BK15	1011-0663	4570,9	3045,00	729,22	ГОСТ 19106-73
52732010000664	0	BK15	1011-0664	4391,68	616,94	153,79	ГОСТ 19106-73
52732010000665	0	BK15	1011-0665	4386,95	739,55	184,57	ГОСТ 19106-73
52732010000666	0	BK15	1011-0666	4380,96	985,1	246,13	ГОСТ 19106-73
52732010000667	0	BK15	1011-0667	4377,33	1230,29	307,69	ГОСТ 19106-73
52732010000668	0	BK15	1011-0668	4374,4	1536,51	384,59	ГОСТ 19106-73
52732010000669	0	BK15	1011-0669	4371,82	1965,7	492,26	ГОСТ 19106-73
52732010000671	0	BK15	1011-0671	4369,97	2456,01	615,28	ГОСТ 19106-73
52732010000672	0	BK15	1011-0672	4570,38	3211,1	769,18	ГОСТ 19106-73
52732010000673	0	BK15	1011-0673	4568,79	3851,85	922,97	ГОСТ 19106-73
52732010000674	0	BK15	1011-0674	4386,28	761,02	189,86	ГОСТ 19106-73
52732010000675	0	BK15	1011-0675	4382,4	912,46	227,88	ГОСТ 19106-73
52732010000676	0	BK15	1011-0676	4377,51	1215,02	303,8	ГОСТ 19106-73
52732010000677	0	BK15	1011-0677	4374,55	1517,92	379,84	ГОСТ 19106-73
52732010000678	0	BK15	1011-0678	4372,16	1895,99	474,77	ГОСТ 19106-73
52732010000679	0	BK15	1011-0679	4370,07	2421,76	607,72	ГОСТ 19106-73
52732010000681	0	BK15	1011-0681	4368,55	3031,3	759,67	ГОСТ 19106-73
52732010000682	0	BK15	1011-0682	4568,57	3958,39	949,54	ГОСТ 19106-73
52732010000683	0	BK15	1011-0683	4567,27	4752,7	1139,4	ГОСТ 19106-73
52732010000684	0	BK15	1011-0684	4381,4	962,02	240,3	ГОСТ 19106-73
52732010000685	0	BK15	1011-0685	4378,3	1153,51	288,47	ГОСТ 19106-73
52732010000686	0	BK15	1011-0686	4374,4	1536,51	384,59	ГОСТ 19106-73
52732010000687	0	BK15	1011-0687	4372,04	1919,89	480,71	ГОСТ 19106-73
52732010000688	0	BK15	1011-0688	4370,15	2398,64	600,91	ГОСТ 19106-73
52732010000689	0	BK15	1011-0689	4368,48	3069,25	769,18	ГОСТ 19106-73
52732010000691	0	BK15	1011-0691	4568,47	4011,89	961,42	ГОСТ 19106-73
52732010000692	0	BK15	1011-0692	4566,94	5011,57	1202,04	ГОСТ 19106-73
52732010000693	0	BK15	1011-0693	4365,69	5753,01	1441,8	ГОСТ 19106-73
52732010000694	0	BK15	1011-0694	4375,34	1422,99	356,08	ГОСТ 19106-73
52732010000695	0	BK15	1011-0695	4372,16	1895,99	474,77	ГОСТ 19106-73
52732010000696	0	BK15	1011-0696	4370,24	2369,33	593,46	ГОСТ 19106-73
52732010000697	0	BK15	1011-0697	4368,7	2960,32	741,85	ГОСТ 19106-73
52732010000698	0	BK15	1011-0698	4367,35	3788,19	949,54	ГОСТ 19106-73
52732010000699	0	BK15	1011-0699	4366,38	4733,68	1186,92	ГОСТ 19106-73

52732010000701	0	BK15	1011-0701	4565,77	6189,44	1483,92	ГОСТ 19106-73
52732010000702	0	BK15	1011-0702	4564,94	7423,36	1780,92	ГОСТ 19106-73
52732010000703	0	BK15	1011-0703	4373,14	1721,00	430,81	ГОСТ 19106-73
52732010000704	0	BK15	1011-0704	4370,5	2293,42	574,45	ГОСТ 19106-73
52732010000705	0	BK15	1011-0705	4368,9	2865,83	718,09	ГОСТ 19106-73
52732010000706	0	BK15	1011-0706	4367,63	3581,02	897,59	ГОСТ 19106-73
52732010000708	0	BK15	1011-0708	4365,7	5728,24	1436,4	ГОСТ 19106-73
52732010000709	0	BK15	1011-0709	4564,9	7488,08	1794,96	ГОСТ 19106-73
52732010000711	0	BK15	1011-0711	4564,21	8980,91	2154,6	ГОСТ 19106-73
52732010000712	0	BK15	1011-0712	4371,45	2047,41	512,78	ГОСТ 19106-73
52732010000713	0	BK15	1011-0713	4369,22	2728,8	683,64	ГОСТ 19106-73
52732010000714	0	BK15	1011-0714	4367,88	3409,74	854,6	ГОСТ 19106-73
52732010000715	0	BK15	1011-0715	4366,8	4263,18	1068,23	ГОСТ 19106-73
52732010000716	0	BK15	1011-0716	4365,86	5451,74	1367,28	ГОСТ 19106-73
52732010000717	0	BK15	1011-0717	4365,19	6813,62	1709,64	ГОСТ 19106-73
52732010000718	0	BK15	1011-0718	4564,24	8907,58	2136,24	ГОСТ 19106-73
52732010000719	0	BK15	1011-0719	4563,66	10689,47	2563,92	ГОСТ 19106-73
52732010000721	0	BK15	1011-0721	4368,23	3201,74	802,33	ГОСТ 19106-73
52732010000722	0	BK15	1011-0722	4367,09	4001,13	1003,00	ГОСТ 19106-73
52732010000723	0	BK15	1011-0723	4366,17	5001,92	1253,88	ГОСТ 19106-73
52732010000724	0	BK15	1011-0724	4365,36	6400,93	1604,88	ГОСТ 19106-73
52732010000725	0	BK15	1011-0725	4364,79	7998,04	2005,56	ГОСТ 19106-73
52732010000727	0	BK15	1011-0727	4563,24	12540,37	3008,88	ГОСТ 19106-73
52732010000728	0	BK15	1011-0728	4367,44	3712,24	930,53	ГОСТ 19106-73
52732010000729	0	BK15	1011-0729	4366,46	4638,75	1163,16	ГОСТ 19106-73
52732010000731	0	BK15	1011-0731	4365,66	5798,38	1453,68	ГОСТ 19106-73
52732010000732	0	BK15	1011-0732	4364,97	7420,27	1860,84	ГОСТ 19106-73
52732010000733	0	BK15	1011-0733	4364,47	9273,28	2326,32	ГОСТ 19106-73
52732010000734	0	BK15	1011-0734	4563,32	12121,87	2907,36	ГОСТ 19106-73
52732010000735	0	BK15	1011-0735	4562,9	14546,61	3489,48	ГОСТ 19106-73
52732010000736	0	BK15	1011-0736	4366,8	4263,18	1068,23	ГОСТ 19106-73
52732010000737	0	BK15	1011-0737	4365,94	5323,79	1334,88	ГОСТ 19106-73
52732010000738	0	BK15	1011-0738	4365,25	6656,79	1669,68	ГОСТ 19106-73
52732010000739	0	BK15	1011-0739	4364,65	8518,04	2136,24	ГОСТ 19106-73
52732010000741	0	BK15	1011-0741	4364,21	10647,5	2670,84	ГОСТ 19106-73
52732010000742	0	BK15	1011-0742	4562,99	13912,39	3338,28	ГОСТ 19106-73
52732010000743	0	BK15	1011-0743	4562,62	16695,23	4005,72	ГОСТ 19106-73
52732010000744	0	BK15	1011-0744	4366,28	4849,19	1215,00	ГОСТ 19106-73
52732010000745	0	BK15	1011-0745	4365,53	6058,39	1519,56	ГОСТ 19106-73
52732010000746	0	BK15	1011-0746	4364,92	7572,96	1898,64	ГОСТ 19106-73
52732010000747	0	BK15	1011-0747	4364,89	7667,88	1922,4	ГОСТ 19106-73
52732010000748	0	BK15	1011-0748	4364,41	9582,79	2403,00	ГОСТ 19106-73
52732010000749	0	BK15	1011-0749	4364,64	8542,78	2142,72	ГОСТ 19106-73
52732010000751	0	BK15	1011-0751	4364,21	10672,28	2677,32	ГОСТ 19106-73
52732010000752	0	BK15	1011-0752	4364,43	9463,09	2373,84	ГОСТ 19106-73
52732010000753	0	BK15	1011-0753	4364,04	11827,81	2967,84	ГОСТ 19106-73
52732010000754	0	BK15	1011-0754	4363,73	14786,79	3708,72	ГОСТ 19106-73
52732010000755	0	BK15	1011-0755	4363,48	18463,88	4636,44	ГОСТ 19106-73
52732010000761	0	BK15	1011-0761	4728,15	31,3	7,34	ГОСТ 19106-73
52732010000762	0	BK15	1011-0762	4688,33	37,69	8,75	ГОСТ 19106-73
52732010000763	0	BK15	1011-0763	4633,29	49,53	11,66	ГОСТ 19106-73
52732010000764	0	BK15	1011-0764	4731,01	30,89	7,13	ГОСТ 19106-73
52732010000765	0	BK15	1011-0765	4693,15	36,84	8,53	ГОСТ 19106-73
52732010000766	0	BK15	1011-0766	4638,21	48,28	11,45	ГОСТ 19106-73
52732010000767	0	BK15	1011-0767	4643,5	46,99	11,12	ГОСТ 19106-73
52732010000768	0	BK15	1011-0768	4609,52	56,24	13,39	ГОСТ 19106-73
52732010000769	0	BK15	1011-0769	4562,25	74,23	17,82	ГОСТ 19106-73
52732010000771	0	BK15	1011-0771	4530,16	92,14	22,25	ГОСТ 19106-73
52732010000772	0	BK15	1011-0772	4648,81	45,74	10,8	ГОСТ 19106-73
52732010000773	0	BK15	1011-0773	4614,95	54,59	12,96	ГОСТ 19106-73
52732010000774	0	BK15	1011-0774	4566,76	72,15	17,28	ГОСТ 19106-73
52732010000775	0	BK15	1011-0775	4534,02	89,64	21,6	ГОСТ 19106-73
52732010000776	0	BK15	1011-0776	4582,87	65,44	15,66	ГОСТ 19106-73
52732010000777	0	BK15	1011-0777	4554,57	77,97	18,79	ГОСТ 19106-73
52732010000778	0	BK15	1011-0778	4514,83	103,34	25,06	ГОСТ 19106-73
52732010000779	0	BK15	1011-0779	4489,05	128,25	31,32	ГОСТ 19106-73
52732010000781	0	BK15	1011-0781	4587,18	63,81	15,23	ГОСТ 19106-73
52732010000782	0	BK15	1011-0782	4558,74	75,9	18,25	ГОСТ 19106-73
52732010000783	0	BK15	1011-0783	4518,52	100,45	24,3	ГОСТ 19106-73
52732010000784	0	BK15	1011-0784	4492,34	124,53	30,35	ГОСТ 19106-73
52732010000785	0	BK15	1011-0785	4501,61	114,97	27,97	ГОСТ 19106-73
52732010000786	0	BK15	1011-0786	4481,67	137,36	33,59	ГОСТ 19106-73
52732010000787	0	BK15	1011-0787	4455,11	182,08	44,82	ГОСТ 19106-73
52732010000788	0	BK15	1011-0788	4438,24	226,71	55,94	ГОСТ 19106-73
52732010000789	0	BK15	1011-0789	4503,78	112,91	27,43	ГОСТ 19106-73
52732010000791	0	BK15	1011-0791	4483,6	134,87	32,94	ГОСТ 19106-73
52732010000792	0	BK15	1011-0792	4456,67	178,76	43,85	ГОСТ 19106-73

52732010000793	0	BK15	1011-0793	4439,54	222,6	54,86	ГОСТ 19106-73
52732010000794	0	BK15	1011-0794	4506,51	110,41	26,78	ГОСТ 19106-73
52732010000795	0	BK15	1011-0795	4486,25	131,58	32,18	ГОСТ 19106-73
52732010000796	0	BK15	1011-0796	4458,7	174,6	42,88	ГОСТ 19106-73
52732010000797	0	BK15	1011-0797	4441,29	217,22	53,57	ГОСТ 19106-73
52732010000798	0	BK15	1011-0798	4509,81	107,51	26,14	ГОСТ 19106-73
52732010000799	0	BK15	1011-0799	4488,71	128,65	31,32	ГОСТ 19106-73
52732010000801	0	BK15	1011-0801	4461,02	170,05	41,8	ГОСТ 19106-73
52732010000802	0	BK15	1011-0802	4443,13	211,85	52,27	ГОСТ 19106-73
52732010000803	0	BK15	1011-0803	4461,22	169,66	41,69	ГОСТ 19106-73
52732010000804	0	BK15	1011-0804	4446,3	203,15	50,00	ГОСТ 19106-73
52732010000805	0	BK15	1011-0805	4426,93	269,69	66,64	ГОСТ 19106-73
52732010000806	0	BK15	1011-0806	4414,84	336,19	83,38	ГОСТ 19106-73
52732010000807	0	BK15	1011-0807	4465,06	162,62	39,85	ГОСТ 19106-73
52732010000808	0	BK15	1011-0808	4449,71	194,5	47,84	ГОСТ 19106-73
52732010000809	0	BK15	1011-0809	4429,63	258,11	63,83	ГОСТ 19106-73
52732010000811	0	BK15	1011-0811	4417,06	321,74	79,81	ГОСТ 19106-73
52732010000812	0	BK15	1011-0812	4428,93	261,04	64,58	ГОСТ 19106-73
52732010000813	0	BK15	1011-0813	4418,56	312,66	77,44	ГОСТ 19106-73
52732010000815	0	BK15	1011-0815	4397,03	518,72	129,17	ГОСТ 19106-73
52732010000817	0	BK15	1011-0817	4420,44	301,92	74,74	ГОСТ 19106-73
52732010000818	0	BK15	1011-0818	4406,69	401,45	99,68	ГОСТ 19106-73
52732010000819	0	BK15	1011-0819	4398,24	500,52	124,63	ГОСТ 19106-73
52732010000821	0	BK15	1011-0821	4433,67	242,43	59,83	ГОСТ 19106-73
52732010000823	0	BK15	1011-0823	4408,46	385,34	95,69	ГОСТ 19106-73
52732010000824	0	BK15	1011-0824	4399,66	480,71	119,66	ГОСТ 19106-73
52732010000825	0	BK15	1011-0825	4404,78	420,44	104,44	ГОСТ 19106-73
52732010000826	0	BK15	1011-0826	4398,04	503,44	125,28	ГОСТ 19106-73
52732010000827	0	BK15	1011-0827	4389,42	670,18	167,08	ГОСТ 19106-73
52732010000828	0	BK15	1011-0828	4384,17	836,54	208,87	ГОСТ 19106-73
52732010000829	0	BK15	1011-0829	4410,62	367,18	91,15	ГОСТ 19106-73
52732010000831	0	BK15	1011-0831	4402,98	439,86	109,4	ГОСТ 19106-73
52732010000832	0	BK15	1011-0832	4393,22	585,18	145,91	ГОСТ 19106-73
52732010000833	0	BK15	1011-0833	4387,24	730,87	182,3	ГОСТ 19106-73
52732010000834	0	BK15	1011-0834	4390,67	639,63	159,52	ГОСТ 19106-73
52732010000835	0	BK15	1011-0835	4386,09	767,22	191,48	ГОСТ 19106-73
52732010000836	0	BK15	1011-0836	4380,31	1021,45	236,32	ГОСТ 19106-73
52732010000837	0	BK15	1011-0837	4376,81	1275,66	319,03	ГОСТ 19106-73
52732010000838	0	BK15	1011-0838	4392,12	607,47	151,42	ГОСТ 19106-73
52732010000839	0	BK15	1011-0839	4387,32	728,38	181,76	ГОСТ 19106-73
52732010000841	0	BK15	1011-0841	4381,25	969,83	242,35	ГОСТ 19106-73
52732010000842	0	BK15	1011-0842	4377,56	1211,31	302,94	ГОСТ 19106-73
52732010000843	0	BK15	1011-0843	4393,93	571,52	142,45	ГОСТ 19106-73
52732010000844	0	BK15	1011-0844	4388,85	685,06	170,96	ГОСТ 19106-73
52732010000845	0	BK15	1011-0845	4382,4	912,46	227,88	ГОСТ 19106-73
52732010000846	0	BK15	1011-0846	4378,49	1139,46	284,9	ГОСТ 19106-73
52732010000847	0	BK15	1011-0847	4381,48	957,88	239,33	ГОСТ 19106-73
52732010000848	0	BK15	1011-0848	4378,37	1148,58	287,17	ГОСТ 19106-73
52732010000849	0	BK15	1011-0849	4374,45	1529,92	382,86	ГОСТ 19106-73
52732010000851	0	BK15	1011-0851	4372,08	1911,26	478,55	ГОСТ 19106-73
52732010000852	0	BK15	1011-0852	4370,18	2387,91	598,21	ГОСТ 19106-73
52732010000853	0	BK15	1011-0853	4379,54	1068,48	267,08	ГОСТ 19106-73
52732010000854	0	BK15	1011-0854	4375,34	1422,99	356,08	ГОСТ 19106-73
52732010000855	0	BK15	1011-0855	4372,8	1777,94	445,07	ГОСТ 19106-73
52732010000856	0	BK15	1011-0856	4370,75	2221,17	556,42	ГОСТ 19106-73
52732010000857	0	BK15	1011-0857	4381,09	978,12	244,4	ГОСТ 19106-73
52732010000858	0	BK15	1011-0858	4376,51	1302,93	325,84	ГОСТ 19106-73
52732010000859	0	BK15	1011-0859	4373,74	1627,3	407,38	ГОСТ 19106-73
52732010000861	0	BK15	1011-0861	4371,51	2033,41	509,22	ГОСТ 19106-73
52732010000862	0	BK15	1011-0862	4374,97	1466,36	366,88	ГОСТ 19106-73
52732010000863	0	BK15	1011-0863	4371,88	1953,75	489,24	ГОСТ 19106-73
52732010000864	0	BK15	1011-0864	4370,01	2441,13	611,5	ГОСТ 19106-73
52732010000865	0	BK15	1011-0865	4368,52	3050,27	764,42	ГОСТ 19106-73
52732010000866	0	BK15	1011-0866	4376,42	1312,01	328,21	ГОСТ 19106-73
52732010000867	0	BK15	1011-0867	4372,97	1747,83	437,51	ГОСТ 19106-73
52732010000868	0	BK15	1011-0868	4370,9	2183,61	546,91	ГОСТ 19106-73
52732010000869	0	BK15	1011-0869	4369,22	2728,8	683,64	ГОСТ 19106-73
52732010000871	0	BK15	1011-0871	4368,17	3239,3	811,84	ГОСТ 19106-73
52732010000872	0	BK15	1011-0872	4367,03	4048,2	1014,77	ГОСТ 19106-73
52732010000873	0	BK15	1011-0873	4366,13	5059,29	1268,57	ГОСТ 19106-73
52732010000874	0	BK15	1011-0874	4369,83	2501,38	626,72	ГОСТ 19106-73
52732010000875	0	BK15	1011-0875	4368,37	3125,79	783,32	ГОСТ 19106-73
52732010000876	0	BK15	1011-0876	4367,2	3906,2	979,24	ГОСТ 19106-73
52732010000877	0	BK15	1011-0877	4569,67	3468,29	830,84	ГОСТ 19106-73
52732010000878	0	BK15	1011-0878	4567,9	4333,34	1038,53	ГОСТ 19106-73
52732010000879	0	BK15	1011-0879	4566,48	5414,98	1298,16	ГОСТ 19106-73
52732010000881	0	BK15	1011-0881	4570,74	3092,47	740,66	ГОСТ 19106-73

52732010000882	0	BK15	1011-0882	4568,76	3863,89	925,78	ГОСТ 19106-73
52732010000883	0	BK15	1011-0883	4567,17	4827,77	1157,22	ГОСТ 19106-73
52732010000884	0	BK15	1011-0884	4566,92	5025,8	1204,74	ГОСТ 19106-73
52732010000885	0	BK15	1011-0885	4565,69	6280,48	1505,95	ГОСТ 19106-73
52732010000886	0	BK15	1011-0886	4768,88	4653,48	1068,23	ГОСТ 19106-73
52732010000887	0	BK15	1011-0887	4566,32	5569,86	1335,31	ГОСТ 19106-73
52732010000888	0	BK15	1011-0888	4566,18	5717,86	1370,84	ГОСТ 19106-73
52732010000889	0	BK15	1011-0889	4565,1	7145,98	1713,64	ГОСТ 19106-73
52732010000891	0	BK15	1011-0891	4565,11	7127,41	1709,21	ГОСТ 19106-73
52732010000892	0	BK15	1011-0892	4564,24	8907,58	2136,46	ГОСТ 19106-73
52732010000893	0	BK15	1011-0893	4565,59	6410,32	1537,06	ГОСТ 19106-73
52732010000894	0	BK15	1011-0894	4564,63	8011,02	1921,32	ГОСТ 19106-73
52732010000895	0	BK15	1011-0895	4564,16	9130,19	2189,81	ГОСТ 19106-73
52732010000896	0	BK15	1011-0896	4563,48	11410,85	2737,37	ГОСТ 19106-73
52732010000897	0	BK15	1011-0897	4764,34	8677,9	1994,00	ГОСТ 19106-73
52732010000898	0	BK15	1011-0898	4763,28	10845,19	2492,53	ГОСТ 19106-73
52732010000899	0	BK15	1011-0899	4764,69	8136,27	1869,37	ГОСТ 19106-73
52732010000901	0	BK15	1011-0901	4763,56	10168,07	2336,8	ГОСТ 19106-73
52732010000912	0	BK15	1011-0912	6457,73	4,33	0,75	ГОСТ 19106-73
52732010000913	0	BK15	1011-0913	6348,41	6,73	1,16	ГОСТ 19106-73
52732010000914	0	BK15	1011-0914	6205,22	10,3	1,8	ГОСТ 19106-73
52732010000915	0	BK15	1011-0915	5546,08	10,54	2,08	ГОСТ 19106-73
52732010000916	0	BK15	1011-0916	5405,32	16,49	3,33	ГОСТ 19106-73
52732010000917	0	BK15	1011-0917	5372,06	18,16	3,7	ГОСТ 19106-73
52732010000918	0	BK15	1011-0918	5578,06	37,71	7,41	ГОСТ 19106-73
52732010000919	0	BK15	1011-0919	4728,78	31,21	7,23	ГОСТ 19106-73
52732010000921	0	BK15	1011-0921	4934,12	65,18	14,46	ГОСТ 19106-73
52732010000922	0	BK15	1011-0922	4663,41	42,53	10,85	ГОСТ 19106-73
52732010000923	0	BK15	1011-0923	4853,31	88,52	21,71	ГОСТ 19106-73
52732010000924	0	BK15	1011-0924	4556,41	77,05	18,51	ГОСТ 19106-73
52732010000925	0	BK15	1011-0925	4476,03	145,11	38,6	ГОСТ 19106-73
52732010000927	0	BK15	1011-0927	4660,18	295,41	69,4	ГОСТ 19106-73
52732010000929	0	BK15	1011-0929	4631,37	422,8	99,93	ГОСТ 19106-73
52732010000932	0	BK15	1011-0932	4613,37	573,26	136,03	ГОСТ 19106-73
52732010000934	0	BK15	1011-0934	4392,77	594,08	148,06	ГОСТ 19106-73
52732010000935	0	BK15	1011-0935	4595,75	870,16	207,27	ГОСТ 19106-73
52732010000938	0	BK15	1011-0938	4588,56	1099,51	262,33	ГОСТ 19106-73
52732010000941	0	BK15	1011-0941	4382,12	926,03	231,34	ГОСТ 19106-73
52732010000942	0	BK15	1011-0942	4583,37	1355,94	323,87	ГОСТ 19106-73
52732010046134	0	BK15	1011-0461*34	0,00	0,00	1999,6	ГОСТ 19106-73
52732010100871	0	BK15	1011-0871A	4367,35	3787,76	949,54	ГОСТ 19106-73
52732010100872	0	BK15	1011-0872A	4366,38	4734,07	1186,92	ГОСТ 19106-73
52732010100875	0	BK15	1011-0875A	4568,51	3987,31	955,48	ГОСТ 19106-73
52732010100876	0	BK15	1011-0876A	4566,97	4982,25	1194,26	ГОСТ 19106-73
52732290000039	0	BK15	П39	8225,22	345,46	42,00	ТУ 48-19-67-78
52732290000050	0	BK15	П50	8323,14	282,99	34,00	ТУ 48-19-67-78
52732290000052	0	BK15	П52	7070,76	4013,36	35,92	ТУ 48-19-67-78
52732380000033	0	BK15	П33	9260,54	350,42	40,00	ТУ 48-19-67-78
52732380000034	0	BK15	П34	8920,19	611,75	70,00	ТУ 48-19-67-78
52732380000035	0	BK15	П35	9010,96	511,46	60,00	ТУ 48-19-67-78
52732380000056	0	BK15	П56	9035,3	489,8	60,00	ТУ 48-19-67-78
52732410000062	0	BK15	П62	7501,6	1200,26	160,00	ТУ 48-19-67-78
52732430000055	0	BK15	П55	8155,79	407,79	50,00	ТУ 48-19-67-78
52732440000040	0	BK15	П40	8246,44	329,86	40,00	ТУ 48-19-67-78
52732450000063	0	BK15	П63	7054,77	17135,69	2480,00	ТУ 48-19-67-78
52732610000014	0	BK15	Ш14	8063,91	54,83	6,8	ТУ 48-19-67-78
52732610000015	0	BK15	Ш15	8168,16	46,56	5,7	ТУ 48-19-67-78
52732620000016	0	BK15	Ш16	8072,58	54,09	6,7	ТУ 48-19-67-78
52732620000017	0	BK15	Ш17	8157,8	47,32	5,8	ТУ 48-19-67-78
52732630000045	0	BK15	Ш45	7476,98	1585,12	212,00	ТУ 48-19-67-78
52732650000036	0	BK15	Ш36	7421,61	5491,99	740,00	ТУ 48-19-67-78
52732650000037	0	BK15	Ш37	7417,39	6749,82	910,00	ТУ 48-19-67-78
52732650000038	0	BK15	Ш38	7417,39	6749,82	910,00	ТУ 48-19-67-78
52732650000039	0	BK15	Ш39	7421,31	5565,98	750,00	ТУ 48-19-67-78
52732660000041	0	BK15	Ш41	7419,04	6194,9	835,00	ТУ 48-19-67-78
52732670000040	0	BK15	Ш40	7422,24	5344,01	720,00	ТУ 48-19-67-78
52732680000042	0	BK15	Ш42	7451,02	2384,33	320,00	ТУ 48-19-67-78
52732680000044	0	BK15	Ш44	7414,2	8155,62	1100,00	ТУ 48-19-67-78
52733020000012	0	BK15	12ВШМ	0,00	0,00	66,8	ТУ 48-19-180-76
52736220000332	0	BK15	1010-0332	4789,81	86,5	17,44	ТУ 48-19-161-90
52736220024400	0	BK15	Ш010001 (ПР244)	4572,96	5441,82	1190,00	ТУ 48-19-161-90
52736220026100	0	BK15	Ш010002 (ПР261)	4812,25	6977,77	1450,00	ТУ 48-19-161-90
52736230000751	0	BK15	1010-0751	5303,2	60,62	11,04	ТУ 48-19-161-90
52736230016201	0	BK15	Г022022 (ПР162-1)	5130,21	666,93	130,00	ТУ 48-19-161-90
52736230016202	0	BK15	Г022032 (ПР162-2)	5082,49	1524,75	300,00	ТУ 48-19-161-90
52736230031900	0	BK15	Д020087 (ПР319)	4817,5	302,54	62,8	ТУ 48-19-161-90
52736230034000	0	BK15	В020050 (ПР340)	4903,54	388,36	79,2	ТУ 48-19-161-90

52736230035001	0	BK15	Д020097 (ПР350-1)	4721,97	1679,13	355,6	ТУ 48-19-161-90
52736230035002	0	BK15	Д020098 (ПР350-2)	4722,03	1674,43	354,6	ТУ 48-19-161-90
52736230035003	0	BK15	Д020099 (ПР350-3)	4722,15	1665,03	352,6	ТУ 48-19-161-90
52736230035004	0	BK15	Д020100 (ПР350-4)	4722,27	1656,57	350,8	ТУ 48-19-161-90
52736230035005	0	BK15	Д020101 (ПР350-5)	4722,4	1646,7	348,7	ТУ 48-19-161-90
52736230035006	0	BK15	Д020102 (ПР350-6)	4723,08	1598,29	338,4	ТУ 48-19-161-90
52736230035007	0	BK15	Д020103 (ПР350-7)	4723,08	1598,29	338,4	ТУ 48-19-161-90
52736230035008	0	BK15	Д020104 (ПР350-8)	4723,53	1567,27	331,8	ТУ 48-19-161-90
52736230035009	0	BK15	Д020105 (ПР350-9)	4724,68	1493,94	316,2	ТУ 48-19-161-90
52736230035010	0	BK15	Д020106 (ПР350-10)	4726,29	1402,29	296,7	ТУ 48-19-161-90
52736230035011	0	BK15	Д020107 (ПР350-11)	4728,5	1292,77	273,4	ТУ 48-19-161-90
52736230040601	0	BK15	В020054 (ПР406-1)	4816,08	4141,83	860,00	ТУ 48-19-161-90
52736230040602	0	BK15	В020055 (ПР406-2)	4892,53	440,33	90,00	ТУ 48-19-161-90
52736230056100	0	BK15	В020058 (ПР561)	4830,39	1636,00	322,3	ТУ 48-19-161-90
52736230063100	0	BK15	Д010010(ПР631)	5140,57	67,34	12,65	ТУ 48-19-161-90
52736230064900	0	BK15	В020059 (ПР649)	4824,24	2213,55	453,3	ТУ 48-19-161-90
52736230068600	0	BK15	М020011 (ПР686)	6848,52	282,84	39,9	ТУ 48-19-161-90
52736240000014	0	BK15	СЦ-130ВПС 1-4	0,00	0,00	32,8	ТУ 48-19-161-90
52736240000662	0	BK15	Г037085(ПР662)	5181,7	410,91	76,6	ТУ 48-19-161-90
52736240002600	0	BK15	К030001 (ПР26)	5413,4	100,15	18,5	ТУ 48-19-161-90
52736240002700	0	BK15	К030002 (ПР27)	5222,28	177,56	34,00	ТУ 48-19-161-90
52736240002800	0	BK15	К030003 (ПР28)	5237,94	167,61	32,00	ТУ 48-19-161-90
52736240008901	0	BK15	7858-0051/Б	6764,1	7,91	1,00	ТУ 48-19-161-90
52736240008902	0	BK15	7858-0052/Б	6513,06	14,00	2,1	ТУ 48-19-161-90
52736240008903	0	BK15	7858-0053/Б	6242,00	22,66	3,5	ТУ 48-19-161-90
52736240008904	0	BK15	7858-0054/Б	6040,45	31,41	5,2	ТУ 48-19-161-90
52736240008905	0	BK15	7858-0055/Б	5929,07	37,59	6,7	ТУ 48-19-161-90
52736240008906	0	BK15	7858-0056/Б	5534,59	76,21	10,3	ТУ 48-19-161-90
52736240008907	0	BK15	7858-0057/Б	5454,49	90,82	17,3	ТУ 48-19-161-90
52736240008908	0	BK15	7858-0058/Б	5283,04	143,91	31,3	ТУ 48-19-161-90
52736240008909	0	BK15	7858-0071/Ц	6773,05	7,72	1,00	ТУ 48-19-161-90
52736240008910	0	BK15	7858-0072/Ц	6415,57	16,81	2,1	ТУ 48-19-161-90
52736240008911	0	BK15	7858-0073/Ц	6262,03	21,92	3,5	ТУ 48-19-161-90
52736240008912	0	BK15	7858-0074/Ц	6040,45	31,41	5,2	ТУ 48-19-161-90
52736240008913	0	BK15	7858-0075/Ц	5839,49	43,56	6,7	ТУ 48-19-161-90
52736240008914	0	BK15	7858-0076/Ц	5534,59	76,21	10,3	ТУ 48-19-161-90
52736240008915	0	BK15	7858-0077/Ц	5397,76	104,12	17,3	ТУ 48-19-161-90
52736240008916	0	BK15	7858-0078/Ц	5249,95	160,65	28,8	ТУ 48-19-161-90
52736240009400	0	BK15	Н030003 (ПР94)	5129,27	674,5	131,5	ТУ 48-19-161-90
52736240011103	0	BK15	Д030017 (ПР111-3)	5056,56	435,37	86,1	ТУ 48-19-161-90
52736240011104	0	BK15	Д030018 (ПР111-4)	5060,93	420,06	83,00	ТУ 48-19-161-90
52736240012100	0	BK15	К030007 (ПР121)	5898,4	39,52	6,7	ТУ 48-19-161-90
52736240012200	0	BK15	К030008 (ПР122)	5666,34	58,93	10,4	ТУ 48-19-161-90
52736240012400	0	BK15	К030009 (ПР124)	5439,28	94,1	17,3	ТУ 48-19-161-90
52736240014201	0	BK15	Ф030088 (ПР142-1)	5049,57	11715,01	2320,00	ТУ 48-19-161-90
52736240014202	0	BK15	Ф030089 (ПР142-2)	5047,28	21728,55	4305,00	ТУ 48-19-161-90
52736240014300	0	BK15	В030073 (ПР143)	5052,71	7174,85	1420,00	ТУ 48-19-161-90
52736240014400	0	BK15	В030074 (ПР144)	5053,81	6317,26	1250,00	ТУ 48-19-161-90
52736240014600	0	BK15	Ш030010 (ПР146)	5074,78	1918,27	378,00	ТУ 48-19-161-90
52736240014700	0	BK15	Р030047 (ПР147)	5050,66	7575,99	1500,00	ТУ 48-19-161-90
52736240016301	0	BK15	В030075 (ПР163-1)	5766,96	63,44	11,00	ТУ 48-19-161-90
52736240016302	0	BK15	В030076 (ПР163-2)	5815,11	58,15	10,00	ТУ 48-19-161-90
52736240018100	0	BK15	Р030048 (ПР181)	5274,06	237,33	45,00	ТУ 48-19-161-90
52736240020200	0	BK15	К030010 (ПР202)	5560,34	72,28	13,00	ТУ 48-19-161-90
52736240020300	0	BK15	К030011 (ПР203)	5320,59	128,33	25,5	ТУ 48-19-161-90
52736240020900	0	BK15	Ш030011 (ПР209)	5047,87	17797,49	3600,00	ТУ 48-19-161-90
52736240021201	0	BK15	В030079 (ПР212-1)	5127,16	692,17	135,00	ТУ 48-19-161-90
52736240021202	0	BK15	В030080 (ПР212-2)	5106,74	924,32	181,00	ТУ 48-19-161-90
52736240022001	0	BK15	Ф030103 (ПР220-1)	5059,91	3794,93	750,00	ТУ 48-19-161-90
52736240022002	0	BK15	Ф030104 (ПР220-2)	5058,44	4198,51	830,00	ТУ 48-19-161-90
52736240022003	0	BK15	Ф030105 (ПР220-3)	5054,61	5812,8	1150,00	ТУ 48-19-161-90
52736240022004	0	BK15	Ф030106 (ПР220-4)	5049,84	11109,65	2200,00	ТУ 48-19-161-90
52736240022005	0	BK15	Ф030107 (ПР220-5)	5049,04	13127,5	2600,00	ТУ 48-19-161-90
52736240022006	0	BK15	Ф030108 (ПР220-6)	5048,58	14640,88	2900,00	ТУ 48-19-161-90
52736240023000	0	BK15	Д030028	5739,72	51,66	9,00	ТУ 48-19-161-90
52736240029700	0	BK15	Д030057 (ПР297)	4981,43	1125,8	226,00	ТУ 48-19-161-90
52736240032000	0	BK15	Д030059 (ПР320)	5319,13	128,88	24,23	ТУ 48-19-161-90
52736240032200	0	BK15	К030035 (ПР322)	5242,98	164,63	31,4	ТУ 48-19-161-90
52736240032300	0	BK15	К030036 (ПР323)	5242,98	164,63	31,4	ТУ 48-19-161-90
52736240032400	0	BK15	К030037 (ПР324)	5242,98	164,63	31,4	ТУ 48-19-161-90
52736240034305	0	BK15	Д030074 (ПР343-5)	5443,87	93,09	17,1	ТУ 48-19-161-90
52736240034308	0	BK15	Д030077 (ПР343-8)	5553,44	73,31	13,2	ТУ 48-19-161-90
52736240040301	0	BK15	Г037061(ПР403-1)	5284,69	227,98	44,9	ТУ 48-19-161-90
52736240040302	0	BK15	Г037062(ПР403-2)	5229,46	300,8	58,7	ТУ 48-19-161-90
52736240040901	0	BK15	Д030106 (ПР409-1)	5912,64	38,61	6,7	ТУ 48-19-161-90
52736240040902	0	BK15	Д030107 (ПР409-2)	5635,74	62,39	11,3	ТУ 48-19-161-90
52736240040903	0	BK15	Д030108 (ПР409-3)	5456,67	90,36	16,9	ТУ 48-19-161-90

52736240046000	0	BK15	Д030110 (ПР460)	4962,48	1846,84	380,00	ТУ 48-19-161-90
52736240046801	0	BK15	Ш030056 (ПР468-1)	5110,05	876,88	175,2	ТУ 48-19-161-90
52736240046900	0	BK15	Ш030058 (ПР469)	5100,98	1020,2	191,2	ТУ 48-19-161-90
52736240048101	0	BK15	Ш030059 (ПР481-1)	5048,45	15143,68	3062,7	ТУ 48-19-161-90
52736240048102	0	BK15	Ш030060 (ПР481-2)	5048,74	14075,63	2846,5	ТУ 48-19-161-90
52736240048103	0	BK15	Ш030061 (ПР481-3)	5060,4	3676,03	741,7	ТУ 48-19-161-90
52736240054901	0	BK15	Ш030063 (ПР549-1)	5109,04	890,76	178,00	ТУ 48-19-161-90
52736240054902	0	BK15	Ш030064 (ПР549-2)	5093,45	1179,54	236,5	ТУ 48-19-161-90
52736240055023	0	BK15	ПР550-23	5053,53	6514,00	1245,1	ТУ 48-19-161-90
52736240104001	0	BK15	Ш030006 (ПР40А-1)	5074,78	1918,27	378,00	ТУ 48-19-161-90
52736240104004	0	BK15	Ш030007 (ПР40А-4)	5070,51	2236,1	441,00	ТУ 48-19-161-90
52736240104900	0	BK15	К030005 (ПР49-А)	5374,3	110,6	20,58	ТУ 48-19-161-90
52736241020200	0	BK15	К030039 (ПР202-А)	5450,9	91,58	16,2	ТУ 48-19-161-90
52736250036100	0	BK15	Д040001 (ПР361)	5087,53	345,44	67,9	ТУ 48-19-161-90
52736250045700	0	BK15	Д040003 (ПР457)	5342,99	422,74	83,64	ТУ 48-19-161-90
52736250047600	0	BK15	Д040004 (ПР476)	5845,05	99,37	16,42	ТУ 48-19-161-90
52736250054801	0	BK15	Д030192 (ПР548-1)	4967,15	1595,75	328,00	ТУ 48-19-161-90
52736250054802	0	BK15	Д030193 (ПР548-2)	4959,47	2054,46	423,00	ТУ 48-19-161-90
52736250063800	0	BK15	Д030209 (ПР638)	13265,65	6,77	0,5	ТУ 48-19-161-90
52736250067000	0	BK15	Д040009 (ПР670)	5169,6	17448,45	3260,00	ТУ 48-19-161-90
52736270034200	0	BK15	Г067047 (ПР342)	5229,46	300,8	110,00	ТУ 48-19-161-90
52736730013400	0	BK15	Д020087 (ПР134)	4818,78	299,1	63,2	ТУ 48-19-126-84
52737010000300	0	BK15	Ш010003 (ПР3)	4573,06	5321,12	1190,00	ТУ 48-4207-26-99
52737010001301	0	BK15	Ш010013 (ПР3А-1)	4573,06	5321,12	1190,00	ТУ 48-4207-26-99
52737010001302	0	BK15	Ш010014 (ПР3А-2)	4572,21	6608,22	1396,00	ТУ 48-4207-26-99
52737280000034	0	BK15	КВ-34	7770,19	7770,19	1000,00	ТУ 48-19-428-87
52738660000022	0	BK15	Д22	7828,37	2142,62	273,7	ТУ 48-19-67-78
52738800000059	0	BK15	Д59	8948,24	253,95	26,00	ТУ 48-19-67-78
52738810000003	0	BK15	Д03	8254,74	1444,66	185,00	ТУ 48-19-67-78
52738820000078	0	BK15	Д78	8864,94	283,68	32,00	ТУ 48-19-67-78
52738820000079	0	BK15	Д79	8640,25	408,68	46,45	ТУ 48-19-67-78
52738820000081	0	BK15	Д81	8587,01	454,94	52,02	ТУ 48-19-67-78
52738830000032	0	BK15	Д32	7474,38	1640,4	229,6	ТУ 48-19-67-78
52738830000061	0	BK15	Д61	7455,7	2186,46	322,99	ТУ 48-19-67-78
52738830000087	0	BK15	Д87	7426,34	4543,44	611,8	ТУ 48-19-67-78
52738850000045	0	BK15	Д45	8552,31	195,76	23,6	ТУ 48-19-67-78
52738850000050	0	BK15	Д50	9884,21	107,74	10,9	ТУ 48-19-67-78
52738880000028	0	BK15	Д28	7636,88	505,71	65,03	ТУ 48-19-67-78
52738910000035	0	BK15	Д35	7528,26	948,56	126,00	ТУ 48-19-67-78
52738920000056	0	BK15	Д56	8364,97	844,86	101,00	ТУ 48-19-67-78
52738940000106	0	BK15	Д106	7610,76	570,81	75,00	ТУ 48-19-67-78
52738960000119	0	BK15	Д119	8908,83	267,26	30,00	ТУ 48-19-67-78
52740120007800	0	BK15	Н010001 (ПР78)	5297,12	10,59	2,00	ТУ 48-19-165-84
52740120014901	0	BK15	Р010008 (ПР149-1)	5361,21	7,61	1,42	ТУ 48-19-165-84
52740120014902	0	BK15	Р010009 (ПР149-2)	5218,23	14,77	2,83	ТУ 48-19-165-84
52740120022701	0	BK15	Н010002 (ПР227-1)	5196,65	16,21	3,15	ТУ 48-19-165-84
52740120022702	0	BK15	Н010003 (ПР227-2)	4660,85	234,58	51,03	ТУ 48-19-165-84
52740120022800	0	BK15	Н010004 (ПР228)	4650,54	266,48	57,3	ТУ 48-19-165-84
52740120023901	0	BK15	Н010009 (ПР239-1)	5239,61	13,62	2,6	ТУ 48-19-165-84
52740120023902	0	BK15	Н010010 (ПР239-2)	5105,43	22,97	4,5	ТУ 48-19-165-84
52740120023903	0	BK15	Н010011 (ПР239-3)	4997,18	34,48	6,9	ТУ 48-19-165-84
52740120033801	0	BK15	Н010014 (ПР338-1)	5371,69	7,25	1,3	ТУ 48-19-165-84
52740120033802	0	BK15	Н010015 (ПР338-2)	5353,15	8,03	1,45	ТУ 48-19-165-84
52740120033803	0	BK15	Н010016 (ПР338-3)	5329,74	9,06	1,64	ТУ 48-19-165-84
52740120033804	0	BK15	Н010017 (ПР338-4)	5302,36	10,34	1,88	ТУ 48-19-165-84
52740120033805	0	BK15	Н010018 (ПР338-5)	5297,12	10,59	1,93	ТУ 48-19-165-84
52740120040100	0	BK15	Н010020 (ПР401)	4722,65	132,8	28,7	ТУ 48-19-165-84
52740120040500	0	BK15	Н010021 (ПР405-1)	5140,33	20,15	4,00	ТУ 48-19-165-84
52740120040502	0	BK15	Н010031 (ПР405-2)	5162,29	18,53	3,47	ТУ 48-19-165-84
52740120059400	0	BK15	Р010019 (ПР594)	4769,91	96,11	19,46	ТУ 48-19-165-84
52740120062200	0	BK15	М070001 (ПР622)	8589,07	249,08	28,00	ТУ 48-19-165-84
52740120065300	0	BK15	Н010037 (ПР653)	4967,05	38,74	7,5	ТУ 48-19-165-84
52740120068501	0	BK15	Н020014 (ПР685-1)	5880,12	15,29	2,5	ТУ 48-19-165-84
52740120068502	0	BK15	Н020015 (ПР685-2)	5839,35	16,93	2,8	ТУ 48-19-165-84
52740120068503	0	BK15	Н020016 (ПР685-3)	5813,86	18,02	3,00	ТУ 48-19-165-84
52740130000401	0	BK15	В020001 (ПР4-1)	5354,19	53,01	9,9	ТУ 48-19-165-84
52740130000402	0	BK15	В020002 (ПР4-2)	5424,71	44,48	8,2	ТУ 48-19-165-84
52740130000403	0	BK15	В020003 (ПР4-3)	5163,06	92,37	17,89	ТУ 48-19-165-84
52740130000404	0	BK15	В020004 (ПР4-4)	5080,51	125,95	24,79	ТУ 48-19-165-84
52740130000405	0	BK15	В020005 (ПР4-5)	5354,19	53,01	9,9	ТУ 48-19-165-84
52740130000406	0	BK15	В020006 (ПР4-6)	5039,74	151,19	30,00	ТУ 48-19-165-84
52740130001000	0	BK15	В020011 (ПР10)	5069,82	131,82	26,00	ТУ 48-19-165-84
52740130007901	0	BK15	В020018 (ПР79-1)	5046,6	146,35	29,00	ТУ 48-19-165-84
52740130007902	0	BK15	В020019 (ПР79-2)	5010,61	175,37	35,00	ТУ 48-19-165-84
52740130008802	0	BK15	В020020 (ПР88-2)	4882,19	502,87	103,00	ТУ 48-19-165-84
52740130008803	0	BK15	В020021 (ПР88-3)	4849,59	897,17	185,00	ТУ 48-19-165-84
52740130021100	0	BK15	Р020032 (ПР211)	5892,54	14,73	2,5	ТУ 48-19-165-84

52740130026900	0	BK15	Ш020030 (ПР269)	4809,66	12986,09	2700,00	ТУ 48-19-165-84
52740130031101	0	BK15	Ш020020 (ПР311-1)	4815,48	4424,94	918,9	ТУ 48-19-165-84
52740130031102	0	BK15	Ш020021 (ПР311-2)	4813,27	5907,32	1227,3	ТУ 48-19-165-84
52740130031103	0	BK15	Ш020022 (ПР311-3)	4815,12	4610,00	957,4	ТУ 48-19-165-84
52740130031104	0	BK15	Ш020023 (ПР311-4)	4817,59	3567,91	740,6	ТУ 48-19-165-84
52740130031105	0	BK15	Ш020024 (ПР311-5)	4812,49	6700,91	1392,4	ТУ 48-19-165-84
52740130031106	0	BK15	Ш020025 (ПР311-6)	4809,29	14806,85	3078,8	ТУ 48-19-165-84
52740140000200	0	BK15	Д030031 (ПР2)	5045,52	479,32	95,00	ТУ 48-19-165-84
52740140000300	0	BK15	Д030001 (ПР3)	4978,64	1194,87	240,00	ТУ 48-19-165-84
52740140000700	0	BK15	Д030002 (ПР7)	5829,41	44,3	7,6	ТУ 48-19-165-84
52740140001302	0	BK15	Р030010 (ПР13-2)	5054,83	4903,19	970,00	ТУ 48-19-165-84
52740140004900	0	BK15	К030004 (ПР49)	5229,05	173,13	34,00	ТУ 48-19-165-84
52740140008001	0	BK15	Д030014 (ПР80-1)	5056,7	434,88	86,00	ТУ 48-19-165-84
52740140011203	0	BK15	Р030026 (ПР112-3)	5061,65	3107,85	614,00	ТУ 48-19-165-84
52740140013601	0	BK15	Р030033 (ПР136-1)	7035,05	5,63	0,9	ТУ 48-19-165-84
52740140013602	0	BK15	Р030034 (ПР136-2)	6793,59	10,87	1,6	ТУ 48-19-165-84
52740140013603	0	BK15	Р030035 (ПР136-3)	6487,23	19,46	3,00	ТУ 48-19-165-84
52740140013604	0	BK15	Р030036 (ПР136-4)	6358,93	24,04	4,2	ТУ 48-19-165-84
52740140013605	0	BK15	Р030037 (ПР136-5)	6122,79	34,9	5,7	ТУ 48-19-165-84
52740140013606	0	BK15	Р030038 (ПР136-6)	6005,81	42,04	7,00	ТУ 48-19-165-84
52740140013607	0	BK15	Р030039 (ПР136-7)	5734,84	67,1	11,7	ТУ 48-19-165-84
52740140013608	0	BK15	Р030040 (ПР136-8)	5657,23	78,13	13,3	ТУ 48-19-165-84
52740140013609	0	BK15	Р030041 (ПР136-9)	5531,73	103,11	19,5	ТУ 48-19-165-84
52740140013610	0	BK15	Р030042 (ПР136-10)	5412,12	142,34	26,3	ТУ 48-19-165-84
52740140013611	0	BK15	Р030043 (ПР136-11)	5353,91	172,18	33,3	ТУ 48-19-165-84
52740140013612	0	BK15	Р030044 (ПР136-12)	6553,31	17,37	2,8	ТУ 48-19-165-84
52740140013700	0	BK15	Р030045 (ПР137)	6316,85	25,71	4,2	ТУ 48-19-165-84
52740140013801	0	BK15	В030070 (ПР138-1)	5223,51	311,32	63,00	ТУ 48-19-165-84
52740140026802	0	BK15	Н030010 (ПР268-2)	5125,65	705,29	139,85	ТУ 48-19-165-84
52740170031201	0	BK15	Д060002 (ПР312-1)	5651,99	6092,85	1078,00	ТУ 48-19-165-84
52740170031202	0	BK15	Д060003 (ПР312-2)	5653,13	5786,54	1023,6	ТУ 48-19-165-84
52740170031203	0	BK15	Д060004 (ПР312-3)	5653,75	5632,83	996,3	ТУ 48-19-165-84
52740610000351	0	BK15	035Д-1	5661,82	25,7	4,7	ТУ 48-19-304-81
52740610000353	0	BK15	035Д-3	5441,54	42,72	7,8	ТУ 48-19-304-81
52740610000355	0	BK15	035Д-5	5030,17	158,45	31,5	ТУ 48-19-304-81
52740610000362	0	BK15	036Д-2	5873,1	15,56	3,4	ТУ 48-19-304-81
52740610000363	0	BK15	036Д-3	5811,37	18,13	3,6	ТУ 48-19-304-81
52740610000372	0	BK15	037Д-2	5873,1	15,56	2,6	ТУ 48-19-304-81
52740610000373	0	BK15	037Д-3	5811,37	18,13	3,6	ТУ 48-19-304-81
52740610000390	0	BK15	039Д	5044,29	147,95	30,00	ТУ 48-19-304-81
52800080000271	0	BK20	2271	0,00	0,00	21,7	ГОСТ 25395-90
52800520000251	0	BK20	61251	5586,42	916,17	151,7	ГОСТ 25395-90
52818010000007	0	BK20	ОТХОДЫ	0,00	0,00	0,00	ТЕХНИЧЕСКИЕ ТРЕБОВАН
52826300000100	0	BK20	ПР1	5278,8	1398,88	265,00	ТУ 48-19-26-81
52826300000201	0	BK20	ПР2-1	5270,34	2304,72	437,3	ТУ 48-19-26-81
52826300000202	0	BK20	ПР2-2	5300,82	684,34	129,1	ТУ 48-19-26-81
52826301000201	0	BK20	ПР2-1	5270,34	2304,72	437,3	ТУ 48-19-26-81
52826301000202	0	BK20	ПР2-2	5270,34	2304,72	437,3	ТУ 48-19-26-81
52830000000451	0	BK20	1451	0,00	0,00	128,5	ГОСТ 25395-90
52830000000471	0	BK20	1471	5228,6	1192,12	210,9	ГОСТ 25395-90
52831140011601	0	BK20	В030091 (ПР116-1)	5814,34	8012,16	1378,00	ТУ 48-19-232-91
52831140011602	0	BK20	В030092 (ПР116-2)	5813,19	9103,46	1566,00	ТУ 48-19-232-91
52831510000766	0	BK20	1010-0766	4659,19	704,05	155,23	ТУ 48-4207-5-91
52831510000846	0	BK20	1010-0846	5030,35	68,26	12,56	ТУ 48-4207-5-91
52831510000866	0	BK20	1010-0866	4733,25	274,53	53,7	ТУ 48-4207-5-91
52831510000868	0	BK20	1010-0868	4721,96	303,62	59,5	ТУ 48-4207-5-91
52831510001805	0	BK20	1010-1805	4849,73	4282,31	816,7	ТУ 48-4207-5-91
52831510073550	0	BK20	1010-0735*50	4848,6	4708,96	971,2	ТУ 48-4207-5-91
52831700000331	0	BK20	1010-0331	4974,47	81,63	16,98	ТУ 48-4207-5-91
52831700000332	0	BK20	1010-0332	4610,89	74,97	16,82	ТУ 48-4207-5-91
52831700000333	0	BK20	1010-0333	4610,89	74,97	16,82	ТУ 48-4207-5-91
52831700000334	0	BK20	1010-0334	4611,86	74,57	16,72	ТУ 48-4207-5-91
52831700000335	0	BK20	1010-0335	4613,18	74,04	16,6	ТУ 48-4207-5-91
52831700000346	0	BK20	1010-0346	4657,94	722,49	160,45	ТУ 48-4207-5-91
52831700000347	0	BK20	1010-0347	4658,2	718,53	159,56	ТУ 48-4207-5-91
52831700000371	0	BK20	1010-0371	4413,5	640,05	150,02	ТУ 48-4207-5-91
52831700000508	0	BK20	1010-0508	5281,74	35,02	6,8	ТУ 48-4207-5-91
52831700000701	0	BK20	1010-0701	5120,72	52,69	10,64	ТУ 48-4207-5-91
52831700000702	0	BK20	1010-0702	4488,32	181,87	41,92	ТУ 48-4207-5-91
52831700000703	0	BK20	1010-0703	4488,89	180,81	41,66	ТУ 48-4207-5-91
52831700000704	0	BK20	1010-0704	4474,75	210,76	48,72	ТУ 48-4207-5-91
52831700000705	0	BK20	1010-0705	4402,13	991,98	233,1	ТУ 48-4207-5-91
52831700000706	0	BK20	1010-0706	4699,97	381,03	83,86	ТУ 48-4207-5-91
52831700000707	0	BK20	1010-0707	4699,11	384,81	84,71	ТУ 48-4207-5-91
52831700000708	0	BK20	1010-0708	4701,2	375,72	82,68	ТУ 48-4207-5-91
52831700000709	0	BK20	1010-0709	4635,84	1331,69	297,16	ТУ 48-4207-5-91
52831700000711	0	BK20	1010-0711	4681,8	480,21	106,11	ТУ 48-4207-5-91

52831700000712	0	BK20	1010-0712	4675,63	526,24	116,43	TY 48-4207-5-91
52831700000713	0	BK20	1010-0713	4656,97	737,48	163,81	TY 48-4207-5-91
52831700000714	0	BK20	1010-0714	4657,63	727,15	161,5	TY 48-4207-5-91
52831700000715	0	BK20	1010-0715	4676,93	515,87	114,11	TY 48-4207-5-91
52831700000716	0	BK20	1010-0716	4633,48	1462,37	326,48	TY 48-4207-5-91
52831700000717	0	BK20	1010-0717	4649,21	883,12	196,5	TY 48-4207-5-91
52831700000718	0	BK20	1010-0718	4658,92	707,97	157,19	TY 48-4207-5-91
52831700000719	0	BK20	1010-0719	4633,82	1442,09	321,95	TY 48-4207-5-91
52831700000721	0	BK20	1010-0721	5558,05	1895,3	317,7	TY 48-4207-5-91
52831700000722	0	BK20	1010-0722	5558,17	1887,16	316,24	TY 48-4207-5-91
52831700000723	0	BK20	1010-0723	4861,5	2197,74	467,71	TY 48-4207-5-91
52831700000724	0	BK20	1010-0724	4862,03	2149,94	457,43	TY 48-4207-5-91
52831700000725	0	BK20	1010-0725	4858,59	2498,53	531,97	TY 48-4207-5-91
52831700000726	0	BK20	1010-0726	4858,77	2477,63	527,5	TY 48-4207-5-91
52831700000727	0	BK20	1010-0727	4859,06	2444,45	520,4	TY 48-4207-5-91
52831700000728	0	BK20	1010-0728	4853,05	3379,76	720,41	TY 48-4207-5-91
52831700000729	0	BK20	1010-0729	4853,32	3322,15	708,1	TY 48-4207-5-91
52831700000731	0	BK20	1010-0731	4853,39	3308,8	705,24	TY 48-4207-5-91
52831700000732	0	BK20	1010-0732	4853,67	3252,39	693,18	TY 48-4207-5-91
52831700000733	0	BK20	1010-0733	4853,76	3234,25	689,3	TY 48-4207-5-91
52831700000734	0	BK20	1010-0734	4854,23	3144,66	670,15	TY 48-4207-5-91
52831700000735	0	BK20	1010-0735	4846,97	5499,18	1173,65	TY 48-4207-5-91
52831700000736	0	BK20	1010-0736	4847,05	5456,04	1164,42	TY 48-4207-5-91
52831700000737	0	BK20	1010-0737	4847,15	5402,58	1153,00	TY 48-4207-5-91
52831700000738	0	BK20	1010-0738	4847,32	5311,45	1133,5	TY 48-4207-5-91
52831700000739	0	BK20	1010-0739	4847,5	5217,85	1113,49	TY 48-4207-5-91
52831700000741	0	BK20	1010-0741	4847,58	5176,29	1104,6	TY 48-4207-5-91
52831700000742	0	BK20	1010-0742	4847,8	5068,08	1081,46	TY 48-4207-5-91
52831700000743	0	BK20	1010-0743	4847,99	4977,19	1062,03	TY 48-4207-5-91
52831700000744	0	BK20	1010-0744	4845,76	6285,68	1341,85	TY 48-4207-5-91
52831700000745	0	BK20	1010-0745	4845,91	6173,4	1317,84	TY 48-4207-5-91
52831700000746	0	BK20	1010-0746	4843,06	9212,32	1697,72	TY 48-4207-5-91
52831700000747	0	BK20	1010-0747	4843,36	8766,96	1872,47	TY 48-4207-5-91
52831700000748	0	BK20	1010-0748	4843,72	8267,51	1765,66	TY 48-4207-5-91
52831700000755	0	BK20	1010-0755	4553,8	106,01	24,09	TY 48-4207-5-91
52831700000757	0	BK20	1010-0757	4460,06	253,2	58,73	TY 48-4207-5-91
52831700000761	0	BK20	1010-0761	4413,44	641,1	150,27	TY 48-4207-5-91
52831700000762	0	BK20	1010-0762	4656,62	743,01	165,06	TY 48-4207-5-91
52831700000763	0	BK20	1010-0763	4658,89	708,43	157,3	TY 48-4207-5-91
52831700000764	0	BK20	1010-0764	4657,77	725,07	161,04	TY 48-4207-5-91
52831700000765	0	BK20	1010-0765	4658,26	717,65	159,37	TY 48-4207-5-91
52831700000767	0	BK20	1010-0767	4634,55	1400,42	312,58	TY 48-4207-5-91
52831700001801	0	BK20	1010-1801	4841,31	13190,15	2974,34	TY 48-4207-5-91
52831700034620	0	BK20	1010-0346*20	4703,8	364,97	80,23	TY 48-4207-5-91
52831700034630	0	BK20	1010-0346*30	4673,55	543,67	120,34	TY 48-4207-5-91
52831700034730	0	BK20	1010-0347*30	4673,9	540,72	119,67	TY 48-4207-5-91
52831700070220	0	BK20	1010-0702*20	4520,84	135,35	29,94	TY 48-4207-5-91
52831700070320	0	BK20	1010-0703*20	4521,57	134,56	29,76	TY 48-4207-5-91
52831700070620	0	BK20	1010-0706*20	4760,72	221,8	46,59	TY 48-4207-5-91
52831700070630	0	BK20	1010-0706*30	4713,55	329,38	69,88	TY 48-4207-5-91
52831700070720	0	BK20	1010-0707*20	4759,35	223,97	47,06	TY 48-4207-5-91
52831700070730	0	BK20	1010-0707*30	4712,57	332,66	70,59	TY 48-4207-5-91
52831700070820	0	BK20	1010-0708*20	4762,68	218,75	45,93	TY 48-4207-5-91
52831700070830	0	BK20	1010-0708*30	4714,94	324,86	68,9	TY 48-4207-5-91
52831700070920	0	BK20	1010-0709*20	4655,07	768,51	165,09	TY 48-4207-5-91
52831700070930	0	BK20	1010-0709*30	4640,04	1149,01	247,63	TY 48-4207-5-91
52831700071110	0	BK20	1010-0711*10	4835,96	142,56	29,48	TY 48-4207-5-91
52831700071120	0	BK20	1010-0711*20	4731,41	278,92	58,95	TY 48-4207-5-91
52831700071130	0	BK20	1010-0711*30	4692,82	414,94	88,42	TY 48-4207-5-91
52831700071220	0	BK20	1010-0712*20	4736,72	266,63	58,21	TY 48-4207-5-91
52831700071230	0	BK20	1010-0712*30	4696,52	396,67	87,32	TY 48-4207-5-91
52831700071330	0	BK20	1010-0713*30	4672,26	555,11	122,86	TY 48-4207-5-91
52831700071430	0	BK20	1010-0714*30	4673,17	547,04	121,13	TY 48-4207-5-91
52831700071520	0	BK20	1010-0715*20	4739,16	261,32	57,05	TY 48-4207-5-91
52831700071530	0	BK20	1010-0715*30	4698,27	388,59	85,58	TY 48-4207-5-91
52831700071620	0	BK20	1010-0716*20	4657,12	735,03	163,24	TY 48-4207-5-91
52831700071630	0	BK20	1010-0716*30	4641,43	1099,04	244,86	TY 48-4207-5-91
52831700071730	0	BK20	1010-0717*30	4662,1	664,49	147,37	TY 48-4207-5-91
52831700071820	0	BK20	1010-0718*20	4705,62	357,77	78,6	TY 48-4207-5-91
52831700071830	0	BK20	1010-0718*30	4674,84	532,7	117,89	TY 48-4207-5-91
52831700071920	0	BK20	1010-0719*20	4657,78	724,89	160,97	TY 48-4207-5-91
52831700071930	0	BK20	1010-0719*30	4641,88	1083,83	241,45	TY 48-4207-5-91
52831700072120	0	BK20	1010-0721*20	4658,4	715,58	158,85	TY 48-4207-5-91
52831700072130	0	BK20	1010-0721*30	4642,31	1069,45	238,27	TY 48-4207-5-91
52831700072230	0	BK20	1010-0722*30	4642,47	1064,38	237,18	TY 48-4207-5-91
52831700072320	0	BK20	1010-0723*20	4659,33	702,07	155,9	TY 48-4207-5-91
52831700072330	0	BK20	1010-0723*30	4642,93	1049,63	233,85	TY 48-4207-5-91

52831700072340	0	BK20	1010-0723*40	5558,55	1860,84	311,81	TY 48-4207-5-91
52831700072350	0	BK20	1010-0723*50	4629,57	1744,19	389,76	TY 48-4207-5-91
52831700072420	0	BK20	1010-0724*20	4660,42	686,85	152,48	TY 48-4207-5-91
52831700072430	0	BK20	1010-0724*30	4643,67	1026,81	228,71	TY 48-4207-5-91
52831700072530	0	BK20	1010-0725*30	4638,92	1192,76	266,00	TY 48-4207-5-91
52831700072540	0	BK20	1010-0725*40	4631,57	1587,98	354,65	TY 48-4207-5-91
52831700072550	0	BK20	1010-0725*50	4627,12	1982,72	431,31	TY 48-4207-5-91
52831700072620	0	BK20	1010-0726*20	4653,78	791,19	175,83	TY 48-4207-5-91
52831700072630	0	BK20	1010-0726*30	4639,18	1182,62	263,75	TY 48-4207-5-91
52831700072640	0	BK20	1010-0726*40	4631,76	1574,47	351,67	TY 48-4207-5-91
52831700072650	0	BK20	1010-0726*50	4627,27	1966,27	439,58	TY 48-4207-5-91
52831700072720	0	BK20	1010-0727*20	4654,37	780,63	173,47	TY 48-4207-5-91
52831700072730	0	BK20	1010-0727*30	4639,57	1166,99	260,2	TY 48-4207-5-91
52831700072740	0	BK20	1010-0727*40	4632,06	1553,36	346,93	TY 48-4207-5-91
52831700072750	0	BK20	1010-0727*50	4627,52	1940,09	433,67	TY 48-4207-5-91
52831700072820	0	BK20	1010-0728*20	4642,07	1077,47	240,14	TY 48-4207-5-91
52831700072830	0	BK20	1010-0728*30	4631,23	1612,45	360,22	TY 48-4207-5-91
52831700072840	0	BK20	1010-0728*40	4625,75	2147,83	480,28	TY 48-4207-5-91
52831700072850	0	BK20	1010-0728*50	4622,44	2682,77	600,34	TY 48-4207-5-91
52831700072930	0	BK20	1010-0729*30	4631,6	1585,44	354,06	TY 48-4207-5-91
52831700072940	0	BK20	1010-0729*40	4626,03	2111,09	472,06	TY 48-4207-5-91
52831700072950	0	BK20	1010-0729*50	4856,51	2770,54	590,08	TY 48-4207-5-91
52831700073130	0	BK20	1010-0731*30	4631,69	1579,13	352,62	TY 48-4207-5-91
52831700073140	0	BK20	1010-0731*40	4626,1	2102,66	470,16	TY 48-4207-5-91
52831700073150	0	BK20	1010-0731*50	4856,58	2759,46	587,7	TY 48-4207-5-91
52831700073230	0	BK20	1010-0732*30	4632,09	1551,66	346,59	TY 48-4207-5-91
52831700073240	0	BK20	1010-0732*40	4626,4	2066,75	462,12	TY 48-4207-5-91
52831700073250	0	BK20	1010-0732*50	4856,92	2712,06	577,65	TY 48-4207-5-91
52831700073330	0	BK20	1010-0733*30	4632,21	1543,22	344,65	TY 48-4207-5-91
52831700073340	0	BK20	1010-0733*40	4861,92	2159,52	459,53	TY 48-4207-5-91
52831700073350	0	BK20	1010-0733*50	4857,03	2697,01	574,41	TY 48-4207-5-91
52831700073430	0	BK20	1010-0734*30	4632,86	1500,58	335,07	TY 48-4207-5-91
52831700073440	0	BK20	1010-0734*40	4862,62	2100,12	446,76	TY 48-4207-5-91
52831700073450	0	BK20	1010-0734*50	4857,59	2622,13	558,46	TY 48-4207-5-91
52831700073530	0	BK20	1010-0735*30	4622,74	2623,22	586,83	TY 48-4207-5-91
52831700073540	0	BK20	1010-0735*40	4851,8	3670,97	782,44	TY 48-4207-5-91
52831700073730	0	BK20	1010-0737*30	4622,99	2576,81	576,5	TY 48-4207-5-91
52831700073740	0	BK20	1010-0737*40	4852,06	3605,81	768,66	TY 48-4207-5-91
52831700073750	0	BK20	1010-0737*50	4849,12	4504,88	960,83	TY 48-4207-5-91
52831700073840	0	BK20	1010-0738*40	4852,32	3543,8	755,67	TY 48-4207-5-91
52831700073850	0	BK20	1010-0738*50	4849,32	4427,33	944,59	TY 48-4207-5-91
52831700073940	0	BK20	1010-0739*40	4852,59	3481,73	742,33	TY 48-4207-5-91
52831700074130	0	BK20	1010-0741*30	4623,59	2469,14	552,3	TY 48-4207-5-91
52831700074140	0	BK20	1010-0741*40	4852,71	3455,18	736,4	TY 48-4207-5-91
52831700074150	0	BK20	1010-0741*50	4849,63	4316,56	920,5	TY 48-4207-5-91
52831700074240	0	BK20	1010-0742*40	4853,04	3381,6	720,97	TY 48-4207-5-91
52831700074310	0	BK20	1010-0743*10	5872,89	1116,44	175,8	TY 48-4207-5-91
52831700074340	0	BK20	1010-0743*40	4853,32	3322,24	708,02	TY 48-4207-5-91
52831700074520	0	BK20	1010-0745*20	4627,28	1965,44	439,28	TY 48-4207-5-91
52831700074550	0	BK20	1010-0745*50	4847,64	5147,37	1098,2	TY 48-4207-5-91
52831700074650	0	BK20	1010-0746*50	4844,22	7680,07	1730,51	TY 48-4207-5-91
52831700074720	0	BK20	1010-0747*20	4621,94	2788,74	624,16	TY 48-4207-5-91
52831700074730	0	BK20	1010-0747*30	4617,67	4179,04	936,24	TY 48-4207-5-91
52831700074740	0	BK20	1010-0747*40	4846,4	5847,9	1248,31	TY 48-4207-5-91
52831700076430	0	BK20	1010-0764*30	4421,05	516,33	120,78	TY 48-4207-5-91
52831700180140	0	BK20	1010-1801*40	4843,33	8796,22	1878,92	TY 48-4207-5-91
52831700180230	0	BK20	1010-1802*30	4615,45	5641,93	1264,72	TY 48-4207-5-91
52831710000751	0	BK20	1010-0751	5120,72	52,69	10,64	TY 48-4207-5-91
52831710000752	0	BK20	1010-0752	4974,13	81,72	17,00	TY 48-4207-5-91
52831710000753	0	BK20	1010-0753	4609,92	75,37	16,91	TY 48-4207-5-91
52831710000754	0	BK20	1010-0754	4552,16	107,2	24,36	TY 48-4207-5-91
52831710000756	0	BK20	1010-0756	4459,93	253,64	58,83	TY 48-4207-5-91
52831710000759	0	BK20	1010-0759	4461,86	247,19	57,31	TY 48-4207-5-91
52831710000769	0	BK20	1010-0769	4866,6	1813,3	385,44	TY 48-4207-5-91
52831710076330	0	BK20	1010-0763*30	4421,98	504,28	124,5	TY 48-4207-5-91
52831720000473	0	BK20	1010-0473	4782,58	191,73	41,48	TY 48-4207-5-91
52831720000474	0	BK20	1010-0474	4710,74	338,94	74,43	TY 48-4207-5-91
52831720000475	0	BK20	1010-0475	4712,73	332,11	72,9	TY 48-4207-5-91
52831720000851	0	BK20	1010-0851	4984,46	78,95	17,29	TY 48-4207-5-91
52831720000864	0	BK20	1010-0864	4746,49	246,49	53,72	TY 48-4207-5-91
52831720000873	0	BK20	1010-0873	4683,4	469,56	103,71	TY 48-4207-5-91
52831720000875	0	BK20	1010-0875	4736,7	266,68	58,24	TY 48-4207-5-91
52831720000876	0	BK20	1010-0876	4726,17	292,12	63,93	TY 48-4207-5-91
52831720000879	0	BK20	1010-0879	4697,27	393,16	86,59	TY 48-4207-5-91
52831720000881	0	BK20	1010-0881	4697,6	391,64	86,25	TY 48-4207-5-91
52831720000901	0	BK20	1010-0901	4714,23	327,17	71,79	TY 48-4207-5-91
52831720000907	0	BK20	1010-0907	4651,3	838,63	186,51	TY 48-4207-5-91

52831720000916	0	BK20	1010-0916	4678,94	500,55	110,67	TY 48-4207-5-91
52831720000923	0	BK20	1010-0923	4653,15	802,76	178,46	TY 48-4207-5-91
52831720000927	0	BK20	1010-0927	4644,99	988,5	220,14	TY 48-4207-5-91
52831720000929	0	BK20	1010-0929	4645,35	978,77	217,96	TY 48-4207-5-91
52831720000937	0	BK20	1010-0937	4646,54	947,06	222,51	TY 48-4207-5-91
52831720000947	0	BK20	1010-0947	4636,91	1280,07	285,58	TY 48-4207-5-91
52831720000954	0	BK20	1010-0954	4635,77	1335,56	314,52	TY 48-4207-5-91
52831720000958	0	BK20	1010-0958	4627,31	1962,35	438,69	TY 48-4207-5-91
52831720000959	0	BK20	1010-0959	4622,76	2619,26	618,56	TY 48-4207-5-91
52831720000962	0	BK20	1010-0962	4852,82	3430,65	731,3	TY 48-4207-5-91
52831720000965	0	BK20	1010-0965	4621,39	2912,08	651,84	TY 48-4207-5-91
52831720001651	0	BK20	1010-1651	4688,38	439,07	96,88	TY 48-4207-5-91
52831720001652	0	BK20	1010-1652	4659,37	701,42	155,72	TY 48-4207-5-91
52831730000775	0	BK20	1010-0775	4855,79	2878,08	662,18	TY 48-4207-5-91
52831730000804	0	BK20	1010-0804	4662,69	657,07	145,77	TY 48-4207-5-91
52831730000808	0	BK20	1010-0808	4662,84	655,18	145,36	TY 48-4207-5-91
52831730000809	0	BK20	1010-0809	4662,88	654,71	145,25	TY 48-4207-5-91
52831730000811	0	BK20	1010-0811	4662,95	653,79	145,04	TY 48-4207-5-91
52831740000981	0	BK20	1010-0981	4666,42	613,26	135,00	TY 48-4207-5-91
52831740000982	0	BK20	1010-0982	4646,75	941,8	208,21	TY 48-4207-5-91
52831740000984	0	BK20	1010-0984	4636,88	1281,31	285,85	TY 48-4207-5-91
52831740000986	0	BK20	1010-0986	4620,04	3273,94	733,05	TY 48-4207-5-91
52831740001702	0	BK20	1010-1702	4426,38	453,79	102,52	TY 48-4207-5-91
52831740001711	0	BK20	1010-1711	4396,47	1358,77	318,3	TY 48-4207-5-91
52831740001712	0	BK20	1010-1712	4396,62	1345,67	315,23	TY 48-4207-5-91
52831740001713	0	BK20	1010-1713	4388,81	2693,59	632,09	TY 48-4207-5-91
52831740001727	0	BK20	1010-1727	4819,02	29,69	6,35	TY 48-4207-5-91
52831740001729	0	BK20	1010-1729	4681,24	52,8	11,61	TY 48-4207-5-91
52831740001731	0	BK20	1010-1731	4686,49	51,55	11,33	TY 48-4207-5-91
52831740001734	0	BK20	1010-1734	4533,27	122,81	27,9	TY 48-4207-5-91
52831740001735	0	BK20	1010-1735	4537,62	118,89	26,98	TY 48-4207-5-91
52831740001736	0	BK20	1010-1736	4540,85	116,11	26,34	TY 48-4207-5-91
52831740001737	0	BK20	1010-1737	4479,16	200,49	46,1	TY 48-4207-5-91
52831740001738	0	BK20	1010-1738	4483,00	192,28	44,17	TY 48-4207-5-91
52831740001741	0	BK20	1010-1741	4441,38	336,88	78,12	TY 48-4207-5-91
52831740001742	0	BK20	1010-1742	4426,43	453,22	105,45	TY 48-4207-5-91
52831740001743	0	BK20	1010-1743	4426,92	448,23	104,28	TY 48-4207-5-91
52831740001744	0	BK20	1010-1744	4428,18	435,82	101,37	TY 48-4207-5-91
52831740001745	0	BK20	1010-1745	4414,18	626,5	146,18	TY 48-4207-5-91
52831740001746	0	BK20	1010-1746	4414,73	615,99	143,7	TY 48-4207-5-91
52831740001747	0	BK20	1010-1747	4415,46	602,62	140,57	TY 48-4207-5-91
52831740001748	0	BK20	1010-1748	4416,26	588,6	137,26	TY 48-4207-5-91
52831740001749	0	BK20	1010-1749	4406,62	815,93	190,7	TY 48-4207-5-91
52831740001751	0	BK20	1010-1751	4407,56	786,57	183,8	TY 48-4207-5-91
52831740001752	0	BK20	1010-1752	4401,81	1007,71	235,77	TY 48-4207-5-91
52831740001753	0	BK20	1010-1753	4402,94	955,09	223,41	TY 48-4207-5-91
52831740001754	0	BK20	1010-1754	4397,15	1301,29	304,79	TY 48-4207-5-91
52831740001756	0	BK20	1010-1756	4390,00	2338,77	548,68	TY 48-4207-5-91
52831750000479	0	BK20	1010-0479	4650,12	863,11	192,01	TY 48-4207-5-91
52831750000481	0	BK20	1010-0481	4641,05	1112,27	248,71	TY 48-4207-5-91
52831750000485	0	BK20	1010-0485	4626,6	2042,64	247,92	TY 48-4207-5-91
52831750000544	0	BK20	1010-0544	4874,72	1417,57	456,72	TY 48-4207-5-91
52831750000545	0	BK20	1010-0545	4875,92	1372,91	289,99	TY 48-4207-5-91
52831750000546	0	BK20	1010-0546	4877,01	1334,94	281,91	TY 48-4207-5-91
52831750000991	0	BK20	1010-0991	4938,84	514,08	107,2	TY 48-4207-5-91
52831750000995	0	BK20	1010-0995	4878,68	1280,8	270,38	TY 48-4207-5-91
52831750000996	0	BK20	1010-0996	4870,75	1587,04	335,58	TY 48-4207-5-91
52831750000997	0	BK20	1010-0997	4871,42	1555,54	328,87	TY 48-4207-5-91
52831750001653	0	BK20	1010-1653	4651,34	837,8	186,33	TY 48-4207-5-91
52831750001654	0	BK20	1010-1654	4636,77	1286,57	287,03	TY 48-4207-5-91
52831750001679	0	BK20	1010-1679	4415,88	595,17	139,43	TY 48-4207-5-91
52831750001685	0	BK20	1010-1685	4396,71	1337,79	315,75	TY 48-4207-5-91
52831750001694	0	BK20	1010-1694	4391,65	1976,2	314,75	TY 48-4207-5-91
52831760000495	0	BK20	1010-0495	4467,46	230,03	52,9	TY 48-4207-5-91
52831760000549	0	BK20	1010-0549	4693,35	412,22	90,45	TY 48-4207-5-91
52831760000550	0	BK20	1010-0550	4691,34	422,69	92,79	TY 48-4207-5-91
52831760000552	0	BK20	1010-0552	4655,03	769,15	170,17	TY 48-4207-5-91
52831760000553	0	BK20	1010-0553	4652,12	822,22	182,03	TY 48-4207-5-91
52831760001671	0	BK20	1010-1671	4702,58	47,97	10,56	TY 48-4207-5-91
52831760001672	0	BK20	1010-1672	4703,00	47,88	10,53	TY 48-4207-5-91
52831760001673	0	BK20	1010-1673	4552,22	107,16	24,35	TY 48-4207-5-91
52831760001674	0	BK20	1010-1674	4513,27	144,15	33,04	TY 48-4207-5-91
52831760001810	0	BK20	1010-1810	4684,28	463,84	99,02	TY 48-4207-5-91
52831770001701	0	BK20	1010-1701	4465,89	234,59	54,1	TY 48-4207-5-91
52831770001703	0	BK20	1010-1703	4430,15	417,72	97,11	TY 48-4207-5-91
52831770001704	0	BK20	1010-1704	4428,37	434,02	94,98	TY 48-4207-5-91
52831770001705	0	BK20	1010-1705	4417,98	560,55	130,67	TY 48-4207-5-91

52831770001706	0	BK20	1010-1706	4418,36	554,64	121,65	TY 48-4207-5-91
52831770001707	0	BK20	1010-1707	4418,54	551,92	128,64	TY 48-4207-5-91
52831770001708	0	BK20	1010-1708	4396,31	1373,06	321,66	TY 48-4207-5-91
52831770001721	0	BK20	1010-1721	4817,85	29,82	6,38	TY 48-4207-5-91
52831770001725	0	BK20	1010-1725	4789,04	33,43	7,19	TY 48-4207-5-91
52831770001728	0	BK20	1010-1728	4672,11	55,08	12,14	TY 48-4207-5-91
52831770001739	0	BK20	1010-1739	4485,18	187,88	43,14	TY 48-4207-5-91
52831780000512	0	BK20	1010-0512	4641,91	1082,96	241,34	TY 48-4207-5-91
52831780000513	0	BK20	1010-0513	4635,17	1366,45	272,7	TY 48-4207-5-91
52831780001726	0	BK20	1010-1726	4802,04	31,74	6,81	TY 48-4207-5-91
52831780001732	0	BK20	1010-1732	4697,99	48,95	10,73	TY 48-4207-5-91
52831780001733	0	BK20	1010-1733	4719,51	44,55	9,73	TY 48-4207-5-91
52831790000992	0	BK20	1010-0992	4942,91	493,75	102,88	TY 48-4207-5-91
52831790000993	0	BK20	1010-0993	4946,55	476,85	99,28	TY 48-4207-5-91
52831820000509	0	BK20	1010-0509	4773,88	202,75	43,94	TY 48-4207-5-91
52831820000510	0	BK20	1010-0510	4698,04	389,66	90,55	TY 48-4207-5-91
52831820000514	0	BK20	1010-0514	4625,74	2148,75	480,53	TY 48-4207-5-91
52832010000351	0	BK20	1011-0351	5314,68	61,54	11,77	ГОСТ 19106-73
52832010000352	0	BK20	1011-0352	5271,17	76,17	14,69	ГОСТ 19106-73
52832010000353	0	BK20	1011-0353	5238,94	90,69	17,6	ГОСТ 19106-73
52832010000354	0	BK20	1011-0354	5252,28	84,19	17,6	ГОСТ 19106-73
52832010000355	0	BK20	1011-0355	5214,9	104,61	22,03	ГОСТ 19106-73
52832010000356	0	BK20	1011-0356	5187,87	124,98	26,46	ГОСТ 19106-73
52832010000357	0	BK20	1011-0357	5151,72	165,16	35,21	ГОСТ 19106-73
52832010000358	0	BK20	1011-0358	5204,78	111,54	23,54	ГОСТ 19106-73
52832010000359	0	BK20	1011-0359	5147,02	172,06	36,72	ГОСТ 19106-73
52832010000361	0	BK20	1011-0361	5128,15	205,74	44,06	ГОСТ 19106-73
52832010000362	0	BK20	1011-0362	5103,38	272,98	58,75	ГОСТ 19106-73
52832010000363	0	BK20	1011-0363	5087,82	340,22	73,44	ГОСТ 19106-73
52832010000364	0	BK20	1011-0364	5075,12	423,06	91,8	ГОСТ 19106-73
52832010000365	0	BK20	1011-0365	5077,15	407,39	88,13	ГОСТ 19106-73
52832010000366	0	BK20	1011-0366	5067,26	496,59	117,5	ГОСТ 19106-73
52832010000367	0	BK20	1011-0367	5055,03	676,06	146,88	ГОСТ 19106-73
52832010000368	0	BK20	1011-0368	5048,19	843,91	183,6	ГОСТ 19106-73
52832010000369	0	BK20	1011-0369	5042,12	1078,91	235,01	ГОСТ 19106-73
52832010000371	0	BK20	1011-0371	5170,74	141,63	30,13	ГОСТ 19106-73
52832010000372	0	BK20	1011-0372	5106,63	261,97	56,38	ГОСТ 19106-73
52832010000373	0	BK20	1011-0373	5093,15	313,99	67,72	ГОСТ 19106-73
52832010000374	0	BK20	1011-0374	5075,88	417,08	90,29	ГОСТ 19106-73
52832010000375	0	BK20	1011-0375	5065,19	520,09	112,86	ГОСТ 19106-73
52832010000376	0	BK20	1011-0376	5056,43	649,35	141,05	ГОСТ 19106-73
52832010000377	0	BK20	1011-0377	5048,66	829,65	180,47	ГОСТ 19106-73
52832010000378	0	BK20	1011-0378	5054,23	692,13	150,34	ГОСТ 19106-73
52832010000379	0	BK20	1011-0379	5047,54	864,14	188,03	ГОСТ 19106-73
52832010000381	0	BK20	1011-0381	5041,6	1104,67	240,62	ГОСТ 19106-73
52832010000382	0	BK20	1011-0382	5447,22	186,62	37,58	ГОСТ 19106-73
52832010000383	0	BK20	1011-0383	5361,14	343,76	70,52	ГОСТ 19106-73
52832010000384	0	BK20	1011-0384	5079,46	390,81	84,56	ГОСТ 19106-73
52832010000385	0	BK20	1011-0385	5065,19	520,09	112,86	ГОСТ 19106-73
52832010000386	0	BK20	1011-0386	5056,43	649,35	140,94	ГОСТ 19106-73
52832010000387	0	BK20	1011-0387	5049,33	810,32	176,26	ГОСТ 19106-73
52832010000388	0	BK20	1011-0388	5043,02	1036,14	225,61	ГОСТ 19106-73
52832010000389	0	BK20	1011-0389	5047,55	863,69	188,03	ГОСТ 19106-73
52832010000391	0	BK20	1011-0391	5037,32	1379,62	300,78	ГОСТ 19106-73
52832010000392	0	BK20	1011-0392	5033,86	1723,59	375,95	ГОСТ 19106-73
52832010000393	0	BK20	1011-0393	5042,12	1078,91	235,01	ГОСТ 19106-73
52832010000394	0	BK20	1011-0394	5033,86	1723,59	376,06	ГОСТ 19106-73
52832010000395	0	BK20	1011-0395	5031,08	2153,1	470,02	ГОСТ 19106-73
52832010000396	0	BK20	1011-0396	5037,73	1347,44	293,76	ГОСТ 19106-73
52832010000397	0	BK20	1011-0397	5034,2	1683,13	367,2	ГОСТ 19106-73
52832010000398	0	BK20	1011-0398	5031,08	2153,1	470,02	ГОСТ 19106-73
52832010000399	0	BK20	1011-0399	5028,84	2690,13	587,52	ГОСТ 19106-73
52832010000401	0	BK20	1011-0401	5411,69	231,51	46,98	ГОСТ 19106-73
52832010000402	0	BK20	1011-0402	5339,74	428,46	88,13	ГОСТ 19106-73
52832010000403	0	BK20	1011-0403	5325,21	512,66	105,73	ГОСТ 19106-73
52832010000404	0	BK20	1011-0404	5056,46	648,9	141,05	ГОСТ 19106-73
52832010000405	0	BK20	1011-0405	5049,33	810,32	176,26	ГОСТ 19106-73
52832010000406	0	BK20	1011-0406	5043,57	1011,74	220,32	ГОСТ 19106-73
52832010000407	0	BK20	1011-0407	5038,47	1293,63	281,99	ГОСТ 19106-73
52832010000408	0	BK20	1011-0408	5042,12	1078,91	235,01	ГОСТ 19106-73
52832010000409	0	BK20	1011-0409	5037,73	1347,44	293,76	ГОСТ 19106-73
52832010000411	0	BK20	1011-0411	5033,86	1723,59	376,06	ГОСТ 19106-73
52832010000412	0	BK20	1011-0412	5028,84	2690,13	587,52	ГОСТ 19106-73
52832010000413	0	BK20	1011-0413	5027,04	3361,48	734,4	ГОСТ 19106-73
52832010000414	0	BK20	1011-0414	5025,47	4301,35	940,03	ГОСТ 19106-73
52832010000415	0	BK20	1011-0415	5027,04	3361,48	734,4	ГОСТ 19106-73
52832010000416	0	BK20	1011-0416	5025,6	4200,65	918,00	ГОСТ 19106-73

52832010000417	0	BK20	1011-0417	5024,34	5375,49	1175,04	ГОСТ 19106-73
52832010000418	0	BK20	1011-0418	5386,69	276,82	56,38	ГОСТ 19106-73
52832010000419	0	BK20	1011-0419	5325,21	512,66	105,73	ГОСТ 19106-73
52832010000421	0	BK20	1011-0421	5312,88	613,69	126,9	ГОСТ 19106-73
52832010000422	0	BK20	1011-0422	5050,54	777,68	169,24	ГОСТ 19106-73
52832010000423	0	BK20	1011-0423	5044,54	971,28	211,46	ГОСТ 19106-73
52832010000424	0	BK20	1011-0424	5039,69	1213,15	264,38	ГОСТ 19106-73
52832010000425	0	BK20	1011-0425	5035,4	1551,61	338,36	ГОСТ 19106-73
52832010000426	0	BK20	1011-0426	5038,47	1293,63	281,99	ГОСТ 19106-73
52832010000427	0	BK20	1011-0427	5034,79	1616,02	352,51	ГОСТ 19106-73
52832010000428	0	BK20	1011-0428	5031,55	2067,11	451,22	ГОСТ 19106-73
52832010000429	0	BK20	1011-0429	5027,34	3227,2	705,02	ГОСТ 19106-73
52832010000431	0	BK20	1011-0431	5025,84	4032,84	881,28	ГОСТ 19106-73
52832010000432	0	BK20	1011-0432	5024,52	5160,74	1128,06	ГОСТ 19106-73
52832010000433	0	BK20	1011-0433	5025,84	4032,84	881,28	ГОСТ 19106-73
52832010000434	0	BK20	1011-0434	5024,64	5039,81	1101,6	ГОСТ 19106-73
52832010000435	0	BK20	1011-0435	5023,58	6449,62	1410,05	ГОСТ 19106-73
52832010000436	0	BK20	1011-0436	5026,09	3871,9	846,07	ГОСТ 19106-73
52832010000437	0	BK20	1011-0437	5024,84	4838,42	1057,54	ГОСТ 19106-73
52832010000438	0	BK20	1011-0438	5024,2	5539,28	1321,92	ГОСТ 19106-73
52832010000439	0	BK20	1011-0439	5022,95	7738,46	1692,04	ГОСТ 19106-73
52832010000441	0	BK20	1011-0441	5368,48	321,63	65,77	ГОСТ 19106-73
52832010000442	0	BK20	1011-0442	5314,65	596,84	123,34	ГОСТ 19106-73
52832010000443	0	BK20	1011-0443	5303,9	715,18	148,07	ГОСТ 19106-73
52832010000444	0	BK20	1011-0444	5046,26	906,91	197,42	ГОСТ 19106-73
52832010000445	0	BK20	1011-0445	5041,07	1132,68	246,78	ГОСТ 19106-73
52832010000446	0	BK20	1011-0446	5036,89	1414,61	308,45	ГОСТ 19106-73
52832010000447	0	BK20	1011-0447	5033,2	1809,59	394,85	ГОСТ 19106-73
52832010000448	0	BK20	1011-0448	5035,84	1508,39	328,97	ГОСТ 19106-73
52832010000449	0	BK20	1011-0449	5032,67	1884,53	411,26	ГОСТ 19106-73
52832010000451	0	BK20	1011-0451	5029,88	2411,02	526,39	ГОСТ 19106-73
52832010000452	0	BK20	1011-0452	5026,27	3764,28	822,53	ГОСТ 19106-73
52832010000453	0	BK20	1011-0453	5024,98	4704,14	1028,16	ГОСТ 19106-73
52832010000454	0	BK20	1011-0454	5023,85	6020,13	1316,52	ГОСТ 19106-73
52832010000455	0	BK20	1011-0455	5024,98	4704,14	1028,16	ГОСТ 19106-73
52832010000456	0	BK20	1011-0456	5023,95	5881,28	1285,2	ГОСТ 19106-73
52832010000457	0	BK20	1011-0457	5023,04	7522,81	1644,84	ГОСТ 19106-73
52832010000458	0	BK20	1011-0458	5024,12	5642,19	1233,36	ГОСТ 19106-73
52832010000459	0	BK20	1011-0459	5023,26	7053,81	1542,24	ГОСТ 19106-73
52832010000461	0	BK20	1011-0461	5022,75	8268,6	1974,24	ГОСТ 19106-73
52832010000462	0	BK20	1011-0462	5253,9	6886,82	1439,64	ГОСТ 19106-73
52832010000463	0	BK20	1011-0463	5022,11	10529,97	2303,64	ГОСТ 19106-73
52832010000464	0	BK20	1011-0464	5626,87	385,55	75,17	ГОСТ 19106-73
52832010000465	0	BK20	1011-0465	5306,59	681,47	141,05	ГОСТ 19106-73
52832010000466	0	BK20	1011-0466	5297,14	816,13	169,24	ГОСТ 19106-73
52832010000467	0	BK20	1011-0467	5043,02	1036,14	225,61	ГОСТ 19106-73
52832010000468	0	BK20	1011-0468	5040,14	1185,34	281,99	ГОСТ 19106-73
52832010000469	0	BK20	1011-0469	5034,79	1616,02	352,51	ГОСТ 19106-73
52832010000471	0	BK20	1011-0471	5031,55	2067,11	451,22	ГОСТ 19106-73
52832010000472	0	BK20	1011-0472	5033,86	1723,59	376,06	ГОСТ 19106-73
52832010000473	0	BK20	1011-0473	5031,08	2153,1	470,02	ГОСТ 19106-73
52832010000474	0	BK20	1011-0474	5029,44	2523,57	601,67	ГОСТ 19106-73
52832010000475	0	BK20	1011-0475	5025,47	4299,99	940,03	ГОСТ 19106-73
52832010000476	0	BK20	1011-0476	5024,34	5375,49	1175,04	ГОСТ 19106-73
52832010000477	0	BK20	1011-0477	5023,34	6879,07	1503,36	ГОСТ 19106-73
52832010000478	0	BK20	1011-0478	5024,34	5375,49	1175,04	ГОСТ 19106-73
52832010000479	0	BK20	1011-0479	5023,43	6718,13	1468,8	ГОСТ 19106-73
52832010000481	0	BK20	1011-0481	5022,63	8598,75	1880,28	ГОСТ 19106-73
52832010000482	0	BK20	1011-0482	5023,58	6451,43	1410,48	ГОСТ 19106-73
52832010000483	0	BK20	1011-0483	5022,82	8060,78	1762,56	ГОСТ 19106-73
52832010000484	0	BK20	1011-0484	5022,16	10318,48	2256,12	ГОСТ 19106-73
52832010000485	0	BK20	1011-0485	5253,17	7867,46	1644,84	ГОСТ 19106-73
52832010000486	0	BK20	1011-0486	5252,52	8992,31	1880,28	ГОСТ 19106-73
52832010000487	0	BK20	1011-0487	5611,22	432,29	84,56	ГОСТ 19106-73
52832010000488	0	BK20	1011-0488	5304,93	701,95	158,65	ГОСТ 19106-73
52832010000489	0	BK20	1011-0489	5295,73	840,7	190,4	ГОСТ 19106-73
52832010000491	0	BK20	1011-0491	5040,5	1164,46	253,8	ГОСТ 19106-73
52832010000492	0	BK20	1011-0492	5036,42	1455,07	317,3	ГОСТ 19106-73
52832010000493	0	BK20	1011-0493	5034,35	1665,16	396,58	ГОСТ 19106-73
52832010000494	0	BK20	1011-0494	5030,25	2325,03	507,6	ГОСТ 19106-73
52832010000495	0	BK20	1011-0495	5032,32	1938,35	423,04	ГОСТ 19106-73
52832010000496	0	BK20	1011-0496	5029,84	2421,62	528,34	ГОСТ 19106-73
52832010000497	0	BK20	1011-0497	5027,66	3098,44	676,84	ГОСТ 19106-73
52832010000498	0	BK20	1011-0498	5024,84	4837,51	1057,54	ГОСТ 19106-73
52832010000499	0	BK20	1011-0499	5023,83	6046,79	1321,92	ГОСТ 19106-73
52832010000501	0	BK20	1011-0501	5023,24	7089,25	1692,36	ГОСТ 19106-73
52832010000502	0	BK20	1011-0502	5023,83	6046,79	1321,92	ГОСТ 19106-73

52832010000503	0	BK20	1011-0503	5023,32	6925,00	1652,4	ГОСТ 19106-73
52832010000504	0	BK20	1011-0504	5022,32	9674,74	2114,64	ГОСТ 19106-73
52832010000505	0	BK20	1011-0505	5023,16	7256,11	1586,52	ГОСТ 19106-73
52832010000506	0	BK20	1011-0506	5022,73	8306,5	1982,88	ГОСТ 19106-73
52832010000507	0	BK20	1011-0507	5021,9	11605,96	2714,04	ГОСТ 19106-73
52832010000508	0	BK20	1011-0508	5252,59	8852,92	1851,12	ГОСТ 19106-73
52832010000509	0	BK20	1011-0509	5252,01	10112,38	2114,64	ГОСТ 19106-73
52832010000511	0	BK20	1011-0511	5251,56	11376,67	2379,24	ГОСТ 19106-73
52832010000512	0	BK20	1011-0512	5598,52	478,95	93,96	ГОСТ 19106-73
52832010000513	0	BK20	1011-0513	5543,1	889,56	176,26	ГОСТ 19106-73
52832010000514	0	BK20	1011-0514	5291,11	932,77	211,68	ГОСТ 19106-73
52832010000515	0	BK20	1011-0515	5277,88	1353,67	281,88	ГОСТ 19106-73
52832010000516	0	BK20	1011-0516	5034,8	1614,16	352,08	ГОСТ 19106-73
52832010000517	0	BK20	1011-0517	5031,82	2018,82	440,64	ГОСТ 19106-73
52832010000518	0	BK20	1011-0518	5029,21	2584,41	563,76	ГОСТ 19106-73
52832010000519	0	BK20	1011-0519	5024,34	5375,49	1175,04	ГОСТ 19106-73
52832010000521	0	BK20	1011-0521	5023,43	6718,13	1468,8	ГОСТ 19106-73
52832010000522	0	BK20	1011-0522	5022,82	8060,78	1762,56	ГОСТ 19106-73
52832010000523	0	BK20	1011-0523	5022,39	9403,42	2056,32	ГОСТ 19106-73
52832010000524	0	BK20	1011-0524	5022,07	10746,12	2350,08	ГОСТ 19106-73
52832010000525	0	BK20	1011-0525	5250,88	14044,63	2937,6	ГОСТ 19106-73
52832010000526	0	BK20	1011-0526	5548,81	818,34	162,00	ГОСТ 19106-73
52832010000527	0	BK20	1011-0527	5537,1	978,9	194,4	ГОСТ 19106-73
52832010000528	0	BK20	1011-0528	5284,08	1118,11	232,2	ГОСТ 19106-73
52832010000529	0	BK20	1011-0529	5275,2	1488,29	309,96	ГОСТ 19106-73
52832010000531	0	BK20	1011-0531	5033,46	1775,1	387,72	ГОСТ 19106-73
52832010000532	0	BK20	1011-0532	5030,74	2221,12	484,92	ГОСТ 19106-73
52832010000533	0	BK20	1011-0533	5028,36	2841,88	619,92	ГОСТ 19106-73
52832010000534	0	BK20	1011-0534	5023,92	5913,46	1292,76	ГОСТ 19106-73
52832010000535	0	BK20	1011-0535	5253,26	7728,07	1615,68	ГОСТ 19106-73
52832010000536	0	BK20	1011-0536	5252,78	8493,01	1938,6	ГОСТ 19106-73
52832010000537	0	BK20	1011-0537	5251,75	10814,24	2261,52	ГОСТ 19106-73
52832010000538	0	BK20	1011-0538	5251,58	11324,35	2585,52	ГОСТ 19106-73
52832010000539	0	BK20	1011-0539	5250,61	15448,3	3231,36	ГОСТ 19106-73
52832010000541	0	BK20	1011-0541	5250,37	16991,41	3554,28	ГОСТ 19106-73
52832010000542	0	BK20	1011-0542	5540,33	928,73	183,6	ГОСТ 19106-73
52832010000543	0	BK20	1011-0543	5516,81	1475,58	293,76	ГОСТ 19106-73
52832010000544	0	BK20	1011-0544	5510,17	1766,56	352,08	ГОСТ 19106-73
52832010000545	0	BK20	1011-0545	5266,04	2252,65	469,8	ГОСТ 19106-73
52832010000546	0	BK20	1011-0546	5028,84	2690,13	587,52	ГОСТ 19106-73
52832010000547	0	BK20	1011-0547	5027,04	3361,48	734,4	ГОСТ 19106-73
52832010000548	0	BK20	1011-0548	5025,47	4299,49	939,6	ГОСТ 19106-73
52832010000549	0	BK20	1011-0549	5023,43	6718,13	1468,8	ГОСТ 19106-73
52832010000551	0	BK20	1011-0551	5252,63	8780,81	1836,00	ГОСТ 19106-73
52832010000552	0	BK20	1011-0552	5251,85	10535,42	2203,2	ГОСТ 19106-73
52832010000553	0	BK20	1011-0553	5250,88	14044,63	2937,6	ГОСТ 19106-73
52832010000554	0	BK20	1011-0554	5250,3	17553,84	3672,00	ГОСТ 19106-73
52832010000555	0	BK20	1011-0555	5249,83	21942,76	4590,00	ГОСТ 19106-73
52832010000556	0	BK20	1011-0556	5533,9	1034,06	205,2	ГОСТ 19106-73
52832010000557	0	BK20	1011-0557	5512,52	1651,17	329,4	ГОСТ 19106-73
52832010000558	0	BK20	1011-0558	5506,57	1977,24	395,28	ГОСТ 19106-73
52832010000559	0	BK20	1011-0559	5264,12	2521,88	525,96	ГОСТ 19106-73
52832010000561	0	BK20	1011-0561	5260,91	3151,6	657,72	ГОСТ 19106-73
52832010000562	0	BK20	1011-0562	5258,33	3940,01	821,88	ГОСТ 19106-73
52832010000563	0	BK20	1011-0563	5256,07	5040,84	1053,00	ГОСТ 19106-73
52832010000564	0	BK20	1011-0564	5252,13	9833,56	2056,32	ГОСТ 19106-73
52832010000565	0	BK20	1011-0565	5250,74	14746,49	3084,48	ГОСТ 19106-73
52832010000566	0	BK20	1011-0566	5250,05	19659,37	4112,64	ГОСТ 19106-73
52832010000567	0	BK20	1011-0567	5478,5	25643,53	5140,8	ГОСТ 19106-73
52832010000568	0	BK20	1011-0568	5478,02	32054,16	6426,00	ГОСТ 19106-73
52832010000569	0	BK20	1011-0569	5477,82	35896,49	7197,12	ГОСТ 19106-73
52832010000571	0	BK20	1011-0571	5526,66	1184,58	235,44	ГОСТ 19106-73
52832010000572	0	BK20	1011-0572	5477,86	35164,17	7050,24	ГОСТ 19106-73
52832010000581	0	BK20	1011-0581	5576,67	21,08	4,15	ГОСТ 19106-73
52832010000582	0	BK20	1011-0582	5436,97	36,54	7,38	ГОСТ 19106-73
52832010000583	0	BK20	1011-0583	5394,17	43,48	8,86	ГОСТ 19106-73
52832010000584	0	BK20	1011-0584	5330,82	57,15	11,77	ГОСТ 19106-73
52832010000585	0	BK20	1011-0585	5284,51	71,18	14,8	ГОСТ 19106-73
52832010000586	0	BK20	1011-0586	5334,62	56,17	11,56	ГОСТ 19106-73
52832010000587	0	BK20	1011-0587	5296,96	66,95	13,82	ГОСТ 19106-73
52832010000588	0	BK20	1011-0588	5244,48	87,9	18,47	ГОСТ 19106-73
52832010000589	0	BK20	1011-0589	5207,99	109,26	23,11	ГОСТ 19106-73
52832010000591	0	BK20	1011-0591	5176,05	136,08	28,84	ГОСТ 19106-73
52832010000592	0	BK20	1011-0592	5262,92	79,52	16,63	ГОСТ 19106-73
52832010000593	0	BK20	1011-0593	5231,08	94,89	19,87	ГОСТ 19106-73
52832010000594	0	BK20	1011-0594	5187,35	125,43	26,57	ГОСТ 19106-73
52832010000595	0	BK20	1011-0595	5158,57	155,94	33,16	ГОСТ 19106-73

52832010000596	0	BK20	1011-0596	5133,95	194,22	41,47	ГОСТ 19106-73
52832010000597	0	BK20	1011-0597	5210,7	107,39	22,57	ГОСТ 19106-73
52832010000598	0	BK20	1011-0598	5184,25	128,21	27,11	ГОСТ 19106-73
52832010000599	0	BK20	1011-0599	5148,86	169,29	36,18	ГОСТ 19106-73
52832010000601	0	BK20	1011-0601	5125,78	210,82	45,25	ГОСТ 19106-73
52832010000602	0	BK20	1011-0602	5106,36	262,88	56,48	ГОСТ 19106-73
52832010000603	0	BK20	1011-0603	5088,79	335,15	72,25	ГОСТ 19106-73
52832010000604	0	BK20	1011-0604	5173,35	138,85	29,48	ГОСТ 19106-73
52832010000605	0	BK20	1011-0605	5151,08	166,07	35,42	ГОСТ 19106-73
52832010000606	0	BK20	1011-0606	5121,73	220,03	47,2	ГОСТ 19106-73
52832010000607	0	BK20	1011-0607	5102,98	274,39	59,08	ГОСТ 19106-73
52832010000608	0	BK20	1011-0608	5087,48	342,03	73,76	ГОСТ 19106-73
52832010000609	0	BK20	1011-0609	5073,51	436,37	94,5	ГОСТ 19106-73
52832010000611	0	BK20	1011-0611	5145,22	174,83	37,37	ГОСТ 19106-73
52832010000612	0	BK20	1011-0612	5126,43	209,41	44,82	ГОСТ 19106-73
52832010000613	0	BK20	1011-0613	5102,09	277,6	59,72	ГОСТ 19106-73
52832010000614	0	BK20	1011-0614	5086,71	346,2	74,74	ГОСТ 19106-73
52832010000615	0	BK20	1011-0615	5074,11	431,3	93,42	ГОСТ 19106-73
52832010000616	0	BK20	1011-0616	5062,74	550,93	119,88	ГОСТ 19106-73
52832010000617	0	BK20	1011-0617	5123,93	214,95	46,12	ГОСТ 19106-73
52832010000618	0	BK20	1011-0618	5108,08	257,34	55,3	ГОСТ 19106-73
52832010000619	0	BK20	1011-0619	5087,48	342,03	73,76	ГОСТ 19106-73
52832010000621	0	BK20	1011-0621	5074,72	426,28	92,23	ГОСТ 19106-73
52832010000622	0	BK20	1011-0622	5064,25	531,59	115,34	ГОСТ 19106-73
52832010000623	0	BK20	1011-0623	5054,87	679,27	147,64	ГОСТ 19106-73
52832010000624	0	BK20	1011-0624	5048,05	848,02	184,46	ГОСТ 19106-73
52832010000625	0	BK20	1011-0625	5107,35	259,66	55,84	ГОСТ 19106-73
52832010000626	0	BK20	1011-0626	5093,86	310,78	66,96	ГОСТ 19106-73
52832010000627	0	BK20	1011-0627	5076,42	412,92	89,32	ГОСТ 19106-73
52832010000628	0	BK20	1011-0628	5065,66	514,57	111,56	ГОСТ 19106-73
52832010000629	0	BK20	1011-0629	5056,81	642,47	139,43	ГОСТ 19106-73
52832010000631	0	BK20	1011-0631	5048,96	820,91	178,63	ГОСТ 19106-73
52832010000632	0	BK20	1011-0632	5045,36	939,4	223,24	ГОСТ 19106-73
52832010000633	0	BK20	1011-0633	5038,66	1280,32	279,07	ГОСТ 19106-73
52832010000634	0	BK20	1011-0634	5089,05	333,79	72,04	ГОСТ 19106-73
52832010000635	0	BK20	1011-0635	5078,15	400,06	86,51	ГОСТ 19106-73
52832010000636	0	BK20	1011-0636	5068,13	487,3	115,34	ГОСТ 19106-73
52832010000637	0	BK20	1011-0637	5055,67	663,61	144,18	ГОСТ 19106-73
52832010000638	0	BK20	1011-0638	5048,71	828,29	180,14	ГОСТ 19106-73
52832010000639	0	BK20	1011-0639	5042,53	1058,68	230,58	ГОСТ 19106-73
52832010000641	0	BK20	1011-0641	5038,07	1322,14	288,25	ГОСТ 19106-73
52832010000642	0	BK20	1011-0642	5271,44	1729,61	360,29	ГОСТ 19106-73
52832010000643	0	BK20	1011-0643	5267,58	2073,85	432,43	ГОСТ 19106-73
52832010000644	0	BK20	1011-0644	5075,76	417,99	90,4	ГОСТ 19106-73
52832010000645	0	BK20	1011-0645	5066,92	500,31	108,43	ГОСТ 19106-73
52832010000646	0	BK20	1011-0646	5055,55	665,92	144,61	ГОСТ 19106-73
52832010000647	0	BK20	1011-0647	5048,61	831,05	180,79	ГОСТ 19106-73
52832010000648	0	BK20	1011-0648	5042,99	1037,49	226,04	ГОСТ 19106-73
52832010000649	0	BK20	1011-0649	5038,01	1326,76	289,22	ГОСТ 19106-73
52832010000651	0	BK20	1011-0651	5034,42	1657,38	361,58	ГОСТ 19106-73
52832010000652	0	BK20	1011-0652	5266,74	2167,58	451,98	ГОСТ 19106-73
52832010000653	0	BK20	1011-0653	5263,65	2598,77	542,16	ГОСТ 19106-73
52832010000654	0	BK20	1011-0654	5063,23	544,5	118,04	ГОСТ 19106-73
52832010000655	0	BK20	1011-0655	5056,28	652,11	141,7	ГОСТ 19106-73
52832010000656	0	BK20	1011-0656	5047,42	867,8	188,89	ГОСТ 19106-73
52832010000657	0	BK20	1011-0657	5042,01	1083,98	236,2	ГОСТ 19106-73
52832010000658	0	BK20	1011-0658	5037,65	1353,87	295,16	ГОСТ 19106-73
52832010000659	0	BK20	1011-0659	5033,79	1731,88	377,78	ГОСТ 19106-73
52832010000661	0	BK20	1011-0661	5031,03	2163,64	472,28	ГОСТ 19106-73
52832010000662	0	BK20	1011-0662	5262,38	2828,58	590,33	ГОСТ 19106-73
52832010000663	0	BK20	1011-0663	5259,99	3392,96	708,37	ГОСТ 19106-73
52832010000664	0	BK20	1011-0664	5054,46	687,56	149,47	ГОСТ 19106-73
52832010000665	0	BK20	1011-0665	5048,85	824,12	179,28	ГОСТ 19106-73
52832010000666	0	BK20	1011-0666	5041,74	1097,74	239,11	ГОСТ 19106-73
52832010000667	0	BK20	1011-0667	5037,43	1370,89	298,84	ГОСТ 19106-73
52832010000668	0	BK20	1011-0668	5033,95	1712,1	373,57	ГОСТ 19106-73
52832010000669	0	BK20	1011-0669	5030,89	2190,3	478,22	ГОСТ 19106-73
52832010000671	0	BK20	1011-0671	5028,69	2736,61	597,67	ГОСТ 19106-73
52832010000672	0	BK20	1011-0672	5259,37	3578,01	747,14	ГОСТ 19106-73
52832010000673	0	BK20	1011-0673	5257,48	4291,89	896,62	ГОСТ 19106-73
52832010000674	0	BK20	1011-0674	5048,05	848,02	184,46	ГОСТ 19106-73
52832010000675	0	BK20	1011-0675	5043,45	1016,81	221,4	ГОСТ 19106-73
52832010000676	0	BK20	1011-0676	5037,65	1353,87	295,16	ГОСТ 19106-73
52832010000677	0	BK20	1011-0677	5034,13	1691,42	368,93	ГОСТ 19106-73
52832010000678	0	BK20	1011-0678	5031,29	2112,59	461,16	ГОСТ 19106-73
52832010000679	0	BK20	1011-0679	5028,82	2698,41	590,33	ГОСТ 19106-73
52832010000681	0	BK20	1011-0681	5027,01	3377,6	737,96	ГОСТ 19106-73

52832010000682	0	BK20	1011-0682	5257,23	4410,6	922,43	ГОСТ 19106-73
52832010000683	0	BK20	1011-0683	5255,68	5295,63	1107,00	ГОСТ 19106-73
52832010000684	0	BK20	1011-0684	5042,26	1071,98	233,5	ГОСТ 19106-73
52832010000685	0	BK20	1011-0685	5038,58	1285,39	280,15	ГОСТ 19106-73
52832010000686	0	BK20	1011-0686	5033,95	1712,1	373,57	ГОСТ 19106-73
52832010000687	0	BK20	1011-0687	5031,15	2139,3	466,99	ГОСТ 19106-73
52832010000688	0	BK20	1011-0688	5028,9	2672,66	583,74	ГОСТ 19106-73
52832010000689	0	BK20	1011-0689	5026,92	3419,87	747,14	ГОСТ 19106-73
52832010000691	0	BK20	1011-0691	5257,11	4470,22	933,88	ГОСТ 19106-73
52832010000692	0	BK20	1011-0692	5255,29	5584,06	1167,48	ГОСТ 19106-73
52832010000693	0	BK20	1011-0693	5023,6	6410,07	1400,76	ГОСТ 19106-73
52832010000694	0	BK20	1011-0694	5035,07	1585,64	345,92	ГОСТ 19106-73
52832010000695	0	BK20	1011-0695	5031,29	2112,59	461,16	ГОСТ 19106-73
52832010000696	0	BK20	1011-0696	5029,01	2640,03	576,5	ГОСТ 19106-73
52832010000697	0	BK20	1011-0697	5027,18	3298,49	720,68	ГОСТ 19106-73
52832010000698	0	BK20	1011-0698	5025,57	4220,88	922,43	ГОСТ 19106-73
52832010000699	0	BK20	1011-0699	5024,42	5274,34	1153,44	ГОСТ 19106-73
52832010000701	0	BK20	1011-0701	5253,9	6896,42	1441,8	ГОСТ 19106-73
52832010000702	0	BK20	1011-0702	5252,91	8271,23	1729,08	ГОСТ 19106-73
52832010000703	0	BK20	1011-0703	5032,45	1917,67	418,61	ГОСТ 19106-73
52832010000704	0	BK20	1011-0704	5029,32	2555,45	558,04	ГОСТ 19106-73
52832010000705	0	BK20	1011-0705	5027,43	3193,17	697,57	ГОСТ 19106-73
52832010000706	0	BK20	1011-0706	5025,91	3990,07	871,99	ГОСТ 19106-73
52832010000707	0	BK20	1011-0707	5024,58	5104,17	1115,64	ГОСТ 19106-73
52832010000708	0	BK20	1011-0708	5023,62	6382,46	1395,36	ГОСТ 19106-73
52832010000709	0	BK20	1011-0709	5252,87	8343,34	1744,2	ГОСТ 19106-73
52832010000711	0	BK20	1011-0711	5252,05	10006,63	2093,04	ГОСТ 19106-73
52832010000712	0	BK20	1011-0712	5030,45	2281,36	498,1	ГОСТ 19106-73
52832010000713	0	BK20	1011-0713	5027,81	3040,52	664,09	ГОСТ 19106-73
52832010000714	0	BK20	1011-0714	5026,21	3799,21	830,2	ГОСТ 19106-73
52832010000715	0	BK20	1011-0715	5024,93	4750,12	1037,66	ГОСТ 19106-73
52832010000716	0	BK20	1011-0716	5023,81	6074,39	1328,4	ГОСТ 19106-73
52832010000717	0	BK20	1011-0717	5023,01	7591,78	1659,96	ГОСТ 19106-73
52832010000718	0	BK20	1011-0718	5252,09	9924,92	2075,76	ГОСТ 19106-73
52832010000719	0	BK20	1011-0719	5251,4	11910,28	2490,48	ГОСТ 19106-73
52832010000721	0	BK20	1011-0721	5026,63	3567,5	779,44	ГОСТ 19106-73
52832010000722	0	BK20	1011-0722	5025,27	4458,17	974,27	ГОСТ 19106-73
52832010000723	0	BK20	1011-0723	5024,18	5573,22	1218,24	ГОСТ 19106-73
52832010000724	0	BK20	1011-0724	5023,22	7131,97	1558,44	ГОСТ 19106-73
52832010000725	0	BK20	1011-0725	5022,54	8911,43	1948,32	ГОСТ 19106-73
52832010000726	0	BK20	1011-0726	5251,8	10668,3	2435,4	ГОСТ 19106-73
52832010000727	0	BK20	1011-0727	5250,89	13972,52	2922,48	ГОСТ 19106-73
52832010000728	0	BK20	1011-0728	5025,69	4136,3	903,96	ГОСТ 19106-73
52832010000729	0	BK20	1011-0729	5024,52	5168,57	1129,68	ГОСТ 19106-73
52832010000731	0	BK20	1011-0731	5023,57	6460,62	1412,64	ГОСТ 19106-73
52832010000732	0	BK20	1011-0732	5022,75	8267,7	1807,92	ГОСТ 19106-73
52832010000733	0	BK20	1011-0733	5022,16	10332,29	2260,44	ГОСТ 19106-73
52832010000734	0	BK20	1011-0734	5250,99	13506,24	2825,28	ГОСТ 19106-73
52832010000735	0	BK20	1011-0735	5250,49	16207,84	3390,12	ГОСТ 19106-73
52832010000736	0	BK20	1011-0736	5024,93	4750,12	1037,66	ГОСТ 19106-73
52832010000737	0	BK20	1011-0737	5023,91	5931,83	1297,08	ГОСТ 19106-73
52832010000738	0	BK20	1011-0738	5023,09	7417,04	1621,08	ГОСТ 19106-73
52832010000739	0	BK20	1011-0739	5022,15	10360,7	1922,00	ГОСТ 19106-73
52832010000741	0	BK20	1011-0741	5021,85	11863,42	2594,16	ГОСТ 19106-73
52832010000742	0	BK20	1011-0742	5250,6	15501,2	3243,24	ГОСТ 19106-73
52832010000743	0	BK20	1011-0743	5250,16	18601,8	3891,24	ГОСТ 19106-73
52832010000744	0	BK20	1011-0744	5024,31	5403,05	1180,44	ГОСТ 19106-73
52832010000745	0	BK20	1011-0745	5023,41	6750,31	1476,36	ГОСТ 19106-73
52832010000746	0	BK20	1011-0746	5022,69	8437,82	1844,64	ГОСТ 19106-73
52832010000747	0	BK20	1011-0747	5022,65	8543,58	1868,4	ГОСТ 19106-73
52832010000748	0	BK20	1011-0748	5022,08	10677,15	2334,96	ГОСТ 19106-73
52832010000749	0	BK20	1011-0749	5022,36	9518,38	2081,16	ГОСТ 19106-73
52832010000752	0	BK20	1011-0752	5022,11	10543,77	2305,8	ГОСТ 19106-73
52832010000753	0	BK20	1011-0753	5021,65	13178,51	2882,52	ГОСТ 19106-73
52832010000754	0	BK20	1011-0754	5021,28	16475,36	3602,88	ГОСТ 19106-73
52832010000755	0	BK20	1011-0755	5020,98	20572,31	4503,6	ГОСТ 19106-73
52832010000761	0	BK20	1011-0761	5448,31	34,92	7,13	ГОСТ 19106-73
52832010000762	0	BK20	1011-0762	5402,07	42,08	8,53	ГОСТ 19106-73
52832010000763	0	BK20	1011-0763	5338,32	55,25	11,34	ГОСТ 19106-73
52832010000764	0	BK20	1011-0764	5451,71	34,45	6,91	ГОСТ 19106-73
52832010000765	0	BK20	1011-0765	5407,84	41,1	8,32	ГОСТ 19106-73
52832010000766	0	BK20	1011-0766	5344,02	53,87	11,02	ГОСТ 19106-73
52832010000767	0	BK20	1011-0767	5350,15	52,43	10,8	ГОСТ 19106-73
52832010000768	0	BK20	1011-0768	5310,48	62,77	12,96	ГОСТ 19106-73
52832010000769	0	BK20	1011-0769	5255,31	82,82	17,28	ГОСТ 19106-73
52832010000771	0	BK20	1011-0771	5217,82	102,74	21,6	ГОСТ 19106-73
52832010000772	0	BK20	1011-0772	5356,29	51,05	10,48	ГОСТ 19106-73

52832010000773	0	BK20	1011-0773	5317,02	60,88	12,64	ГОСТ 19106-73
52832010000774	0	BK20	1011-0774	5260,64	80,49	16,74	ГОСТ 19106-73
52832010000775	0	BK20	1011-0775	5222,33	99,96	20,95	ГОСТ 19106-73
52832010000776	0	BK20	1011-0776	5279,45	73,01	15,23	ГОСТ 19106-73
52832010000777	0	BK20	1011-0777	5246,36	86,98	18,25	ГОСТ 19106-73
52832010000778	0	BK20	1011-0778	5199,74	115,28	24,3	ГОСТ 19106-73
52832010000779	0	BK20	1011-0779	5169,49	142,99	30,35	ГОСТ 19106-73
52832010000781	0	BK20	1011-0781	5284,51	71,18	14,8	ГОСТ 19106-73
52832010000782	0	BK20	1011-0782	5251,29	84,65	17,71	ГОСТ 19106-73
52832010000783	0	BK20	1011-0783	5204,08	112,04	23,65	ГОСТ 19106-73
52832010000784	0	BK20	1011-0784	5173,35	138,85	29,48	ГОСТ 19106-73
52832010000785	0	BK20	1011-0785	5184,25	128,21	27,22	ГОСТ 19106-73
52832010000786	0	BK20	1011-0786	5160,77	153,17	32,62	ГОСТ 19106-73
52832010000787	0	BK20	1011-0787	5129,49	202,97	43,52	ГОСТ 19106-73
52832010000788	0	BK20	1011-0788	5109,57	252,72	54,32	ГОСТ 19106-73
52832010000789	0	BK20	1011-0789	5186,83	125,88	26,68	ГОСТ 19106-73
52832010000791	0	BK20	1011-0791	5163,05	150,4	31,97	ГОСТ 19106-73
52832010000792	0	BK20	1011-0792	5131,32	199,3	42,66	ГОСТ 19106-73
52832010000793	0	BK20	1011-0793	5111,09	248,14	53,24	ГОСТ 19106-73
52832010000794	0	BK20	1011-0794	5190,03	123,11	26,03	ГОСТ 19106-73
52832010000795	0	BK20	1011-0795	5166,18	146,72	31,21	ГОСТ 19106-73
52832010000796	0	BK20	1011-0796	5133,71	194,67	41,69	ГОСТ 19106-73
52832010000797	0	BK20	1011-0797	5104,31	269,76	52,06	ГОСТ 19106-73
52832010000798	0	BK20	1011-0798	5193,91	119,88	25,38	ГОСТ 19106-73
52832010000799	0	BK20	1011-0799	5169,08	143,44	30,46	ГОСТ 19106-73
52832010000801	0	BK20	1011-0801	5136,45	189,59	40,61	ГОСТ 19106-73
52832010000802	0	BK20	1011-0802	5115,34	236,18	50,76	ГОСТ 19106-73
52832010000803	0	BK20	1011-0803	5136,7	189,13	40,5	ГОСТ 19106-73
52832010000804	0	BK20	1011-0804	5119,08	226,47	48,6	ГОСТ 19106-73
52832010000805	0	BK20	1011-0805	5096,2	300,62	64,8	ГОСТ 19106-73
52832010000806	0	BK20	1011-0806	5081,88	374,74	81,00	ГОСТ 19106-73
52832010000807	0	BK20	1011-0807	5141,2	181,33	38,77	ГОСТ 19106-73
52832010000808	0	BK20	1011-0808	5123,11	216,81	46,44	ГОСТ 19106-73
52832010000809	0	BK20	1011-0809	5099,38	287,76	61,99	ГОСТ 19106-73
52832010000811	0	BK20	1011-0811	5084,52	358,61	77,44	ГОСТ 19106-73
52832010000812	0	BK20	1011-0812	5098,56	290,97	62,75	ГОСТ 19106-73
52832010000813	0	BK20	1011-0813	5086,29	348,51	75,28	ГОСТ 19106-73
52832010000814	0	BK20	1011-0814	5070,5	463,54	100,22	ГОСТ 19106-73
52832010000815	0	BK20	1011-0815	5060,8	578,09	125,5	ГОСТ 19106-73
52832010000816	0	BK20	1011-0816	5101,09	281,27	60,59	ГОСТ 19106-73
52832010000817	0	BK20	1011-0817	5088,52	336,55	72,68	ГОСТ 19106-73
52832010000818	0	BK20	1011-0818	5072,24	447,42	96,88	ГОСТ 19106-73
52832010000819	0	BK20	1011-0819	5062,23	557,81	121,07	ГОСТ 19106-73
52832010000821	0	BK20	1011-0821	5104,17	270,21	58,1	ГОСТ 19106-73
52832010000822	0	BK20	1011-0822	5091,19	323,19	69,77	ГОСТ 19106-73
52832010000823	0	BK20	1011-0823	5074,33	429,49	92,99	ГОСТ 19106-73
52832010000824	0	BK20	1011-0824	5063,92	535,76	116,21	ГОСТ 19106-73
52832010000825	0	BK20	1011-0825	5069,98	468,57	101,41	ГОСТ 19106-73
52832010000826	0	BK20	1011-0826	5062,00	561,07	121,72	ГОСТ 19106-73
52832010000827	0	BK20	1011-0827	5051,78	746,85	162,32	ГОСТ 19106-73
52832010000828	0	BK20	1011-0828	5045,55	932,22	202,93	ГОСТ 19106-73
52832010000829	0	BK20	1011-0829	5076,9	409,25	88,56	ГОСТ 19106-73
52832010000831	0	BK20	1011-0831	5067,85	490,21	106,27	ГОСТ 19106-73
52832010000832	0	BK20	1011-0832	5056,28	652,11	141,7	ГОСТ 19106-73
52832010000833	0	BK20	1011-0833	5049,19	814,48	177,01	ГОСТ 19106-73
52832010000834	0	BK20	1011-0834	5053,26	712,81	154,98	ГОСТ 19106-73
52832010000835	0	BK20	1011-0835	5047,83	854,95	185,98	ГОСТ 19106-73
52832010000836	0	BK20	1011-0836	5040,97	1138,2	247,97	ГОСТ 19106-73
52832010000837	0	BK20	1011-0837	5036,81	1421,49	309,85	ГОСТ 19106-73
52832010000838	0	BK20	1011-0838	5054,98	676,96	147,1	ГОСТ 19106-73
52832010000839	0	BK20	1011-0839	5049,28	811,72	176,58	ГОСТ 19106-73
52832010000841	0	BK20	1011-0841	5042,08	1080,72	235,44	ГОСТ 19106-73
52832010000842	0	BK20	1011-0842	5037,7	1349,75	294,3	ГОСТ 19106-73
52832010000843	0	BK20	1011-0843	5057,13	636,94	138,35	ГОСТ 19106-73
52832010000844	0	BK20	1011-0844	5051,1	763,42	166,00	ГОСТ 19106-73
52832010000845	0	BK20	1011-0845	5043,45	1016,81	221,4	ГОСТ 19106-73
52832010000846	0	BK20	1011-0846	5038,81	1269,73	276,7	ГОСТ 19106-73
52832010000847	0	BK20	1011-0847	5042,35	1067,42	232,42	ГОСТ 19106-73
52832010000848	0	BK20	1011-0848	5038,66	1279,87	278,96	ГОСТ 19106-73
52832010000849	0	BK20	1011-0849	5034,01	1704,77	371,95	ГОСТ 19106-73
52832010000851	0	BK20	1011-0851	5031,2	2129,61	464,94	ГОСТ 19106-73
52832010000852	0	BK20	1011-0852	5028,94	2660,71	581,15	ГОСТ 19106-73
52832010000853	0	BK20	1011-0853	5040,05	1190,66	259,42	ГОСТ 19106-73
52832010000854	0	BK20	1011-0854	5035,07	1585,64	345,92	ГОСТ 19106-73
52832010000855	0	BK20	1011-0855	5032,05	1981,12	432,43	ГОСТ 19106-73
52832010000856	0	BK20	1011-0856	5029,62	2474,98	540,43	ГОСТ 19106-73
52832010000857	0	BK20	1011-0857	5041,89	1089,96	237,38	ГОСТ 19106-73

52832010000858	0	BK20	1011-0858	5036,46	1451,86	316,55	ГОСТ 19106-73
52832010000859	0	BK20	1011-0859	5033,17	1813,25	395,71	ГОСТ 19106-73
52832010000861	0	BK20	1011-0861	5030,52	2265,75	494,64	ГОСТ 19106-73
52832010000862	0	BK20	1011-0862	5034,62	1633,94	356,4	ГОСТ 19106-73
52832010000863	0	BK20	1011-0863	5030,96	2177,00	475,2	ГОСТ 19106-73
52832010000864	0	BK20	1011-0864	5028,74	2720,05	594,00	ГОСТ 19106-73
52832010000865	0	BK20	1011-0865	5026,97	3398,73	742,5	ГОСТ 19106-73
52832010000866	0	BK20	1011-0866	5036,35	1461,95	318,82	ГОСТ 19106-73
52832010000867	0	BK20	1011-0867	5032,26	1947,53	425,09	ГОСТ 19106-73
52832010000868	0	BK20	1011-0868	5029,79	2433,11	531,36	ГОСТ 19106-73
52832010000869	0	BK20	1011-0869	5027,81	3040,52	664,09	ГОСТ 19106-73
52832010000871	0	BK20	1011-0871	5026,55	3609,31	788,62	ГОСТ 19106-73
52832010000872	0	BK20	1011-0872	5025,2	4510,57	985,82	ГОСТ 19106-73
52832010000873	0	BK20	1011-0873	5024,13	5637,12	1232,28	ГОСТ 19106-73
52832010000874	0	BK20	1011-0874	5028,53	2787,16	608,8	ГОСТ 19106-73
52832010000875	0	BK20	1011-0875	5026,79	3482,86	760,97	ГОСТ 19106-73
52832010000876	0	BK20	1011-0876	5025,4	4352,4	951,16	ГОСТ 19106-73
52832010000877	0	BK20	1011-0877	5258,53	3864,55	807,08	ГОСТ 19106-73
52832010000878	0	BK20	1011-0878	5256,43	4828,35	1008,94	ГОСТ 19106-73
52832010000879	0	BK20	1011-0879	5254,74	6033,55	1261,12	ГОСТ 19106-73
52832010000881	0	BK20	1011-0881	5259,81	3445,81	719,5	ГОСТ 19106-73
52832010000882	0	BK20	1011-0882	5257,45	4305,33	899,32	ГОСТ 19106-73
52832010000883	0	BK20	1011-0883	5255,57	5379,28	1124,17	ГОСТ 19106-73
52832010000884	0	BK20	1011-0884	5255,27	5599,91	1170,29	ГОСТ 19106-73
52832010000885	0	BK20	1011-0885	5253,81	6997,87	1462,86	ГОСТ 19106-73
52832010000886	0	BK20	1011-0886	5487,8	5185,15	1037,66	ГОСТ 19106-73
52832010000887	0	BK20	1011-0887	5254,55	6206,1	1297,19	ГОСТ 19106-73
52832010000888	0	BK20	1011-0888	5254,38	6370,99	1331,75	ГОСТ 19106-73
52832010000889	0	BK20	1011-0889	5253,1	7962,18	1664,6	ГОСТ 19106-73
52832010000891	0	BK20	1011-0891	5253,12	7941,5	1660,28	ГОСТ 19106-73
52832010000892	0	BK20	1011-0892	5252,09	9924,92	2075,44	ГОСТ 19106-73
52832010000893	0	BK20	1011-0893	5253,69	7142,55	1493,1	ГОСТ 19106-73
52832010000894	0	BK20	1011-0894	5252,55	8925,97	1866,46	ГОСТ 19106-73
52832010000895	0	BK20	1011-0895	5251,99	10172,94	2127,28	ГОСТ 19106-73
52832010000896	0	BK20	1011-0896	5251,18	12714,01	2659,18	ГОСТ 19106-73
52832010000897	0	BK20	1011-0897	5482,4	9669,14	1937,09	ГОСТ 19106-73
52832010000898	0	BK20	1011-0898	5481,15	12083,9	2421,36	ГОСТ 19106-73
52832010000899	0	BK20	1011-0899	5482,81	9065,67	1816,02	ГОСТ 19106-73
52832010000901	0	BK20	1011-0901	5481,48	11329,45	2269,94	ГОСТ 19106-73
52832010000912	0	BK20	1011-0912	5876,07	4,17	0,67	ГОСТ 19106-73
52832010000913	0	BK20	1011-0913	7314,05	7,53	1,12	ГОСТ 19106-73
52832010000914	0	BK20	1011-0914	7155,32	11,45	1,76	ГОСТ 19106-73
52832010000915	0	BK20	1011-0915	6391,68	11,76	2,02	ГОСТ 19106-73
52832010000916	0	BK20	1011-0916	6231,99	18,38	3,23	ГОСТ 19106-73
52832010000917	0	BK20	1011-0917	6193,91	20,25	3,6	ГОСТ 19106-73
52832010000918	0	BK20	1011-0918	6435,67	42,15	7,19	ГОСТ 19106-73
52832010000919	0	BK20	1011-0919	5449,06	34,82	7,02	ГОСТ 19106-73
52832010000921	0	BK20	1011-0921	5687,7	72,75	14,04	ГОСТ 19106-73
52832010000922	0	BK20	1011-0922	5373,32	47,45	10,11	ГОСТ 19106-73
52832010000923	0	BK20	1011-0923	5593,2	98,78	20,2	ГОСТ 19106-73
52832010000924	0	BK20	1011-0924	5248,58	85,92	17,98	ГОСТ 19106-73
52832010000925	0	BK20	1011-0925	5154,15	161,79	35,95	ГОСТ 19106-73
52832010000926	0	BK20	1011-0926	5179,73	132,45	28,09	ГОСТ 19106-73
52832010000927	0	BK20	1011-0927	5365,81	329,35	67,41	ГОСТ 19106-73
52832010000928	0	BK20	1011-0928	5136,67	189,18	40,45	ГОСТ 19106-73
52832010000929	0	BK20	1011-0929	5331,73	471,27	97,08	ГОСТ 19106-73
52832010000931	0	BK20	1011-0931	5115,81	234,92	55,06	ГОСТ 19106-73
52832010000932	0	BK20	1011-0932	5310,38	638,95	132,14	ГОСТ 19106-73
52832010000933	0	BK20	1011-0933	5089,16	333,24	71,92	ГОСТ 19106-73
52832010000934	0	BK20	1011-0934	5055,75	662,05	143,82	ГОСТ 19106-73
52832010000935	0	BK20	1011-0935	5289,5	969,78	201,36	ГОСТ 19106-73
52832010000936	0	BK20	1011-0936	5080,2	385,74	91,01	ГОСТ 19106-73
52832010000937	0	BK20	1011-0937	5050,95	767,19	182,12	ГОСТ 19106-73
52832010000938	0	BK20	1011-0938	5280,97	1225,29	254,84	ГОСТ 19106-73
52832010000941	0	BK20	1011-0941	5043,11	1031,92	224,73	ГОСТ 19106-73
52832010000942	0	BK20	1011-0942	5274,8	1511,02	314,61	ГОСТ 19106-73
52832010043428	0	BK20	1011-0434*28	5023,76	6161,14	1142,4	ГОСТ 19106-73
52832010045326	0	BK20	1011-0453*26	5024,37	5340,4	990,08	ГОСТ 19106-73
52832010055240	0	BK20	1011-0552*40	5249,73	23156,56	4080,00	ГОСТ 19106-73
52832010082505	0	BK20	1011-0825*5	5389,04	271,88	46,95	ГОСТ 19106-73
52832010100871	0	BK20	1011-0871A	5025,57	4220,43	922,32	ГОСТ 19106-73
52832010100872	0	BK20	1011-0872A	5024,42	5274,79	1153,01	ГОСТ 19106-73
52832010100873	0	BK20	1011-0873A	5023,84	6038,8	1441,26	ГОСТ 19106-73
52832010100874	0	BK20	1011-0874A	5260,49	3257,45	742,5	ГОСТ 19106-73
52832010100875	0	BK20	1011-0875A	5257,16	4442,83	928,15	ГОСТ 19106-73
52832010100876	0	BK20	1011-0876A	5255,33	5551,36	1160,24	ГОСТ 19106-73
52832520000201	0	BK20	Ш20-1	8346,8	2293,7	305,00	ТУ 48-19-67-78

52832690000001	0	BK20	Ш01	8315,25	6194,86	745,00	TY 48-19-67-78
52832690000002	0	BK20	Ш02	8315,05	6261,23	753,00	TY 48-19-67-78
52832690000003	0	BK20	Ш03	8314,23	6551,61	788,00	TY 48-19-67-78
52832690000005	0	BK20	Ш05	8312,47	7273,41	875,00	TY 48-19-67-78
52832690000006	0	BK20	Ш06	8312,75	7148,97	860,00	TY 48-19-67-78
52832690000011	0	BK20	Ш11	9144,18	9144,18	1000,00	TY 48-19-67-78
52832710000012	0	BK20	Ш12	8342,34	2519,39	302,00	TY 48-19-67-78
52832710000013	0	BK20	Ш13	8317,97	5406,68	650,00	TY 48-19-67-78
52832720000018	0	BK20	Ш18	9636,51	2939,13	305,00	TY 48-19-67-78
52832730000019	0	BK20	Ш19	9731,31	1557,01	160,00	TY 48-19-67-78
52832740000021	0	BK20	Ш21	8777,14	2459,35	280,2	TY 48-19-67-78
52832740000022	0	BK20	Ш22	8782,47	2283,44	260,00	TY 48-19-67-78
52832740000023	0	BK20	Ш23	8774,52	2556,02	291,3	TY 48-19-67-78
52832740000024	0	BK20	Ш24	9216,79	2414,8	262,00	TY 48-19-67-78
52832750000026	0	BK20	Ш26	9140,19	10785,42	1180,00	TY 48-19-67-78
52832760000034	0	BK20	Ш34	8304,54	14449,9	1740,00	TY 48-19-67-78
52832760000035	0	BK20	Ш35	8304,36	14781,76	1780,00	TY 48-19-67-78
52836730002201	0	BK20	B020007 (ПР22-1)	5977,95	95,65	16,00	TY 48-19-126-84
52836730002203	0	BK20	B020009 (ПР22-3)	5977,95	95,65	16,00	TY 48-19-126-84
52836730002206	0	BK20	B020046 (ПР22-6)	5977,95	95,65	16,00	TY 48-19-126-84
52836730004000	0	BK20	Ш020001 (ПР40)	5606,63	667,19	119,00	TY 48-19-126-84
52836730007301	0	BK20	B020016 (ПР73-1)	5549,04	2846,66	513,00	TY 48-19-126-84
52836730007302	0	BK20	B020017 (ПР73-2)	5565,06	1502,57	270,00	TY 48-19-126-84
52836730007501	0	BK20	Ш020004 (ПР75-1)	5540,08	5650,88	1020,00	TY 48-19-126-84
52836730007502	0	BK20	Ш020005 (ПР75-2)	5544,72	3742,69	675,00	TY 48-19-126-84
52836730007503	0	BK20	Ш020006 (ПР75-3)	5535,25	11956,15	2160,00	TY 48-19-126-84
52836730007601	0	BK20	Ш020007 (ПР76-1)	5845,94	144,98	24,8	TY 48-19-126-84
52836730007900	0	BK20	Ш020017 (ПР79)	5532,35	36369,64	6574,00	TY 48-19-126-84
52836730008400	0	BK20	Ш020008 (ПР84)	5589,96	860,85	157,00	TY 48-19-126-84
52836730008700	0	BK20	Ш020009 (ПР87)	5535,92	10357,71	1871,00	TY 48-19-126-84
52836730011000	0	BK20	B020022 (ПР110)	5537,58	7780,3	1405,00	TY 48-19-126-84
52836730012201	0	BK20	Ш020020 (ПР122-1)	5541,53	4876,54	880,00	TY 48-19-126-84
52836730012202	0	BK20	Ш020021 (ПР122-2)	5538,87	6509,84	1175,3	TY 48-19-126-84
52836730012203	0	BK20	Ш020022 (ПР122-3)	5541,1	5080,08	916,8	TY 48-19-126-84
52836730012204	0	BK20	Ш020023 (ПР122-4)	5544,06	3931,85	709,2	TY 48-19-126-84
52836730012205	0	BK20	Ш020024 (ПР122-5)	5537,93	7384,28	1333,4	TY 48-19-126-84
52836730012206	0	BK20	Ш020025 (ПР122-6)	5534,1	16316,18	2948,3	TY 48-19-126-84
52836730012400	0	BK20	Д020049 (ПР124)	5604,04	690,98	114,00	TY 48-19-126-84
52836730013400	0	BK20	Д020087 (ПР134)	5675,08	341,07	60,00	TY 48-19-126-84
52836730014000	0	BK20	B020051 (ПР140)	5544,43	3825,65	690,00	TY 48-19-126-84
52836730014100	0	BK20	B020052(ПР141)	5536,92	8637,59	1560,00	TY 48-19-126-84
52836730015900	0	BK20	Ш010015 (ПР159)	5262,23	6004,73	1055,4	TY 48-19-126-84
52836730016401	0	BK20	ПР164-1(1333-9136-1/003)	5279,95	1330,02	233,00	TY 48-19-126-84
52836730016402	0	BK20	ПР164-2(1333-9136-1/004)	5267,53	2940,33	516,3	TY 48-19-126-84
52836730106403	0	BK20	Ш020002 (ПР64А-3)	5534,92	12951,72	2340,00	TY 48-19-126-84
52836730106404	0	BK20	Ш020003 (ПР64А-4)	5535,38	11624,29	2100,00	TY 48-19-126-84
52836740000501	0	BK20	B030083 (ПР5-1)	5815,5	7153,06	1230,00	TY 48-19-126-84
52836740000502	0	BK20	B030084 (ПР5-2)	5817,45	6050,15	1040,00	TY 48-19-126-84
52836740000503	0	BK20	B030085 (ПР5-3)	5820,95	4744,07	815,00	TY 48-19-126-84
52836740000504	0	BK20	B030086 (ПР5-4)	5818,84	5452,26	937,00	TY 48-19-126-84
52836740001601	0	BK20	Ф030001 (ПР16-1)	5785,21	1880,19	325,00	TY 48-19-126-84
52836740001602	0	BK20	Ф030002 (ПР16-2)	5775,03	2529,47	438,00	TY 48-19-126-84
52836740001603	0	BK20	Ф030003 (ПР16-3)	5772,46	2770,78	480,00	TY 48-19-126-84
52836740001604	0	BK20	Ф030004 (ПР16-4)	5767,08	3460,25	600,00	TY 48-19-126-84
52836740001605	0	BK20	Ф030005 (ПР16-5)	5764,43	3942,87	684,00	TY 48-19-126-84
52836740001606	0	BK20	Ф030006 (ПР16-6)	5761,16	4758,72	826,00	TY 48-19-126-84
52836740001607	0	BK20	Ф030007 (ПР16-7)	5755,18	7654,39	1330,00	TY 48-19-126-84
52836740001608	0	BK20	Ф030109 (ПР16-8)	5752,53	10469,61	1820,00	TY 48-19-126-84
52836740001609	0	BK20	Ф030110 (ПР16-9)	5750,91	13514,64	2350,00	TY 48-19-126-84
52836740001610	0	BK20	Ф030114	5749,37	18685,44	3250,00	TY 48-19-126-84
52836740001723	0	BK20	1010-1723	6826,96	54,68	7,41	TY 48-19-126-84
52836740002001	0	BK20	B030003 (ПР20-1)	5884,84	947,46	161,00	TY 48-19-126-84
52836740002002	0	BK20	B030004 (ПР20-2)	5872,93	1115,86	190,00	TY 48-19-126-84
52836740002003	0	BK20	B030005 (ПР20-3)	5863,83	1290,04	220,00	TY 48-19-126-84
52836740002004	0	BK20	B030006 (ПР20-4)	5857,09	1458,41	249,00	TY 48-19-126-84
52836740002006	0	BK20	B030007 (ПР20-6)	5857,5	1446,8	247,00	TY 48-19-126-84
52836740002008	0	BK20	B030008 (ПР20-8)	5843,73	1963,49	336,00	TY 48-19-126-84
52836740002012	0	BK20	B030010 (ПР20-12)	5857,09	1458,41	249,00	TY 48-19-126-84
52836740002015	0	BK20	B030013 (ПР20-15)	5838,83	2247,95	385,00	TY 48-19-126-84
52836740002016	0	BK20	B030014 (ПР20-16)	5835,3	2509,18	430,00	TY 48-19-126-84
52836740002022	0	BK20	B030016 (ПР20-22)	5832,15	2799,43	480,00	TY 48-19-126-84
52836740002023	0	BK20	B030017 (ПР20-23)	5829,54	3095,48	531,00	TY 48-19-126-84
52836740002024	0	BK20	B030018 (ПР20-24)	5827,42	3385,73	581,00	TY 48-19-126-84
52836740002029	0	BK20	B030021 (ПР20-29)	5829,26	3130,31	537,00	TY 48-19-126-84
52836740002030	0	BK20	B030022 (ПР20-30)	5826,71	3496,03	600,00	TY 48-19-126-84
52836740002033	0	BK20	B030024 (ПР20-33)	5821,43	4604,75	791,00	TY 48-19-126-84
52836740002034	0	BK20	B030025 (ПР20-34)	5820,19	4976,26	855,00	TY 48-19-126-84

52836740002036	0	BK20	B030026 (ПР20-36)	5822,92	4227,44	726,00	ТУ 48-19-126-84
52836740002037	0	BK20	B030027 (ПР20-37)	5820,67	4825,34	829,00	ТУ 48-19-126-84
52836740002038	0	BK20	B030028 (ПР20-38)	5819,01	5388,4	926,00	ТУ 48-19-126-84
52836740002040	0	BK20	B030029 (ПР20-40)	5816,56	6508,73	1119,00	ТУ 48-19-126-84
52836740002041	0	BK20	B030030 (ПР20-41)	5815,62	7071,79	1216,00	ТУ 48-19-126-84
52836740002042	0	BK20	B030031 (ПР20-42)	5814,82	7629,05	1312,00	ТУ 48-19-126-84
52836740002052	0	BK20	B030032 (ПР20-52)	5856,88	1464,22	250,00	ТУ 48-19-126-84
52836740002101	0	BK20	Ф030111 (ПР21-1)	5775,24	2512,23	435,00	ТУ 48-19-126-84
52836740002102	0	BK20	Ф030008 (ПР21-2)	5773,45	2673,11	463,00	ТУ 48-19-126-84
52836740002103	0	BK20	Ф030009 (ПР21-3)	5771,54	2868,46	497,00	ТУ 48-19-126-84
52836740002104	0	BK20	Ф030010 (ПР21-4)	5769,93	3058,06	530,00	ТУ 48-19-126-84
52836740002105	0	BK20	Ф030011 (ПР21-5)	5767,63	3374,06	585,00	ТУ 48-19-126-84
52836740002106	0	BK20	Ф030012 (ПР21-6)	5766,05	3632,61	630,00	ТУ 48-19-126-84
52836740002108	0	BK20	Ф030013 (ПР21-8)	5763,86	4063,52	705,00	ТУ 48-19-126-84
52836740002109	0	BK20	Ф030014 (ПР21-9)	5763,73	4092,25	710,00	ТУ 48-19-126-84
52836740002111	0	BK20	Ф030015 (ПР21-11)	5761,92	4540,39	788,00	ТУ 48-19-126-84
52836740002112	0	BK20	Ф030016 (ПР21-12)	5761,12	4770,21	828,00	ТУ 48-19-126-84
52836740002113	0	BK20	Ф030017 (ПР21-13)	5759,25	5413,7	940,00	ТУ 48-19-126-84
52836740002114	0	BK20	Ф030018 (ПР21-14)	5758,89	5557,33	965,00	ТУ 48-19-126-84
52836740002115	0	BK20	Ф030019 (ПР21-15)	5758,29	5815,87	1010,00	ТУ 48-19-126-84
52836740002116	0	BK20	Ф030020 (ПР21-16)	5757,13	6390,41	1110,00	ТУ 48-19-126-84
52836740003201	0	BK20	Ш030001 (ПР32-1)	6087,69	255,68	42,00	ТУ 48-19-126-84
52836740003203	0	BK20	Ш030002 (ПР32-3)	5977,44	430,38	72,00	ТУ 48-19-126-84
52836740003301	0	BK20	B030038 (ПР33-1)	6006,23	366,38	61,00	ТУ 48-19-126-84
52836740003302	0	BK20	B030039 (ПР33-2)	5977,44	430,38	72,00	ТУ 48-19-126-84
52836740003303	0	BK20	B030040 (ПР33-3)	6003,22	372,2	62,00	ТУ 48-19-126-84
52836740005300	0	BK20	B030044 (ПР53)	6015,83	348,92	58,00	ТУ 48-19-126-84
52836740005701	0	BK20	B030087 (ПР57-1)	6812,24	55,86	8,2	ТУ 48-19-126-84
52836740005901	0	BK20	B030033 (ПР59-1)	6046,53	302,33	50,00	ТУ 48-19-126-84
52836740006101	0	BK20	Ф030112 (ПР61-1)	5776,29	2426,04	420,00	ТУ 48-19-126-84
52836740006501	0	BK20	B030045 (ПР65-1)	5826,35	3554,07	610,00	ТУ 48-19-126-84
52836740006502	0	BK20	B030046 (ПР65-2)	5824,58	3873,34	665,00	ТУ 48-19-126-84
52836740006503	0	BK20	B030047 (ПР65-3)	5822,11	4424,8	760,00	ТУ 48-19-126-84
52836740007101	0	BK20	Д030042 (ПР71-1)	5858,31	1423,57	243,00	ТУ 48-19-126-84
52836740007102	0	BK20	Д030043 (ПР71-2)	5827,41	3379,9	580,00	ТУ 48-19-126-84
52836740007201	0	BK20	Д030044 (ПР72-1)	5857,88	1435,18	245,00	ТУ 48-19-126-84
52836740007202	0	BK20	Д030045 (ПР72-2)	5827,73	3333,46	572,00	ТУ 48-19-126-84
52836740007203	0	BK20	Д030046 (ПР72-3)	5828,35	3246,39	557,00	ТУ 48-19-126-84
52836740007204	0	BK20	Д030047 (ПР72-4)	5828,86	3176,73	545,00	ТУ 48-19-126-84
52836740008001	0	BK20	Д030035(ПР80-1)	5874,68	1086,82	185,00	ТУ 48-19-126-84
52836740008003	0	BK20	Д030036 (ПР80-3)	5826,85	3466,97	595,00	ТУ 48-19-126-84
52836740008007	0	BK20	Д030037 (ПР80-7)	5811,79	10844,8	1866,00	ТУ 48-19-126-84
52836740008009	0	BK20	Д030038 (ПР80-9)	5808,82	18628,89	3207,00	ТУ 48-19-126-84
52836740008011	0	BK20	Д030039 (ПР80-11)	5808,33	21142,32	3640,00	ТУ 48-19-126-84
52836740008013	0	BK20	Д030041 (ПР80-13)	5809,11	17427,32	3000,00	ТУ 48-19-126-84
52836740008014	0	BK20	Д030061 (ПР80-14)	5809,27	16788,8	2890,00	ТУ 48-19-126-84
52836740008015	0	BK20	Д030095 (ПР80-15)	5808,17	22132,37	3860,00	ТУ 48-19-126-84
52836740008016	0	BK20	Д030096 (ПР80-16)	5808,92	18176,47	3170,00	ТУ 48-19-126-84
52836740008017	0	BK20	Д030099 (ПР80-17)	5810,17	14050,38	2450,00	ТУ 48-19-126-84
52836740008018	0	BK20	Д030100 (ПР80-18)	5809,2	17086,47	2980,00	ТУ 48-19-126-84
52836740008019	0	BK20	Д030101 (ПР80-19)	5809,43	16230,39	2830,00	ТУ 48-19-126-84
52836740008020	0	BK20	Д030102 (ПР80-20)	5809,2	17086,47	2980,00	ТУ 48-19-126-84
52836740008101	0	BK20	B030049 (ПР81-1)	6006,23	366,38	61,00	ТУ 48-19-126-84
52836740008102	0	BK20	B030050 (ПР81-2)	5964,96	465,27	78,00	ТУ 48-19-126-84
52836740008103	0	BK20	B030051 (ПР81-3)	6000,3	378,02	63,00	ТУ 48-19-126-84
52836740009501	0	BK20	B030052 (ПР95-1)	5812,09	10461,77	1800,00	ТУ 48-19-126-84
52836740009502	0	BK20	B030053 (ПР95-2)	5814,84	7617,44	1310,00	ТУ 48-19-126-84
52836740009503	0	BK20	B030054 (ПР95-3)	5819,93	5063,34	870,00	ТУ 48-19-126-84
52836740010200	0	BK20	B030055 (ПР102)	5848,33	1754,5	300,00	ТУ 48-19-126-84
52836740010300	0	BK20	B030056 (ПР103)	5847,22	1800,94	308,00	ТУ 48-19-126-84
52836740010400	0	BK20	B030057 (ПР104)	5846,55	1829,97	313,00	ТУ 48-19-126-84
52836740010500	0	BK20	B030058 (ПР105)	5846,81	1818,36	311,00	ТУ 48-19-126-84
52836740010600	0	BK20	B030059 (ПР106)	5846,42	1835,77	314,00	ТУ 48-19-126-84
52836740011100	0	BK20	B030060 (ПР111)	6081,79	261,52	43,00	ТУ 48-19-126-84
52836740011200	0	BK20	B030061 (ПР112)	5899,05	802,27	136,00	ТУ 48-19-126-84
52836740011701	0	BK20	Ш030012 (ПР117-1)	6106,3	238,76	39,1	ТУ 48-19-126-84
52836740011702	0	BK20	Ш030013 (ПР117-2)	6047,86	300,58	49,7	ТУ 48-19-126-84
52836740011703	0	BK20	Ш030014 (ПР117-3)	6030,52	325,05	53,9	ТУ 48-19-126-84
52836740011704	0	BK20	Ш030015 (ПР117-4)	6008,7	361,72	60,2	ТУ 48-19-126-84
52836740012901	0	BK20	B030088 (ПР129-1)	5845,65	1870,61	320,00	ТУ 48-19-126-84
52836740012902	0	BK20	B030089 (ПР129-2)	5843,84	1957,69	335,00	ТУ 48-19-126-84
52836740013500	0	BK20	Д030059 (ПР135)	6276,33	145,61	23,2	ТУ 48-19-126-84
52836740013600	0	BK20	B030096 (ПР136)	5811,71	11045,73	1900,6	ТУ 48-19-126-84
52836740013701	0	BK20	B030106 (ПР137-1)	5813,59	8690,8	1632,00	ТУ 48-19-126-84
52836740013702	0	BK20	B030107 (ПР137-2)	5812,55	9855,29	1851,00	ТУ 48-19-126-84
52836740013900	0	BK20	Ш030046 (ПР139)	5809,01	18017,22	3101,6	ТУ 48-19-126-84
52836740015200	0	BK20	B030160 (ПР152)	5860,89	1358,55	214,4	ТУ 48-19-126-84

52836740015300	0	BK20	B030161 (ПР153)	5869,25	1180,31	186,00	ТУ 48-19-126-84
52836740016000	0	BK20	Ш030067 (ПР160)	5817,59	5965,35	948,4	ТУ 48-19-126-74
52836740880101	0	BK20	Ф030027 (ПР88-1-1)	5944,76	362,63	61,00	ТУ 48-19-126-84
52836740880102	0	BK20	Ф030028 (ПР88-1-2)	5944,76	362,63	61,00	ТУ 48-19-126-84
52836740880103	0	BK20	Ф030029 (ПР88-1-3)	5944,76	362,63	61,00	ТУ 48-19-126-84
52836740880104	0	BK20	Ф030030 (ПР88-1-4)	5933,37	385,67	65,00	ТУ 48-19-126-84
52836740880105	0	BK20	Ф030031 (ПР88-1-5)	5933,37	385,67	65,00	ТУ 48-19-126-84
52836740880106	0	BK20	Ф030032 (ПР88-1-6)	5918,52	420,21	71,00	ТУ 48-19-126-84
52836740880107	0	BK20	Ф030033 (ПР88-1-7)	5918,52	420,21	71,00	ТУ 48-19-126-84
52836740880108	0	BK20	Ф030034 (ПР88-1-8)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836740880109	0	BK20	Ф030035 (ПР88-1-9)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836740880110	0	BK20	Ф030036 (ПР88-1-10)	5909,86	443,24	75,00	ТУ 48-19-126-84
52836740880111	0	BK20	Ф030037 (ПР88-1-11)	5909,86	443,24	75,00	ТУ 48-19-126-84
52836740880201	0	BK20	Ф030038 (ПР88-2-1)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880202	0	BK20	Ф030039 (ПР88-2-2)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880203	0	BK20	Ф030040 (ПР88-2-3)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880204	0	BK20	Ф030041 (ПР88-2-4)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880205	0	BK20	Ф030042 (ПР88-2-5)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880206	0	BK20	Ф030043 (ПР88-2-6)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880207	0	BK20	Ф030044 (ПР88-2-7)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880208	0	BK20	Ф030045 (ПР88-2-8)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740880209	0	BK20	Ф030046 (ПР88-2-9)	5993,68	287,7	48,00	ТУ 48-19-126-84
52836740890101	0	BK20	Ф030047 (ПР89-1-1)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890102	0	BK20	Ф030048 (ПР89-1-2)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890103	0	BK20	Ф030049 (ПР89-1-3)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890104	0	BK20	Ф030050 (ПР89-1-4)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890105	0	BK20	Ф030051 (ПР89-1-5)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890106	0	BK20	Ф030052 (ПР89-1-6)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890107	0	BK20	Ф030053 (ПР89-1-7)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890108	0	BK20	Ф030054 (ПР89-1-8)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890109	0	BK20	Ф030055 (ПР89-1-9)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890110	0	BK20	Ф030056 (ПР89-1-10)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890111	0	BK20	Ф030057 (ПР89-1-11)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890112	0	BK20	Ф030058 (ПР89-1-12)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890113	0	BK20	Ф030059 (ПР89-1-13)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890114	0	BK20	Ф030060 (ПР89-1-14)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890115	0	BK20	Ф030061 (ПР89-1-15)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890116	0	BK20	Ф030062 (ПР89-1-16)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890117	0	BK20	Ф030063 (ПР89-1-17)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890118	0	BK20	Ф030064 (ПР89-1-18)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890201	0	BK20	Ф030065 (ПР89-2-1)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890202	0	BK20	Ф030066 (ПР89-2-2)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890203	0	BK20	Ф030067 (ПР89-2-3)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890204	0	BK20	Ф030068 (ПР89-2-4)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890205	0	BK20	Ф030069 (ПР89-2-5)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890206	0	BK20	Ф030070 (ПР89-2-6)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890207	0	BK20	Ф030071 (ПР89-2-7)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740890208	0	BK20	Ф030072 (ПР89-2-8)	5882,44	535,3	91,00	ТУ 48-19-126-84
52836740900101	0	BK20	Ф030073 (ПР90-1-1)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900102	0	BK20	Ф030074 (ПР90-1-2)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900103	0	BK20	Ф030075 (ПР90-1-3)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900104	0	BK20	Ф030076 (ПР90-1-4)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900105	0	BK20	Ф030077 (ПР90-1-5)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900106	0	BK20	Ф030078 (ПР90-1-6)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900107	0	BK20	Ф030079 (ПР90-1-7)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900108	0	BK20	Ф030080 (ПР90-1-8)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900109	0	BK20	Ф030081 (ПР90-1-9)	5923,2	408,7	69,00	ТУ 48-19-126-84
52836740900201	0	BK20	Ф030082 (ПР90-2-1)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836740900202	0	BK20	Ф030083 (ПР90-2-2)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836740900203	0	BK20	Ф030084 (ПР90-2-3)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836740900204	0	BK20	Ф030085 (ПР90-2-4)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836740900205	0	BK20	Ф030086 (ПР90-2-5)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836740900206	0	BK20	Ф030087 (ПР90-2-6)	5925,64	402,94	68,00	ТУ 48-19-126-84
52836770012301	0	BK20	Д060002 (ПР123-1)	6652,49	6867,37	1032,3	ТУ 48-19-126-84
52836770012302	0	BK20	Д060003 (ПР123-2)	6653,89	6522,14	980,2	ТУ 48-19-126-84
52836770012303	0	BK20	Д060004 (ПР123-3)	6654,65	6349,2	954,1	ТУ 48-19-126-84
52837330000084	0	BK20	KB-84	8514,12	508,29	59,7	ТУ 48-19-428-87
52837330000085	0	BK20	KB-85	9161,55	5496,93	600,00	ТУ 48-19-428-87
52838930000054	0	BK20	Д54	11883,79	15,21	1,3	ТУ 48-19-67-78
52900080000251	0	ВГТ-331	2251	0,00	0,00	13,3	ГОСТ 25395-90
52900080000351	0	ВГТ-331	2351	0,00	0,00	67,00	ГОСТ 25395-90
52900080000511	0	ВГТ-331	2511	0,00	0,00	96,00	ГОСТ 25395-90
52900080000611	0	ВГТ-331	2611	0,00	0,00	2,19	ГОСТ 25395-90
52900080000631	0	ВГТ-331	2631	0,00	0,00	4,18	ГОСТ 25395-90
52900150000150	0	ВГТ-331	15150	0,00	0,00	75,00	ГОСТ 25404-90
52900240000070	0	ВГТ-331	24070	0,00	0,00	1,92	ГОСТ 25409-90
52900710000390	0	ВГТ-331	67390	0,00	0,00	9,81	ГОСТ 25426-90

52901620000131	0	ВПт-331	13131	0,00	0,00	4,54	ГОСТ 17163-90
52930000000411	0	ВПт-331	1411	0,00	0,00	42,5	ГОСТ 25395-90
53128730000002	0	ВК4-В	Г5402	4383,65	3,51	0,8	ГОСТ 880-75
53128730000003	0	ВК4-В	Г5403	4283,23	6,42	1,5	ГОСТ 880-75
53128730000005	0	ВК4-В	Г5405	3738,23	9,72	2,6	ГОСТ 880-75
53128730000011	0	ВК4-В	Г5411	3631,49	18,16	5,00	ГОСТ 880-75
53128730000012	0	ВК4-В	Г5412	3521,87	34,51	9,8	ГОСТ 880-75
53128730000013	0	ВК4-В	Г5413	3449,25	57,6	16,7	ГОСТ 880-75
53128730000014	0	ВК4-В	Г5414	3478,19	46,26	13,3	ГОСТ 880-75
53228560000000	0	ВК6-В	Г22	3177,27	104,85	33,00	ГОСТ 880-75
53228730000012	0	ВК6-В	Г5412	3521,87	34,51	9,8	ГОСТ 880-75
53228730000013	0	ВК6-В	Г5413	3449,25	57,6	16,7	ГОСТ 880-75
53228730000014	0	ВК6-В	Г5414	3478,19	46,26	13,3	ГОСТ 880-75
53231040000502	0	ВК6-В	Д030032 (ПР5-2)	4347,67	269,56	62,00	ТУ 48-19-231-76
53231040000504	0	ВК6-В	Д030033 (ПР5-4)	4279,75	522,13	122,00	ТУ 48-19-231-76
53231040000701	0	ВК6-В	Д030003 (ПР7-1)	4334,07	299,05	69,00	ТУ 48-19-231-76
53231040000702	0	ВК6-В	Д030004 (ПР7-2)	4346,18	272,51	62,7	ТУ 48-19-231-76
53231040000703	0	ВК6-В	Д030005 (ПР7-3)	4257,42	745,05	175,00	ТУ 48-19-231-76
53300540000311	0	ВК8-В	62311	3653,68	143,96	39,26	ГОСТ 25395-90
53301620000391	0	ВК8-В	13391	3737,04	54,15	14,44	ГОСТ 17163-90
53301620000431	0	ВК8-В	13431	3685,61	91,73	24,8	ГОСТ 17163-90
53301630000612	0	ВК8-В	13612	4134,18	49,61	11,96	ГОСТ 17163-90
53301630000632	0	ВК8-В	13632	4015,61	77,9	19,33	ГОСТ 17163-90
53328380000400	0	ВК8-В	Г067049 (ПР4)	4687,63	185,91	37,4	ТУ 48-19-328-76
53328380000500	0	ВК8-В	Г067050 (ПР5)	4755,61	147,76	29,3	ТУ 48-19-328-76
53328520000001	0	ВК8-В	Г1101	3166,87	144,73	45,7	ГОСТ 880-75
53328520000002	0	ВК8-В	Г1102	3162,72	169,21	53,5	ГОСТ 880-75
53328520000005	0	ВК8-В	Г1105	3159,44	194,62	61,6	ГОСТ 880-75
53328520000006	0	ВК8-В	Г1106	3152,98	273,05	86,6	ГОСТ 880-75
53328520000007	0	ВК8-В	Г1107	3151,77	294,69	93,5	ГОСТ 880-75
53328520000008	0	ВК8-В	Г1108	3150,49	321,66	102,1	ГОСТ 880-75
53328520000009	0	ВК8-В	Г1109	3149,29	351,46	111,6	ГОСТ 880-75
53328540000002	0	ВК8-В	Г1302	3157,57	212,5	67,3	ГОСТ 880-75
53328550000004	0	ВК8-В	Г1404	3173,41	117,07	41,05	ГОСТ 880-75
53328550000009	0	ВК8-В	Г1409	3166,47	146,8	51,54	ГОСТ 880-75
53328580000001	0	ВК8-В	Г2401	3248,42	29,24	9,00	ГОСТ 880-75
53328580000002	0	ВК8-В	Г2402	3228,54	38,74	12,00	ГОСТ 880-75
53328590000002	0	ВК8-В	Г24А02	3249,24	28,92	8,9	ГОСТ 880-75
53328590000003	0	ВК8-В	Г24А03	3186,48	83,17	26,1	ГОСТ 880-75
53328610000001	0	ВК8-В	Г2601	4434,5	2,22	0,5	ГОСТ 880-75
53328610000002	0	ВК8-В	Г2602	4352,56	4,35	1,00	ГОСТ 880-75
53328610000003	0	ВК8-В	Г2603	4383,65	3,51	0,8	ГОСТ 880-75
53328610000007	0	ВК8-В	Г2607	4045,52	16,59	4,1	ГОСТ 880-75
53328610000010	0	ВК8-В	Г2610	4202,34	9,25	2,2	ГОСТ 880-75
53328610000012	0	ВК8-В	Г2612	3976,28	21,07	5,3	ГОСТ 880-75
53328610000014	0	ВК8-В	Г2614	4045,52	16,59	4,1	ГОСТ 880-75
53328610000017	0	ВК8-В	Г2617	3834,77	34,9	9,1	ГОСТ 880-75
53328610000018	0	ВК8-В	Г2618	3854,81	32,38	8,4	ГОСТ 880-75
53328610000020	0	ВК8-В	Г2620	3909,53	26,58	6,8	ГОСТ 880-75
53328610000023	0	ВК8-В	Г2623	4026,55	17,72	4,4	ГОСТ 880-75
53328610000028	0	ВК8-В	Г2628	3854,81	32,38	8,4	ГОСТ 880-75
53328610000031	0	ВК8-В	Г2631	3693,74	63,9	17,3	ГОСТ 880-75
53328610000032	0	ВК8-В	Г2632	3708,75	59,34	16,00	ГОСТ 880-75
53328610000033	0	ВК8-В	Г2633	3722,99	55,47	14,9	ГОСТ 880-75
53328610000036	0	ВК8-В	Г2636	3785,06	42,39	11,2	ГОСТ 880-75
53328610000046	0	ВК8-В	Г2646	3616,11	100,53	27,8	ГОСТ 880-75
53328610000048	0	ВК8-В	Г2648	3636,43	88,00	24,2	ГОСТ 880-75
53328610000049	0	ВК8-В	Г2649	3647,88	82,08	22,5	ГОСТ 880-75
53328610000050	0	ВК8-В	Г2650	3661,66	75,8	20,7	ГОСТ 880-75
53328610000051	0	ВК8-В	Г2651	3677,5	69,5	18,9	ГОСТ 880-75
53328610000053	0	ВК8-В	Г2653	3715,03	57,58	15,5	ГОСТ 880-75
53328610000055	0	ВК8-В	Г2655	3597,39	115,12	32,00	ГОСТ 880-75
53328610000058	0	ВК8-В	Г2658	3626,24	93,92	25,9	ГОСТ 880-75
53328610000061	0	ВК8-В	Г2661	3670,17	72,3	19,7	ГОСТ 880-75
53328610000063	0	ВК8-В	Г2663	3568,03	147,36	41,3	ГОСТ 880-75
53328610000064	0	ВК8-В	Г2664	3581,54	130,73	36,5	ГОСТ 880-75
53328610000065	0	ВК8-В	Г2665	3589,19	122,75	34,2	ГОСТ 880-75
53328610000069	0	ВК8-В	Г2669	3633,31	89,74	24,7	ГОСТ 880-75
53328610000070	0	ВК8-В	Г2670	3545,94	184,74	52,1	ГОСТ 880-75
53328610000074	0	ВК8-В	Г2674	3568,28	147,01	41,2	ГОСТ 880-75
53328610000076	0	ВК8-В	Г2676	3580,6	131,77	36,8	ГОСТ 880-75
53328610000077	0	ВК8-В	Г2677	3583,78	128,3	35,8	ГОСТ 880-75
53328610000078	0	ВК8-В	Г2678	3528,82	228,31	64,7	ГОСТ 880-75
53328630000033	0	ВК8-В	Г33	0,00	0,00	13,95	ГОСТ 880-75
53328650000000	0	ВК8-В	Г34А	4370,27	51,57	11,8	ГОСТ 880-75
53328660000036	0	ВК8-В	Г36	0,00	0,00	9,97	ГОСТ 880-75
53328720000003	0	ВК8-В	Г5303	3351,83	7,71	2,3	ГОСТ 880-75

53328720000004	0	BK8-B	Г5304		3262,25	24,37	7,47	ГОСТ 880-75
53328730000011	0	BK8-B	Г5411		3294,28	16,31	4,93	ГОСТ 880-75
53328730000013	0	BK8-B	Г5413		3449,25	57,6	16,5	ГОСТ 880-75
53328770000000	0	BK8-B	Г40		3215,02	47,9	14,9	ГОСТ 880-75
53328840000000	0	BK8-B	Г64		3572,75	141,12	39,5	ГОСТ 880-75
53328850000000	0	BK8-B	Г65		3366,18	139,7	41,5	ГОСТ 880-75
53328860000000	0	BK8-B	Г66		3432,24	66,45	19,36	ГОСТ 880-75
53328870000002	0	BK8-B	Г6702		3467,72	49,94	14,4	ГОСТ 880-75
53328870000003	0	BK8-B	Г6703		3393,49	97,73	28,8	ГОСТ 880-75
53330270000280	0	BK8-B	Г022062 (3P280)		4309,74	370,64	86,00	ТУ 48-19-249-91
53330270000900	0	BK8-B	Г027057 (ПР9)		4184,52	138,09	33,00	ТУ 48-19-249-91
53330290001000	0	BK8-B	Г037059 (ПР10)		4339,75	285,99	65,9	ТУ 48-19-249-91
53331020000252	0	BK8-B		2252	4052,94	49,85	12,26	ТУ 48-19-231-76
53331020000600	0	BK8-B	Г012112 (ПР6)		4464,21	142,85	32,00	ТУ 48-19-231-76
53331020001400	0	BK8-B	Г012122 (ПР14)		4471,44	138,61	31,00	ТУ 48-19-231-76
53331020002300	0	BK8-B	Г017060 (ПР23)		3911,45	140,03	35,8	ТУ 48-19-231-76
53331040002701	0	BK8-B	Д040007 (ПР27-1)		4414,14	4694,88	1060,00	ТУ 48-19-231-76
53331040002903	0	BK8-B	Г037084 (ПР29-3)		4944,79	39,56	8,00	ТУ 48-19-231-76
53331500000002	0	BK8-B	Г022072 (РПП2М.002)		4307,46	379,06	88,00	ТУ 48-19-97-83
53436220069300	0	BK8 Г/Б	Г01709 (ПР693)		3448,57	75,18	21,8	ТУ 48-19-161-90
53500080000251	0	BK8-BK		2251	0,00	0,00	13,3	ГОСТ 25395-90
53501620000431	0	BK8-BK		13431	3685,61	91,73	24,89	ГОСТ 17163-90
53528520000007	0	BK8-BK	Г1107		3151,77	294,69	93,5	ГОСТ 880-75
53528530000003	0	BK8-BK	Г1203		3396,23	94,75	27,9	ГОСТ 880-75
53528530000006	0	BK8-BK	Г1206		3374,94	123,19	36,5	ГОСТ 880-75
53528610000001	0	BK8-BK	Г2601		5001,94	2,5	0,5	ГОСТ 880-75
53528610000002	0	BK8-BK	Г2602		4352,56	4,35	1,00	ГОСТ 880-75
53528610000003	0	BK8-BK	Г2603		4383,65	3,51	0,8	ГОСТ 880-75
53528610000004	0	BK8-BK	Г2604		4202,34	9,25	2,2	ГОСТ 880-75
53528610000005	0	BK8-BK	Г2605		4235,00	8,05	1,9	ГОСТ 880-75
53528610000006	0	BK8-BK	Г2606		4258,4	7,24	1,7	ГОСТ 880-75
53528610000007	0	BK8-BK	Г2607		4045,52	16,59	4,1	ГОСТ 880-75
53528610000008	0	BK8-BK	Г2608		4127,23	12,38	3,00	ГОСТ 880-75
53528610000009	0	BK8-BK	Г2609		4172,3	10,43	2,5	ГОСТ 880-75
53528610000012	0	BK8-BK	Г2612		3976,28	21,07	5,3	ГОСТ 880-75
53528610000014	0	BK8-BK	Г2614		4045,52	16,59	4,1	ГОСТ 880-75
53528610000018	0	BK8-BK	Г2618		3854,81	32,38	8,4	ГОСТ 880-75
53528610000020	0	BK8-BK	Г2620		3909,53	26,58	6,8	ГОСТ 880-75
53528610000022	0	BK8-BK	Г2622		3981,43	20,7	5,2	ГОСТ 880-75
53528610000028	0	BK8-BK	Г2628		3854,81	32,38	8,4	ГОСТ 880-75
53528610000029	0	BK8-BK	Г2629		3887,36	28,77	7,4	ГОСТ 880-75
53528610000032	0	BK8-BK	Г2632		3708,75	59,34	16,00	ГОСТ 880-75
53528610000033	0	BK8-BK	Г2633		3722,99	55,47	14,9	ГОСТ 880-75
53528610000035	0	BK8-BK	Г2635		3748,37	49,48	13,2	ГОСТ 880-75
53528610000036	0	BK8-BK	Г2636		3785,06	42,39	11,2	ГОСТ 880-75
53528610000037	0	BK8-BK	Г2637		3811,76	38,12	10,00	ГОСТ 880-75
53528610000040	0	BK8-BK	Г2640		3675,63	70,2	19,1	ГОСТ 880-75
53528610000042	0	BK8-BK	Г2642		3706,32	60,04	16,2	ГОСТ 880-75
53528610000044	0	BK8-BK	Г2644		3221,95	42,85	13,3	ГОСТ 880-75
53528610000045	0	BK8-BK	Г2645		3773,13	44,52	11,8	ГОСТ 880-75
53528610000046	0	BK8-BK	Г2646		3616,11	100,53	27,8	ГОСТ 880-75
53528610000047	0	BK8-BK	Г2647		3625,12	94,62	26,1	ГОСТ 880-75
53528610000048	0	BK8-BK	Г2648		3636,43	88,00	24,2	ГОСТ 880-75
53528610000049	0	BK8-BK	Г2649		3647,88	82,08	22,5	ГОСТ 880-75
53528610000050	0	BK8-BK	Г2650		3661,66	75,8	20,7	ГОСТ 880-75
53528610000052	0	BK8-BK	Г2652		3694,83	63,55	17,2	ГОСТ 880-75
53528610000055	0	BK8-BK	Г2655		3597,39	115,12	32,00	ГОСТ 880-75
53528610000059	0	BK8-BK	Г2659		3639,01	86,61	23,8	ГОСТ 880-75
53528610000060	0	BK8-BK	Г2660		3194,61	69,64	21,8	ГОСТ 880-75
53528610000061	0	BK8-BK	Г2661		3670,17	72,3	19,7	ГОСТ 880-75
53528610000063	0	BK8-BK	Г2663		3568,03	147,36	41,3	ГОСТ 880-75
53528610000064	0	BK8-BK	Г2664		3581,54	130,73	36,5	ГОСТ 880-75
53528610000065	0	BK8-BK	Г2665		3589,19	122,75	34,2	ГОСТ 880-75
53528610000066	0	BK8-BK	Г2666		3178,62	101,08	31,8	ГОСТ 880-75
53528610000076	0	BK8-BK	Г2676		3580,6	131,77	36,8	ГОСТ 880-75
53528610000078	0	BK8-BK	Г2678		3528,82	228,31	64,7	ГОСТ 880-75
53528610000079	0	BK8-BK	Г2679		3536,39	206,88	58,5	ГОСТ 880-75
53528610000080	0	BK8-BK	Г2680		3545,61	185,44	52,3	ГОСТ 880-75
53528610000081	0	BK8-BK	Г2681		3551,01	174,71	49,2	ГОСТ 880-75
53528610000082	0	BK8-BK	Г2682		3557,06	163,98	46,1	ГОСТ 880-75
53528660000036	0	BK8-BK	Г36		0,00	0,00	10,00	ГОСТ 880-75
53528720005305	0	BK8-BK	Г5305		0,00	0,00	10,00	ГОСТ 880-75
53528730000001	0	BK8-BK	Г5401		5679,91	1,7	0,29	ГОСТ 880-75
53528730000002	0	BK8-BK	Г5402		4383,65	3,51	0,79	ГОСТ 880-75
53528730000003	0	BK8-BK	Г5403		4283,23	6,42	1,48	ГОСТ 880-75
53528730000011	0	BK8-BK	Г5411		3631,49	18,16	4,84	ГОСТ 880-75
53528730000013	0	BK8-BK	Г5413		3449,25	57,6	16,17	ГОСТ 880-75

53528730000014	0	БК8-БК	Г5414		3222,62	42,41	13,16	ГОСТ 880-75
53528730005405	0	БК8-БК	Г5405		0,00	0,00	2,57	ГОСТ 880-75
53528730005409	0	БК8-БК	Г5409		3934,09	24,39	6,14	ГОСТ 880-75
53528870000002	0	БК8-БК	Г6702		3467,72	49,94	14,4	ГОСТ 880-75
53528870000004	0	БК8-БК	Г6704		3346,55	196,44	58,7	ГОСТ 880-75
53528870006703	0	БК8-БК	Г6703		0,00	0,00	28,9	ГОСТ 880-75
53529600000608	0	БК8-БК	Г25-6*8		6036,51	16,9	2,5	ТУ 48-19-281-90
53529600250812	0	БК8-БК	Г25-8*12		0,00	0,00	7,5	ТУ 48-19-281-90
53529610000608	0	БК8-БК	Г26-6*8		5995,66	17,99	3,00	ТУ 48-19-281-90
53529610000808	0	БК8-БК	Г26-8*8		5639,83	29,89	5,3	ТУ 48-19-281-90
53529610000809	0	БК8-БК	Г26-8*9		5561,08	33,37	6,00	ТУ 48-19-281-90
53529610000810	0	БК8-БК	Г26-8*10		5501,13	36,31	6,6	ТУ 48-19-281-90
53529610000813	0	БК8-БК	Г26-8*13		5306,29	48,29	9,1	ТУ 48-19-281-90
53529610000914	0	БК8-БК	Г26-9*14		5189,09	58,12	11,2	ТУ 48-19-281-90
53529610001010	0	БК8-БК	Г26-10*10		5252,04	52,52	10,00	ТУ 48-19-281-90
53529610001011	0	БК8-БК	Г26-10*11		5179,49	59,05	11,4	ТУ 48-19-281-90
53529610001012	0	БК8-БК	Г26-10*12		5139,06	63,21	12,3	ТУ 48-19-281-90
53529610001016	0	БК8-БК	Г26-10*16		5027,7	77,33	16,35	ТУ 48-19-281-90
53529610001112	0	БК8-БК	Г26-11*12		5062,7	72,4	14,3	ТУ 48-19-281-90
53529610001113	0	БК8-БК	Г26-11*13		5009,23	80,15	16,00	ТУ 48-19-281-90
53529610001115	0	БК8-БК	Г26-11*15		4958,86	88,76	17,9	ТУ 48-19-281-90
53529610001212	0	БК8-БК	Г26-12*12		4981,64	84,69	17,00	ТУ 48-19-281-90
53529610001213	0	БК8-БК	Г26-12*13		4935,57	93,28	18,9	ТУ 48-19-281-90
53529610001214	0	БК8-БК	Г26-12*14		4902,11	100,49	20,5	ТУ 48-19-281-90
53529610001215	0	БК8-БК	Г26-12*15		4870,86	108,13	22,2	ТУ 48-19-281-90
53529610001216	0	БК8-БК	Г26-12*16		4841,77	116,2	24,00	ТУ 48-19-281-90
53529610001217	0	БК8-БК	Г26-12*17		4827,12	120,68	25,00	ТУ 48-19-281-90
53529610001218	0	БК8-БК	Г26-12*18		4809,47	126,49	26,3	ТУ 48-19-281-90
53529610001312	0	БК8-БК	Г26-13*12		4928,96	94,64	19,2	ТУ 48-19-281-90
53529610001314	0	БК8-БК	Г26-13*14		4844,82	115,31	23,8	ТУ 48-19-281-90
53529610001316	0	БК8-БК	Г26-13*16		4792,03	132,74	27,7	ТУ 48-19-281-90
53529610001317	0	БК8-БК	Г26-13*17		4782,72	136,31	28,5	ТУ 48-19-281-90
53529610001417	0	БК8-БК	Г26-14*17		4731,59	159,45	33,7	ТУ 48-19-281-90
53529610001418	0	БК8-БК	Г26-14*18		4715,41	168,34	35,7	ТУ 48-19-281-90
53529610001420	0	БК8-БК	Г26-14*20		4700,74	177,22	37,7	ТУ 48-19-281-90
53529610001520	0	БК8-БК	Г26-15*20		4655,63	210,9	45,3	ТУ 48-19-281-90
53529610001618	0	БК8-БК	Г26-16*18		4656,54	210,1	45,12	ТУ 48-19-281-90
53529610001620	0	БК8-БК	Г26-16*20		4629,02	237,01	51,2	ТУ 48-19-281-90
53529730000200	0	БК8-БК	Г047053 (ПР2)		5938,06	19,6	3,3	ТУ 48-19-281-90
53529730000300	0	БК8-БК	Г047054 (ПР3)		5520,41	35,33	6,4	ТУ 48-19-281-90
53529730000404	0	БК8-БК	Г54-4*4		6678,57	4,01	0,6	ТУ 48-19-281-90
53529730000505	0	БК8-БК	Г54-5*5		6394,02	8,95	1,4	ТУ 48-19-281-90
53529730000606	0	БК8-БК	Г54-6*6		6057,74	16,36	2,5	ТУ 48-19-281-90
53529730000806	0	БК8-БК	Г54-8*6		5772,91	24,82	4,3	ТУ 48-19-281-90
53529730000807	0	БК8-БК	Г54-8*7		5592,46	31,93	5,71	ТУ 48-19-281-90
53529730001008	0	БК8-БК	Г54-10*8		5299,92	48,76	9,2	ТУ 48-19-281-90
53529730001208	0	БК8-БК	Г54-12*8		5098,79	67,81	13,3	ТУ 48-19-281-90
53529730001210	0	БК8-БК	Г54-12*10		5004,35	80,92	16,17	ТУ 48-19-281-90
53531500000002	0	БК8-БК	Г022072 (РПП2М.002)		4307,46	379,06	88,00	ТУ 48-19-97-83
53600080000251	0	БК10-КС		2251	0,00	0,00	13,3	ГОСТ 25395-90
53600080002671	0	БК10-КС		2671	4736,39	82,98	17,22	ГОСТ 25395-90
53600240000550	0	БК10-КС		24550	4658,13	98,33	21,25	ГОСТ 25409-90
53600520000411	0	БК10-КС		61411	4286,1	189,02	43,3	ГОСТ 25395-90
53601620000391	0	БК10-КС		13391	4384,72	63,53	14,24	ГОСТ 17163-90
53601620000431	0	БК10-КС		13431	4324,38	107,63	24,45	ГОСТ 17163-90
53601630000612	0	БК10-КС		13612	4850,7	58,21	11,79	ГОСТ 17163-90
53601630000632	0	БК10-КС		13632	4711,58	91,4	19,07	ГОСТ 17163-90
53620170120408	0	БК10-КС	3-03113-120408		0,00	0,00	13,7	ОСТ 48-93-81
53628030000001	0	БК10-КС	Г011012 (2121/1)		5059,49	425,00	84,00	ТУ 48-19-328-76
53628120000007	0	БК10-КС	Г012082 (2171/7)		5045,67	478,68	94,87	ТУ 48-19-328-76
53628330000015	0	БК10-КС	Г013012 (2450/15)		4874,78	197,92	40,6	ТУ 48-19-328-76
53628340000016	0	БК10-КС	Г013022 (2450/16)		4879,31	192,49	46,5	ТУ 48-19-328-76
53628340000700	0	БК10-КС	Г017058 (ПР7)		4627,24	121,00	26,15	ТУ 48-19-328-76
53628340001000	0	БК10-КС	Г012112 (ПР10)		4614,04	133,58	30,2	ТУ 48-19-328-76
53628350000300	0	БК10-КС	Г037048 (ПР3)		5148,59	243,53	47,3	ТУ 48-19-328-76
53628350000600	0	БК10-КС	Г037052 (ПР6)		5067,69	398,32	78,6	ТУ 48-19-328-76
53628380000400	0	БК10-КС	Г067049 (ПР4)		6179,25	231,1	37,4	ТУ 48-19-328-76
53628380000500	0	БК10-КС	Г067050 (ПР5)		6308,84	184,85	29,3	ТУ 48-19-328-76
53628520000001	0	БК10-КС	Г1101		4184,16	180,34	44,76	ГОСТ 880-75
53628520000002	0	БК10-КС	Г1102		4179,06	210,83	52,4	ГОСТ 880-75
53628520000003	0	БК10-КС	Г1103		4175,83	235,47	58,57	ГОСТ 880-75
53628520000004	0	БК10-КС	Г1104		4170,56	289,44	72,09	ГОСТ 880-75
53628520000005	0	БК10-КС	Г1105		4175,02	242,53	39,3	ГОСТ 880-75
53628520000006	0	БК10-КС	Г1106		4167,04	340,28	84,82	ГОСТ 880-75
53628520000007	0	БК10-КС	Г1107		4165,54	367,28	91,58	ГОСТ 880-75
53628520000008	0	БК10-КС	Г1108		4163,95	400,91	100,00	ГОСТ 880-75
53628520000009	0	БК10-КС	Г1109		4162,47	438,06	109,3	ГОСТ 880-75

53628530000003	0	BK10-KC	Г1203		4457,42	117,27	27,33	ГОСТ 880-75
53628530000004	0	BK10-KC	Г1204		4471,39	103,74	24,09	ГОСТ 880-75
53628530000005	0	BK10-KC	Г1205		4448,23	127,93	29,6	ГОСТ 880-75
53628530000006	0	BK10-KC	Г1206		4431,36	152,53	35,75	ГОСТ 880-75
53628530000007	0	BK10-KC	Г1207		4444,1	133,28	30,36	ГОСТ 880-75
53628530000008	0	BK10-KC	Г1208		4420,99	172,2	40,45	ГОСТ 880-75
53628530000009	0	BK10-KC	Г1209		4472,34	102,91	24,00	ГОСТ 880-75
53628540000001	0	BK10-KC	Г1301		4176,93	226,47	55,7	ГОСТ 880-75
53628540000002	0	BK10-KC	Г1302		4171,2	281,68	66,4	ГОСТ 880-75
536285400000013	0	BK10-KC	Г1313		4168,99	310,17	74,4	ГОСТ 880-75
536285500000004	0	BK10-KC	Г1404		4192,19	145,85	39,8	ГОСТ 880-75
536285500000005	0	BK10-KC	Г1405		4189,26	156,97	42,86	ГОСТ 880-75
536285500000009	0	BK10-KC	Г1409		4183,67	182,91	50,11	ГОСТ 880-75
536285800000002	0	BK10-KC	Г2402		4259,08	48,21	11,8	ГОСТ 880-75
536286000000007	0	BK10-KC	Г2507		4352,93	17,11	3,87	ГОСТ 880-75
536286000000023	0	BK10-KC	Г2523		4902,51	55,94	13,06	ГОСТ 880-75
536286100000007	0	BK10-KC	Г2607		4348,84	17,87	4,04	ГОСТ 880-75
536286100000014	0	BK10-KC	Г2614		5231,21	20,24	4,01	ГОСТ 880-75
536286100000017	0	BK10-KC	Г2617		4983,09	42,75	8,91	ГОСТ 880-75
536286100000020	0	BK10-KC	Г2620		5071,96	32,51	6,7	ГОСТ 880-75
536286100000025	0	BK10-KC	Г2625		4921,29	52,41	11,07	ГОСТ 880-75
536286100000032	0	BK10-KC	Г2632		4831,68	72,91	15,67	ГОСТ 880-75
536286100000033	0	BK10-KC	Г2633		4848,92	68,13	14,6	ГОСТ 880-75
536286100000042	0	BK10-KC	Г2642		4828,72	73,78	16,00	ГОСТ 880-75
536286100000046	0	BK10-KC	Г2646		4719,08	123,73	27,23	ГОСТ 880-75
536286100000047	0	BK10-KC	Г2647		4730,13	116,41	25,7	ГОСТ 880-75
536286100000049	0	BK10-KC	Г2649		4757,84	100,96	22,04	ГОСТ 880-75
536286100000061	0	BK10-KC	Г2661		4772,73	94,02	19,4	ГОСТ 880-75
536286100000063	0	BK10-KC	Г2663		4660,21	181,52	40,45	ГОСТ 880-75
536286100000064	0	BK10-KC	Г2664		4676,8	160,98	35,75	ГОСТ 880-75
536286100000065	0	BK10-KC	Г2665		4686,18	151,13	33,6	ГОСТ 880-75
536286100000084	0	BK10-KC	Г2684		4418,69	177,19	39,45	ГОСТ 880-75
53628610002655	0	BK10-KC	Г2655		0,00	0,00	31,6	ГОСТ 880-75
536286300000033	0	BK10-KC	Г33		0,00	0,00	13,8	ГОСТ 880-75
536286500000036	0	BK10-KC	Г36		0,00	0,00	9,83	ГОСТ 880-75
53628730005409	0	BK10-KC	Г5409		4311,82	26,47	6,03	ГОСТ 880-75
53628730005411	0	BK10-KC	Г5411		4331,69	21,44	4,86	ГОСТ 880-75
536288400000000	0	BK10-KC	Г64		4666,02	173,81	38,69	ГОСТ 880-75
536288700000002	0	BK10-KC	Г6702		4544,2	61,71	14,1	ГОСТ 880-75
536288700000003	0	BK10-KC	Г6703		4454,07	120,97	28,21	ГОСТ 880-75
536288700000004	0	BK10-KC	Г6704		4396,47	243,34	57,49	ГОСТ 880-75
53629610000909	0	BK10-KC	Г26-9*9		6381,2	46,58	7,3	ТУ 48-19-281-90
53629610001010	0	BK10-KC	Г26-10*10		6201,71	58,48	9,83	ТУ 48-19-281-90
53629610001016	0	BK10-KC	Г26-10*16		5932,21	86,02	14,5	ТУ 48-19-281-90
53629610001110	0	BK10-KC	Г26-11*10		6066,21	70,37	11,6	ТУ 48-19-281-90
53629610001212	0	BK10-KC	Г26-12*12		5876,4	94,2	16,7	ТУ 48-19-281-90
53629610001215	0	BK10-KC	Г26-12*15		5742,00	120,18	22,2	ТУ 48-19-281-90
53629610001217	0	BK10-KC	Г26-12*17		5688,52	134,14	24,6	ТУ 48-19-281-90
53629610001218	0	BK10-KC	Г26-12*18		5667,09	140,54	25,9	ТУ 48-19-281-90
53629610001312	0	BK10-KC	Г26-13*12		5812,39	105,26	18,9	ТУ 48-19-281-90
53629610001313	0	BK10-KC	Г26-13*13		5731,73	122,66	21,4	ТУ 48-19-281-90
53629610001314	0	BK10-KC	Г26-13*14		5710,26	128,14	23,4	ТУ 48-19-281-90
53629610001417	0	BK10-KC	Г26-14*17		5532,67	197,52	35,7	ТУ 48-19-281-90
53629612601116	0	BK10-KC	Г26-11*16		0,00	0,00	17,7	ТУ 48-19-281-90
53629730000606	0	BK10-KC	Г54-6*6		7146,25	18,22	2,55	ТУ 48-19-281-90
53629730000806	0	BK10-KC	Г54-8*6		6817,9	27,61	4,9	ТУ 48-19-281-90
536300000000411	0	BK10-KC		1411	4288,00	182,24	41,8	ГОСТ 25395-90
536300000000431	0	BK10-KC		1431	4531,93	344,43	74,7	ГОСТ 25395-90
53630270000480	0	BK10-KC	Г022042 (2283/1)		5220,29	178,9	35,00	ТУ 48-19-328-76
53630280100300	0	BK10-KC	Г037051 (ПР3А)		5220,29	178,9	35,00	ТУ 48-19-249-91
53631120003900	0	BK10-KC	Г012132 (ПР39)		5318,21	129,23	24,3	ТУ 48-19-232-91
53631120004000	0	BK10-KC	Г012142 (ПР40)		5195,32	197,42	38,00	ТУ 48-19-232-91
53631120004100	0	BK10-KC	Г014012 (ПР41)		5211,55	185,01	35,5	ТУ 48-19-232-91
53631120010400	0	BK10-KC	Г017086 (ПР104)		4501,47	632,01	138,00	ТУ 48-19-232-91
53631120010500	0	BK10-KC	Г017087 (ПР105)		4514,48	453,25	98,7	ТУ 48-19-232-91
53631130004300	0	BK10-KC	В020012 (ПР43)		5021,34	165,7	33,00	ТУ 48-19-232-91
53631130004400	0	BK10-KC	В020013 (ПР44)		4841,07	1123,13	232,00	ТУ 48-19-232-91
53631130005600	0	BK10-KC	Д020088 (ПР56)		4791,54	392,91	82,00	ТУ 48-19-232-91
53631130011001	0	BK10-KC	ПР110-1(1333-9137-1/003)		4591,04	1024,72	219,4	ТУ 48-19-232-91
53631130011002	0	BK10-KC	ПР110-2(1333-9137-1/004)		4577,87	2521,03	541,3	ТУ 48-19-232-91
53631140004700	0	BK10-KC	В030043 (ПР47)		5112,59	843,58	165,00	ТУ 48-19-232-91
53631140006305	0	BK10-KC	Д030067 (ПР63-5)		4965,22	1690,66	334,7	ТУ 48-19-232-91
53631140007200	0	BK10-KC	Г037055(ПР72)		4985,08	1046,87	210,00	ТУ 48-19-232-91
53631140007300	0	BK10-KC	Г037056(ПР73)		4960,62	1969,37	397,00	ТУ 48-19-232-91
53631140008800	0	BK10-KC	Р030062 (ПР88)		5152,76	238,62	46,3	ТУ 48-19-232-91
53631140009401	0	BK10-KC	Д030192 (ПР94-1)		4964,64	1721,74	340,9	ТУ 48-19-232-91
53631140009402	0	BK10-KC	Д030193 (ПР94-2)		4957,79	2191,35	434,5	ТУ 48-19-232-91

53631140009501	0	BK10-KC	Ш030063 (ПР95-1)	5106,05	934,92	180,00	ТУ 48-19-232-91
53631140009502	0	BK10-KC	Ш030064 (ПР95-2)	5089,17	1294,18	250,00	ТУ 48-19-232-91
53631140010100	0	BK10-KC	M070001 (ПР101)	8833,33	256,17	28,5	ТУ 48-19-232-91
53631140010300	0	BK10-KC	Г037085(ПР103)	5066,57	401,78	78,00	ТУ 48-19-232-91
53631150008200	0	BK10-KC	Д040002 (ПР82)	5760,6	115,9	20,4	ТУ 48-19-232-91
53631170003701	0	BK10-KC	Г065082 (ПР37-1)	5567,4	71,26	12,8	ТУ 48-19-232-91
53631170003702	0	BK10-KC	Г065092 (ПР37-2)	5257,25	156,67	29,8	ТУ 48-19-232-91
53631170003703	0	BK10-KC	Г065102 (ПР37-3)	5175,54	214,79	41,5	ТУ 48-19-232-91
53631170004200	0	BK10-KC	Г065072 (ПР42)	5264,89	152,68	29,00	ТУ 48-19-232-91
53631210000100	0	BK10-KC	Г017035 (ПР1)	5264,89	152,68	41,00	ТУ 48-4205-44-94
53631500000002	0	BK10-KC	Г022072 (РПП2М.002)	0,00	0,00	86,5	ТУ 48-19-97-83
53631510000331	0	BK10-KC	1010-0331	4308,52	75,14	19,35	ГОСТ 10284-74
53631510000332	0	BK10-KC	1010-0332	3998,05	69,05	19,17	ГОСТ 10284-74
53631510000333	0	BK10-KC	1010-0333	3998,05	69,05	19,17	ГОСТ 10284-74
53631510000334	0	BK10-KC	1010-0334	3998,91	68,66	19,06	ГОСТ 10284-74
53631510000335	0	BK10-KC	1010-0335	3999,96	68,2	18,92	ГОСТ 10284-74
53631510000346	0	BK10-KC	1010-0346	4045,59	666,55	182,88	ГОСТ 10284-74
53631510000347	0	BK10-KC	1010-0347	4045,81	662,87	181,86	ГОСТ 10284-74
53631510000371	0	BK10-KC	1010-0371	3833,97	590,62	170,99	ГОСТ 10284-74
53631510000381	0	BK10-KC	1010-0381	4222,64	2141,98	563,05	ГОСТ 10284-74
53631510000471	0	BK10-KC	1010-0471	4145,23	181,02	48,47	ГОСТ 10284-74
53631510000472	0	BK10-KC	1010-0472	4146,98	178,61	47,81	ГОСТ 10284-74
53631510000473	0	BK10-KC	1010-0473	4148,4	176,68	47,27	ГОСТ 10284-74
53631510000474	0	BK10-KC	1010-0474	4089,04	312,52	84,83	ГОСТ 10284-74
53631510000475	0	BK10-KC	1010-0475	4090,69	306,19	83,08	ГОСТ 10284-74
53631510000477	0	BK10-KC	1010-0477	4071,35	400,25	109,12	ГОСТ 10284-74
53631510000479	0	BK10-KC	1010-0479	4039,17	796,36	218,84	ГОСТ 10284-74
53631510000482	0	BK10-KC	1010-0482	4028,52	1171,94	322,9	ГОСТ 10284-74
53631510000494	0	BK10-KC	1010-0494	3917,19	131,81	37,35	ГОСТ 10284-74
53631510000495	0	BK10-KC	1010-0495	3878,44	212,11	60,71	ГОСТ 10284-74
53631510000498	0	BK10-KC	1010-0498	3854,51	327,29	94,25	ГОСТ 10284-74
53631510000502	0	BK10-KC	1010-0502	3835,79	551,82	159,68	ГОСТ 10284-74
53631510000508	0	BK10-KC	1010-0508	4570,22	32,17	7,82	ГОСТ 10284-74
53631510000509	0	BK10-KC	1010-0509	4141,19	186,85	50,08	ГОСТ 10284-74
53631510000510	0	BK10-KC	1010-0510	4078,56	359,36	97,79	ГОСТ 10284-74
53631510000511	0	BK10-KC	1010-0511	4049,71	603,08	165,29	ГОСТ 10284-74
53631510000512	0	BK10-KC	1010-0512	4032,44	999,28	275,07	ГОСТ 10284-74
53631510000513	0	BK10-KC	1010-0513	4029,24	1136,08	312,96	ГОСТ 10284-74
53631510000514	0	BK10-KC	1010-0514	4019,18	1983,19	547,69	ГОСТ 10284-74
53631510000545	0	BK10-KC	1010-0545	4235,51	1266,8	330,52	ГОСТ 10284-74
53631510000546	0	BK10-KC	1010-0546	4236,4	1231,73	321,31	ГОСТ 10284-74
53631510000549	0	BK10-KC	1010-0549	4074,71	380,13	103,1	ГОСТ 10284-74
53631510000550	0	BK10-KC	1010-0550	4073,06	389,79	105,76	ГОСТ 10284-74
53631510000551	0	BK10-KC	1010-0551	4065,68	439,3	119,4	ГОСТ 10284-74
53631510000552	0	BK10-KC	1010-0552	4043,21	709,62	193,96	ГОСТ 10284-74
53631510000701	0	BK10-KC	1010-0701	4432,33	48,45	12,13	ГОСТ 10284-74
53631510000702	0	BK10-KC	1010-0702	3895,68	167,71	47,78	ГОСТ 10284-74
53631510000703	0	BK10-KC	1010-0703	3896,18	166,68	47,49	ГОСТ 10284-74
53631510000704	0	BK10-KC	1010-0704	3884,47	194,34	55,53	ГОСТ 10284-74
53631510000705	0	BK10-KC	1010-0705	3824,64	915,47	265,68	ГОСТ 10284-74
53631510000706	0	BK10-KC	1010-0706	4080,16	351,34	95,58	ГОСТ 10284-74
53631510000707	0	BK10-KC	1010-0707	4079,45	354,87	96,55	ГОСТ 10284-74
53631510000708	0	BK10-KC	1010-0708	4081,18	346,45	94,23	ГОСТ 10284-74
53631510000709	0	BK10-KC	1010-0709	4027,47	1228,9	338,69	ГОСТ 10284-74
53631510000711	0	BK10-KC	1010-0711	4065,2	442,94	120,94	ГОСТ 10284-74
53631510000712	0	BK10-KC	1010-0712	4060,13	485,39	132,7	ГОСТ 10284-74
53631510000713	0	BK10-KC	1010-0713	4044,8	680,38	186,71	ГОСТ 10284-74
53631510000714	0	BK10-KC	1010-0714	4045,34	670,88	184,08	ГОСТ 10284-74
53631510000715	0	BK10-KC	1010-0715	4061,19	475,85	130,05	ГОСТ 10284-74
53631510000716	0	BK10-KC	1010-0716	4025,53	1349,56	372,11	ГОСТ 10284-74
53631510000717	0	BK10-KC	1010-0717	4038,42	814,83	223,96	ГОСТ 10284-74
53631510000718	0	BK10-KC	1010-0718	4046,4	653,13	179,16	ГОСТ 10284-74
53631510000719	0	BK10-KC	1010-0719	4025,8	1330,85	366,93	ГОСТ 10284-74
53631510000721	0	BK10-KC	1010-0721	4026,07	1313,38	362,09	ГОСТ 10284-74
53631510000722	0	BK10-KC	1010-0722	4026,16	1307,42	360,44	ГОСТ 10284-74
53631510000723	0	BK10-KC	1010-0723	4223,69	2028,22	533,08	ГОСТ 10284-74
53631510000724	0	BK10-KC	1010-0724	4224,13	1984,12	521,36	ГОСТ 10284-74
53631510000725	0	BK10-KC	1010-0725	4221,31	2305,89	606,32	ГОСТ 10284-74
53631510000726	0	BK10-KC	1010-0726	4221,46	2286,59	601,23	ГОСТ 10284-74
53631510000727	0	BK10-KC	1010-0727	4221,7	2255,95	593,14	ГОСТ 10284-74
53631510000728	0	BK10-KC	1010-0728	4216,77	3119,36	821,1	ГОСТ 10284-74
53631510000729	0	BK10-KC	1010-0729	4216,99	3066,18	807,06	ГОСТ 10284-74
53631510000731	0	BK10-KC	1010-0731	4217,05	3053,86	803,81	ГОСТ 10284-74
53631510000732	0	BK10-KC	1010-0732	4217,28	3001,81	790,06	ГОСТ 10284-74
53631510000733	0	BK10-KC	1010-0733	4217,35	2985,04	785,64	ГОСТ 10284-74
53631510000734	0	BK10-KC	1010-0734	4217,73	2902,35	763,81	ГОСТ 10284-74
53631510000735	0	BK10-KC	1010-0735	4211,8	5075,89	1337,69	ГОСТ 10284-74

53631510000736	0	BK10-KC	1010-0736	4211,86	5036,04	1327,17	ГОСТ 10284-74
53631510000737	0	BK10-KC	1010-0737	4211,94	4986,73	1314,14	ГОСТ 10284-74
53631510000738	0	BK10-KC	1010-0738	4212,08	4902,56	1291,93	ГОСТ 10284-74
53631510000739	0	BK10-KC	1010-0739	4212,23	4816,17	1269,12	ГОСТ 10284-74
53631510000741	0	BK10-KC	1010-0741	4212,29	4777,84	1258,99	ГОСТ 10284-74
53631510000742	0	BK10-KC	1010-0742	4212,47	4677,91	1232,61	ГОСТ 10284-74
53631510000743	0	BK10-KC	1010-0743	4212,63	4594,04	1210,46	ГОСТ 10284-74
53631510000744	0	BK10-KC	1010-0744	4210,8	5801,94	1529,39	ГОСТ 10284-74
53631510000745	0	BK10-KC	1010-0745	4210,93	5698,31	1502,03	ГОСТ 10284-74
53631510000746	0	BK10-KC	1010-0746	4208,59	8503,63	2242,74	ГОСТ 10284-74
53631510000747	0	BK10-KC	1010-0747	4208,84	8092,5	2134,18	ГОСТ 10284-74
53631510000748	0	BK10-KC	1010-0748	4209,14	7631,42	2012,44	ГОСТ 10284-74
53631510000751	0	BK10-KC	1010-0751	4432,33	48,45	12,13	ГОСТ 10284-74
53631510000752	0	BK10-KC	1010-0752	4308,25	75,22	19,38	ГОСТ 10284-74
53631510000753	0	BK10-KC	1010-0753	3997,2	69,43	19,28	ГОСТ 10284-74
53631510000754	0	BK10-KC	1010-0754	3948,79	98,8	27,77	ГОСТ 10284-74
53631510000755	0	BK10-KC	1010-0755	3950,18	97,69	27,45	ГОСТ 10284-74
53631510000756	0	BK10-KC	1010-0756	3872,22	233,88	67,05	ГОСТ 10284-74
53631510000757	0	BK10-KC	1010-0757	3872,31	233,54	66,94	ГОСТ 10284-74
53631510000758	0	BK10-KC	1010-0758	3872,84	231,52	66,36	ГОСТ 10284-74
53631510000759	0	BK10-KC	1010-0759	3873,8	227,97	65,32	ГОСТ 10284-74
53631510000761	0	BK10-KC	1010-0761	3833,92	591,57	171,27	ГОСТ 10284-74
53631510000762	0	BK10-KC	1010-0762	4044,51	685,5	188,13	ГОСТ 10284-74
53631510000763	0	BK10-KC	1010-0763	4046,37	653,57	179,28	ГОСТ 10284-74
53631510000764	0	BK10-KC	1010-0764	4045,45	668,96	183,55	ГОСТ 10284-74
53631510000765	0	BK10-KC	1010-0765	4045,86	662,1	181,65	ГОСТ 10284-74
53631510000766	0	BK10-KC	1010-0766	4046,62	649,56	178,17	ГОСТ 10284-74
53631510000767	0	BK10-KC	1010-0767	4026,4	1292,35	356,27	ГОСТ 10284-74
53631510000768	0	BK10-KC	1010-0768	4227,64	1689,62	443,61	ГОСТ 10284-74
53631510000769	0	BK10-KC	1010-0769	4227,87	1673,35	439,31	ГОСТ 10284-74
53631510000771	0	BK10-KC	1010-0771	4228,57	1625,84	426,77	ГОСТ 10284-74
53631510000772	0	BK10-KC	1010-0772	4222,63	2142,94	563,3	ГОСТ 10284-74
53631510000773	0	BK10-KC	1010-0773	4223,19	2080,64	546,85	ГОСТ 10284-74
53631510000774	0	BK10-KC	1010-0774	4218,98	2663,06	700,63	ГОСТ 10284-74
53631510000775	0	BK10-KC	1010-0775	4219,02	2656,25	698,82	ГОСТ 10284-74
53631510000781	0	BK10-KC	1010-0781	4243,84	99,86	26,11	ГОСТ 10284-74
53631510000782	0	BK10-KC	1010-0782	4244,09	99,74	25,93	ГОСТ 10284-74
53631510000783	0	BK10-KC	1010-0783	4245,27	99,17	22,72	ГОСТ 10284-74
53631510000784	0	BK10-KC	1010-0784	4245,44	99,09	25,91	ГОСТ 10284-74
53631510000785	0	BK10-KC	1010-0785	4245,7	98,97	25,88	ГОСТ 10284-74
53631510000786	0	BK10-KC	1010-0786	4169,68	151,86	40,42	ГОСТ 10284-74
53631510000787	0	BK10-KC	1010-0787	4169,8	151,74	40,39	ГОСТ 10284-74
53631510000788	0	BK10-KC	1010-0788	4169,96	151,58	40,35	ГОСТ 10284-74
53631510000789	0	BK10-KC	1010-0789	4132,6	200,47	53,85	ГОСТ 10284-74
53631510000791	0	BK10-KC	1010-0791	4171,16	150,37	40,01	ГОСТ 10284-74
53631510000792	0	BK10-KC	1010-0792	4171,33	150,21	39,97	ГОСТ 10284-74
53631510000793	0	BK10-KC	1010-0793	4171,57	149,97	39,91	ГОСТ 10284-74
53631510000794	0	BK10-KC	1010-0794	4171,77	149,77	39,85	ГОСТ 10284-74
53631510000795	0	BK10-KC	1010-0795	4171,97	149,57	39,79	ГОСТ 10284-74
53631510000796	0	BK10-KC	1010-0796	4103,42	264,51	71,55	ГОСТ 10284-74
53631510000797	0	BK10-KC	1010-0797	4103,54	264,19	71,46	ГОСТ 10284-74
53631510000798	0	BK10-KC	1010-0798	4065,94	437,33	119,38	ГОСТ 10284-74
53631510000799	0	BK10-KC	1010-0799	4065,99	437,01	119,3	ГОСТ 10284-74
53631510000801	0	BK10-KC	1010-0801	4066,03	436,69	119,21	ГОСТ 10284-74
53631510000802	0	BK10-KC	1010-0802	4104,2	262,3	70,93	ГОСТ 10284-74
53631510000803	0	BK10-KC	1010-0803	4104,38	261,82	70,8	ГОСТ 10284-74
53631510000804	0	BK10-KC	1010-0804	4049,49	606,17	166,15	ГОСТ 10284-74
53631510000805	0	BK10-KC	1010-0805	4049,53	605,69	166,02	ГОСТ 10284-74
53631510000806	0	BK10-KC	1010-0806	4049,56	605,29	165,91	ГОСТ 10284-74
53631510000807	0	BK10-KC	1010-0807	4049,59	604,89	165,79	ГОСТ 10284-74
53631510000808	0	BK10-KC	1010-0808	4049,62	604,45	165,67	ГОСТ 10284-74
53631510000809	0	BK10-KC	1010-0809	4049,65	604,01	165,55	ГОСТ 10284-74
53631510000811	0	BK10-KC	1010-0811	4049,71	603,16	165,32	ГОСТ 10284-74
53631510000812	0	BK10-KC	1010-0812	4089,12	312,2	84,75	ГОСТ 10284-74
53631510000813	0	BK10-KC	1010-0813	4069,08	415,05	113,22	ГОСТ 10284-74
53631510000814	0	BK10-KC	1010-0814	4069,19	414,32	113,02	ГОСТ 10284-74
53631510000815	0	BK10-KC	1010-0815	4069,29	413,64	112,83	ГОСТ 10284-74
53631510000816	0	BK10-KC	1010-0816	4057,43	511,32	139,88	ГОСТ 10284-74
53631510000817	0	BK10-KC	1010-0817	4048,68	617,83	169,38	ГОСТ 10284-74
53631510000818	0	BK10-KC	1010-0818	4042,68	719,92	197,66	ГОСТ 10284-74
53631510000819	0	BK10-KC	1010-0819	4039,84	780,54	214,46	ГОСТ 10284-74
53631510000822	0	BK10-KC	1010-0822	4070,65	404,74	110,37	ГОСТ 10284-74
53631510000823	0	BK10-KC	1010-0823	4058,56	500,22	136,8	ГОСТ 10284-74
53631510000824	0	BK10-KC	1010-0824	4049,61	604,57	165,7	ГОСТ 10284-74
53631510000825	0	BK10-KC	1010-0825	4042,45	724,53	198,94	ГОСТ 10284-74
53631510000826	0	BK10-KC	1010-0826	4040,59	763,55	209,75	ГОСТ 10284-74
53631510000827	0	BK10-KC	1010-0827	4038,93	802,29	220,48	ГОСТ 10284-74

53631510000829	0	BK10-KC	1010-0829	4033,27	968,79	266,62	ГОСТ 10284-74
53631510000831	0	BK10-KC	1010-0831	4029,37	1129,43	311,13	ГОСТ 10284-74
53631510000832	0	BK10-KC	1010-0832	4027,55	1224,05	337,34	ГОСТ 10284-74
53631510000833	0	BK10-KC	1010-0833	4026,51	1285,66	354,41	ГОСТ 10284-74
53631510000834	0	BK10-KC	1010-0834	4027,56	1223,57	337,21	ГОСТ 10284-74
53631510000843	0	BK10-KC	1010-0843	4383,88	56,86	14,4	ГОСТ 10284-74
53631510000846	0	BK10-KC	1010-0846	4386,64	56,32	12,55	ГОСТ 10284-74
53631510000847	0	BK10-KC	1010-0847	4315,7	73,02	18,78	ГОСТ 10284-74
53631510000848	0	BK10-KC	1010-0848	4315,99	72,94	18,76	ГОСТ 10284-74
53631510000849	0	BK10-KC	1010-0849	4316,55	72,78	18,72	ГОСТ 10284-74
53631510000851	0	BK10-KC	1010-0851	4317,12	72,61	18,67	ГОСТ 10284-74
53631510000852	0	BK10-KC	1010-0852	4187,47	135,55	35,93	ГОСТ 10284-74
53631510000853	0	BK10-KC	1010-0853	4187,72	135,35	35,88	ГОСТ 10284-74
53631510000854	0	BK10-KC	1010-0854	4187,96	135,15	35,82	ГОСТ 10284-74
53631510000855	0	BK10-KC	1010-0855	4188,21	134,94	35,76	ГОСТ 10284-74
53631510000856	0	BK10-KC	1010-0856	4188,45	134,74	35,7	ГОСТ 10284-74
53631510000857	0	BK10-KC	1010-0857	4173,58	148,00	39,36	ГОСТ 10284-74
53631510000858	0	BK10-KC	1010-0858	4173,95	147,63	39,26	ГОСТ 10284-74
53631510000859	0	BK10-KC	1010-0859	4174,29	147,31	39,17	ГОСТ 10284-74
53631510000861	0	BK10-KC	1010-0861	4174,62	146,99	39,09	ГОСТ 10284-74
53631510000862	0	BK10-KC	1010-0862	4161,12	161,04	42,95	ГОСТ 10284-74
53631510000863	0	BK10-KC	1010-0863	4161,41	160,71	42,87	ГОСТ 10284-74
53631510000864	0	BK10-KC	1010-0864	4118,55	227,18	61,23	ГОСТ 10284-74
53631510000865	0	BK10-KC	1010-0865	4118,78	226,7	61,1	ГОСТ 10284-74
53631510000866	0	BK10-KC	1010-0866	4118,95	226,34	60,99	ГОСТ 10284-74
53631510000867	0	BK10-KC	1010-0867	4108,57	250,58	67,69	ГОСТ 10284-74
53631510000868	0	BK10-KC	1010-0868	4108,73	250,18	67,59	ГОСТ 10284-74
53631510000869	0	BK10-KC	1010-0869	4152,35	171,53	45,86	ГОСТ 10284-74
53631510000871	0	BK10-KC	1010-0871	4089,43	311,00	84,41	ГОСТ 10284-74
53631510000872	0	BK10-KC	1010-0872	4089,53	310,6	84,3	ГОСТ 10284-74
53631510000873	0	BK10-KC	1010-0873	4066,52	433,04	118,21	ГОСТ 10284-74
53631510000874	0	BK10-KC	1010-0874	4120,89	222,28	59,88	ГОСТ 10284-74
53631510000875	0	BK10-KC	1010-0875	4110,46	245,81	66,38	ГОСТ 10284-74
53631510000876	0	BK10-KC	1010-0876	4101,77	269,28	72,87	ГОСТ 10284-74
53631510000877	0	BK10-KC	1010-0877	4091,03	304,9	82,73	ГОСТ 10284-74
53631510000878	0	BK10-KC	1010-0878	4082,6	339,79	92,38	ГОСТ 10284-74
53631510000879	0	BK10-KC	1010-0879	4077,94	362,57	98,69	ГОСТ 10284-74
53631510000881	0	BK10-KC	1010-0881	4078,21	361,17	98,3	ГОСТ 10284-74
53631510000882	0	BK10-KC	1010-0882	4066,62	432,32	118,00	ГОСТ 10284-74
53631510000883	0	BK10-KC	1010-0883	4111,33	243,68	65,78	ГОСТ 10284-74
53631510000884	0	BK10-KC	1010-0884	4091,7	302,42	82,04	ГОСТ 10284-74
53631510000885	0	BK10-KC	1010-0885	4078,22	361,13	98,29	ГОСТ 10284-74
53631510000886	0	BK10-KC	1010-0886	4068,39	419,78	114,52	ГОСТ 10284-74
53631510000887	0	BK10-KC	1010-0887	4060,89	478,5	130,79	ГОСТ 10284-74
53631510000891	0	BK10-KC	1010-0891	4051,4	580,36	159,01	ГОСТ 10284-74
53631510000892	0	BK10-KC	1010-0892	4046,03	659,18	180,84	ГОСТ 10284-74
53631510000893	0	BK10-KC	1010-0893	4091,35	303,7	82,39	ГОСТ 10284-74
53631510000894	0	BK10-KC	1010-0894	4076,83	368,42	100,31	ГОСТ 10284-74
53631510000895	0	BK10-KC	1010-0895	4068,88	416,45	113,61	ГОСТ 10284-74
53631510000896	0	BK10-KC	1010-0896	4058,8	497,85	136,14	ГОСТ 10284-74
53631510000897	0	BK10-KC	1010-0897	4051,5	579,16	158,67	ГОСТ 10284-74
53631510000898	0	BK10-KC	1010-0898	4048,05	627,25	171,99	ГОСТ 10284-74
53631510000899	0	BK10-KC	1010-0899	4046,1	657,98	180,5	ГОСТ 10284-74
53631510000901	0	BK10-KC	1010-0901	4091,92	301,62	81,82	ГОСТ 10284-74
53631510000902	0	BK10-KC	1010-0902	4077,28	366,06	99,65	ГОСТ 10284-74
53631510000903	0	BK10-KC	1010-0903	4069,25	413,92	112,9	ГОСТ 10284-74
53631510000904	0	BK10-KC	1010-0904	4059,34	492,76	134,74	ГОСТ 10284-74
53631510000905	0	BK10-KC	1010-0905	4050,52	592,1	162,26	ГОСТ 10284-74
53631510000906	0	BK10-KC	1010-0906	4046,16	657,14	180,27	ГОСТ 10284-74
53631510000915	0	BK10-KC	1010-0915	4029,23	1136,24	313,02	ГОСТ 10284-74
53631510000916	0	BK10-KC	1010-0916	4062,85	461,7	126,13	ГОСТ 10284-74
53631510000917	0	BK10-KC	1010-0917	4052,97	560,69	153,55	ГОСТ 10284-74
53631510000918	0	BK10-KC	1010-0918	4047,59	634,22	173,92	ГОСТ 10284-74
53631510000919	0	BK10-KC	1010-0919	4040,81	758,7	208,41	ГОСТ 10284-74
53631510000921	0	BK10-KC	1010-0921	4033,53	959,62	264,07	ГОСТ 10284-74
53631510000923	0	BK10-KC	1010-0923	4041,66	740,63	203,41	ГОСТ 10284-74
53631510000926	0	BK10-KC	1010-0926	4225,05	1897,72	498,55	ГОСТ 10284-74
53631510000927	0	BK10-KC	1010-0927	4034,97	912,1	250,91	ГОСТ 10284-74
53631510000928	0	BK10-KC	1010-0928	4035,13	907,22	249,56	ГОСТ 10284-74
53631510000929	0	BK10-KC	1010-0929	4035,26	903,13	248,42	ГОСТ 10284-74
53631510000931	0	BK10-KC	1010-0931	4030,43	1080,96	297,69	ГОСТ 10284-74
53631510000933	0	BK10-KC	1010-0933	4230,48	1508,42	395,77	ГОСТ 10284-74
53631510000934	0	BK10-KC	1010-0934	4225,18	1885,82	495,42	ГОСТ 10284-74
53631510000935	0	BK10-KC	1010-0935	4043,29	708,1	194,39	ГОСТ 10284-74
53631510000937	0	BK10-KC	1010-0937	4036,24	873,85	240,31	ГОСТ 10284-74
53631510000938	0	BK10-KC	1010-0938	4036,44	867,92	238,67	ГОСТ 10284-74
53631510000939	0	BK10-KC	1010-0939	4036,65	862,07	237,05	ГОСТ 10284-74

53631510000943	0	BK10-KC	1010-0943	4231,79	1437,24	376,97	ГОСТ 10284-74
53631510000944	0	BK10-KC	1010-0944	4231,9	1431,1	375,35	ГОСТ 10284-74
53631510000945	0	BK10-KC	1010-0945	4226,31	1790,6	470,28	ГОСТ 10284-74
53631510000946	0	BK10-KC	1010-0946	4226,38	1784,42	468,64	ГОСТ 10284-74
53631510000947	0	BK10-KC	1010-0947	4028,34	1181,27	325,49	ГОСТ 10284-74
53631510000949	0	BK10-KC	1010-0949	4028,71	1162,04	320,16	ГОСТ 10284-74
53631510000957	0	BK10-KC	1010-0957	4020,4	1820,39	502,58	ГОСТ 10284-74
53631510000959	0	BK10-KC	1010-0959	4016,75	2417,52	668,04	ГОСТ 10284-74
53631510000961	0	BK10-KC	1010-0961	4216,54	3176,11	836,08	ГОСТ 10284-74
53631510000964	0	BK10-KC	1010-0964	4017,26	2310,21	638,31	ГОСТ 10284-74
53631510000981	0	BK10-KC	1010-0981	4052,56	565,74	154,95	ГОСТ 10284-74
53631510000982	0	BK10-KC	1010-0982	4036,41	869,04	238,97	ГОСТ 10284-74
53631510000983	0	BK10-KC	1010-0983	4038,02	825,25	226,84	ГОСТ 10284-74
53631510000985	0	BK10-KC	1010-0985	4022,39	1603,69	442,53	ГОСТ 10284-74
53631510000991	0	BK10-KC	1010-0991	4287,18	473,99	122,18	ГОСТ 10284-74
53631510000992	0	BK10-KC	1010-0992	4290,52	455,27	117,26	ГОСТ 10284-74
53631510000994	0	BK10-KC	1010-0994	4235,96	1248,93	325,83	ГОСТ 10284-74
53631510000995	0	BK10-KC	1010-0995	4237,77	1181,74	308,17	ГОСТ 10284-74
53631510000996	0	BK10-KC	1010-0996	4231,27	1464,48	382,48	ГОСТ 10284-74
53631510001651	0	BK10-KC	1010-1651	4070,62	404,94	110,42	ГОСТ 10284-74
53631510001652	0	BK10-KC	1010-1652	4046,77	647,08	177,49	ГОСТ 10284-74
53631510001653	0	BK10-KC	1010-1653	4040,17	773,01	212,37	ГОСТ 10284-74
53631510001654	0	BK10-KC	1010-1654	4028,23	1187,24	327,14	ГОСТ 10284-74
53631510001671	0	BK10-KC	1010-1671	4075,51	44,18	12,03	ГОСТ 10284-74
53631510001672	0	BK10-KC	1010-1672	4076,01	44,06	12,00	ГОСТ 10284-74
53631510001673	0	BK10-KC	1010-1673	3948,84	98,76	27,76	ГОСТ 10284-74
53631510001674	0	BK10-KC	1010-1674	3916,4	132,88	37,66	ГОСТ 10284-74
53631510001675	0	BK10-KC	1010-1675	3855,26	321,91	92,79	ГОСТ 10284-74
53631510001676	0	BK10-KC	1010-1676	3854,55	326,98	94,15	ГОСТ 10284-74
53631510001678	0	BK10-KC	1010-1678	3841,62	455,77	131,68	ГОСТ 10284-74
53631510001679	0	BK10-KC	1010-1679	3835,93	549,19	158,91	ГОСТ 10284-74
53631510001683	0	BK10-KC	1010-1683	3820,1	1244,51	361,61	ГОСТ 10284-74
53631510001685	0	BK10-KC	1010-1685	3820,2	1234,69	358,74	ГОСТ 10284-74
53631510001692	0	BK10-KC	1010-1692	3817,72	1530,56	445,00	ГОСТ 10284-74
53631510001701	0	BK10-KC	1010-1701	3877,14	216,34	61,66	ГОСТ 10284-74
53631510001702	0	BK10-KC	1010-1702	3845,62	406,64	116,85	ГОСТ 10284-74
53631510001703	0	BK10-KC	1010-1703	3847,66	385,38	110,68	ГОСТ 10284-74
53631510001704	0	BK10-KC	1010-1704	3846,19	400,43	115,05	ГОСТ 10284-74
53631510001705	0	BK10-KC	1010-1705	3837,65	517,2	148,93	ГОСТ 10284-74
53631510001706	0	BK10-KC	1010-1706	3837,97	511,75	147,34	ГОСТ 10284-74
53631510001707	0	BK10-KC	1010-1707	3838,11	509,24	146,62	ГОСТ 10284-74
53631510001708	0	BK10-KC	1010-1708	3819,87	1267,24	366,62	ГОСТ 10284-74
53631510001709	0	BK10-KC	1010-1709	3819,91	1262,82	365,33	ГОСТ 10284-74
53631510001711	0	BK10-KC	1010-1711	3820,00	1254,07	362,78	ГОСТ 10284-74
53631510001712	0	BK10-KC	1010-1712	3820,12	1242,00	359,28	ГОСТ 10284-74
53631510001713	0	BK10-KC	1010-1713	3813,72	2486,28	720,44	ГОСТ 10284-74
53631510001714	0	BK10-KC	1010-1714	3812,51	3060,00	886,96	ГОСТ 10284-74
53631510001715	0	BK10-KC	1010-1715	3811,78	3558,03	1031,52	ГОСТ 10284-74
53631510001716	0	BK10-KC	1010-1716	3810,41	5113,07	1482,89	ГОСТ 10284-74
53631510001717	0	BK10-KC	1010-1717	3810,45	5039,63	1461,51	ГОСТ 10284-74
53631510001721	0	BK10-KC	1010-1721	4174,19	27,47	7,27	ГОСТ 10284-74
53631510001722	0	BK10-KC	1010-1722	4137,15	32,6	8,7	ГОСТ 10284-74
53631510001723	0	BK10-KC	1010-1723	4142,36	31,81	8,48	ГОСТ 10284-74
53631510001724	0	BK10-KC	1010-1724	4129,65	33,78	9,04	ГОСТ 10284-74
53631510001725	0	BK10-KC	1010-1725	4149,65	30,75	8,2	ГОСТ 10284-74
53631510001726	0	BK10-KC	1010-1726	4160,46	29,25	7,77	ГОСТ 10284-74
53631510001727	0	BK10-KC	1010-1727	4175,14	27,35	7,24	ГОСТ 10284-74
53631510001728	0	BK10-KC	1010-1728	4049,78	50,7	13,83	ГОСТ 10284-74
53631510001729	0	BK10-KC	1010-1729	4057,5	48,61	13,23	ГОСТ 10284-74
53631510001731	0	BK10-KC	1010-1731	4061,84	47,48	12,92	ГОСТ 10284-74
53631510001732	0	BK10-KC	1010-1732	4071,83	45,03	12,23	ГОСТ 10284-74
53631510001733	0	BK10-KC	1010-1733	4089,96	41,02	11,09	ГОСТ 10284-74
53631510001734	0	BK10-KC	1010-1734	3933,08	113,15	31,8	ГОСТ 10284-74
53631510001735	0	BK10-KC	1010-1735	3936,68	109,56	30,75	ГОСТ 10284-74
53631510001736	0	BK10-KC	1010-1736	3939,33	107,03	30,02	ГОСТ 10284-74
53631510001737	0	BK10-KC	1010-1737	3888,11	184,88	52,54	ГОСТ 10284-74
53631510001738	0	BK10-KC	1010-1738	3891,29	177,29	50,34	ГОСТ 10284-74
53631510001739	0	BK10-KC	1010-1739	3893,09	173,24	49,17	ГОСТ 10284-74
53631510001741	0	BK10-KC	1010-1741	3856,91	310,75	89,04	ГОСТ 10284-74
53631510001742	0	BK10-KC	1010-1742	3844,6	418,14	120,19	ГОСТ 10284-74
53631510001743	0	BK10-KC	1010-1743	3845,00	413,57	118,85	ГОСТ 10284-74
53631510001744	0	BK10-KC	1010-1744	3846,04	402,1	115,54	ГОСТ 10284-74
53631510001745	0	BK10-KC	1010-1745	3834,53	578,13	166,61	ГОСТ 10284-74
53631510001746	0	BK10-KC	1010-1746	3834,98	568,38	163,78	ГОСТ 10284-74
53631510001747	0	BK10-KC	1010-1747	3835,58	556,08	160,22	ГОСТ 10284-74
53631510001748	0	BK10-KC	1010-1748	3836,24	543,1	156,45	ГОСТ 10284-74
53631510001749	0	BK10-KC	1010-1749	3828,32	752,95	217,35	ГОСТ 10284-74

53631510001751	0	BK10-KC	1010-1751	3829,09	725,88	209,49	ГОСТ 10284-74
53631510001752	0	BK10-KC	1010-1752	3824,37	929,97	268,73	ГОСТ 10284-74
53631510001753	0	BK10-KC	1010-1753	3825,3	881,43	254,63	ГОСТ 10284-74
53631510001754	0	BK10-KC	1010-1754	3820,56	1201,03	347,39	ГОСТ 10284-74
53631510001755	0	BK10-KC	1010-1755	3817,31	1592,74	461,1	ГОСТ 10284-74
53631510001756	0	BK10-KC	1010-1756	3814,69	2158,73	625,36	ГОСТ 10284-74
53631510001771	0	BK10-KC	1010-1771	4040,55	764,51	209,09	ГОСТ 10284-74
53631510001772	0	BK10-KC	1010-1772	4042,38	725,97	198,46	ГОСТ 10284-74
53631510001773	0	BK10-KC	1010-1773	4028,26	1185,28	325,16	ГОСТ 10284-74
53631510001803	0	BK10-KC	1010-1803	4208,8	8146,3	2148,39	ГОСТ 10284-74
53631510001804	0	BK10-KC	1010-1804	4209,1	7691,49	2028,3	ГОСТ 10284-74
53631510001806	0	BK10-KC	1010-1806	3824,51	922,4	266,52	ГОСТ 10284-74
53631510034620	0	BK10-KC	1010-0346*20	4083,32	336,51	91,44	ГОСТ 10284-74
53631510034630	0	BK10-KC	1010-0346*30	4058,42	501,5	137,16	ГОСТ 10284-74
53631510034730	0	BK10-KC	1010-0347*30	4058,7	498,77	136,39	ГОСТ 10284-74
53631510037120	0	BK10-KC	1010-0371*20	3852,01	346,45	95,00	ГОСТ 10284-74
53631510037130	0	BK10-KC	1010-0371*30	3837,63	517,66	142,48	ГОСТ 10284-74
53631510070220	0	BK10-KC	1010-0702*20	3921,14	126,69	34,13	ГОСТ 10284-74
53631510070420	0	BK10-KC	1010-0704*20	3907,09	146,75	39,67	ГОСТ 10284-74
53631510070520	0	BK10-KC	1010-0705*20	3830,26	688,14	189,77	ГОСТ 10284-74
53631510070620	0	BK10-KC	1010-0706*20	4128,55	207,54	53,1	ГОСТ 10284-74
53631510070630	0	BK10-KC	1010-0706*30	4090,09	308,43	79,65	ГОСТ 10284-74
53631510070710	0	BK10-KC	1010-0707*10	4229,18	107,42	26,82	ГОСТ 10284-74
53631510070720	0	BK10-KC	1010-0707*20	4127,43	209,59	53,64	ГОСТ 10284-74
53631510070730	0	BK10-KC	1010-0707*30	4089,29	311,52	80,46	ГОСТ 10284-74
53631510070820	0	BK10-KC	1010-0708*20	4130,15	204,69	52,35	ГОСТ 10284-74
53631510070830	0	BK10-KC	1010-0708*30	4091,22	304,18	78,53	ГОСТ 10284-74
53631510070920	0	BK10-KC	1010-0709*20	4042,67	720,16	188,16	ГОСТ 10284-74
53631510070930	0	BK10-KC	1010-0709*30	4030,52	1077,00	282,24	ГОСТ 10284-74
53631510071110	0	BK10-KC	1010-0711*10	4190,24	133,29	33,6	ГОСТ 10284-74
53631510071120	0	BK10-KC	1010-0711*20	4104,64	261,1	67,19	ГОСТ 10284-74
53631510071130	0	BK10-KC	1010-0711*30	4073,25	388,67	100,79	ГОСТ 10284-74
53631510071220	0	BK10-KC	1010-0712*20	4110,48	245,77	66,36	ГОСТ 10284-74
53631510071230	0	BK10-KC	1010-0712*30	4077,33	365,78	99,52	ГОСТ 10284-74
53631510071320	0	BK10-KC	1010-0713*20	4081,8	343,52	93,36	ГОСТ 10284-74
53631510071330	0	BK10-KC	1010-0713*30	4057,36	512,04	140,03	ГОСТ 10284-74
53631510071430	0	BK10-KC	1010-0714*30	4058,1	504,63	138,06	ГОСТ 10284-74
53631510071520	0	BK10-KC	1010-0715*20	4112,49	240,87	65,03	ГОСТ 10284-74
53631510071530	0	BK10-KC	1010-0715*30	4078,76	358,36	97,55	ГОСТ 10284-74
53631510071620	0	BK10-KC	1010-0716*20	4044,92	678,13	186,06	ГОСТ 10284-74
53631510071630	0	BK10-KC	1010-0716*30	4032,05	1014,14	279,08	ГОСТ 10284-74
53631510071720	0	BK10-KC	1010-0717*20	4069,74	410,64	111,99	ГОСТ 10284-74
53631510071730	0	BK10-KC	1010-0717*30	4049,01	613,02	167,97	ГОСТ 10284-74
53631510071820	0	BK10-KC	1010-0718*20	4084,82	329,89	89,59	ГОСТ 10284-74
53631510071830	0	BK10-KC	1010-0718*30	4059,49	491,36	134,37	ГОСТ 10284-74
53631510071930	0	BK10-KC	1010-0719*30	4032,41	1000,12	275,19	ГОСТ 10284-74
53631510072120	0	BK10-KC	1010-0721*20	4045,97	660,18	181,05	ГОСТ 10284-74
53631510072130	0	BK10-KC	1010-0721*30	4032,77	986,86	271,57	ГОСТ 10284-74
53631510072210	0	BK10-KC	1010-0722*10	4084,42	331,65	90,12	ГОСТ 10284-74
53631510072220	0	BK10-KC	1010-0722*20	4046,16	657,06	180,22	ГОСТ 10284-74
53631510072230	0	BK10-KC	1010-0722*30	4032,9	982,17	270,33	ГОСТ 10284-74
53631510072310	0	BK10-KC	1010-0723*10	4085,5	326,96	88,85	ГОСТ 10284-74
53631510072320	0	BK10-KC	1010-0723*20	4046,73	647,72	177,69	ГОСТ 10284-74
53631510072330	0	BK10-KC	1010-0723*30	4033,28	968,55	266,54	ГОСТ 10284-74
53631510072340	0	BK10-KC	1010-0723*40	4026,46	1288,95	355,38	ГОСТ 10284-74
53631510072350	0	BK10-KC	1010-0723*50	4022,32	1609,69	444,24	ГОСТ 10284-74
53631510072420	0	BK10-KC	1010-0724*20	4047,63	633,7	173,78	ГОСТ 10284-74
53631510072430	0	BK10-KC	1010-0724*30	4033,89	947,48	260,68	ГОСТ 10284-74
53631510072440	0	BK10-KC	1010-0724*40	4026,92	1260,87	347,58	ГОСТ 10284-74
53631510072450	0	BK10-KC	1010-0724*50	4022,69	1574,64	434,46	ГОСТ 10284-74
53631510072510	0	BK10-KC	1010-0725*10	4076,35	371,03	101,06	ГОСТ 10284-74
53631510072520	0	BK10-KC	1010-0725*20	4041,89	735,83	202,11	ГОСТ 10284-74
53631510072530	0	BK10-KC	1010-0725*30	4029,99	1100,67	303,17	ГОСТ 10284-74
53631510072540	0	BK10-KC	1010-0725*40	4023,96	1465,49	404,21	ГОСТ 10284-74
53631510072550	0	BK10-KC	1010-0725*50	4020,32	1829,93	505,27	ГОСТ 10284-74
53631510072620	0	BK10-KC	1010-0726*20	4042,18	729,98	200,4	ГОСТ 10284-74
53631510072630	0	BK10-KC	1010-0726*30	4030,2	1091,34	300,62	ГОСТ 10284-74
53631510072640	0	BK10-KC	1010-0726*40	4024,12	1453,03	400,82	ГОСТ 10284-74
53631510072650	0	BK10-KC	1010-0726*50	4020,44	1814,71	501,02	ГОСТ 10284-74
53631510072710	0	BK10-KC	1010-0727*10	4077,81	363,25	98,85	ГОСТ 10284-74
53631510072720	0	BK10-KC	1010-0727*20	4042,66	720,24	197,72	ГОСТ 10284-74
53631510072730	0	BK10-KC	1010-0727*30	4030,52	1076,92	296,57	ГОСТ 10284-74
53631510072750	0	BK10-KC	1010-0727*50	4020,64	1790,55	494,28	ГОСТ 10284-74
53631510072810	0	BK10-KC	1010-0728*10	4058,54	500,34	136,85	ГОСТ 10284-74
53631510072830	0	BK10-KC	1010-0728*30	4023,68	1488,12	410,55	ГОСТ 10284-74
53631510072840	0	BK10-KC	1010-0728*40	4019,19	1982,31	547,4	ГОСТ 10284-74
53631510072850	0	BK10-KC	1010-0728*50	4016,48	2476,12	684,26	ГОСТ 10284-74

53631510072920	0	BK10-KC	1010-0729*20	4033,03	977,49	269,02	ГОСТ 10284-74
53631510072930	0	BK10-KC	1010-0729*30	4023,99	1463,16	403,53	ГОСТ 10284-74
53631510072940	0	BK10-KC	1010-0729*40	4019,43	1948,42	538,05	ГОСТ 10284-74
53631510072950	0	BK10-KC	1010-0729*50	4219,6	2556,99	672,55	ГОСТ 10284-74
53631510073130	0	BK10-KC	1010-0731*30	4024,06	1457,31	401,91	ГОСТ 10284-74
53631510073140	0	BK10-KC	1010-0731*40	4019,48	1940,61	535,87	ГОСТ 10284-74
53631510073150	0	BK10-KC	1010-0731*50	4219,67	2546,78	669,85	ГОСТ 10284-74
53631510073220	0	BK10-KC	1010-0732*20	4033,61	956,85	263,36	ГОСТ 10284-74
53631510073230	0	BK10-KC	1010-0732*30	4024,39	1432,00	395,03	ГОСТ 10284-74
53631510073250	0	BK10-KC	1010-0732*50	4219,94	2503,02	658,39	ГОСТ 10284-74
53631510073320	0	BK10-KC	1010-0733*20	4033,76	951,77	261,88	ГОСТ 10284-74
53631510073330	0	BK10-KC	1010-0733*30	4024,49	1424,19	392,82	ГОСТ 10284-74
53631510073350	0	BK10-KC	1010-0733*50	4220,03	2489,1	654,7	ГОСТ 10284-74
53631510073410	0	BK10-KC	1010-0734*10	4062,36	465,83	127,3	ГОСТ 10284-74
53631510073430	0	BK10-KC	1010-0734*30	4025,02	1384,81	381,91	ГОСТ 10284-74
53631510073440	0	BK10-KC	1010-0734*40	4224,61	1938,12	509,21	ГОСТ 10284-74
53631510073450	0	BK10-KC	1010-0734*50	4220,49	2419,99	636,51	ГОСТ 10284-74
53631510073530	0	BK10-KC	1010-0735*30	4016,73	2421,16	668,84	ГОСТ 10284-74
53631510073540	0	BK10-KC	1010-0735*40	4215,75	3388,2	891,79	ГОСТ 10284-74
53631510073550	0	BK10-KC	1010-0735*50	4213,38	4232,84	1114,74	ГОСТ 10284-74
53631510073630	0	BK10-KC	1010-0736*30	4016,82	2401,7	663,58	ГОСТ 10284-74
53631510073640	0	BK10-KC	1010-0736*40	4215,85	3360,79	884,78	ГОСТ 10284-74
53631510073730	0	BK10-KC	1010-0737*30	4016,93	2378,3	657,07	ГОСТ 10284-74
53631510073740	0	BK10-KC	1010-0737*40	4215,96	3328,04	876,1	ГОСТ 10284-74
53631510073750	0	BK10-KC	1010-0737*50	4213,55	4158,02	1095,12	ГОСТ 10284-74
53631510073820	0	BK10-KC	1010-0738*20	4022,85	1560,62	430,64	ГОСТ 10284-74
53631510073830	0	BK10-KC	1010-0738*30	4017,13	2337,37	1291,93	ГОСТ 10284-74
53631510073840	0	BK10-KC	1010-0738*40	4216,17	3270,78	861,29	ГОСТ 10284-74
53631510073850	0	BK10-KC	1010-0738*50	4213,72	4086,42	1076,61	ГОСТ 10284-74
53631510074130	0	BK10-KC	1010-0741*30	4017,42	2278,92	629,5	ГОСТ 10284-74
53631510074140	0	BK10-KC	1010-0741*40	4216,49	3188,97	839,32	ГОСТ 10284-74
53631510074250	0	BK10-KC	1010-0742*50	4214,19	3898,68	1027,18	ГОСТ 10284-74
53631510074330	0	BK10-KC	1010-0743*30	4017,9	2191,24	605,23	ГОСТ 10284-74
53631510074340	0	BK10-KC	1010-0743*40	4216,99	3066,26	806,98	ГОСТ 10284-74
53631510074420	0	BK10-KC	1010-0744*20	4020,19	1846,31	509,79	ГОСТ 10284-74
53631510074640	0	BK10-KC	1010-0746*40	4210,96	5673,47	1495,16	ГОСТ 10284-74
53631510074650	0	BK10-KC	1010-0746*50	4209,54	7089,16	1868,95	ГОСТ 10284-74
53631510074720	0	BK10-KC	1010-0747*20	4016,07	2573,98	711,4	ГОСТ 10284-74
53631510074750	0	BK10-KC	1010-0747*50	4209,83	6749,24	1778,48	ГОСТ 10284-74
53631510074840	0	BK10-KC	1010-0748*40	4211,78	5089,8	1341,63	ГОСТ 10284-74
53631510075610	0	BK10-KC	1010-0756*10	3947,03	100,25	26,82	ГОСТ 10284-74
53631510075720	0	BK10-KC	1010-0757*20	3883,52	196,93	53,57	ГОСТ 10284-74
53631510075810	0	BK10-KC	1010-0758*10	3950,56	97,38	26,03	ГОСТ 10284-74
53631510075820	0	BK10-KC	1010-0758*20	3884,14	195,22	53,08	ГОСТ 10284-74
53631510075920	0	BK10-KC	1010-0759*20	3885,26	192,2	52,25	ГОСТ 10284-74
53631510076120	0	BK10-KC	1010-0761*20	3851,94	346,98	95,15	ГОСТ 10284-74
53631510076230	0	BK10-KC	1010-0762*30	3839,4	488,26	141,09	ГОСТ 10284-74
53631510076320	0	BK10-KC	1010-0763*20	3856,8	311,47	89,64	ГОСТ 10284-74
53631510076330	0	BK10-KC	1010-0763*30	3840,94	465,29	134,46	ГОСТ 10284-74
53631510076430	0	BK10-KC	1010-0764*30	3840,17	476,41	137,66	ГОСТ 10284-74
53631510076520	0	BK10-KC	1010-0765*20	3856,19	315,55	90,83	ГОСТ 10284-74
53631510076530	0	BK10-KC	1010-0765*30	3840,5	471,58	136,23	ГОСТ 10284-74
53631510076730	0	BK10-KC	1010-0767*30	3824,54	920,64	267,2	ГОСТ 10284-74
53631510076940	0	BK10-KC	1010-0769*40	4233,79	1340,46	351,45	ГОСТ 10284-74
53631510077120	0	BK10-KC	1010-0771*20	4048,35	622,76	170,7	ГОСТ 10284-74
53631510077130	0	BK10-KC	1010-0771*30	4034,39	930,73	256,06	ГОСТ 10284-74
53631510077320	0	BK10-KC	1010-0773*20	4039,2	795,84	218,74	ГОСТ 10284-74
53631510077420	0	BK10-KC	1010-0774*20	4031,95	1018,03	280,25	ГОСТ 10284-74
53631510077540	0	BK10-KC	1010-0775*40	4222,77	2127,14	559,06	ГОСТ 10284-74
53631510180350	0	BK10-KC	1010-1803*50	4209,79	6789,34	1790,33	ГОСТ 10284-74
53632010000384	0	BK10-KC	1011-0384	0,00	0,00	82,6	ГОСТ 19106-73
53633020000001	0	BK10-KC	1ВШМ	5000,81	34,01	6,8	ТУ 48-19-180-76
53633020000002	0	BK10-KC	2ВШМ	5000,81	34,01	6,8	ТУ 48-19-180-76
53633020000003	0	BK10-KC	3ВШМ	5004,51	33,53	6,7	ТУ 48-19-180-76
53633020000004	0	BK10-KC	4ВШМ	5015,97	32,1	6,4	ТУ 48-19-180-76
53633020000005	0	BK10-KC	5ВШМ	5004,51	33,53	6,7	ТУ 48-19-180-76
53633020000006	0	BK10-KC	6ВШМ	4813,84	76,06	15,8	ТУ 48-19-180-76
53633020000007	0	BK10-KC	7ВШМ	4728,04	127,66	27,00	ТУ 48-19-180-76
53633020000008	0	BK10-KC	8ВШМ	4710,33	146,02	31,00	ТУ 48-19-180-76
53633020000009	0	BK10-KC	9ВШМ	4710,33	146,02	31,00	ТУ 48-19-180-76
53633020000010	0	BK10-KC	10ВШМ	4723,21	132,25	28,00	ТУ 48-19-180-76
53633020000011	0	BK10-KC	11ВШМ	4718,67	136,84	29,00	ТУ 48-19-180-76
53633020000012	0	BK10-KC	12ВШМ	4638,54	315,42	68,00	ТУ 48-19-180-76
53633020000013	0	BK10-KC	13ВШМ	4639,51	310,85	67,00	ТУ 48-19-180-76
53636240000014	0	BK10-KC	СЦ-130ВПС 1-4	0,00	0,00	33,4	ТУ 48-19-161-90
53651170000900	0	BK10-KC	М030010 (ПР9)	7902,85	82,98	10,5	ТУ 48-19-367-92
53728580000002	0	BK11-BK	Г2402	3878,7	44,02	11,7	ГОСТ 880-75

53728590000003	0	BK11-BK	Г24А03	3826,68	94,48	25,46	ГОСТ 880-75
53728600000006	0	BK11-BK	Г2506	6360,93	10,24	1,8	ГОСТ 880-75
537286000000007	0	BK11-BK	Г2507	5425,26	18,45	3,8	ГОСТ 880-75
537286000000009	0	BK11-BK	Г2509	4996,52	12,94	2,9	ГОСТ 880-75
537286000000015	0	BK11-BK	Г2515	4757,21	26,35	6,2	ГОСТ 880-75
537286000000018	0	BK11-BK	Г2518	4638,79	37,34	9,00	ГОСТ 880-75
537286000000023	0	BK11-BK	Г2523	4536,00	51,94	12,8	ГОСТ 880-75
537286000000024	0	BK11-BK	Г2524	4563,45	47,37	11,6	ГОСТ 880-75
537286000000032	0	BK11-BK	Г2532	4380,17	97,2	26,1	ГОСТ 880-75
537286000000034	0	BK11-BK	Г2534	4395,19	90,45	23,00	ГОСТ 880-75
537286000000044	0	BK11-BK	Г2544	4325,18	131,18	36,00	ГОСТ 880-75
537286000000046	0	BK11-BK	Г2546	4364,74	105,06	26,9	ГОСТ 880-75
5372860000000810	0	BK11-BK	Г26-8*10	0,00	0,00	6,4	ГОСТ 880-75
53728602601010	0	BK11-BK	Г26-10*10	6302,35	63,02	9,7	ТУ 48-19-281-90
53728602601012	0	BK11-BK	Г26-10*12	6166,77	75,85	11,96	ГОСТ 880-75
53728602601014	0	BK11-BK	Г26-10*14	6087,66	85,23	14,3	ГОСТ 880-75
53728602601112	0	BK11-BK	Г26-11*12	6075,14	86,87	13,9	ТУ 48-19-281-90
53728602601113	0	BK11-BK	Г26-11*13	0,00	0,00	15,56	ГОСТ 880-75
53728602601214	0	BK11-BK	Г26-12*14	5882,43	120,59	19,94	ГОСТ 880-75
53728602601316	0	BK11-BK	Г26-13*16	5760,58	155,54	26,94	ГОСТ 880-75
53728610000053	0	BK11-BK	Г2653	4471,59	65,55	15,08	ГОСТ 880-75
53728610000069	0	BK11-BK	Г2669	4370,24	102,13	24,02	ГОСТ 880-75
53728870000002	0	BK11-BK	Г6702	4170,04	56,8	14,05	ГОСТ 880-75
53729590001016	0	BK11-BK	Г23-10*16	6075,14	86,87	14,3	ТУ 48-19-281-90
53729590001218	0	BK11-BK	Г23-12*18	5838,81	131,37	22,5	ТУ 48-19-281-90
53729600000507	0	BK11-BK	Г25-5*7	7600,28	12,16	1,6	ТУ 48-19-281-90
53729600000608	0	BK11-BK	Г25-6*8	7269,17	19,63	2,7	ТУ 48-19-281-90
53729600000610	0	BK11-BK	Г25-6*10	7082,2	24,79	3,5	ТУ 48-19-281-90
53729600000810	0	BK11-BK	Г25-8*10	6618,53	42,69	6,45	ТУ 48-19-281-90
53729600000812	0	BK11-BK	Г25-8*12	6557,3	45,9	7,00	ТУ 48-19-281-90
53729600001012	0	BK11-BK	Г25-10*12	6226,81	69,74	11,2	ТУ 48-19-281-90
53729600001013	0	BK11-BK	Г25-10*13	6166,77	75,85	12,3	ТУ 48-19-281-90
53729600001014	0	BK11-BK	Г25-10*14	6109,42	82,48	13,5	ТУ 48-19-281-90
53729600001016	0	BK11-BK	Г25-10*16	6014,47	95,63	15,9	ТУ 48-19-281-90
53729600001216	0	BK11-BK	Г25-12*16	5849,11	128,68	22,00	ТУ 48-19-281-90
53729600001217	0	BK11-BK	Г25-12*17	5819,29	136,75	23,5	ТУ 48-19-281-90
53729600001418	0	BK11-BK	Г25-14*18	5675,79	192,41	33,9	ТУ 48-19-281-90
53729600001420	0	BK11-BK	Г25-14*20	5646,77	208,93	37,00	ТУ 48-19-281-90
53729600001624	0	BK11-BK	Г25-16*24	5524,59	321,53	58,2	ТУ 48-19-281-90
53729610001213	0	BK11-BK	Г26-12*13	5922,59	111,94	18,38	ТУ 48-19-281-90
53729610001622	0	BK11-BK	Г26-16*22	5511,89	340,08	61,7	ТУ 48-19-281-90
53730110001014	0	BK11-BK	М-10*14	6109,42	82,48	13,5	ТУ 48-19-281-90
53730110001116	0	BK11-BK	М-11*16	5947,64	107,06	18,00	ТУ 48-19-281-90
53730110001217	0	BK11-BK	М-12*17	5819,29	136,75	23,5	ТУ 48-19-281-90
53730110001319	0	BK11-BK	М-13*19	5722,12	170,52	29,8	ТУ 48-19-281-90
53730230000810	0	BK11-BK	С-8*10	6568,01	45,32	6,9	ТУ 48-19-281-90
53730230000811	0	BK11-BK	С-8*11	6568,01	45,32	7,00	ТУ 48-19-281-90
53730230001012	0	BK11-BK	С-10*12	6232,68	69,18	11,1	ТУ 48-19-281-90
53730230001014	0	BK11-BK	С-10*14	6574,13	88,03	13,5	ТУ 48-19-281-90
53730230001215	0	BK11-BK	С-12*15	5894,43	117,89	20,00	ТУ 48-19-281-90
53730230001217	0	BK11-BK	С-12*17	5819,29	136,75	23,5	ТУ 48-19-281-90
53730230001315	0	BK11-BK	С-13*15	5834,19	132,61	23,00	ТУ 48-19-281-90
53730230001316	0	BK11-BK	С-13*16	5796,74	143,47	25,00	ТУ 48-19-281-90
53730230001317	0	BK11-BK	С-13*17	5760,58	155,54	27,00	ТУ 48-19-281-90
53730230001318	0	BK11-BK	С-13*18	5732,46	166,24	29,00	ТУ 48-19-281-90
53730230001624	0	BK11-BK	С-16*24	5504,25	352,27	64,00	ТУ 48-19-281-90
53730230001928	0	BK11-BK	С-19*28	5445,29	484,63	89,00	ТУ 48-19-281-90
53730240000810	0	BK11-BK	К-8*10	6568,01	45,32	6,9	ТУ 48-19-281-90
53730240001013	0	BK11-BK	К-10*13	6109,42	82,48	13,5	ТУ 48-19-281-90
53730240001215	0	BK11-BK	К-12*15	5894,43	117,89	20,00	ТУ 48-19-281-90
53730270000480	0	BK11-BK	ГО22042 (2283/1)	5333,54	186,67	35,00	ТУ 48-19-249-91
53730280000011	0	BK11-BK	ГО37088 (ПР11)	4884,35	488,43	100,00	ТУ 48-19-249-91
53730280000012	0	BK11-BK	ГО37089 (ПР12)	4846,44	969,29	200,00	ТУ 48-19-249-91
537302800000300	0	BK11-BK	ГО37012 (ПР3)	5333,54	186,67	35,00	ТУ 48-19-249-91
537302800000400	0	BK11-BK	ГО37040 (ПР4)	5508,77	109,62	19,9	ТУ 48-19-249-91
537302800000500	0	BK11-BK	ГО37037 (ПР5)	5547,11	99,85	18,00	ТУ 48-19-249-91
537302800000600	0	BK11-BK	ГО37038 (ПР6)	5290,51	222,2	42,00	ТУ 48-19-249-91
53730280100300	0	BK11-BK	ГО37051 (ПР3А)	5333,54	186,67	35,00	ТУ 48-19-249-91
53732010000531	0	BK11-BK	1011-0531	4581,77	1763,98	385,00	ГОСТ 19106-73
53750180000002	0	BK11-BK	ГО22052 (2283/2)	5333,54	186,67	35,00	ТУ 48-19-397-94
53826300000201	0	BK20-KC	ПР2-1	5552,1	2427,93	437,3	ТУ 48-19-26-81
53826300000202	0	BK20-KC	ПР2-2	5600,88	723,07	129,1	ТУ 48-19-26-81
53831120005401	0	BK20-KC	В010001 (ПР54-1)	5314,92	512,89	96,5	ТУ 48-19-232-91
53831120005402	0	BK20-KC	В010002 (ПР54-2)	5304,24	633,86	119,5	ТУ 48-19-232-91
53831120005403	0	BK20-KC	В010003 (ПР54-3)	5296,3	766,38	144,7	ТУ 48-19-232-91
53831120005404	0	BK20-KC	В010004 (ПР54-4)	5289,94	918,86	173,7	ТУ 48-19-232-91
53831120005405	0	BK20-KC	В010005 (ПР54-5)	5288,32	967,76	183,00	ТУ 48-19-232-91

53831120005406	0	BK20-KC	B010006 (ПР54-6)	5286,8	1018,24	192,6	TY 48-19-232-91
53831120005407	0	BK20-KC	B010007 (ПР54-7)	5283,62	1142,85	216,3	TY 48-19-232-91
53831120007101	0	BK20-KC	Д010004 (ПР71-1)	5638,06	58,64	10,4	TY 48-19-232-91
53831120007102	0	BK20-KC	Д010005(ПР71-2)	5638,06	58,64	10,4	TY 48-19-232-91
53831120007103	0	BK20-KC	Д010006(ПР71-3)	5644,35	57,29	10,15	TY 48-19-232-91
53831120007104	0	BK20-KC	Д010007(ПР71-4)	5649,79	56,16	9,94	TY 48-19-232-91
53831120007105	0	BK20-KC	Д010008(ПР71-5)	5657,02	54,7	9,67	TY 48-19-232-91
53831130001081	0	BK20-KC	B020062 (ПР108-1)	5583,93	960,99	159,2	TY 48-19-232-91
53831130001082	0	BK20-KC	B020063 (ПР108-2)	5572,68	1224,87	203,3	TY 48-19-232-91
53831130005701	0	BK20-KC	B020047 (ПР57-1)	5697,66	292,29	51,3	TY 48-19-232-91
53831130005702	0	BK20-KC	B020048 (ПР57-2)	5719,81	255,68	44,7	TY 48-19-232-91
53831130006800	0	BK20-KC	B020053 (ПР68)	6182,84	58,12	9,4	TY 48-19-232-91
53831130007800	0	BK20-KC	B020051 (ПР78)	5544,56	3788,82	690,00	TY 48-19-232-91
53831130007901	0	BK20-KC	Д020117 (ПР79-1)	5966,09	98,86	16,2	TY 48-19-232-91
53831130007902	0	BK20-KC	Д020118 (ПР79-2)	5809,77	166,51	28,00	TY 48-19-232-91
53831130008901	0	BK20-KC	B020056 (ПР89-1)	5536,75	8879,29	1619,3	TY 48-19-232-91
53831130008902	0	BK20-KC	B020057 (ПР89-2)	5538,28	7034,56	1282,53	TY 48-19-232-91
53831130010701	0	BK20-KC	B020060 (ПР107-1)	5595,89	780,63	129,00	TY 48-19-232-91
53831130010702	0	BK20-KC	B020061 (ПР107-2)	5582,19	994,19	164,7	TY 48-19-232-91
53831130010900	0	BK20-KC	B030087 (ПР109)	6763,58	59,99	8,2	TY 48-19-232-91
53831140002200	0	BK20-KC	B030034 (ПР22)	5817,58	5992,1	1030,00	TY 48-19-232-91
53831140002300	0	BK20-KC	B030035 (ПР23)	5811,26	11796,28	2029,9	TY 48-19-232-91
53831140002802	0	BK20-KC	Ш030052 (ПР28-2)	5837,56	2335,03	400,00	TY 48-19-232-91
53831140002817	0	BK20-KC	Ш030053 (ПР28-17)	5973,07	442,01	74,00	TY 48-19-232-91
53831140002819	0	BK20-KC	Ш030054 (ПР28-19)	5881,16	993,92	169,00	TY 48-19-232-91
53831140003301	0	BK20-KC	Ш030003 (ПР33-1)	5848,33	1754,5	300,00	TY 48-19-232-91
53831140003302	0	BK20-KC	Ш030004 (ПР33-2)	5869,6	1173,92	200,00	TY 48-19-232-91
53831140003304	0	BK20-KC	Ш030005 (ПР33-4)	5952,5	505,96	85,00	TY 48-19-232-91
53831140003500	0	BK20-KC	B030041 (ПР35)	5809,55	15976,27	2750,00	TY 48-19-232-91
53831140004601	0	BK20-KC	B030042 (ПР46-1)	6044,35	305,24	50,5	TY 48-19-232-91
53831140004801	0	BK20-KC	Д030029 (ПР48-1)	5820,06	5005,25	860,00	TY 48-19-232-91
53831140004802	0	BK20-KC	Д030030 (ПР48-2)	5838,35	2276,96	390,00	TY 48-19-232-91
53831140004901	0	BK20-KC	Ш030012 (ПР49-1)	6106,3	238,76	39,1	TY 48-19-232-91
53831140004902	0	BK20-KC	Ш030013 (ПР49-2)	6047,86	300,58	49,7	TY 48-19-232-91
53831140004903	0	BK20-KC	Ш030014 (ПР49-3)	6030,52	325,05	53,9	TY 48-19-232-91
53831140004904	0	BK20-KC	Ш030015 (ПР49-4)	5674,9	341,63	60,2	TY 48-19-232-91
53831140005500	0	BK20-KC	B030093 (ПР55)	5842,62	2021,55	320,00	TY 48-19-232-91
53831140006304	0	BK20-KC	Д030066 (ПР63-4)	5877,83	1039,2	176,8	TY 48-19-232-91
53831140006305	0	BK20-KC	Д030067 (ПР63-5)	5846,25	1840,99	314,9	TY 48-19-232-91
53831140006402	0	BK20-KC	B030098 (ПР64-2)	6077,25	266,18	43,8	TY 48-19-232-91
53831140006404	0	BK20-KC	B030100 (ПР64-4)	5920,07	652,98	110,3	TY 48-19-232-91
53831140006405	0	BK20-KC	B030101 (ПР64-5)	5888,74	902,74	153,3	TY 48-19-232-91
53831140006602	0	BK20-KC	B030104 (ПР66-2)	5871,76	1135,6	193,4	TY 48-19-232-91
53831140006603	0	BK20-KC	B030105 (ПР66-3)	5849,44	1710,38	292,4	TY 48-19-232-91
53831140006702	0	BK20-KC	Ш030048 (ПР67-2)	5850,38	1674,96	286,3	TY 48-19-232-91
53831140006705	0	BK20-KC	Ш030051 (ПР67-5)	5850,29	1678,45	286,9	TY 48-19-232-91
53831140007401	0	BK20-KC	Д030086 (ПР74-1)	6178,36	189,00	30,9	TY 48-19-232-91
53831140007402	0	BK20-KC	Д030087 (ПР74-2)	6051,37	295,97	49,4	TY 48-19-232-91
53831140007403	0	BK20-KC	Д030088 (ПР74-3)	6064,13	280,53	46,7	TY 48-19-232-91
53831140007404	0	BK20-KC	Д030089(ПР74-4)	5891,24	875,73	150,1	TY 48-19-232-91
53831140007405	0	BK20-KC	Д030090 (ПР74-5)	5902,68	771,54	132,00	TY 48-19-232-91
53831140008000	0	BK20-KC	B030109 (ПР80)	5859,09	1403,96	242,00	TY 48-19-232-91
53831140008305	0	BK20-KC	B030114 (ПР83-5)	6253,42	154,08	24,9	TY 48-19-232-91
53831140008408	0	BK20-KC	B030122 (ПР84-8)	6115,89	230,81	38,1	TY 48-19-232-91
53831140008601	0	BK20-KC	B030128 (ПР86-1)	6225,06	165,84	26,9	TY 48-19-232-91
53831140008602	0	BK20-KC	B030129 (ПР86-2)	6225,06	165,84	26,9	TY 48-19-232-91
53831140008603	0	BK20-KC	B030130 (ПР86-3)	6150,43	205,85	33,8	TY 48-19-232-91
53831140008604	0	BK20-KC	B030131 (ПР86-4)	6226,39	165,25	26,8	TY 48-19-232-91
53831140008605	0	BK20-KC	B030132 (ПР86-5)	6225,06	165,84	26,9	TY 48-19-232-91
53831140008606	0	BK20-KC	B030133 (ПР86-6)	6225,06	165,84	26,9	TY 48-19-232-91
53831140008607	0	BK20-KC	B030134 (ПР86-7)	6150,43	205,85	33,8	TY 48-19-232-91
53831140008608	0	BK20-KC	B030135 (ПР86-8)	6158,62	200,65	32,9	TY 48-19-232-91
53831140008609	0	BK20-KC	B030136 (ПР86-9)	6225,06	165,84	26,9	TY 48-19-232-91
53831140008610	0	BK20-KC	B030137 (ПР86-10)	6150,43	205,85	33,8	TY 48-19-232-91
53831140008611	0	BK20-KC	B030138 (ПР86-11)	6158,62	200,65	32,9	TY 48-19-232-91
53831140008701	0	BK20-KC	B030139 (ПР87-1)	6226,39	165,25	26,8	TY 48-19-232-91
53831140008702	0	BK20-KC	B030140 (ПР87-2)	6140,06	212,81	35,00	TY 48-19-232-91
53831140008703	0	BK20-KC	B030141 (ПР87-3)	6092,22	251,36	41,6	TY 48-19-232-91
53831140008704	0	BK20-KC	B030142 (ПР87-4)	6131,89	218,6	36,00	TY 48-19-232-91
53831140008705	0	BK20-KC	B030143 (ПР87-5)	5984,86	411,94	69,5	TY 48-19-232-91
53831140008706	0	BK20-KC	B030144 (ПР87-6)	5967,03	459,1	77,7	TY 48-19-232-91
53831140008707	0	BK20-KC	B030145 (ПР87-7)	5932,55	587,56	100,00	TY 48-19-232-91
53831140008708	0	BK20-KC	B030146 (ПР87-8)	6115,97	230,76	38,1	TY 48-19-232-91
53831140008709	0	BK20-KC	B030147 (ПР87-9)	6142,53	211,12	34,7	TY 48-19-232-91
53831140008710	0	BK20-KC	B030148 (ПР87-10)	6197,96	178,63	29,1	TY 48-19-232-91
53831140008711	0	BK20-KC	B030149 (ПР87-11)	6083,6	259,71	43,1	TY 48-19-232-91
53831140008712	0	BK20-KC	B030150 (ПР87-12)	6144,25	209,95	34,5	TY 48-19-232-91

53831140008713	0	BK20-KC	B030151 (ПР87-13)	6153,06	204,16	33,5	ТУ 48-19-232-91
53831140008714	0	BK20-KC	B030152 (ПР87-14)	6226,39	165,25	26,8	ТУ 48-19-232-91
53831140008715	0	BK20-KC	B030153(ПР87-15)	5932,43	588,14	100,1	ТУ 48-19-232-91
53831140008716	0	BK20-KC	B030154(ПР87-16)	5904,53	757,26	129,5	ТУ 48-19-232-91
53831140008717	0	BK20-KC	B030155(ПР87-17)	6083,6	259,71	43,1	ТУ 48-19-232-91
53831140008718	0	BK20-KC	B030156(ПР87-18)	6110,25	235,43	38,9	ТУ 48-19-232-91
53831140008719	0	BK20-KC	B030157(ПР87-19)	5928,89	605,4	103,1	ТУ 48-19-232-91
53831140008720	0	BK20-KC	B030158(ПР87-20)	5994,55	390,01	65,7	ТУ 48-19-232-91
53831140008721	0	BK20-KC	B030159(ПР87-21)	5914,76	685,34	117,00	ТУ 48-19-232-91
53831140010200	0	BK20-KC	B030163(ПР102)	3257,06	2944,06	836,00	ТУ 48-19-232-91
53831140011601	0	BK20-KC	B030091 (ПР116-1)	5814,34	8012,16	1378,00	ТУ 48-19-232-91
53831140011602	0	BK20-KC	B030092 (ПР116-2)	5813,19	9103,46	1566,00	ТУ 48-19-232-91
53831150009800	0	BK20-KC	Д030204 (ПР98)	5975,4	435,61	67,4	ТУ 48-19-232-91
53831510000331	0	BK20-KC	1010-0331	4974,47	81,63	18,34	ГОСТ 10284-74
53831510000332	0	BK20-KC	1010-0332	4610,89	74,97	18,17	ГОСТ 10284-74
53831510000333	0	BK20-KC	1010-0333	4610,89	74,97	18,17	ГОСТ 10284-74
53831510000334	0	BK20-KC	1010-0334	4611,86	74,57	18,07	ГОСТ 10284-74
53831510000335	0	BK20-KC	1010-0335	4613,18	74,04	17,93	ГОСТ 10284-74
53831510000346	0	BK20-KC	1010-0346	4657,94	722,49	173,29	ГОСТ 10284-74
53831510000347	0	BK20-KC	1010-0347	4658,2	718,53	172,32	ГОСТ 10284-74
53831510000371	0	BK20-KC	1010-0371	4413,5	640,05	162,02	ГОСТ 10284-74
53831510000381	0	BK20-KC	1010-0381	4860,22	2321,00	533,52	ГОСТ 10284-74
53831510000471	0	BK20-KC	1010-0471	4778,74	196,45	45,93	ГОСТ 10284-74
53831510000472	0	BK20-KC	1010-0472	4780,82	193,86	45,31	ГОСТ 10284-74
53831510000473	0	BK20-KC	1010-0473	4782,58	191,73	44,8	ГОСТ 10284-74
53831510000474	0	BK20-KC	1010-0474	4710,74	338,94	80,38	ГОСТ 10284-74
53831510000475	0	BK20-KC	1010-0475	4712,73	332,11	78,73	ГОСТ 10284-74
53831510000477	0	BK20-KC	1010-0477	4689,27	433,99	103,4	ГОСТ 10284-74
53831510000479	0	BK20-KC	1010-0479	4650,12	863,11	207,36	ГОСТ 10284-74
53831510000481	0	BK20-KC	1010-0481	4641,05	1112,27	267,75	ГОСТ 10284-74
53831510000482	0	BK20-KC	1010-0482	4637,13	1269,97	305,96	ГОСТ 10284-74
53831510000483	0	BK20-KC	1010-0483	4633,11	1484,77	358,04	ГОСТ 10284-74
53831510000484	0	BK20-KC	1010-0484	4632,67	1513,12	364,9	ГОСТ 10284-74
53831510000485	0	BK20-KC	1010-0485	4626,6	2042,64	493,26	ГОСТ 10284-74
53831510000486	0	BK20-KC	1010-0486	4628,3	1860,35	449,06	ГОСТ 10284-74
53831510000494	0	BK20-KC	1010-0494	4514,2	143,01	35,39	ГОСТ 10284-74
53831510000495	0	BK20-KC	1010-0495	4467,46	230,03	57,52	ГОСТ 10284-74
53831510000498	0	BK20-KC	1010-0498	4438,47	354,81	89,31	ГОСТ 10284-74
53831510000502	0	BK20-KC	1010-0502	4415,72	598,02	151,31	ГОСТ 10284-74
53831510000508	0	BK20-KC	1010-0508	5281,74	35,02	7,41	ГОСТ 10284-74
53831510000509	0	BK20-KC	1010-0509	4773,88	202,75	47,46	ГОСТ 10284-74
53831510000510	0	BK20-KC	1010-0510	4698,04	389,66	92,66	ГОСТ 10284-74
53831510000511	0	BK20-KC	1010-0511	4662,96	653,7	156,62	ГОСТ 10284-74
53831510000512	0	BK20-KC	1010-0512	4641,91	1082,96	260,65	ГОСТ 10284-74
53831510000513	0	BK20-KC	1010-0513	4638,00	1231,11	296,56	ГОСТ 10284-74
53831510000514	0	BK20-KC	1010-0514	4625,74	2148,75	518,97	ГОСТ 10284-74
53831510000544	0	BK20-KC	1010-0544	4874,72	1417,57	323,46	ГОСТ 10284-74
53831510000545	0	BK20-KC	1010-0545	4875,92	1372,91	313,19	ГОСТ 10284-74
53831510000546	0	BK20-KC	1010-0546	4877,01	1334,94	304,46	ГОСТ 10284-74
53831510000549	0	BK20-KC	1010-0549	4693,35	412,22	97,69	ГОСТ 10284-74
53831510000550	0	BK20-KC	1010-0550	4691,34	422,69	100,21	ГОСТ 10284-74
53831510000551	0	BK20-KC	1010-0551	4682,38	476,29	113,14	ГОСТ 10284-74
53831510000552	0	BK20-KC	1010-0552	4655,03	769,15	183,78	ГОСТ 10284-74
53831510000553	0	BK20-KC	1010-0553	4652,12	822,22	196,59	ГОСТ 10284-74
53831510000554	0	BK20-KC	1010-0554	4649,42	878,41	210,15	ГОСТ 10284-74
53831510000701	0	BK20-KC	1010-0701	5120,72	52,69	11,49	ГОСТ 10284-74
53831510000702	0	BK20-KC	1010-0702	4488,32	181,87	45,27	ГОСТ 10284-74
53831510000703	0	BK20-KC	1010-0703	4488,89	180,81	44,99	ГОСТ 10284-74
53831510000704	0	BK20-KC	1010-0704	4474,75	210,76	52,62	ГОСТ 10284-74
53831510000705	0	BK20-KC	1010-0705	4402,13	991,98	251,75	ГОСТ 10284-74
53831510000706	0	BK20-KC	1010-0706	4699,97	381,03	90,57	ГОСТ 10284-74
53831510000707	0	BK20-KC	1010-0707	4699,11	384,81	91,49	ГОСТ 10284-74
53831510000708	0	BK20-KC	1010-0708	4701,2	375,72	89,29	ГОСТ 10284-74
53831510000709	0	BK20-KC	1010-0709	4635,84	1331,69	320,93	ГОСТ 10284-74
53831510000711	0	BK20-KC	1010-0711	4681,8	480,21	114,6	ГОСТ 10284-74
53831510000712	0	BK20-KC	1010-0712	4675,63	526,24	125,74	ГОСТ 10284-74
53831510000713	0	BK20-KC	1010-0713	4656,97	737,48	176,93	ГОСТ 10284-74
53831510000714	0	BK20-KC	1010-0714	4657,63	727,15	174,42	ГОСТ 10284-74
53831510000715	0	BK20-KC	1010-0715	4676,93	515,87	123,24	ГОСТ 10284-74
53831510000716	0	BK20-KC	1010-0716	4633,48	1462,37	352,6	ГОСТ 10284-74
53831510000717	0	BK20-KC	1010-0717	4649,21	883,12	212,22	ГОСТ 10284-74
53831510000718	0	BK20-KC	1010-0718	4658,92	707,97	169,77	ГОСТ 10284-74
53831510000719	0	BK20-KC	1010-0719	4633,82	1442,09	347,7	ГОСТ 10284-74
53831510000721	0	BK20-KC	1010-0721	4634,14	1423,19	343,11	ГОСТ 10284-74
53831510000722	0	BK20-KC	1010-0722	4634,26	1416,74	341,54	ГОСТ 10284-74
53831510000723	0	BK20-KC	1010-0723	4861,5	2197,74	505,13	ГОСТ 10284-74
53831510000724	0	BK20-KC	1010-0724	4862,03	2149,94	494,02	ГОСТ 10284-74

53831510000725	0	BK20-KC	1010-0725	4858,59	2498,53	574,53	ГОСТ 10284-74
53831510000726	0	BK20-KC	1010-0726	4858,77	2477,63	569,7	ГОСТ 10284-74
53831510000727	0	BK20-KC	1010-0727	4859,06	2444,45	562,03	ГОСТ 10284-74
53831510000728	0	BK20-KC	1010-0728	4853,05	3379,76	778,04	ГОСТ 10284-74
53831510000729	0	BK20-KC	1010-0729	4853,32	3322,15	764,75	ГОСТ 10284-74
53831510000731	0	BK20-KC	1010-0731	4853,39	3308,8	761,66	ГОСТ 10284-74
53831510000732	0	BK20-KC	1010-0732	4853,67	3252,39	748,63	ГОСТ 10284-74
53831510000733	0	BK20-KC	1010-0733	4853,76	3234,25	744,44	ГОСТ 10284-74
53831510000734	0	BK20-KC	1010-0734	4854,23	3144,66	723,76	ГОСТ 10284-74
53831510000735	0	BK20-KC	1010-0735	4846,97	5499,18	1267,54	ГОСТ 10284-74
53831510000736	0	BK20-KC	1010-0736	4847,05	5456,04	1257,57	ГОСТ 10284-74
53831510000737	0	BK20-KC	1010-0737	4847,15	5402,58	1245,24	ГОСТ 10284-74
53831510000738	0	BK20-KC	1010-0738	4847,32	5311,45	1224,23	ГОСТ 10284-74
53831510000739	0	BK20-KC	1010-0739	4847,5	5217,85	1202,57	ГОСТ 10284-74
53831510000741	0	BK20-KC	1010-0741	4847,58	5176,29	1192,97	ГОСТ 10284-74
53831510000742	0	BK20-KC	1010-0742	4847,8	5068,08	1167,98	ГОСТ 10284-74
53831510000743	0	BK20-KC	1010-0743	4847,99	4977,19	1146,99	ГОСТ 10284-74
53831510000744	0	BK20-KC	1010-0744	4845,76	6285,68	1449,2	ГОСТ 10284-74
53831510000745	0	BK20-KC	1010-0745	4845,91	6173,45	1423,27	ГОСТ 10284-74
53831510000746	0	BK20-KC	1010-0746	4843,06	9212,32	2125,14	ГОСТ 10284-74
53831510000747	0	BK20-KC	1010-0747	4843,36	8766,96	2022,27	ГОСТ 10284-74
53831510000748	0	BK20-KC	1010-0748	4843,72	8267,51	1906,91	ГОСТ 10284-74
53831510000751	0	BK20-KC	1010-0751	5120,72	52,69	11,49	ГОСТ 10284-74
53831510000752	0	BK20-KC	1010-0752	4974,13	81,72	18,36	ГОСТ 10284-74
53831510000753	0	BK20-KC	1010-0753	4609,92	75,37	18,26	ГОСТ 10284-74
53831510000754	0	BK20-KC	1010-0754	4552,16	107,2	26,31	ГОСТ 10284-74
53831510000755	0	BK20-KC	1010-0755	4553,8	106,01	26,02	ГОСТ 10284-74
53831510000756	0	BK20-KC	1010-0756	4459,93	253,64	63,54	ГОСТ 10284-74
53831510000757	0	BK20-KC	1010-0757	4460,06	253,2	63,43	ГОСТ 10284-74
53831510000758	0	BK20-KC	1010-0758	4460,69	251,05	62,88	ГОСТ 10284-74
53831510000759	0	BK20-KC	1010-0759	4461,86	247,19	61,89	ГОСТ 10284-74
53831510000761	0	BK20-KC	1010-0761	4413,44	641,1	162,29	ГОСТ 10284-74
53831510000762	0	BK20-KC	1010-0762	4656,62	743,01	178,26	ГОСТ 10284-74
53831510000763	0	BK20-KC	1010-0763	4658,89	708,43	169,88	ГОСТ 10284-74
53831510000764	0	BK20-KC	1010-0764	4657,77	725,07	173,92	ГОСТ 10284-74
53831510000765	0	BK20-KC	1010-0765	4658,26	717,65	172,12	ГОСТ 10284-74
53831510000766	0	BK20-KC	1010-0766	4659,19	704,05	168,83	ГОСТ 10284-74
53831510000767	0	BK20-KC	1010-0767	4634,55	1400,42	337,59	ГОСТ 10284-74
53831510000768	0	BK20-KC	1010-0768	4866,32	1830,95	420,35	ГОСТ 10284-74
53831510000769	0	BK20-KC	1010-0769	4866,6	1813,3	416,28	ГОСТ 10284-74
53831510000771	0	BK20-KC	1010-0771	4867,45	1761,87	404,4	ГОСТ 10284-74
53831510000772	0	BK20-KC	1010-0772	4860,21	2322,01	533,76	ГОСТ 10284-74
53831510000773	0	BK20-KC	1010-0773	4860,89	2254,53	518,18	ГОСТ 10284-74
53831510000774	0	BK20-KC	1010-0774	4855,74	2885,48	663,9	ГОСТ 10284-74
53831510000775	0	BK20-KC	1010-0775	4855,79	2878,08	662,18	ГОСТ 10284-74
53831510000781	0	BK20-KC	1010-0781	4897,22	108,47	24,74	ГОСТ 10284-74
53831510000784	0	BK20-KC	1010-0784	4899,14	107,63	24,55	ГОСТ 10284-74
53831510000785	0	BK20-KC	1010-0785	4899,36	107,54	24,52	ГОСТ 10284-74
53831510000786	0	BK20-KC	1010-0786	4808,19	164,87	38,31	ГОСТ 10284-74
53831510000787	0	BK20-KC	1010-0787	4808,34	164,73	38,28	ГОСТ 10284-74
53831510000788	0	BK20-KC	1010-0788	4808,54	164,55	38,23	ГОСТ 10284-74
53831510000789	0	BK20-KC	1010-0789	4763,47	217,55	51,03	ГОСТ 10284-74
53831510000791	0	BK20-KC	1010-0791	4809,98	163,25	37,92	ГОСТ 10284-74
53831510000792	0	BK20-KC	1010-0792	4810,18	163,07	37,88	ГОСТ 10284-74
53831510000793	0	BK20-KC	1010-0793	4810,44	162,83	37,81	ГОСТ 10284-74
53831510000794	0	BK20-KC	1010-0794	4810,7	162,6	37,77	ГОСТ 10284-74
53831510000795	0	BK20-KC	1010-0795	4810,96	162,37	37,7	ГОСТ 10284-74
53831510000796	0	BK20-KC	1010-0796	4728,17	286,95	67,8	ГОСТ 10284-74
53831510000797	0	BK20-KC	1010-0797	4728,31	286,58	67,72	ГОСТ 10284-74
53831510000798	0	BK20-KC	1010-0798	4682,71	474,12	113,12	ГОСТ 10284-74
53831510000799	0	BK20-KC	1010-0799	4682,75	473,8	113,04	ГОСТ 10284-74
53831510000801	0	BK20-KC	1010-0801	4682,8	473,48	112,96	ГОСТ 10284-74
53831510000802	0	BK20-KC	1010-0802	4729,14	284,5	67,22	ГОСТ 10284-74
53831510000803	0	BK20-KC	1010-0803	4729,34	284,00	67,09	ГОСТ 10284-74
53831510000804	0	BK20-KC	1010-0804	4662,69	657,07	157,43	ГОСТ 10284-74
53831510000805	0	BK20-KC	1010-0805	4662,73	656,56	157,31	ГОСТ 10284-74
53831510000806	0	BK20-KC	1010-0806	4662,76	656,14	157,22	ГОСТ 10284-74
53831510000807	0	BK20-KC	1010-0807	4662,8	655,68	157,1	ГОСТ 10284-74
53831510000808	0	BK20-KC	1010-0808	4662,84	655,18	156,99	ГОСТ 10284-74
53831510000809	0	BK20-KC	1010-0809	4662,88	654,71	156,87	ГОСТ 10284-74
53831510000811	0	BK20-KC	1010-0811	4662,95	653,79	156,64	ГОСТ 10284-74
53831510000812	0	BK20-KC	1010-0812	4710,83	338,61	80,31	ГОСТ 10284-74
53831510000813	0	BK20-KC	1010-0813	4686,52	450,00	107,28	ГОСТ 10284-74
53831510000814	0	BK20-KC	1010-0814	4686,64	449,26	107,09	ГОСТ 10284-74
53831510000815	0	BK20-KC	1010-0815	4686,77	448,48	106,91	ГОСТ 10284-74
53831510000816	0	BK20-KC	1010-0816	4672,35	554,33	132,55	ГОСТ 10284-74
53831510000817	0	BK20-KC	1010-0817	4661,7	669,7	160,5	ГОСТ 10284-74

53831510000818	0	BK20-KC	1010-0818	4654,39	780,31	187,29	ГОСТ 10284-74
53831510000819	0	BK20-KC	1010-0819	4650,94	845,96	203,21	ГОСТ 10284-74
53831510000822	0	BK20-KC	1010-0822	4688,41	438,88	104,58	ГОСТ 10284-74
53831510000823	0	BK20-KC	1010-0823	4673,71	542,29	130,04	ГОСТ 10284-74
53831510000824	0	BK20-KC	1010-0824	4662,83	655,31	157,02	ГОСТ 10284-74
53831510000825	0	BK20-KC	1010-0825	4654,11	785,29	188,5	ГОСТ 10284-74
53831510000826	0	BK20-KC	1010-0826	4651,85	827,56	198,75	ГОСТ 10284-74
53831510000827	0	BK20-KC	1010-0827	4649,82	869,52	208,93	ГОСТ 10284-74
53831510000829	0	BK20-KC	1010-0829	4642,92	1049,9	252,64	ГОСТ 10284-74
53831510000831	0	BK20-KC	1010-0831	4638,17	1223,92	294,81	ГОСТ 10284-74
53831510000832	0	BK20-KC	1010-0832	4635,95	1326,39	319,65	ГОСТ 10284-74
53831510000833	0	BK20-KC	1010-0833	4634,68	1393,14	335,83	ГОСТ 10284-74
53831510000834	0	BK20-KC	1010-0834	4635,96	1325,88	319,53	ГОСТ 10284-74
53831510000835	0	BK20-KC	1010-0835	4871,17	1567,39	359,49	ГОСТ 10284-74
53831510000836	0	BK20-KC	1010-0836	4867,76	1743,92	400,25	ГОСТ 10284-74
53831510000843	0	BK20-KC	1010-0843	5063,64	61,83	13,64	ГОСТ 10284-74
53831510000846	0	BK20-KC	1010-0846	5066,83	61,26	13,51	ГОСТ 10284-74
53831510000847	0	BK20-KC	1010-0847	4982,85	79,38	17,8	ГОСТ 10284-74
53831510000848	0	BK20-KC	1010-0848	4983,21	79,28	17,78	ГОСТ 10284-74
53831510000849	0	BK20-KC	1010-0849	4983,92	79,09	17,73	ГОСТ 10284-74
53831510000851	0	BK20-KC	1010-0851	4984,46	78,95	17,69	ГОСТ 10284-74
53831510000852	0	BK20-KC	1010-0852	4829,57	147,21	34,05	ГОСТ 10284-74
53831510000853	0	BK20-KC	1010-0853	4829,88	146,97	34,00	ГОСТ 10284-74
53831510000854	0	BK20-KC	1010-0854	4830,19	146,74	33,94	ГОСТ 10284-74
53831510000855	0	BK20-KC	1010-0855	4830,51	146,51	33,88	ГОСТ 10284-74
53831510000856	0	BK20-KC	1010-0856	4830,82	146,28	33,84	ГОСТ 10284-74
53831510000857	0	BK20-KC	1010-0857	4812,91	160,65	37,29	ГОСТ 10284-74
53831510000858	0	BK20-KC	1010-0858	4813,33	160,28	37,2	ГОСТ 10284-74
53831510000859	0	BK20-KC	1010-0859	4813,76	159,91	37,12	ГОСТ 10284-74
53831510000861	0	BK20-KC	1010-0861	4814,14	159,59	37,03	ГОСТ 10284-74
53831510000862	0	BK20-KC	1010-0862	4797,9	174,79	40,71	ГОСТ 10284-74
53831510000863	0	BK20-KC	1010-0863	4798,22	174,46	40,62	ГОСТ 10284-74
53831510000864	0	BK20-KC	1010-0864	4746,49	246,49	58,02	ГОСТ 10284-74
53831510000865	0	BK20-KC	1010-0865	4746,76	245,98	57,89	ГОСТ 10284-74
53831510000866	0	BK20-KC	1010-0866	4746,98	245,56	57,79	ГОСТ 10284-74
53831510000867	0	BK20-KC	1010-0867	4734,43	271,8	64,14	ГОСТ 10284-74
53831510000868	0	BK20-KC	1010-0868	4734,61	271,39	64,04	ГОСТ 10284-74
53831510000869	0	BK20-KC	1010-0869	4787,32	186,18	43,45	ГОСТ 10284-74
53831510000871	0	BK20-KC	1010-0871	4711,22	337,28	79,98	ГОСТ 10284-74
53831510000872	0	BK20-KC	1010-0872	4711,34	336,86	79,89	ГОСТ 10284-74
53831510000873	0	BK20-KC	1010-0873	4683,4	469,56	112,01	ГОСТ 10284-74
53831510000874	0	BK20-KC	1010-0874	4749,33	241,17	56,73	ГОСТ 10284-74
53831510000875	0	BK20-KC	1010-0875	4736,7	266,68	62,9	ГОСТ 10284-74
53831510000876	0	BK20-KC	1010-0876	4726,17	292,12	69,04	ГОСТ 10284-74
53831510000877	0	BK20-KC	1010-0877	4713,15	330,72	78,39	ГОСТ 10284-74
53831510000878	0	BK20-KC	1010-0878	4702,94	368,47	87,54	ГОСТ 10284-74
53831510000879	0	BK20-KC	1010-0879	4697,27	393,16	93,52	ГОСТ 10284-74
53831510000881	0	BK20-KC	1010-0881	4697,6	391,64	93,15	ГОСТ 10284-74
53831510000882	0	BK20-KC	1010-0882	4683,53	468,73	111,81	ГОСТ 10284-74
53831510000883	0	BK20-KC	1010-0883	4737,77	264,32	62,34	ГОСТ 10284-74
53831510000884	0	BK20-KC	1010-0884	4713,97	328,00	77,74	ГОСТ 10284-74
53831510000885	0	BK20-KC	1010-0885	4697,6	391,64	93,14	ГОСТ 10284-74
53831510000886	0	BK20-KC	1010-0886	4685,68	455,12	108,52	ГОСТ 10284-74
53831510000887	0	BK20-KC	1010-0887	4676,56	518,77	123,93	ГОСТ 10284-74
53831510000892	0	BK20-KC	1010-0892	4658,47	714,52	171,35	ГОСТ 10284-74
53831510000893	0	BK20-KC	1010-0893	4713,55	329,38	78,07	ГОСТ 10284-74
53831510000894	0	BK20-KC	1010-0894	4695,92	399,53	95,05	ГОСТ 10284-74
53831510000895	0	BK20-KC	1010-0895	4686,27	451,52	107,64	ГОСТ 10284-74
53831510000896	0	BK20-KC	1010-0896	4674,01	539,71	129,01	ГОСТ 10284-74
53831510000897	0	BK20-KC	1010-0897	4665,12	627,83	150,36	ГОСТ 10284-74
53831510000898	0	BK20-KC	1010-0898	4660,93	679,89	162,97	ГОСТ 10284-74
53831510000899	0	BK20-KC	1010-0899	4658,56	713,18	171,04	ГОСТ 10284-74
53831510000901	0	BK20-KC	1010-0901	4714,23	327,17	77,53	ГОСТ 10284-74
53831510000902	0	BK20-KC	1010-0902	4696,47	396,95	94,42	ГОСТ 10284-74
53831510000903	0	BK20-KC	1010-0903	4686,72	448,8	106,98	ГОСТ 10284-74
53831510000904	0	BK20-KC	1010-0904	4674,66	534,22	127,68	ГОСТ 10284-74
53831510000905	0	BK20-KC	1010-0905	4663,93	641,85	153,75	ГОСТ 10284-74
53831510000906	0	BK20-KC	1010-0906	4658,62	712,3	170,82	ГОСТ 10284-74
53831510000907	0	BK20-KC	1010-0907	4651,3	838,63	201,43	ГОСТ 10284-74
53831510000909	0	BK20-KC	1010-0909	4651,34	837,71	201,21	ГОСТ 10284-74
53831510000911	0	BK20-KC	1010-0911	4645,72	968,68	232,95	ГОСТ 10284-74
53831510000912	0	BK20-KC	1010-0912	4642,97	1048,34	252,26	ГОСТ 10284-74
53831510000913	0	BK20-KC	1010-0913	4641,41	1099,97	264,76	ГОСТ 10284-74
53831510000914	0	BK20-KC	1010-0914	4637,92	1234,8	297,44	ГОСТ 10284-74
53831510000915	0	BK20-KC	1010-0915	4638,00	1231,3	296,6	ГОСТ 10284-74
53831510000916	0	BK20-KC	1010-0916	4678,94	500,55	119,52	ГОСТ 10284-74
53831510000917	0	BK20-KC	1010-0917	4666,92	607,82	145,51	ГОСТ 10284-74

53831510000918	0	BK20-KC	1010-0918	4660,37	687,45	164,81	ГОСТ 10284-74
53831510000919	0	BK20-KC	1010-0919	4652,12	822,31	197,48	ГОСТ 10284-74
53831510000921	0	BK20-KC	1010-0921	4643,24	1039,95	250,23	ГОСТ 10284-74
53831510000922	0	BK20-KC	1010-0922	4641,64	1092,04	262,84	ГОСТ 10284-74
53831510000923	0	BK20-KC	1010-0923	4653,15	802,76	192,74	ГОСТ 10284-74
53831510000924	0	BK20-KC	1010-0924	4631,85	1568,07	378,23	ГОСТ 10284-74
53831510000925	0	BK20-KC	1010-0925	4629,38	1760,74	424,93	ГОСТ 10284-74
53831510000926	0	BK20-KC	1010-0926	4863,15	2056,34	472,4	ГОСТ 10284-74
53831510000927	0	BK20-KC	1010-0927	4644,99	988,5	237,75	ГОСТ 10284-74
53831510000928	0	BK20-KC	1010-0928	4645,18	983,2	236,47	ГОСТ 10284-74
53831510000929	0	BK20-KC	1010-0929	4645,35	978,77	235,4	ГОСТ 10284-74
53831510000931	0	BK20-KC	1010-0931	4639,46	1171,42	282,09	ГОСТ 10284-74
53831510000932	0	BK20-KC	1010-0932	4635,25	1362,12	328,31	ГОСТ 10284-74
53831510000933	0	BK20-KC	1010-0933	4869,78	1634,64	375,02	ГОСТ 10284-74
53831510000934	0	BK20-KC	1010-0934	4863,31	2043,52	469,44	ГОСТ 10284-74
53831510000935	0	BK20-KC	1010-0935	4655,13	767,49	184,19	ГОСТ 10284-74
53831510000936	0	BK20-KC	1010-0936	4864,49	1954,55	448,9	ГОСТ 10284-74
53831510000937	0	BK20-KC	1010-0937	4646,54	947,06	227,71	ГОСТ 10284-74
53831510000938	0	BK20-KC	1010-0938	4646,79	940,65	226,15	ГОСТ 10284-74
53831510000939	0	BK20-KC	1010-0939	4647,04	934,29	224,62	ГОСТ 10284-74
53831510000941	0	BK20-KC	1010-0941	4640,93	1116,65	268,82	ГОСТ 10284-74
53831510000942	0	BK20-KC	1010-0942	4641,11	1110,29	267,28	ГОСТ 10284-74
53831510000943	0	BK20-KC	1010-0943	4871,38	1557,53	357,21	ГОСТ 10284-74
53831510000944	0	BK20-KC	1010-0944	4871,52	1550,9	355,68	ГОСТ 10284-74
53831510000945	0	BK20-KC	1010-0945	4864,69	1940,33	445,62	ГОСТ 10284-74
53831510000946	0	BK20-KC	1010-0946	4864,79	1933,65	444,07	ГОСТ 10284-74
53831510000947	0	BK20-KC	1010-0947	4636,91	1280,07	308,43	ГОСТ 10284-74
53831510000948	0	BK20-KC	1010-0948	4637,17	1267,94	305,48	ГОСТ 10284-74
53831510000949	0	BK20-KC	1010-0949	4637,37	1259,23	303,37	ГОСТ 10284-74
53831510000951	0	BK20-KC	1010-0951	4629,35	1763,69	425,64	ГОСТ 10284-74
53831510000953	0	BK20-KC	1010-0953	4859,7	2374,16	545,8	ГОСТ 10284-74
53831510000954	0	BK20-KC	1010-0954	4635,77	1335,56	321,87	ГОСТ 10284-74
53831510000955	0	BK20-KC	1010-0955	4635,97	1325,52	319,43	ГОСТ 10284-74
53831510000956	0	BK20-KC	1010-0956	4636,17	1315,47	317,00	ГОСТ 10284-74
53831510000957	0	BK20-KC	1010-0957	4627,22	1972,4	476,23	ГОСТ 10284-74
53831510000958	0	BK20-KC	1010-0958	4627,31	1962,35	473,79	ГОСТ 10284-74
53831510000959	0	BK20-KC	1010-0959	4622,76	2619,26	633,02	ГОСТ 10284-74
53831510000961	0	BK20-KC	1010-0961	4852,77	3441,2	792,24	ГОСТ 10284-74
53831510000962	0	BK20-KC	1010-0962	4852,82	3430,65	789,8	ГОСТ 10284-74
53831510000963	0	BK20-KC	1010-0963	4626,17	2093,99	505,7	ГОСТ 10284-74
53831510000964	0	BK20-KC	1010-0964	4623,4	2503,01	604,84	ГОСТ 10284-74
53831510000965	0	BK20-KC	1010-0965	4621,39	2912,08	703,99	ГОСТ 10284-74
53831510000966	0	BK20-KC	1010-0966	4619,88	3321,1	803,13	ГОСТ 10284-74
53831510000967	0	BK20-KC	1010-0967	4618,7	3730,07	902,26	ГОСТ 10284-74
53831510000968	0	BK20-KC	1010-0968	4850,67	3982,69	1001,42	ГОСТ 10284-74
53831510000971	0	BK20-KC	1010-0971	4623,94	2411,52	582,66	ГОСТ 10284-74
53831510000972	0	BK20-KC	1010-0972	4621,04	2999,19	725,11	ГОСТ 10284-74
53831510000973	0	BK20-KC	1010-0973	4617,07	4497,21	1088,21	ГОСТ 10284-74
53831510000974	0	BK20-KC	1010-0974	4617,37	4334,97	1048,89	ГОСТ 10284-74
53831510000975	0	BK20-KC	1010-0975	4617,64	4196,56	1015,34	ГОСТ 10284-74
53831510000981	0	BK20-KC	1010-0981	4666,42	613,26	146,83	ГОСТ 10284-74
53831510000982	0	BK20-KC	1010-0982	4646,75	941,8	226,44	ГОСТ 10284-74
53831510000983	0	BK20-KC	1010-0983	4648,71	894,41	214,95	ГОСТ 10284-74
53831510000984	0	BK20-KC	1010-0984	4636,88	1281,31	308,72	ГОСТ 10284-74
53831510000985	0	BK20-KC	1010-0985	4629,65	1737,65	419,32	ГОСТ 10284-74
53831510000986	0	BK20-KC	1010-0986	4620,04	3273,94	791,69	ГОСТ 10284-74
53831510000991	0	BK20-KC	1010-0991	4938,84	514,08	115,78	ГОСТ 10284-74
53831510000992	0	BK20-KC	1010-0992	4942,91	493,75	111,11	ГОСТ 10284-74
53831510000993	0	BK20-KC	1010-0993	4946,55	476,85	107,22	ГОСТ 10284-74
53831510000994	0	BK20-KC	1010-0994	4876,47	1353,56	308,74	ГОСТ 10284-74
53831510000995	0	BK20-KC	1010-0995	4878,68	1280,8	292,01	ГОСТ 10284-74
53831510000996	0	BK20-KC	1010-0996	4870,75	1587,04	362,43	ГОСТ 10284-74
53831510000997	0	BK20-KC	1010-0997	4871,42	1555,54	355,18	ГОСТ 10284-74
53831510001651	0	BK20-KC	1010-1651	4688,38	439,07	104,63	ГОСТ 10284-74
53831510001652	0	BK20-KC	1010-1652	4659,37	701,42	168,18	ГОСТ 10284-74
53831510001653	0	BK20-KC	1010-1653	4651,34	837,8	201,24	ГОСТ 10284-74
53831510001654	0	BK20-KC	1010-1654	4636,77	1286,57	309,99	ГОСТ 10284-74
53831510001655	0	BK20-KC	1010-1655	4860,26	2316,98	532,6	ГОСТ 10284-74
53831510001657	0	BK20-KC	1010-1657	4855,05	2998,19	689,93	ГОСТ 10284-74
53831510001659	0	BK20-KC	1010-1659	4854,03	3182,01	732,38	ГОСТ 10284-74
53831510001665	0	BK20-KC	1010-1665	4849,53	4353,71	1003,00	ГОСТ 10284-74
53831510001671	0	BK20-KC	1010-1671	4702,58	47,97	11,4	ГОСТ 10284-74
53831510001672	0	BK20-KC	1010-1672	4703,00	47,88	11,37	ГОСТ 10284-74
53831510001673	0	BK20-KC	1010-1673	4552,22	107,16	26,3	ГОСТ 10284-74
53831510001674	0	BK20-KC	1010-1674	4513,27	144,15	35,68	ГОСТ 10284-74
53831510001675	0	BK20-KC	1010-1675	4439,38	348,98	87,93	ГОСТ 10284-74
53831510001676	0	BK20-KC	1010-1676	4438,52	354,46	89,22	ГОСТ 10284-74

53831510001677	0	BK20-KC	1010-1677	4439,01	351,35	88,43	ГОСТ 10284-74
53831510001678	0	BK20-KC	1010-1678	4422,81	493,98	124,78	ГОСТ 10284-74
53831510001679	0	BK20-KC	1010-1679	4415,88	595,17	150,58	ГОСТ 10284-74
53831510001681	0	BK20-KC	1010-1681	4416,92	577,51	146,08	ГОСТ 10284-74
53831510001682	0	BK20-KC	1010-1682	4417,14	573,92	145,16	ГОСТ 10284-74
53831510001683	0	BK20-KC	1010-1683	4396,59	1348,43	342,64	ГОСТ 10284-74
53831510001685	0	BK20-KC	1010-1685	4396,71	1337,79	339,93	ГОСТ 10284-74
53831510001692	0	BK20-KC	1010-1692	4393,69	1658,31	421,66	ГОСТ 10284-74
53831510001694	0	BK20-KC	1010-1694	4391,65	1976,2	502,74	ГОСТ 10284-74
53831510001695	0	BK20-KC	1010-1695	4391,74	1960,25	498,67	ГОСТ 10284-74
53831510001696	0	BK20-KC	1010-1696	4389,66	2429,76	618,4	ГОСТ 10284-74
53831510001697	0	BK20-KC	1010-1697	4389,82	2384,38	606,83	ГОСТ 10284-74
53831510001698	0	BK20-KC	1010-1698	4390,03	2329,88	592,93	ГОСТ 10284-74
53831510001701	0	BK20-KC	1010-1701	4465,89	234,59	58,43	ГОСТ 10284-74
53831510001702	0	BK20-KC	1010-1702	4427,68	440,73	110,72	ГОСТ 10284-74
53831510001703	0	BK20-KC	1010-1703	4430,15	417,72	104,88	ГОСТ 10284-74
53831510001704	0	BK20-KC	1010-1704	4428,37	434,02	109,02	ГОСТ 10284-74
53831510001705	0	BK20-KC	1010-1705	4417,98	560,55	141,12	ГОСТ 10284-74
53831510001706	0	BK20-KC	1010-1706	4418,36	554,64	139,62	ГОСТ 10284-74
53831510001707	0	BK20-KC	1010-1707	4418,54	551,92	138,93	ГОСТ 10284-74
53831510001708	0	BK20-KC	1010-1708	4396,31	1373,06	347,39	ГОСТ 10284-74
53831510001709	0	BK20-KC	1010-1709	4396,37	1368,24	346,17	ГОСТ 10284-74
53831510001711	0	BK20-KC	1010-1711	4396,47	1358,77	343,76	ГОСТ 10284-74
53831510001712	0	BK20-KC	1010-1712	4396,62	1345,67	340,45	ГОСТ 10284-74
53831510001713	0	BK20-KC	1010-1713	4388,81	2693,59	682,66	ГОСТ 10284-74
53831510001714	0	BK20-KC	1010-1714	4387,33	3315,07	840,46	ГОСТ 10284-74
53831510001715	0	BK20-KC	1010-1715	4386,44	3854,58	977,43	ГОСТ 10284-74
53831510001716	0	BK20-KC	1010-1716	4384,76	5539,09	1405,13	ГОСТ 10284-74
53831510001717	0	BK20-KC	1010-1717	4384,82	5459,53	1384,93	ГОСТ 10284-74
53831510001718	0	BK20-KC	1010-1718	4384,9	5341,91	1355,07	ГОСТ 10284-74
53831510001721	0	BK20-KC	1010-1721	4817,85	29,82	6,89	ГОСТ 10284-74
53831510001722	0	BK20-KC	1010-1722	4774,58	35,43	8,25	ГОСТ 10284-74
53831510001723	0	BK20-KC	1010-1723	4780,69	34,56	8,04	ГОСТ 10284-74
53831510001724	0	BK20-KC	1010-1724	4765,9	36,7	8,56	ГОСТ 10284-74
53831510001725	0	BK20-KC	1010-1725	4789,04	33,43	7,77	ГОСТ 10284-74
53831510001726	0	BK20-KC	1010-1726	4802,04	31,74	7,35	ГОСТ 10284-74
53831510001727	0	BK20-KC	1010-1727	4819,02	29,69	6,86	ГОСТ 10284-74
53831510001728	0	BK20-KC	1010-1728	4672,11	55,08	13,11	ГОСТ 10284-74
53831510001729	0	BK20-KC	1010-1729	4681,24	52,8	12,54	ГОСТ 10284-74
53831510001731	0	BK20-KC	1010-1731	4686,49	51,55	12,24	ГОСТ 10284-74
53831510001732	0	BK20-KC	1010-1732	4697,99	48,95	11,59	ГОСТ 10284-74
53831510001733	0	BK20-KC	1010-1733	4719,51	44,55	10,51	ГОСТ 10284-74
53831510001734	0	BK20-KC	1010-1734	4533,27	122,81	30,13	ГОСТ 10284-74
53831510001735	0	BK20-KC	1010-1735	4537,62	118,89	29,14	ГОСТ 10284-74
53831510001736	0	BK20-KC	1010-1736	4540,85	116,11	28,45	ГОСТ 10284-74
53831510001737	0	BK20-KC	1010-1737	4479,16	200,49	49,79	ГОСТ 10284-74
53831510001738	0	BK20-KC	1010-1738	4483,00	192,28	47,7	ГОСТ 10284-74
53831510001739	0	BK20-KC	1010-1739	4485,18	187,88	46,59	ГОСТ 10284-74
53831510001741	0	BK20-KC	1010-1741	4441,38	336,88	84,37	ГОСТ 10284-74
53831510001742	0	BK20-KC	1010-1742	4426,43	453,22	113,89	ГОСТ 10284-74
53831510001743	0	BK20-KC	1010-1743	4426,92	448,23	112,62	ГОСТ 10284-74
53831510001744	0	BK20-KC	1010-1744	4428,18	435,82	109,48	ГОСТ 10284-74
53831510001745	0	BK20-KC	1010-1745	4414,18	626,5	157,87	ГОСТ 10284-74
53831510001746	0	BK20-KC	1010-1746	4414,73	615,99	155,2	ГОСТ 10284-74
53831510001747	0	BK20-KC	1010-1747	4415,46	602,62	151,82	ГОСТ 10284-74
53831510001748	0	BK20-KC	1010-1748	4416,26	588,6	148,24	ГОСТ 10284-74
53831510001749	0	BK20-KC	1010-1749	4406,62	815,93	205,96	ГОСТ 10284-74
53831510001751	0	BK20-KC	1010-1751	4407,56	786,57	198,5	ГОСТ 10284-74
53831510001752	0	BK20-KC	1010-1752	4401,81	1007,71	254,63	ГОСТ 10284-74
53831510001753	0	BK20-KC	1010-1753	4402,94	955,09	241,28	ГОСТ 10284-74
53831510001754	0	BK20-KC	1010-1754	4397,15	1301,29	329,17	ГОСТ 10284-74
53831510001755	0	BK20-KC	1010-1755	4393,2	1725,65	436,91	ГОСТ 10284-74
53831510001756	0	BK20-KC	1010-1756	4390,00	2338,77	592,57	ГОСТ 10284-74
53831510001757	0	BK20-KC	1010-1757	4390,63	2185,3	553,61	ГОСТ 10284-74
53831510001758	0	BK20-KC	1010-1758	4388,55	2786,2	706,18	ГОСТ 10284-74
53831510001759	0	BK20-KC	1010-1759	4389,49	2478,96	628,17	ГОСТ 10284-74
53831510001771	0	BK20-KC	1010-1771	4651,8	828,62	198,13	ГОСТ 10284-74
53831510001772	0	BK20-KC	1010-1772	4654,02	786,86	188,05	ГОСТ 10284-74
53831510001773	0	BK20-KC	1010-1773	4636,82	1284,4	308,1	ГОСТ 10284-74
53831510001774	0	BK20-KC	1010-1774	4630,33	1681,32	403,89	ГОСТ 10284-74
53831510001775	0	BK20-KC	1010-1775	4623,91	2415,25	581,00	ГОСТ 10284-74
53831510001776	0	BK20-KC	1010-1776	4618,55	3789,39	912,61	ГОСТ 10284-74
53831510001777	0	BK20-KC	1010-1777	4617,92	4061,69	978,33	ГОСТ 10284-74
53831510001801	0	BK20-KC	1010-1801	4841,31	13190,15	3043,85	ГОСТ 10284-74
53831510001802	0	BK20-KC	1010-1802	4841,77	11839,01	2731,8	ГОСТ 10284-74
53831510001803	0	BK20-KC	1010-1803	4843,31	8825,25	2035,74	ГОСТ 10284-74
53831510001804	0	BK20-KC	1010-1804	4843,67	8332,57	1921,95	ГОСТ 10284-74

53831510001805	0	BK20-KC	1010-1805	4618,9	3655,4	884,16	ГОСТ 10284-74
53831510001806	0	BK20-KC	1010-1806	4401,98	999,47	252,55	ГОСТ 10284-74
53831510001807	0	BK20-KC	1010-1807	4468,95	225,82	60,22	ГОСТ 10284-74
53831510001808	0	BK20-KC	1010-1808	4466,85	231,78	61,85	ГОСТ 10284-74
53831510001809	0	BK20-KC	1010-1809	4457,96	260,57	69,66	ГОСТ 10284-74
53831510001810	0	BK20-KC	1010-1810	4432,52	397,73	106,94	ГОСТ 10284-74
53831510001811	0	BK20-KC	1010-1811	4416,52	584,31	157,67	ГОСТ 10284-74
53831510001812	0	BK20-KC	1010-1812	4426,69	450,59	121,31	ГОСТ 10284-74
53831510033110	0	BK20-KC	1010-0331*10	5144,17	49,49	11,46	ГОСТ 10284-74
53831510033310	0	BK20-KC	1010-0333*10	4717,41	44,96	11,35	ГОСТ 10284-74
53831510033510	0	BK20-KC	1010-0335*10	4720,21	44,42	11,21	ГОСТ 10284-74
53831510034610	0	BK20-KC	1010-0346*10	4787,73	185,72	43,32	ГОСТ 10284-74
53831510034620	0	BK20-KC	1010-0346*20	4703,8	364,97	86,65	ГОСТ 10284-74
53831510034630	0	BK20-KC	1010-0346*30	4673,55	543,67	129,97	ГОСТ 10284-74
53831510034710	0	BK20-KC	1010-0347*10	4788,67	184,65	43,08	ГОСТ 10284-74
53831510034720	0	BK20-KC	1010-0347*20	4704,33	362,84	86,16	ГОСТ 10284-74
53831510034730	0	BK20-KC	1010-0347*30	4673,9	540,72	129,24	ГОСТ 10284-74
53831510037110	0	BK20-KC	1010-0371*10	4495,25	169,74	45,00	ГОСТ 10284-74
53831510037120	0	BK20-KC	1010-0371*20	4435,43	375,59	90,01	ГОСТ 10284-74
53831510037126	0	BK20-KC	1010-0371*26	4428,29	434,81	117,02	ГОСТ 10284-74
53831510037130	0	BK20-KC	1010-0371*30	4417,95	561,04	135,02	ГОСТ 10284-74
53831510037146	0	BK20-KC	1010-0371*46	4408,44	760,63	205,63	ГОСТ 10284-74
53831510038140	0	BK20-KC	1010-0381*40	4865,89	1858,62	426,82	ГОСТ 10284-74
53831510070220	0	BK20-KC	1010-0702*20	4518,95	137,47	32,34	ГОСТ 10284-74
53831510070320	0	BK20-KC	1010-0703*20	4533,84	122,28	32,14	ГОСТ 10284-74
53831510070410	0	BK20-KC	1010-0704*10	4616,43	72,75	18,79	ГОСТ 10284-74
53831510070418	0	BK20-KC	1010-0704*18	4527,34	128,53	33,83	ГОСТ 10284-74
53831510070420	0	BK20-KC	1010-0704*20	4502,05	159,19	37,58	ГОСТ 10284-74
53831510070520	0	BK20-KC	1010-0705*20	4408,98	745,74	179,82	ГОСТ 10284-74
53831510070610	0	BK20-KC	1010-0706*10	4908,81	103,58	25,15	ГОСТ 10284-74
53831510070618	0	BK20-KC	1010-0706*18	4791,01	182,06	45,28	ГОСТ 10284-74
53831510070620	0	BK20-KC	1010-0706*20	4758,57	225,22	50,32	ГОСТ 10284-74
53831510070630	0	BK20-KC	1010-0706*30	4712,03	334,51	75,47	ГОСТ 10284-74
53831510070710	0	BK20-KC	1010-0707*10	4879,68	116,67	25,41	ГОСТ 10284-74
53831510070720	0	BK20-KC	1010-0707*20	4757,21	227,44	50,82	ГОСТ 10284-74
53831510070730	0	BK20-KC	1010-0707*30	4711,06	337,83	76,24	ГОСТ 10284-74
53831510070810	0	BK20-KC	1010-0708*10	4912,06	102,27	24,81	ГОСТ 10284-74
53831510070820	0	BK20-KC	1010-0708*20	4760,51	222,13	49,6	ГОСТ 10284-74
53831510070826	0	BK20-KC	1010-0708*26	4741,42	256,56	64,49	ГОСТ 10284-74
53831510070828	0	BK20-KC	1010-0708*28	4726,73	290,65	73,29	ГОСТ 10284-74
53831510070830	0	BK20-KC	1010-0708*30	4713,4	329,89	74,41	ГОСТ 10284-74
53831510070920	0	BK20-KC	1010-0709*20	4654,38	780,54	178,3	ГОСТ 10284-74
53831510070930	0	BK20-KC	1010-0709*30	4639,57	1167,08	267,44	ГОСТ 10284-74
53831510071110	0	BK20-KC	1010-0711*10	4832,98	144,7	31,84	ГОСТ 10284-74
53831510071116	0	BK20-KC	1010-0711*16	4772,95	204,00	50,94	ГОСТ 10284-74
53831510071120	0	BK20-KC	1010-0711*20	4729,64	283,26	63,67	ГОСТ 10284-74
53831510071126	0	BK20-KC	1010-0711*26	4714,17	327,35	82,76	ГОСТ 10284-74
53831510071130	0	BK20-KC	1010-0711*30	4691,57	421,44	95,49	ГОСТ 10284-74
53831510071210	0	BK20-KC	1010-0712*10	4845,07	136,39	31,44	ГОСТ 10284-74
53831510071220	0	BK20-KC	1010-0712*20	4736,72	266,63	62,87	ГОСТ 10284-74
53831510071230	0	BK20-KC	1010-0712*30	4696,52	396,67	94,31	ГОСТ 10284-74
53831510071310	0	BK20-KC	1010-0713*10	4784,4	189,56	44,23	ГОСТ 10284-74
53831510071320	0	BK20-KC	1010-0713*20	4701,95	372,54	88,46	ГОСТ 10284-74
53831510071330	0	BK20-KC	1010-0713*30	4672,26	555,11	132,69	ГОСТ 10284-74
53831510071410	0	BK20-KC	1010-0714*10	4786,79	186,78	43,61	ГОСТ 10284-74
53831510071420	0	BK20-KC	1010-0714*20	4703,29	367,04	87,21	ГОСТ 10284-74
53831510071430	0	BK20-KC	1010-0714*30	4673,17	547,04	130,82	ГОСТ 10284-74
53831510071510	0	BK20-KC	1010-0715*10	4849,27	133,69	30,81	ГОСТ 10284-74
53831510071520	0	BK20-KC	1010-0715*20	4739,16	261,32	61,61	ГОСТ 10284-74
53831510071530	0	BK20-KC	1010-0715*30	4698,27	388,59	92,42	ГОСТ 10284-74
53831510071610	0	BK20-KC	1010-0716*10	4702,31	371,06	88,15	ГОСТ 10284-74
53831510071620	0	BK20-KC	1010-0716*20	4657,12	735,03	176,3	ГОСТ 10284-74
53831510071630	0	BK20-KC	1010-0716*30	4641,43	1099,04	264,45	ГОСТ 10284-74
53831510071710	0	BK20-KC	1010-0717*10	4758,12	225,96	53,05	ГОСТ 10284-74
53831510071720	0	BK20-KC	1010-0717*20	4687,32	445,25	106,11	ГОСТ 10284-74
53831510071730	0	BK20-KC	1010-0717*30	4662,1	664,49	159,16	ГОСТ 10284-74
53831510071810	0	BK20-KC	1010-0718*10	4790,97	182,1	42,44	ГОСТ 10284-74
53831510071820	0	BK20-KC	1010-0718*20	4705,62	357,77	84,89	ГОСТ 10284-74
53831510071830	0	BK20-KC	1010-0718*30	4674,84	532,7	127,32	ГОСТ 10284-74
53831510071910	0	BK20-KC	1010-0719*10	4703,55	365,98	86,92	ГОСТ 10284-74
53831510071920	0	BK20-KC	1010-0719*20	4657,78	724,89	173,85	ГОСТ 10284-74
53831510071930	0	BK20-KC	1010-0719*30	4641,88	1083,83	260,77	ГОСТ 10284-74
53831510072110	0	BK20-KC	1010-0721*10	4704,7	361,37	85,77	ГОСТ 10284-74
53831510072120	0	BK20-KC	1010-0721*20	4658,4	715,58	171,56	ГОСТ 10284-74
53831510072130	0	BK20-KC	1010-0721*30	4642,31	1069,45	257,33	ГОСТ 10284-74
53831510072210	0	BK20-KC	1010-0722*10	4705,14	359,66	85,38	ГОСТ 10284-74
53831510072220	0	BK20-KC	1010-0722*20	4658,63	712,21	170,77	ГОСТ 10284-74

53831510072230	0	BK20-KC	1010-0722*30	4642,47	1064,38	256,15	ГОСТ 10284-74
53831510072310	0	BK20-KC	1010-0723*10	4706,45	354,58	84,19	ГОСТ 10284-74
53831510072320	0	BK20-KC	1010-0723*20	4659,33	702,07	168,37	ГОСТ 10284-74
53831510072330	0	BK20-KC	1010-0723*30	4642,93	1049,63	252,56	ГОСТ 10284-74
53831510072340	0	BK20-KC	1010-0723*40	4634,61	1396,69	336,75	ГОСТ 10284-74
53831510072350	0	BK20-KC	1010-0723*50	4629,57	1744,19	420,94	ГОСТ 10284-74
53831510072410	0	BK20-KC	1010-0724*10	4708,49	346,97	82,34	ГОСТ 10284-74
53831510072420	0	BK20-KC	1010-0724*20	4660,42	686,85	164,68	ГОСТ 10284-74
53831510072430	0	BK20-KC	1010-0724*30	4643,67	1026,81	247,01	ГОСТ 10284-74
53831510072440	0	BK20-KC	1010-0724*40	4635,17	1366,31	329,35	ГОСТ 10284-74
53831510072450	0	BK20-KC	1010-0724*50	4630,02	1706,21	411,69	ГОСТ 10284-74
53831510072510	0	BK20-KC	1010-0725*10	4695,34	402,34	95,75	ГОСТ 10284-74
53831510072520	0	BK20-KC	1010-0725*20	4653,43	797,5	191,51	ГОСТ 10284-74
53831510072530	0	BK20-KC	1010-0725*30	4638,92	1192,76	287,27	ГОСТ 10284-74
53831510072540	0	BK20-KC	1010-0725*40	4631,57	1587,98	383,02	ГОСТ 10284-74
53831510072550	0	BK20-KC	1010-0725*50	4627,12	1982,72	478,77	ГОСТ 10284-74
53831510072620	0	BK20-KC	1010-0726*20	4653,78	791,19	189,9	ГОСТ 10284-74
53831510072630	0	BK20-KC	1010-0726*30	4639,18	1182,62	284,85	ГОСТ 10284-74
53831510072640	0	BK20-KC	1010-0726*40	4631,76	1574,47	379,8	ГОСТ 10284-74
53831510072650	0	BK20-KC	1010-0726*50	4627,27	1966,27	474,75	ГОСТ 10284-74
53831510072710	0	BK20-KC	1010-0727*10	4697,12	393,9	93,67	ГОСТ 10284-74
53831510072720	0	BK20-KC	1010-0727*20	4654,37	780,63	187,35	ГОСТ 10284-74
53831510072730	0	BK20-KC	1010-0727*30	4639,57	1166,99	281,02	ГОСТ 10284-74
53831510072740	0	BK20-KC	1010-0727*40	4632,06	1553,36	374,7	ГОСТ 10284-74
53831510072750	0	BK20-KC	1010-0727*50	4627,52	1940,09	468,36	ГОСТ 10284-74
53831510072810	0	BK20-KC	1010-0728*10	4673,7	542,43	129,68	ГОСТ 10284-74
53831510072820	0	BK20-KC	1010-0728*20	4642,07	1077,47	259,35	ГОСТ 10284-74
53831510072830	0	BK20-KC	1010-0728*30	4631,23	1612,45	389,03	ГОСТ 10284-74
53831510072840	0	BK20-KC	1010-0728*40	4625,75	2147,83	518,7	ГОСТ 10284-74
53831510072850	0	BK20-KC	1010-0728*50	4622,44	2682,77	648,38	ГОСТ 10284-74
53831510072910	0	BK20-KC	1010-0729*10	4674,77	533,34	127,46	ГОСТ 10284-74
53831510072920	0	BK20-KC	1010-0729*20	4642,63	1059,35	254,91	ГОСТ 10284-74
53831510072930	0	BK20-KC	1010-0729*30	4631,6	1585,44	382,37	ГОСТ 10284-74
53831510072940	0	BK20-KC	1010-0729*40	4626,03	2111,09	509,82	ГОСТ 10284-74
53831510072950	0	BK20-KC	1010-0729*50	4856,51	2770,54	637,29	ГОСТ 10284-74
53831510073110	0	BK20-KC	1010-0731*10	4675,02	531,22	133,97	ГОСТ 10284-74
53831510073120	0	BK20-KC	1010-0731*20	4642,76	1055,11	253,89	ГОСТ 10284-74
53831510073130	0	BK20-KC	1010-0731*30	4631,69	1579,13	380,83	ГОСТ 10284-74
53831510073140	0	BK20-KC	1010-0731*40	4626,1	2102,66	507,77	ГОСТ 10284-74
53831510073150	0	BK20-KC	1010-0731*50	4856,58	2759,46	634,72	ГОСТ 10284-74
53831510073210	0	BK20-KC	1010-0732*10	4676,14	522,14	124,77	ГОСТ 10284-74
53831510073220	0	BK20-KC	1010-0732*20	4643,34	1036,95	249,54	ГОСТ 10284-74
53831510073230	0	BK20-KC	1010-0732*30	4632,09	1551,66	374,32	ГОСТ 10284-74
53831510073240	0	BK20-KC	1010-0732*40	4626,4	2066,75	499,09	ГОСТ 10284-74
53831510073250	0	BK20-KC	1010-0732*50	4856,92	2712,06	623,86	ГОСТ 10284-74
53831510073310	0	BK20-KC	1010-0733*10	4676,48	519,42	124,07	ГОСТ 10284-74
53831510073320	0	BK20-KC	1010-0733*20	4643,52	1031,47	248,15	ГОСТ 10284-74
53831510073330	0	BK20-KC	1010-0733*30	4632,21	1543,22	372,22	ГОСТ 10284-74
53831510073340	0	BK20-KC	1010-0733*40	4861,92	2159,52	496,29	ГОСТ 10284-74
53831510073350	0	BK20-KC	1010-0733*50	4857,03	2697,01	620,36	ГОСТ 10284-74
53831510073410	0	BK20-KC	1010-0734*10	4678,34	505,03	120,63	ГОСТ 10284-74
53831510073420	0	BK20-KC	1010-0734*20	4644,49	1002,75	241,25	ГОСТ 10284-74
53831510073430	0	BK20-KC	1010-0734*30	4632,86	1500,58	361,88	ГОСТ 10284-74
53831510073440	0	BK20-KC	1010-0734*40	4862,62	2100,12	482,5	ГОСТ 10284-74
53831510073450	0	BK20-KC	1010-0734*50	4857,59	2622,13	603,13	ГОСТ 10284-74
53831510073510	0	BK20-KC	1010-0735*10	4642,74	1055,76	211,93	ГОСТ 10284-74
53831510073520	0	BK20-KC	1010-0735*20	4629,49	1751,38	423,86	ГОСТ 10284-74
53831510073530	0	BK20-KC	1010-0735*30	4622,74	2623,22	635,79	ГОСТ 10284-74
53831510073540	0	BK20-KC	1010-0735*40	4851,8	3670,97	845,04	ГОСТ 10284-74
53831510073550	0	BK20-KC	1010-0735*50	4848,91	4585,95	1056,28	ГОСТ 10284-74
53831510073610	0	BK20-KC	1010-0736*10	4649,69	872,47	209,6	ГОСТ 10284-74
53831510073620	0	BK20-KC	1010-0736*20	4629,65	1737,46	419,19	ГОСТ 10284-74
53831510073630	0	BK20-KC	1010-0736*30	4622,85	2602,11	628,79	ГОСТ 10284-74
53831510073640	0	BK20-KC	1010-0736*40	4851,92	3641,27	838,38	ГОСТ 10284-74
53831510073650	0	BK20-KC	1010-0736*50	4849,00	4549,19	1047,98	ГОСТ 10284-74
53831510073720	0	BK20-KC	1010-0737*20	4629,85	1720,54	415,08	ГОСТ 10284-74
53831510073730	0	BK20-KC	1010-0737*30	4622,99	2576,81	622,62	ГОСТ 10284-74
53831510073740	0	BK20-KC	1010-0737*40	4852,06	3605,81	830,15	ГОСТ 10284-74
53831510073750	0	BK20-KC	1010-0737*50	4849,12	4504,88	1037,7	ГОСТ 10284-74
53831510073820	0	BK20-KC	1010-0738*20	4630,21	1691,00	408,06	ГОСТ 10284-74
53831510073830	0	BK20-KC	1010-0738*30	4623,23	2532,47	612,09	ГОСТ 10284-74
53831510073840	0	BK20-KC	1010-0738*40	4852,32	3543,8	816,12	ГОСТ 10284-74
53831510073850	0	BK20-KC	1010-0738*50	4849,32	4427,33	1020,16	ГОСТ 10284-74
53831510073910	0	BK20-KC	1010-0739*10	4651,5	834,48	200,43	ГОСТ 10284-74
53831510073920	0	BK20-KC	1010-0739*20	4630,58	1661,45	423,04	ГОСТ 10284-74
53831510073930	0	BK20-KC	1010-0739*30	4623,48	2488,13	601,29	ГОСТ 10284-74
53831510073940	0	BK20-KC	1010-0739*40	4852,59	3481,73	801,72	ГОСТ 10284-74

53831510073950	0	BK20-KC	1010-0739*50	4849,54	4349,79	1002,14	ГОСТ 10284-74
53831510074120	0	BK20-KC	1010-0741*20	4630,74	1648,78	397,66	ГОСТ 10284-74
53831510074130	0	BK20-KC	1010-0741*30	4623,59	2469,14	596,48	ГОСТ 10284-74
53831510074140	0	BK20-KC	1010-0741*40	4852,71	3455,18	795,31	ГОСТ 10284-74
53831510074150	0	BK20-KC	1010-0741*50	4849,63	4316,56	994,14	ГОСТ 10284-74
53831510074210	0	BK20-KC	1010-0742*10	4652,74	810,41	194,66	ГОСТ 10284-74
53831510074220	0	BK20-KC	1010-0742*20	4631,22	1613,28	389,33	ГОСТ 10284-74
53831510074230	0	BK20-KC	1010-0742*30	4623,91	2416,36	583,99	ГОСТ 10284-74
53831510074240	0	BK20-KC	1010-0742*40	4853,04	3381,6	778,66	ГОСТ 10284-74
53831510074250	0	BK20-KC	1010-0742*50	4849,9	4223,93	973,32	ГОСТ 10284-74
53831510074310	0	BK20-KC	1010-0743*10	4653,49	796,44	201,74	ГОСТ 10284-74
53831510074320	0	BK20-KC	1010-0743*20	4631,6	1585,44	382,33	ГОСТ 10284-74
53831510074330	0	BK20-KC	1010-0743*30	4624,17	2374,14	573,49	ГОСТ 10284-74
53831510074340	0	BK20-KC	1010-0743*40	4853,32	3322,24	764,66	ГОСТ 10284-74
53831510074350	0	BK20-KC	1010-0743*50	4850,13	4150,4	955,82	ГОСТ 10284-74
53831510074410	0	BK20-KC	1010-0744*10	4644,45	1004,04	241,53	ГОСТ 10284-74
53831510074420	0	BK20-KC	1010-0744*20	4626,96	2000,47	483,06	ГОСТ 10284-74
53831510074430	0	BK20-KC	1010-0744*30	4621,05	2996,89	724,59	ГОСТ 10284-74
53831510074440	0	BK20-KC	1010-0744*40	4849,99	4193,79	966,12	ГОСТ 10284-74
53831510074450	0	BK20-KC	1010-0744*50	4847,46	5239,52	1207,66	ГОСТ 10284-74
53831510074520	0	BK20-KC	1010-0745*20	4627,28	1965,44	474,42	ГОСТ 10284-74
53831510074530	0	BK20-KC	1010-0745*30	4621,26	2944,11	711,63	ГОСТ 10284-74
53831510074540	0	BK20-KC	1010-0745*40	4850,22	4119,83	948,84	ГОСТ 10284-74
53831510074550	0	BK20-KC	1010-0745*50	4847,64	5147,37	1186,06	ГОСТ 10284-74
53831510074610	0	BK20-KC	1010-0746*10	4633,44	1464,91	354,19	ГОСТ 10284-74
53831510074620	0	BK20-KC	1010-0746*20	4621,32	2930,61	708,38	ГОСТ 10284-74
53831510074630	0	BK20-KC	1010-0746*30	4617,26	4392,26	1062,57	ГОСТ 10284-74
53831510074640	0	BK20-KC	1010-0746*40	4845,95	6146,56	1416,75	ГОСТ 10284-74
53831510074650	0	BK20-KC	1010-0746*50	4844,22	7680,07	1770,95	ГОСТ 10284-74
53831510074710	0	BK20-KC	1010-0747*10	4634,59	1398,16	337,05	ГОСТ 10284-74
53831510074720	0	BK20-KC	1010-0747*20	4621,94	2788,74	674,09	ГОСТ 10284-74
53831510074730	0	BK20-KC	1010-0747*30	4617,67	4179,04	1011,14	ГОСТ 10284-74
53831510074740	0	BK20-KC	1010-0747*40	4846,4	5847,9	1348,17	ГОСТ 10284-74
53831510074750	0	BK20-KC	1010-0747*50	4844,57	7311,86	1685,22	ГОСТ 10284-74
53831510074810	0	BK20-KC	1010-0748*10	4636,11	1318,6	317,82	ГОСТ 10284-74
53831510074820	0	BK20-KC	1010-0748*20	4622,71	2629,58	635,63	ГОСТ 10284-74
53831510074830	0	BK20-KC	1010-0748*30	4618,19	3940,47	953,46	ГОСТ 10284-74
53831510074840	0	BK20-KC	1010-0748*40	4846,95	5514,23	1271,28	ГОСТ 10284-74
53831510074850	0	BK20-KC	1010-0748*50	4845,02	6890,05	1589,09	ГОСТ 10284-74
53831510075420	0	BK20-KC	1010-0754*20	4510,94	147,06	30,2	ГОСТ 10284-74
53831510075526	0	BK20-KC	1010-0755*26	4502,38	158,71	42,01	ГОСТ 10284-74
53831510075610	0	BK20-KC	1010-0756*10	4550,03	108,79	25,41	ГОСТ 10284-74
53831510075740	0	BK20-KC	1010-0757*40	4435,5	375,02	100,76	ГОСТ 10284-74
53831510075820	0	BK20-KC	1010-0758*20	4474,37	211,68	50,31	ГОСТ 10284-74
53831510075840	0	BK20-KC	1010-0758*40	4435,95	371,82	99,9	ГОСТ 10284-74
53831510075910	0	BK20-KC	1010-0759*10	4570,64	94,93	24,75	ГОСТ 10284-74
53831510075920	0	BK20-KC	1010-0759*20	4471,08	220,07	45,53	ГОСТ 10284-74
53831510076110	0	BK20-KC	1010-0761*10	4495,09	170,00	45,08	ГОСТ 10284-74
53831510076120	0	BK20-KC	1010-0761*20	4435,35	376,12	90,16	ГОСТ 10284-74
53831510076126	0	BK20-KC	1010-0761*26	4428,22	435,47	117,2	ГОСТ 10284-74
53831510076130	0	BK20-KC	1010-0761*30	4418,84	547,41	135,24	ГОСТ 10284-74
53831510076146	0	BK20-KC	1010-0761*46	4408,38	762,6	206,17	ГОСТ 10284-74
53831510076210	0	BK20-KC	1010-0762*10	4489,82	179,1	44,56	ГОСТ 10284-74
53831510076220	0	BK20-KC	1010-0762*20	4438,58	354,11	89,13	ГОСТ 10284-74
53831510076230	0	BK20-KC	1010-0762*30	4420,11	529,18	133,69	ГОСТ 10284-74
53831510076310	0	BK20-KC	1010-0763*10	4494,59	170,84	42,47	ГОСТ 10284-74
53831510076320	0	BK20-KC	1010-0763*20	4441,25	337,67	84,94	ГОСТ 10284-74
53831510076330	0	BK20-KC	1010-0763*30	4421,98	504,28	127,41	ГОСТ 10284-74
53831510076410	0	BK20-KC	1010-0764*10	4492,21	174,88	43,48	ГОСТ 10284-74
53831510076420	0	BK20-KC	1010-0764*20	4439,91	345,69	86,96	ГОСТ 10284-74
53831510076430	0	BK20-KC	1010-0764*30	4421,05	516,33	130,44	ГОСТ 10284-74
53831510076510	0	BK20-KC	1010-0765*10	4493,25	173,08	43,03	ГОСТ 10284-74
53831510076520	0	BK20-KC	1010-0765*20	4440,5	342,1	86,07	ГОСТ 10284-74
53831510076530	0	BK20-KC	1010-0765*30	4421,45	511,12	129,09	ГОСТ 10284-74
53831510076610	0	BK20-KC	1010-0766*10	4495,17	169,87	42,21	ГОСТ 10284-74
53831510076620	0	BK20-KC	1010-0766*20	4441,59	335,65	84,41	ГОСТ 10284-74
53831510076630	0	BK20-KC	1010-0766*30	4422,2	501,48	126,62	ГОСТ 10284-74
53831510076720	0	BK20-KC	1010-0767*20	4412,22	666,86	168,79	ГОСТ 10284-74
53831510076730	0	BK20-KC	1010-0767*30	4402,01	997,58	253,2	ГОСТ 10284-74
53831510076820	0	BK20-KC	1010-0768*20	4659,39	701,24	168,15	ГОСТ 10284-74
53831510076830	0	BK20-KC	1010-0768*30	4642,97	1048,34	252,21	ГОСТ 10284-74
53831510076920	0	BK20-KC	1010-0769*20	4659,87	694,46	166,51	ГОСТ 10284-74
53831510076930	0	BK20-KC	1010-0769*30	4643,3	1038,24	249,76	ГОСТ 10284-74
53831510077110	0	BK20-KC	1010-0771*10	4710,14	341,06	80,88	ГОСТ 10284-74
53831510077130	0	BK20-KC	1010-0771*30	4644,29	1008,65	242,63	ГОСТ 10284-74
53831510077140	0	BK20-KC	1010-0771*40	4874,86	1411,96	323,51	ГОСТ 10284-74
53831510077230	0	BK20-KC	1010-0772*30	4635,9	1329,16	294,5	ГОСТ 10284-74

53831510077240	0	BK20-KC	1010-0772*40	4865,87	1859,98	427,01	ГОСТ 10284-74
53831510077320	0	BK20-KC	1010-0773*20	4650,15	862,56	207,27	ГОСТ 10284-74
53831510077340	0	BK20-KC	1010-0773*40	4866,73	1805,46	414,54	ГОСТ 10284-74
53831510077540	0	BK20-KC	1010-0775*40	4860,38	2304,89	529,75	ГОСТ 10284-74
53831510080430	0	BK20-KC	1010-0804*30	4422,26	500,73	134,95	ГОСТ 10284-74
53831510090310	0	BK20-KC	1010-0903*10	4791,43	181,6	45,17	ГОСТ 10284-74
53831510090320	0	BK20-KC	1010-0903*20	4705,92	356,61	90,32	ГОСТ 10284-74
53831510098120	0	BK20-KC	1010-0981*20	4715,6	322,74	81,57	ГОСТ 10284-74
53831510098420	0	BK20-KC	1010-0984*20	4661,62	670,81	171,51	ГОСТ 10284-74
53831510098620	0	BK20-KC	1010-0986*20	4632,28	1538,84	395,92	ГОСТ 10284-74
53831510180110	0	BK20-KC	1010-1801*10	4626,12	2100,35	507,31	ГОСТ 10284-74
53831510180120	0	BK20-KC	1010-1801*20	4617,65	4192,96	1014,62	ГОСТ 10284-74
53831510180130	0	BK20-KC	1010-1801*30	4614,8	6285,77	1521,93	ГОСТ 10284-74
53831510180140	0	BK20-KC	1010-1801*40	4843,33	8796,22	2029,23	ГОСТ 10284-74
53831510180150	0	BK20-KC	1010-1801*50	4842,12	10992,19	2536,54	ГОСТ 10284-74
53831510180230	0	BK20-KC	1010-1802*30	4615,45	5641,93	1365,9	ГОСТ 10284-74
53831510180240	0	BK20-KC	1010-1802*40	4844,03	7894,99	1821,19	ГОСТ 10284-74
53831510180250	0	BK20-KC	1010-1802*50	4842,68	9866,32	2276,49	ГОСТ 10284-74
53831510180340	0	BK20-KC	1010-1803*40	4846,34	5886,46	1357,16	ГОСТ 10284-74
53831510180350	0	BK20-KC	1010-1803*50	4844,52	7355,3	1696,44	ГОСТ 10284-74
53831510180410	0	BK20-KC	1010-1804*10	4635,9	1329,16	320,33	ГОСТ 10284-74
53831510180440	0	BK20-KC	1010-1804*40	4846,87	5558,54	1281,3	ГОСТ 10284-74
53831510180450	0	BK20-KC	1010-1804*50	4844,95	6945,43	1601,63	ГОСТ 10284-74
53831510180510	0	BK20-KC	1010-1805*10	4399,29	1148,08	311,03	ГОСТ 10284-74
53831510180520	0	BK20-KC	1010-1805*20	4390,69	2171,55	589,44	ГОСТ 10284-74
53831511200702	0	BK20-KC	1010-0702*12	4580,47	89,32	18,04	ГОСТ 10284-74
53831511200704	0	BK20-KC	1010-0704*12	4557,74	103,23	20,96	ГОСТ 10284-74
53832010000372	0	BK20-KC	1011-0372	5106,63	261,97	56,38	ГОСТ 19106-73
53832010000378	0	BK20-KC	1011-0378	5051,43	755,19	139,2	ГОСТ 19106-73
53832010000419	0	BK20-KC	1011-0419	5325,21	512,66	105,73	ГОСТ 19106-73
53833020000004	0	BK20-KC	4ВШМ	6961,18	45,25	6,5	ТУ 48-19-180-76
53833020000012	0	BK20-KC	12ВШМ	5336,19	369,26	64,00	ТУ 48-19-180-76
53833020000013	0	BK20-KC	13ВШМ	5343,29	337,05	66,00	ТУ 48-19-180-76
53833020000014	0	BK20-KC	14ВШМ	5340,93	347,16	65,00	ТУ 48-19-180-76
53833020000015	0	BK20-KC	15ВШМ	5339,75	352,42	66,00	ТУ 48-19-180-76
53833020000016	0	BK20-KC	16ВШМ	5342,14	341,9	64,00	ТУ 48-19-180-76
53833020000017	0	BK20-KC	17ВШМ	5329,55	405,05	76,00	ТУ 48-19-180-76
53833020000018	0	BK20-KC	18ВШМ	5331,38	394,52	74,00	ТУ 48-19-180-76
53833020000019	0	BK20-KC	19ВШМ	5303,31	647,00	122,00	ТУ 48-19-180-76
53833020000020	0	BK20-KC	20ВШМ	5301,9	668,04	126,00	ТУ 48-19-180-76
53833020000021	0	BK20-KC	21ВШМ	5301,56	673,3	127,00	ТУ 48-19-180-76
53833020000022	0	BK20-KC	22ВШМ	5295,46	783,73	148,00	ТУ 48-19-180-76
53833020000023	0	BK20-KC	23ВШМ	5295,71	778,47	147,00	ТУ 48-19-180-76
53833020000024	0	BK20-KC	24ВШМ	5295,97	773,21	146,00	ТУ 48-19-180-76
53833020000025	0	BK20-KC	25ВШМ	5289,00	946,73	179,00	ТУ 48-19-180-76
53833020000026	0	BK20-KC	26ВШМ	5289,71	925,7	175,00	ТУ 48-19-180-76
53833020000027	0	BK20-KC	27ВШМ	5274,12	1793,2	340,00	ТУ 48-19-180-76
53833020000028	0	BK20-KC	28ВШМ	5274,12	1793,2	340,00	ТУ 48-19-180-76
53833020000029	0	BK20-KC	29ВШМ	5274,63	1740,63	330,00	ТУ 48-19-180-76
53833020000030	0	BK20-KC	30ВШМ	5275,16	1688,05	320,00	ТУ 48-19-180-76
53836740002001	0	BK20-KC	В030003 (ПР20-1)	5884,84	947,46	161,00	ТУ 48-19-126-84
53836740002002	0	BK20-KC	В030004 (ПР20-2)	5872,93	1115,86	190,00	ТУ 48-19-126-84
53836740002003	0	BK20-KC	В030005 (ПР20-3)	5863,83	1290,04	220,00	ТУ 48-19-126-84
53836740002006	0	BK20-KC	В030007 (ПР20-6)	5857,5	1446,8	247,00	ТУ 48-19-126-84
53836740002008	0	BK20-KC	В030008 (ПР20-8)	5843,73	1963,49	336,00	ТУ 48-19-126-84
53836740002009	0	BK20-KC	В030009 (ПР20-9)	5839,18	2224,73	381,00	ТУ 48-19-126-84
53836740002012	0	BK20-KC	В030010 (ПР20-12)	5857,09	1458,41	249,00	ТУ 48-19-126-84
53836740002013	0	BK20-KC	В030011 (ПР20-13)	5849,21	1719,67	294,00	ТУ 48-19-126-84
53836740002014	0	BK20-KC	В030012 (ПР20-14)	5843,39	1980,91	339,00	ТУ 48-19-126-84
53836740002015	0	BK20-KC	В030013 (ПР20-15)	5838,83	2247,95	385,00	ТУ 48-19-126-84
53836740002016	0	BK20-KC	В030014 (ПР20-16)	5835,3	2509,18	430,00	ТУ 48-19-126-84
53836740002022	0	BK20-KC	В030016 (ПР20-22)	5832,15	2799,43	480,00	ТУ 48-19-126-84
53836740002024	0	BK20-KC	В030018 (ПР20-24)	5827,42	3385,73	581,00	ТУ 48-19-126-84
53836740002025	0	BK20-KC	В030019 (ПР20-25)	5825,6	3681,78	632,00	ТУ 48-19-126-84
53836740002028	0	BK20-KC	В030020 (ПР20-28)	5832,49	2764,6	474,00	ТУ 48-19-126-84
53836740002029	0	BK20-KC	В030021 (ПР20-29)	5829,26	3130,31	537,00	ТУ 48-19-126-84
53836740002032	0	BK20-KC	В030023 (ПР20-32)	5822,92	4227,44	726,00	ТУ 48-19-126-84
53836740002033	0	BK20-KC	В030024 (ПР20-33)	5821,43	4604,75	791,00	ТУ 48-19-126-84
53836740002034	0	BK20-KC	В030025 (ПР20-34)	5820,19	4976,26	855,00	ТУ 48-19-126-84
53836740002036	0	BK20-KC	В030026 (ПР20-36)	5822,92	4227,44	729,00	ТУ 48-19-126-84
53836740002037	0	BK20-KC	В030027 (ПР20-37)	5820,67	4825,34	829,00	ТУ 48-19-126-84
53836740002038	0	BK20-KC	В030028 (ПР20-38)	5819,01	5388,4	926,00	ТУ 48-19-126-84
53836740002040	0	BK20-KC	В030029 (ПР20-40)	5816,56	6508,73	1119,00	ТУ 48-19-126-84
53836740002041	0	BK20-KC	В030030 (ПР20-41)	5815,62	7071,79	1216,00	ТУ 48-19-126-84
53836740002042	0	BK20-KC	В030031 (ПР20-42)	5814,82	7629,05	1312,00	ТУ 48-19-126-84
53836740002052	0	BK20-KC	В030032 (ПР20-52)	5856,88	1464,22	250,00	ТУ 48-19-126-84
53836740010500	0	BK20-KC	В030058 (ПР105)	5846,81	1818,36	311,00	ТУ 48-19-126-84

53836740010600	0	BK20-KC	B030059 (ПР106)	4871,99	1529,81	314,00	ТУ 48-19-126-84
53836740012901	0	BK20-KC	B030088 (ПР129-1)	5845,65	1870,61	320,00	ТУ 48-19-126-84
53836740012902	0	BK20-KC	B030089 (ПР129-2)	5843,84	1957,69	335,00	ТУ 48-19-126-84
53837350000080	0	BK20-KC	KB-80	9143,24	9481,54	1037,00	ТУ 48-19-428-87
53900320000570	0	BK8-KC		5531,1	6,91	1,17	ГОСТ 25406-90
53909020000014	0	BK8-KC	Г012012 (2218/14)	4639,1	111,34	24,00	ТУ 48-19-328-76
53928030000001	0	BK8-KC	Г011012 (2121/1)	5052,63	450,09	86,00	ТУ 48-19-328-76
53928330000015	0	BK8-KC	Г013012 (2450/15)	4865,86	209,48	40,6	ТУ 48-19-328-76
53928330000016	0	BK8-KC	Г013022 (2450/16)	4854,74	225,75	46,5	ТУ 48-19-328-76
53928520000006	0	BK8-KC	Г1106	4167,04	340,28	84,82	ГОСТ 880-75
53928520000007	0	BK8-KC	Г1107	4165,54	367,28	93,5	ГОСТ 880-75
539285300000003	0	BK8-KC	Г1203	4457,42	117,27	27,9	ГОСТ 880-75
539285300000004	0	BK8-KC	Г1204	4471,39	103,74	24,6	ГОСТ 880-75
539285300000006	0	BK8-KC	Г1206	4431,36	152,53	36,5	ГОСТ 880-75
539285300000008	0	BK8-KC	Г1208	4420,99	172,2	40,45	ГОСТ 880-75
539285500000005	0	BK8-KC	Г1405	4189,26	156,97	44,5	ГОСТ 880-75
53928610000014	0	BK8-KC	Г2614	5231,21	20,24	4,02	ГОСТ 880-75
53928610000017	0	BK8-KC	Г2617	4983,09	42,75	8,91	ГОСТ 880-75
53928610000025	0	BK8-KC	Г2625	4921,03	52,46	11,07	ГОСТ 880-75
53928610000032	0	BK8-KC	Г2632	4831,68	72,91	15,67	ГОСТ 880-75
53928610000042	0	BK8-KC	Г2642	4828,72	73,78	16,2	ГОСТ 880-75
53928610000065	0	BK8-KC	Г2665	4686,18	151,13	34,2	ГОСТ 880-75
539288700000004	0	BK8-KC	Г6704	4396,47	243,34	57,6	ГОСТ 880-75
53929610001010	0	BK8-KC	Г26-10*10	6162,32	61,62	10,00	ТУ 48-19-281-90
53929610001212	0	BK8-KC	Г26-12*12	5845,05	99,37	17,00	ТУ 48-19-281-90
53929610001312	0	BK8-KC	Г26-13*12	5783,24	111,04	17,00	ТУ 48-19-281-90
53929610001314	0	BK8-KC	Г26-13*14	5684,52	135,29	23,8	ТУ 48-19-281-90
53929730000806	0	BK8-KC	Г54-8*6	6773,47	29,13	4,3	ТУ 48-19-281-90
53950130000600	0	BK8-KC	Г012112 (ПР1)	4915,45	157,29	32,00	ТУ 48-19-423-87
54129730000806	0	БА13	Г54-8*6	0,00	0,00	4,8	ТУ 48-19-281-90
54303010000004	0	BK6(BC)	3001-0004	0,00	0,00	1,8	ГОСТ 13833-77
54303010000005	0	BK6(BC)	3001-0005	0,00	0,00	2,00	ГОСТ 13833-77
54303010000006	0	BK6(BC)	3001-0006	0,00	0,00	2,2	ГОСТ 13833-77
54303010000007	0	BK6(BC)	3001-0007	0,00	0,00	0,75	ГОСТ 13833-77
54303010000008	0	BK6(BC)	3001-0008	0,00	0,00	0,95	ГОСТ 13833-77
551000800000051	0	BK10-XO		2051	4233,07	27,9	ГОСТ 25395-90
551000800000231	0	BK10-XO		2231	4136,91	43,19	ГОСТ 25395-90
551000800000251	0	BK10-XO		2251	4097,00	55,27	ГОСТ 25395-90
551000800000252	0	BK10-XO		2252	4108,33	51,23	ГОСТ 25395-90
551000800000271	0	BK10-XO		2271	4034,67	96,15	ГОСТ 25395-90
551000800000272	0	BK10-XO		2272	4039,18	91,33	ГОСТ 25395-90
551000800000291	0	BK10-XO		2291	4016,17	122,49	ГОСТ 25395-90
551000800000311	0	BK10-XO		2311	4002,89	152,23	ГОСТ 25395-90
551000800000312	0	BK10-XO		2312	4006,08	143,86	ГОСТ 25395-90
551000800000351	0	BK10-XO		2351	4231,62	287,5	ГОСТ 25395-90
551000800000411	0	BK10-XO		2411	4026,59	106,14	ГОСТ 25395-90
551000800000511	0	BK10-XO		2511	4211,47	409,94	ГОСТ 25395-90
551000800000611	0	BK10-XO		2611	4620,88	10,26	ГОСТ 25395-90
551000800000631	0	BK10-XO		2631	4361,22	18,49	ГОСТ 25395-90
551000800000651	0	BK10-XO		2651	4154,47	39,34	ГОСТ 25395-90
551000800000671	0	BK10-XO		2671	4062,87	72,2	ГОСТ 25395-90
551000900000010	0	BK10-XO		6010	4759,63	7,95	ГОСТ 25397-90
551000900000030	0	BK10-XO		6030	4572,35	11,29	ГОСТ 25397-90
551000900000050	0	BK10-XO		6050	4310,01	21,46	ГОСТ 25397-90
551000900000060	0	BK10-XO		6060	4310,01	21,46	ГОСТ 25397-90
551000900000090	0	BK10-XO		6090	4117,29	48,42	ГОСТ 25397-90
551000900000100	0	BK10-XO		6100	4117,29	48,42	ГОСТ 25397-90
551000900000130	0	BK10-XO		6130	4038,37	92,16	ГОСТ 25397-90
551000900000140	0	BK10-XO		6140	4038,37	92,16	ГОСТ 25397-90
551000900000170	0	BK10-XO		6170	4285,17	160,35	ГОСТ 25397-90
551000900000180	0	BK10-XO		6180	4285,17	160,35	ГОСТ 25397-90
551000900000290	0	BK10-XO		6290	4209,15	431,06	ГОСТ 25397-90
551000900000300	0	BK10-XO		6300	4209,15	431,06	ГОСТ 25397-90
551000900000330	0	BK10-XO		6330	4579,64	11,13	ГОСТ 25397-90
551000900000340	0	BK10-XO		6340	4579,64	11,13	ГОСТ 25397-90
551000900000350	0	BK10-XO		6350	4318,7	20,9	ГОСТ 25397-90
551000900000360	0	BK10-XO		6360	4318,7	20,9	ГОСТ 25397-90
551000900000370	0	BK10-XO		6370	4144,31	41,48	ГОСТ 25397-90
551000900000380	0	BK10-XO		6380	4144,31	41,48	ГОСТ 25397-90
551000900000390	0	BK10-XO		6390	4062,38	72,51	ГОСТ 25397-90
551000900000400	0	BK10-XO		6400	4062,38	72,51	ГОСТ 25397-90
551000900000410	0	BK10-XO		6410	4312,17	131,13	ГОСТ 25397-90
551000900000420	0	BK10-XO		6420	4312,17	131,13	ГОСТ 25397-90
551001000000010	0	BK10-XO		7010	4663,11	9,47	ГОСТ 25426-90
551001000000030	0	BK10-XO		7030	6453,64	6,65	ГОСТ 25426-90
551001000000040	0	BK10-XO	07040 (СНЯТА)		6453,64	6,65	ГОСТ 25426-90
551001000000050	0	BK10-XO		7050	4543,16	11,99	ГОСТ 25426-90

55100100000060	0	BK10-XO	7060	4543,16	11,99	2,62	ГОСТ 25426-90
55100100000070	0	BK10-XO	7070	4292,68	22,67	5,25	ГОСТ 25426-90
55100100000080	0	BK10-XO	7080	4292,68	22,67	5,25	ГОСТ 25426-90
55100100000090	0	BK10-XO	7090	4198,05	32,12	7,59	ГОСТ 25426-90
55100100000100	0	BK10-XO	7100	4198,05	32,12	7,59	ГОСТ 25426-90
55100100000110	0	BK10-XO	7110	4130,5	44,77	10,76	ГОСТ 25426-90
55100100000120	0	BK10-XO	7120	4130,5	44,77	10,76	ГОСТ 25426-90
55100100000130	0	BK10-XO	7130	4088,15	58,87	14,3	ГОСТ 25426-90
55100100000140	0	BK10-XO	7140	4088,15	58,87	14,3	ГОСТ 25426-90
55100100000150	0	BK10-XO	7150	4054,48	78,01	19,11	ГОСТ 25426-90
55100100000160	0	BK10-XO	7160	4054,48	78,01	19,11	ГОСТ 25426-90
55100100000170	0	BK10-XO	7170	4029,44	102,39	25,24	ГОСТ 25426-90
55100100000180	0	BK10-XO	7180	4029,44	102,39	25,24	ГОСТ 25426-90
55100100000330	0	BK10-XO	7330	4300,66	142,18	32,83	ГОСТ 25426-90
55100100000340	0	BK10-XO	7340	4300,66	142,18	32,83	ГОСТ 25426-90
55100100000350	0	BK10-XO	7350	6980,9	4,54	0,64	ГОСТ 25426-90
55100100000370	0	BK10-XO	7370	4438,01	15,18	3,39	ГОСТ 25426-90
55100120000051	0	BK10-XO	10051	4565,23	11,46	2,49	ГОСТ 25396-90
55100120000061	0	BK10-XO	10061	4565,23	11,46	2,49	ГОСТ 25396-90
55100120000151	0	BK10-XO	10151	4047,27	83,78	20,55	ГОСТ 25396-90
55100120000152	0	BK10-XO	10152	4045,19	85,6	21,02	ГОСТ 25396-90
55100120000161	0	BK10-XO	10161	4047,27	83,78	20,55	ГОСТ 25396-90
55100120000162	0	BK10-XO	10162	4045,19	85,6	21,02	ГОСТ 25396-90
55100120000271	0	BK10-XO	10271	4416,77	15,99	3,9	ГОСТ 25396-90
55100120000291	0	BK10-XO	10291	4183,58	34,22	8,13	ГОСТ 25396-90
55100120000292	0	BK10-XO	10292	4180,78	34,66	8,13	ГОСТ 25396-90
55100120000301	0	BK10-XO	10301	4183,58	34,22	8,13	ГОСТ 25396-90
55100120000302	0	BK10-XO	10302	4180,78	34,66	8,13	ГОСТ 25396-90
55100120000411	0	BK10-XO	10411	7437,13	3,12	0,42	ГОСТ 25396-90
55100120000431	0	BK10-XO	10431	6690,05	5,62	0,84	ГОСТ 25396-90
55100120000451	0	BK10-XO	10451	6084,68	8,64	1,6	ГОСТ 25396-90
55100120000461	0	BK10-XO	10461	4807,98	7,31	1,57	ГОСТ 25396-90
55100120000471	0	BK10-XO	10471	4268,16	24,58	5,72	ГОСТ 25396-90
55100120000472	0	BK10-XO	10472	4260,29	25,26	5,89	ГОСТ 25396-90
55100120000481	0	BK10-XO	10481	4268,16	24,58	5,72	ГОСТ 25396-90
55100120000482	0	BK10-XO	10482	4260,29	25,26	5,89	ГОСТ 25396-90
55100120000491	0	BK10-XO	10491	4117,16	48,46	11,69	ГОСТ 25396-90
55100120000492	0	BK10-XO	10492	4112,88	49,77	12,01	ГОСТ 25396-90
55100120000501	0	BK10-XO	10501	4117,16	48,46	11,69	ГОСТ 25396-90
55100120000531	0	BK10-XO	10531	4293,74	149,77	34,64	ГОСТ 25396-90
55100120000541	0	BK10-XO	10541	4293,74	149,77	34,64	ГОСТ 25396-90
55100120000571	0	BK10-XO	10571	4227,88	304,37	71,5	ГОСТ 25396-90
55100120000581	0	BK10-XO	10581	4227,88	304,37	71,5	ГОСТ 25396-90
55100120000582	0	BK10-XO	10582	4227,15	307,91	73,35	ГОСТ 25396-90
55100120000611	0	BK10-XO	10611	4198,67	561,99	132,92	ГОСТ 25396-90
55100120000622	0	BK10-XO	10622	4198,16	570,45	134,94	ГОСТ 25396-90
55100120000631	0	BK10-XO	10631	4184,95	933,58	221,54	ГОСТ 25396-90
55100120000652	0	BK10-XO	10652	4680,04	9,17	1,94	ГОСТ 25396-90
55100120000672	0	BK10-XO	10672	4496,4	13,26	2,93	ГОСТ 25396-90
55100120000682	0	BK10-XO	10682	4496,4	13,26	2,93	ГОСТ 25396-90
55100120000692	0	BK10-XO	10692	4091,24	57,56	15,00	ГОСТ 25396-90
55100120000702	0	BK10-XO	10702	4091,24	57,56	15,00	ГОСТ 25396-90
55100120000712	0	BK10-XO	10712	4023,15	111,04	27,41	ГОСТ 25396-90
55100120000722	0	BK10-XO	10722	4023,15	111,04	27,41	ГОСТ 25396-90
55100140000011	0	BK10-XO	14011	9930,41	3,38	0,34	ГОСТ 25399-90
55100140000031	0	BK10-XO	14031	8943,1	5,63	0,62	ГОСТ 25399-90
55100140000051	0	BK10-XO	14051	8807,33	5,99	0,67	ГОСТ 25399-90
55100140000071	0	BK10-XO	14071	8400,6	7,14	0,85	ГОСТ 25399-90
55100140000131	0	BK10-XO	14131	8943,1	5,63	0,44	ГОСТ 25399-90
55100140000151	0	BK10-XO	14151	7792,14	9,19	1,17	ГОСТ 25399-90
55100140000211	0	BK10-XO	14211	6803,27	14,08	2,05	ГОСТ 25399-90
55100140000251	0	BK10-XO	14251	7343,67	11,09	1,5	ГОСТ 25399-90
55100140000271	0	BK10-XO	14271	7274,51	11,42	1,56	ГОСТ 25399-90
55100140000291	0	BK10-XO	14291	4703,02	8,79	1,88	ГОСТ 25399-90
55100140000332	0	BK10-XO	14332	4651,49	9,68	2,09	ГОСТ 25399-90
55100140000392	0	BK10-XO	14392	4379,36	17,61	4,05	ГОСТ 25399-90
55100140000432	0	BK10-XO	14432	4233,07	27,9	6,64	ГОСТ 25399-90
55100140000492	0	BK10-XO	14492	5039,15	51,9	10,37	ГОСТ 25399-90
55100150000040	0	BK10-XO	15040	4109,54	50,83	12,28	ГОСТ 25404-90
55100160000010	0	BK10-XO	16010	4592,81	10,84	2,29	ГОСТ 25405-90
55100160000030	0	BK10-XO	16030	4364,41	18,33	4,23	ГОСТ 25405-90
55100160000050	0	BK10-XO	16050	4190,74	33,15	7,65	ГОСТ 25405-90
55100160000250	0	BK10-XO	16250	4039,57	90,93	21,9	ГОСТ 25405-90
55100160000390	0	BK10-XO	16390	4220,88	341,89	80,17	ГОСТ 25405-90
55100200000010	0	BK10-XO	20010	4572,35	11,29	2,46	ГОСТ 25408-90
55100200000030	0	BK10-XO	20030	4410,75	16,23	3,66	ГОСТ 25408-90
55100200000050	0	BK10-XO	20050	4822,5	29,22	6,02	ГОСТ 25408-90

55100200000070	0	BK10-XO	20070	4499,04	57,95	12,79	ГОСТ 25408-90
55100200000080	0	BK10-XO	20080	4499,04	57,95	12,79	ГОСТ 25408-90
55100200000090	0	BK10-XO	20090	4355,31	101,57	23,16	ГОСТ 25408-90
55100200000100	0	BK10-XO	20100	4355,31	101,57	23,16	ГОСТ 25408-90
55100200000130	0	BK10-XO	20130	4280,86	166,27	38,57	ГОСТ 25408-90
55100200000140	0	BK10-XO	20140	4280,86	166,27	38,57	ГОСТ 25408-90
55100210000010	0	BK10-XO	21010	8781,14	6,06	0,68	ГОСТ 25400-90
55100210000070	0	BK10-XO	21070	8254,05	7,59	0,92	ГОСТ 25400-90
55100210000090	0	BK10-XO	21090	5320,31	16,07	3,00	ГОСТ 25400-90
55100210000110	0	BK10-XO	21110	5128,43	19,59	3,8	ГОСТ 25400-90
55100210000130	0	BK10-XO	21130	4291,58	22,75	5,27	ГОСТ 25400-90
55100210000190	0	BK10-XO	21190	5698,05	11,57	2,04	ГОСТ 25400-90
55100210000230	0	BK10-XO	21230	5444,52	14,32	2,61	ГОСТ 25400-90
55100210000250	0	BK10-XO	21250	4282,54	23,43	5,43	ГОСТ 25400-90
55100210000270	0	BK10-XO	21270	5616,57	12,36	2,22	ГОСТ 25400-90
55100210000350	0	BK10-XO	21350	5007,68	22,58	4,48	ГОСТ 25400-90
55100210000370	0	BK10-XO	21370	7492,42	10,41	1,36	ГОСТ 25400-90
55100210000410	0	BK10-XO	21410	4770,94	31,77	6,62	ГОСТ 25400-90
55100210000470	0	BK10-XO	21470	4203,38	31,4	7,42	ГОСТ 25400-90
55100210000490	0	BK10-XO	21490	4100,27	54,04	13,09	ГОСТ 25400-90
55100210000510	0	BK10-XO	21510	4071,75	66,9	16,31	ГОСТ 25400-90
55100210000530	0	BK10-XO	21530	4014,2	126,17	31,22	ГОСТ 25400-90
55100210000550	0	BK10-XO	21550	4035,38	95,36	23,46	ГОСТ 25400-90
55100210000630	0	BK10-XO	21630	4376,8	17,73	4,08	ГОСТ 25400-90
55100210000710	0	BK10-XO	21710	4208,63	30,72	7,25	ГОСТ 25400-90
55100240000010	0	BK10-XO	24010	4753,59	8,03	1,68	ГОСТ 25409-90
55100240000050	0	BK10-XO	24050	4610,58	10,47	2,27	ГОСТ 25409-90
55100240000090	0	BK10-XO	24090	4512,13	12,81	2,82	ГОСТ 25409-90
55100240000130	0	BK10-XO	24130	4299,41	22,18	5,13	ГОСТ 25409-90
55100240000170	0	BK10-XO	24170	4255,83	25,66	5,99	ГОСТ 25409-90
55100240000210	0	BK10-XO	24210	4221,86	29,13	6,85	ГОСТ 25409-90
55100240000250	0	BK10-XO	24250	4194,91	32,55	7,7	ГОСТ 25409-90
55100240000270	0	BK10-XO	24270	4128,81	45,21	10,88	ГОСТ 25409-90
55100240000290	0	BK10-XO	24290	4113,26	49,65	11,98	ГОСТ 25409-90
55100240000470	0	BK10-XO	24470	4065,58	70,5	17,22	ГОСТ 25409-90
55100240000550	0	BK10-XO	24550	4041,62	88,92	21,85	ГОСТ 25409-90
55100240000570	0	BK10-XO	24570	4030,26	101,36	24,97	ГОСТ 25409-90
55100240000590	0	BK10-XO	24590	4021,12	114,16	28,2	ГОСТ 25409-90
55100240000650	0	BK10-XO	24650	4280,86	166,27	38,57	ГОСТ 25409-90
55100240000770	0	BK10-XO	24770	4439,12	15,14	3,38	ГОСТ 25409-90
55100240000790	0	BK10-XO	24790	4094,96	56,06	13,59	ГОСТ 25409-90
55100240000850	0	BK10-XO	24850	4268,18	186,52	43,4	ГОСТ 25409-90
55100240000870	0	BK10-XO	24870	4053,53	78,72	19,54	ГОСТ 25409-90
55100250000110	0	BK10-XO	25110	5904,86	9,86	1,66	ГОСТ 25424-90
55100250000130	0	BK10-XO	25130	5326,09	15,98	2,98	ГОСТ 25424-90
55100250000150	0	BK10-XO	25150	4979,57	23,4	4,68	ГОСТ 25424-90
55100250000190	0	BK10-XO	25190	4071,04	67,29	16,41	ГОСТ 25424-90
55100250000210	0	BK10-XO	25210	5106,91	20,07	3,92	ГОСТ 25424-90
55100250000230	0	BK10-XO	25230	4745,88	33,17	6,94	ГОСТ 25424-90
55100250000250	0	BK10-XO	25250	4425,3	74,35	16,68	ГОСТ 25424-90
55100260000010	0	BK10-XO	26010	10282,74	2,67	0,25	ГОСТ 25425-90
55100260000030	0	BK10-XO	26030	8915,29	5,71	0,63	ГОСТ 25425-90
55100260000050	0	BK10-XO	26050	7990,84	8,47	1,05	ГОСТ 25425-90
55100260000070	0	BK10-XO	26070	5777,94	10,86	1,86	ГОСТ 25425-90
55100260000090	0	BK10-XO	26090	5334,87	15,84	2,95	ГОСТ 25425-90
55100260000130	0	BK10-XO	26130	4864,14	27,43	5,61	ГОСТ 25425-90
55100260000250	0	BK10-XO	26250	4755,5	32,62	6,82	ГОСТ 25425-90
55100320000150	0	BK10-XO	17150	5080,88	20,68	4,05	ГОСТ 25406-90
55100320000190	0	BK10-XO	17190	4901,91	25,98	5,34	ГОСТ 25406-90
55100320000270	0	BK10-XO	17270	4628,96	41,66	9,06	ГОСТ 25406-90
55100320000430	0	BK10-XO	17430	4016,35	122,18	30,16	ГОСТ 25406-90
55100320000530	0	BK10-XO	17530	5383,65	2,75	0,51	ГОСТ 25406-90
55100320000550	0	BK10-XO	17550	8606,14	6,54	0,75	ГОСТ 25406-90
55100320000570	0	BK10-XO	17570	6286,38	7,48	1,18	ГОСТ 25406-90
55100320000610	0	BK10-XO	17610	5683,01	11,71	2,07	ГОСТ 25406-90
55100390000010	0	BK10-XO	39010	4768,86	7,82	1,64	ГОСТ 25416-90
55100390000030	0	BK10-XO	39030	5451,62	14,23	2,58	ГОСТ 25416-90
55100390000050	0	BK10-XO	39050	4724,15	34,49	7,05	ГОСТ 25416-90
55100390000110	0	BK10-XO	39110	1677,67	48,15	28,41	ГОСТ 25416-90
55100390000130	0	BK10-XO	39130	4476,12	62,22	13,76	ГОСТ 25416-90
55100410000030	0	BK10-XO	47030	6150,34	8,24	1,32	ГОСТ 25421-90
55100410000050	0	BK10-XO	47050	5938,08	9,62	1,62	ГОСТ 25421-90
55100410000070	0	BK10-XO	47070	5723,79	11,33	2,14	ГОСТ 25421-90
55100410000090	0	BK10-XO	47090	5555,69	13,00	2,52	ГОСТ 25421-90
55100430000190	0	BK10-XO	32190	4082,79	61,28	14,9	ГОСТ 25412-90
55100430000230	0	BK10-XO	32230	3991,89	190,25	47,33	ГОСТ 25412-90
55100500000362	0	BK10-XO	50362	4009,64	135,53	34,04	ГОСТ 25394-90

55100520000151	0	BK10-XO	61151	4036,87	93,74	23,06	ГОСТ 25395-90
55100520000351	0	BK10-XO	61351	4454,06	14,61	3,25	ГОСТ 25395-90
55100520000371	0	BK10-XO	61371	4238,83	27,3	6,39	ГОСТ 25395-90
55100520000391	0	BK10-XO	61391	4099,2	54,44	13,19	ГОСТ 25395-90
55100520000431	0	BK10-XO	61431	3973,73	322,35	80,56	ГОСТ 25395-90
55100540000251	0	BK10-XO	62251	4090,01	58,08	14,1	ГОСТ 25395-90
55100540000271	0	BK10-XO	62271	4030,58	100,97	24,87	ГОСТ 25395-90
55100540000311	0	BK10-XO	62311	4277,7	170,89	39,68	ГОСТ 25395-90
55100540000351	0	BK10-XO	62351	4229,69	295,95	69,48	ГОСТ 25395-90
55100540000451	0	BK10-XO	62451	4244,34	241,93	57,4	ГОСТ 25395-90
55100550000272	0	BK10-XO	62272	4035,02	95,75	23,56	ГОСТ 25395-90
55100620000050	0	BK10-XO	66050	4295,45	22,47	5,2	ГОСТ 25397-90
55100620000090	0	BK10-XO	66090	4109,54	50,83	12,29	ГОСТ 25397-90
55100620000100	0	BK10-XO	66100	4109,54	50,83	12,29	ГОСТ 25397-90
55100620000130	0	BK10-XO	66130	4034,32	96,54	23,77	ГОСТ 25397-90
55100620000140	0	BK10-XO	66140	4034,32	96,54	23,77	ГОСТ 25397-90
55100710000330	0	BK10-XO	67330	4294,46	148,93	34,44	ГОСТ 25426-90
55100710000340	0	BK10-XO	67340	4294,46	148,93	34,44	ГОСТ 25426-90
55100710000390	0	BK10-XO	67390	4145,39	41,25	9,88	ГОСТ 25426-90
55100710000400	0	BK10-XO	67400	4145,39	41,25	9,88	ГОСТ 25426-90
55100710000410	0	BK10-XO	67410	4055,98	76,9	18,83	ГОСТ 25426-90
55100710000420	0	BK10-XO	67420	4055,98	76,9	18,83	ГОСТ 25426-90
55100820000051	0	BK10-XO	70051	4544,8	11,95	2,61	ГОСТ 25396-90
55100820000151	0	BK10-XO	70151	4042,86	87,73	21,55	ГОСТ 25396-90
55100820000161	0	BK10-XO	70161	4044,14	86,54	21,55	ГОСТ 25396-90
55100820000291	0	BK10-XO	70291	4173,48	35,85	8,53	ГОСТ 25396-90
55100820000301	0	BK10-XO	70301	4173,48	35,85	8,53	ГОСТ 25396-90
55100820000311	0	BK10-XO	70311	4100,27	54,04	13,09	ГОСТ 25396-90
55100820000321	0	BK10-XO	70321	4100,27	54,04	13,09	ГОСТ 25396-90
55100820000371	0	BK10-XO	70371	4205,88	464,88	109,76	ГОСТ 25396-90
55100820000381	0	BK10-XO	70381	4205,88	464,88	109,76	ГОСТ 25396-90
55100820000471	0	BK10-XO	70471	4173,48	35,85	8,53	ГОСТ 25396-90
55100820000501	0	BK10-XO	70501	4111,63	50,16	12,29	ГОСТ 25396-90
55100820000511	0	BK10-XO	70511	4027,77	104,56	25,78	ГОСТ 25396-90
55100820000521	0	BK10-XO	70521	4027,77	104,56	25,78	ГОСТ 25396-90
55100820000551	0	BK10-XO	70551	4272,59	178,94	41,59	ГОСТ 25396-90
55100820000561	0	BK10-XO	70561	4272,59	178,94	41,59	ГОСТ 25396-90
55100820000591	0	BK10-XO	70591	4222,23	333,94	78,55	ГОСТ 25396-90
55100820000601	0	BK10-XO	70601	4222,23	333,94	78,55	ГОСТ 25396-90
55101620000011	0	BK10-XO	13011	6296,11	7,43	1,3	ГОСТ 17163-90
55101620000031	0	BK10-XO	13031	6315,85	7,33	1,15	ГОСТ 17163-90
55101620000051	0	BK10-XO	13051	4565,23	11,46	2,5	ГОСТ 17163-90
55101620000071	0	BK10-XO	13071	4572,35	11,29	2,46	ГОСТ 17163-90
55101620000131	0	BK10-XO	13131	4334,62	19,94	4,57	ГОСТ 17163-90
55101620000151	0	BK10-XO	13151	4340,23	19,62	4,49	ГОСТ 17163-90
55101620000171	0	BK10-XO	13171	4199,22	31,96	7,55	ГОСТ 17163-90
55101620000191	0	BK10-XO	13191	4302,32	140,47	32,43	ГОСТ 17163-90
55101620000351	0	BK10-XO	13351	4203,38	31,4	7,42	ГОСТ 17163-90
55101620000371	0	BK10-XO	13371	4082,87	61,24	14,89	ГОСТ 17163-90
55101620000391	0	BK10-XO	13391	4085,55	60,02	14,59	ГОСТ 17163-90
55101620000411	0	BK10-XO	13411	4028,16	104,05	25,65	ГОСТ 17163-90
55101620000431	0	BK10-XO	13431	4029,97	101,72	25,06	ГОСТ 17163-90
55101620000451	0	BK10-XO	13451	4275,6	174,1	40,44	ГОСТ 17163-90
55101620000471	0	BK10-XO	13471	4278,34	169,94	39,44	ГОСТ 17163-90
55101630000492	0	BK10-XO	13492	6453,64	6,65	1,14	ГОСТ 17163-90
55101630000512	0	BK10-XO	13512	6068,94	8,74	1,55	ГОСТ 17163-90
55101630000532	0	BK10-XO	13532	5589,83	12,63	2,52	ГОСТ 17163-90
55101630000552	0	BK10-XO	13552	5362,03	15,44	2,86	ГОСТ 17163-90
55101630000572	0	BK10-XO	13572	5068,4	20,98	4,37	ГОСТ 17163-90
55101630000592	0	BK10-XO	13592	4760,05	32,37	7,2	ГОСТ 17163-90
55101630000612	0	BK10-XO	13612	4517,09	54,97	12,08	ГОСТ 17163-90
55101630000632	0	BK10-XO	13632	4389,05	86,33	19,54	ГОСТ 17163-90
55101630000652	0	BK10-XO	13652	4318,1	126,09	30,5	ГОСТ 17163-90
55102690000130	0	BK10-XO	11130	6559,85	6,17	0,93	ГОСТ 25398-90
55102690000150	0	BK10-XO	11150	5854,22	10,24	1,74	ГОСТ 25398-90
55102690000170	0	BK10-XO	11170	5340,8	15,76	2,93	ГОСТ 25398-90
55102690000190	0	BK10-XO	11190	4997,1	22,89	4,55	ГОСТ 25398-90
55102690000210	0	BK10-XO	11210	4609,37	43,51	9,37	ГОСТ 25398-90
55102690000230	0	BK10-XO	11230	4412,47	78,19	17,6	ГОСТ 25398-90
55103620060308	0	BK10-XO	02114-060308	7445,19	24,2	3,6	ГОСТ 19048-80
55103620080404	0	BK10-XO	02114-080404	7245,00	62,38	9,6	ГОСТ 19048-80
55103620080408	0	BK10-XO	02114-080408	7245,00	62,38	9,5	ГОСТ 19048-80
55103620100408	0	BK10-XO	02114-100408	7123,82	94,39	14,75	ГОСТ 19048-80
55103620120612	0	BK10-XO	02114-120612	6925,67	174,87	28,51	ГОСТ 19048-80
55103660190412	0	BK10-XO	03331-190412	6809,14	748,05	20,97	ГОСТ 19050-80
55103700120404	0	BK10-XO	03114-120404	7226,00	66,84	9,16	ГОСТ 19052-80
55103700120408	0	BK10-XO	03114-120408	7225,71	66,91	9,16	ГОСТ 19052-80

55103880110408	0	БК10-ХО	10113-110408	6783,94	92,94	13,56	ГОСТ 19065-80
55103890110408	0	БК10-ХО	10123-110408	7847,65	95,58	13,42	ГОСТ 19064-80
55103910110408	0	БК10-ХО	10114-110408	7168,35	81,58	12,54	ГОСТ 19065-80
55103910110416	0	БК10-ХО	10114-110416	7168,35	81,58	12,7	ГОСТ 19065-80
55112910000101	0	БК10-ХО	P010012 (ПР1-1)	6016,57	2,83	0,47	ТУ 48-19-209-88
55112910000102	0	БК10-ХО	P010013 (ПР1-2)	5984,09	3,89	0,65	ТУ 48-19-209-88
55112910000103	0	БК10-ХО	P010014 (ПР1-3)	5926,51	5,93	1,00	ТУ 48-19-209-88
55112910000104	0	БК10-ХО	P010015 (ПР1-4)	5829,4	9,91	1,7	ТУ 48-19-209-88
55112910000105	0	БК10-ХО	P010016 (ПР1-5)	5705,65	16,38	2,87	ТУ 48-19-209-88
55112910000200	0	БК10-ХО	P010001 (ПР2)	5220,09	104,4	20,00	ТУ 48-19-209-88
55112920000106	0	БК10-ХО	P020040 (ПР1-6)	6970,54	25,79	3,7	ТУ 48-19-209-88
55112920000107	0	БК10-ХО	P020041 (ПР1-7)	6181,95	28,75	4,65	ТУ 48-19-209-88
55112920000108	0	БК10-ХО	P020042 (ПР1-8)	5968,85	45,01	7,54	ТУ 48-19-209-88
55112920000109	0	БК10-ХО	P020043 (ПР1-9)	5804,7	65,59	11,3	ТУ 48-19-209-88
55112920000110	0	БК10-ХО	P020044 (ПР1-10)	5724,45	80,71	14,1	ТУ 48-19-209-88
55112920000300	0	БК10-ХО	P020002 (ПР3)	5614,2	112,28	20,00	ТУ 48-19-209-88
55112930000400	0	БК10-ХО	P030001 (ПР4)	5567,1	1391,78	250,00	ТУ 48-19-209-88
55112930000401	0	БК10-ХО	P030002 (ПР4-1)	5686,08	398,03	70,00	ТУ 48-19-209-88
55112930000402	0	БК10-ХО	P030003 (ПР4-2)	5589,76	950,26	170,00	ТУ 48-19-209-88
55112930000403	0	БК10-ХО	P030004 (ПР4-3)	5585,86	1005,45	180,00	ТУ 48-19-209-88
55130000000151	0	БК10-ХО	1151	4041,17	89,35	21,95	ГОСТ 25395-90
55130000000152	0	БК10-ХО	1152	4046,72	84,25	20,67	ГОСТ 25395-90
55130000000271	0	БК10-ХО	1271	4186,14	882,9	209,5	ГОСТ 25395-90
55130000000291	0	БК10-ХО	1291	5453,47	2,4	0,44	ГОСТ 25395-90
55130000000311	0	БК10-ХО	1311	5094,86	4,53	0,89	ГОСТ 25395-90
55130000000331	0	БК10-ХО	1331	4794,53	7,48	1,65	ГОСТ 25395-90
55130000000351	0	БК10-ХО	1351	4473,74	13,96	3,1	ГОСТ 25395-90
55130000000352	0	БК10-ХО	1352	4476,31	13,88	3,08	ГОСТ 25395-90
55130000000371	0	БК10-ХО	1371	4251,08	26,1	6,09	ГОСТ 25395-90
55130000000372	0	БК10-ХО	1372	4272,00	24,26	5,64	ГОСТ 25395-90
55130000000391	0	БК10-ХО	1391	4105,86	52,06	12,59	ГОСТ 25395-90
55130000000392	0	БК10-ХО	1392	4111,5	50,2	12,12	ГОСТ 25395-90
55130000000411	0	БК10-ХО	1411	4269,59	184,02	42,8	ГОСТ 25395-90
55130000000412	0	БК10-ХО	1412	4276,11	173,31	40,24	ГОСТ 25395-90
55130000000431	0	БК10-ХО	1431	4223,74	325,48	76,53	ГОСТ 25395-90
55130000000451	0	БК10-ХО	1451	4196,95	591,56	140,00	ГОСТ 25395-90
55130000000452	0	БК10-ХО	1452	4198,67	561,99	133,00	ГОСТ 25395-90
55130000000471	0	БК10-ХО	1471	4184,22	967,35	229,6	ГОСТ 25395-90
55130000000472	0	БК10-ХО	1472	4185,23	920,92	218,5	ГОСТ 25395-90
55130000000491	0	БК10-ХО	1491	4213,13	396,03	94,66	ГОСТ 25395-90
55131510072312	0	БК10-ХО	1010-0723*12	4698,21	470,29	99,4	ГОСТ 10284-74
59103520160308	0	ВП3115	01111-160308	6615,74	35,79	5,49	ГОСТ 19043-80
59103520160404	0	ВП3115	01111-160404	6538,66	52,96	8,28	ГОСТ 19043-80
59103520160408	0	ВП3115	01111-160408	6538,66	52,96	8,21	ГОСТ 19043-80
59103520160412	0	ВП3115	01111-160412	6538,66	52,96	8,09	ГОСТ 19043-80
59103520220412	0	ВП3115	01111-220412	6403,59	92,85	14,6	ГОСТ 19043-80
59103530220412	0	ВП3115	01113-220412	8843,93	128,24	14,6	ГОСТ 19043-80
59103540110308	0	ВП3115	01113-110308	6788,09	6,31	0,93	ГОСТ 19044-80
59103540160308	0	ВП3115	01113-160308	6632,89	32,37	4,95	ГОСТ 19044-80
59103540160312	0	ВП3115	01113-160312	6632,89	32,37	4,87	ГОСТ 19044-80
59103540160404	0	ВП3115	01113-160404	6559,45	48,02	7,48	ГОСТ 19044-80
59103540160408	0	ВП3115	01113-160408	6559,45	48,02	7,42	ГОСТ 19044-80
59103540160412	0	ВП3115	01113-160412	6559,45	48,02	7,29	ГОСТ 19044-80
59103540220408	0	ВП3115	01113-220408	6430,55	83,6	13,2	ГОСТ 19044-80
59103540220412	0	ВП3115	01113-220412	6430,55	83,6	13,1	ГОСТ 19044-80
59103540220416	0	ВП3115	01113-220416	6430,55	83,6	12,9	ГОСТ 19044-80
59103550160408	0	ВП3115	01123-160408	7654,67	56,03	7,42	ГОСТ 19044-80
59103550270612	0	ВП3115	01123-270612	7141,03	192,09	27,5	ГОСТ 19044-80
59103550270616	0	ВП3115	01123-270616	7141,03	192,09	27,3	ГОСТ 19044-80
59103560160408	0	ВП3115	01133-160408	9264,75	67,82	7,42	ГОСТ 19044-80
59103570110308	0	ВП3115	01311-110308	7953,58	15,75	1,99	ГОСТ 19045-80
59103570160312	0	ВП3115	01311-160312	7780,24	37,27	4,77	ГОСТ 19045-80
59103580110304	0	ВП3115	01331-110304	9755,99	19,32	2,01	ГОСТ 19045-80
59103580160304	0	ВП3115	01331-160304	9471,11	45,37	4,85	ГОСТ 19045-80
59103580160408	0	ВП3115	01331-160408	9314,8	62,04	6,75	ГОСТ 19045-80
59103580220408	0	ВП3115	01331-220408	8947,72	110,95	12,67	ГОСТ 19045-80
59103580220412	0	ВП3115	01331-220412	8947,72	110,95	12,6	ГОСТ 19045-80
59103590160304	0	ВП3115	01114-160304	7013,19	32,26	4,71	ГОСТ 19046-80
59103590160308	0	ВП3115	01114-160308	7013,19	32,26	4,66	ГОСТ 19046-80
59103590220408	0	ВП3115	01114-220408	6772,92	83,98	12,6	ГОСТ 19046-80
59103590220412	0	ВП3115	01114-220412	6772,92	83,98	12,5	ГОСТ 19046-80
59103590220416	0	ВП3315	01114-220416	6772,92	83,98	12,3	ГОСТ 19046-80
59103590270616	0	ВП3115	01114-270616	6550,05	169,65	26,00	ГОСТ 19046-80
59103600160408	0	ВП3115	01124-160408	7667,87	53,91	7,12	ГОСТ 19046-80
59103600220412	0	ВП3115	01124-220412	7461,77	92,53	12,5	ГОСТ 19046-80
59103600270612	0	ВП3115	01124-270612	7156,65	185,36	26,3	ГОСТ 19046-80
59103620080404	0	ВП3115	02114-080404	6842,37	66,23	9,84	ГОСТ 19048-80

59103620080408	0	ВПЗ115	02114-080408	6842,37	66,23	9,81	ГОСТ 19048-80
59103620100408	0	ВПЗ115	02114-100408	6718,64	100,11	15,1	ГОСТ 19048-80
59103620100412	0	ВПЗ115	02114-100412	6718,64	100,11	15,1	ГОСТ 19048-80
59103620100608	0	ВПЗ115	02114-100608	6625,89	133,84	20,5	ГОСТ 19048-80
59103620100612	0	ВПЗ115	02114-100612	6625,89	133,84	20,4	ГОСТ 19048-80
59103620120612	0	ВПЗ115	02114-120612	6522,42	185,24	28,8	ГОСТ 19048-80
59103630120304	0	ВПЗ115	03111-120304	6555,63	48,91	7,58	ГОСТ 19049-80
59103630120312	0	ВПЗ115	03111-120312	6555,63	48,91	7,53	ГОСТ 19049-80
59103630120408	0	ВПЗ115	03111-120408	6466,32	72,42	11,3	ГОСТ 19049-80
59103630120412	0	ВПЗ115	03111-120412	6466,32	72,42	11,3	ГОСТ 19049-80
59103630120424	0	ВПЗ115	03111-120424	6466,32	72,42	11,2	ГОСТ 19049-80
59103630150412	0	ВПЗ115	03111-150412	6357,61	110,62	17,7	ГОСТ 19049-80
59103630150416	0	ВПЗ115	03111-150416	6357,61	110,62	17,6	ГОСТ 19049-80
59103630150424	0	ВПЗ115	03111-150424	6357,61	110,62	17,4	ГОСТ 19049-80
59103630190412	0	ВПЗ115	03111-190412	6264,21	157,23	25,5	ГОСТ 19049-80
59103630190416	0	ВПЗ115	03111-190416	6264,21	157,23	25,4	ГОСТ 19049-80
59103640090304	0	ВПЗ115	03131-090304	9524,49	40,1	4,26	ГОСТ 19049-80
59103640090308	0	ВПЗ115	03131-090308	9524,49	40,1	4,24	ГОСТ 19049-80
59103640120304	0	ВПЗ115	03131-120304	9254,44	69,04	7,58	ГОСТ 19049-80
59103640120412	0	ВПЗ115	03131-120412	9013,29	100,95	11,3	ГОСТ 19049-80
59103640190400	0	ВПЗ115	03131-190400	8808,29	221,09	25,6	ГОСТ 19049-80
59103640190416	0	ВПЗ115	03131-190416	8808,29	221,09	25,4	ГОСТ 19049-80
59103650090308	0	ВПЗ115	03311-090308	8258,22	30,39	3,73	ГОСТ 19050-80
59103650120304	0	ВПЗ115	03311-120304	7679,95	51,99	6,87	ГОСТ 19050-80
59103650120408	0	ВПЗ115	03311-120408	7541,04	76,16	10,3	ГОСТ 19050-80
59103650150412	0	ВПЗ115	03311-150412	7371,18	114,25	15,7	ГОСТ 19050-80
59103650150416	0	ВПЗ115	03311-150416	7371,18	114,25	15,7	ГОСТ 19050-80
59103650190408	0	ВПЗ115	03311-190408	7530,38	171,69	23,1	ГОСТ 19050-80
59103650190412	0	ВПЗ115	03311-190412	7530,38	171,69	23,1	ГОСТ 19050-80
59103660090304	0	ВПЗ115	03331-090304	9575,56	35,24	3,74	ГОСТ 19050-80
59103660090308	0	ВПЗ115	03331-090308	9575,56	35,24	3,73	ГОСТ 19050-80
59103660120304	0	ВПЗ115	03331-120304	9306,29	63,00	6,87	ГОСТ 19050-80
59103660120408	0	ВПЗ115	03331-120408	9078,00	91,69	10,3	ГОСТ 19050-80
59103670120408	0	ВПЗ115	03113-120408	6498,97	63,17	9,85	ГОСТ 19051-80
59103670120412	0	ВПЗ115	03113-120412	6498,97	63,17	9,88	ГОСТ 19051-80
59103670150412	0	ВПЗ115	03113-150412	6391,8	97,16	15,4	ГОСТ 19051-80
59103670150416	0	ВПЗ115	03113-150416	6391,8	97,16	15,4	ГОСТ 19051-80
59103670190612	0	ВПЗ115	03113-190612	6231,54	178,22	29,3	ГОСТ 19051-80
59103670190616	0	ВПЗ115	03113-190616	6231,54	178,22	29,3	ГОСТ 19051-80
59103670190624	0	ВПЗ115	03113-190624	6231,54	178,22	29,00	ГОСТ 19051-80
59103680190616	0	ВПЗ115	03123-190616	7115,96	203,52	29,3	ГОСТ 19051-80
59103700090308	0	ВПЗ115	03114-090308	7059,02	24,85	3,55	ГОСТ 19052-80
59103700120408	0	ВПЗ115	03114-120408	6854,24	63,47	9,39	ГОСТ 19052-80
59103700120412	0	ВПЗ115	03114-120412	6854,24	63,47	9,34	ГОСТ 19052-80
59103700150412	0	ВПЗ115	03114-150412	6728,87	96,9	14,6	ГОСТ 19052-80
59103700150416	0	ВПЗ115	03114-150416	6728,87	96,9	14,6	ГОСТ 19052-80
59103700190612	0	ВПЗ115	03114-190612	6530,95	180,25	28,00	ГОСТ 19052-80
59103700250716	0	ВПЗ115	03114-250716	6567,12	415,7	27,5	ГОСТ 19052-80
59103700250724	0	ВПЗ115	03114-250724	6567,12	415,7	64,2	ГОСТ 19052-80
59103710120408	0	ВПЗ115	03124-120408	7573,1	70,13	9,39	ГОСТ 19052-80
59103710150412	0	ВПЗ115	03124-150412	7401,45	106,58	14,6	ГОСТ 19052-80
59103710150416	0	ВПЗ115	03124-150416	7401,45	106,58	14,6	ГОСТ 19052-80
59103710190616	0	ВПЗ115	03124-190616	7439,48	205,33	27,9	ГОСТ 19052-80
59103810120408	0	ВПЗ115	05114-120408	6853,67	63,6	9,4	ГОСТ 19059-80
59103810160412	0	ВПЗ115	05114-160412	6726,8	97,54	14,7	ГОСТ 19059-80
59103810190608	0	ВПЗ115	05114-190608	6530,95	180,25	28,1	ГОСТ 19059-80
59103810190612	0	ВПЗ115	05114-190612	6530,95	180,25	28,00	ГОСТ 19059-80
59103860090412	0	ВПЗ115	10111-090412	6488,03	66,18	10,3	ГОСТ 19063-80
59103870060312	0	ВПЗ115	10131-060312	9562,82	36,43	3,84	ГОСТ 19063-80
59103880110408	0	ВПЗ115	10113-110408	6417,67	87,92	13,9	ГОСТ 19064-80
59103880130612	0	ВПЗ115	10113-130612	6256,3	162,04	26,3	ГОСТ 19064-80
59103880160612	0	ВПЗ115	10113-160612	6170,77	227,08	37,4	ГОСТ 19064-80
59103890130612	0	ВПЗ115	10123-130612	7156,65	185,36	26,3	ГОСТ 19064-80
59103910110408	0	ВПЗ115	10114-110408	6763,68	86,58	13,00	ГОСТ 19065-80
59103910110416	0	ВПЗ115	10114-110416	6763,68	86,58	12,9	ГОСТ 19065-80
59103910130612	0	ВПЗ115	10114-130612	6565,64	161,51	24,9	ГОСТ 19065-80
59103920110416	0	ВПЗ115	10124-110416	7805,2	99,91	12,9	ГОСТ 19065-80
59103920160612	0	ВПЗ115	10124-160612	7332,98	255,19	35,3	ГОСТ 19065-80
59104430150612	0	ВПЗ115	13123-150612	7798,07	101,37	12,9	ГОСТ 24255-80
59104510000262	0	ВПЗ115	2008-0262	12231,92	90,52	7,4	ТУ 48-19-307-87
59122340000210	0	ВПЗ115	2008-0210	16524,13	81,3	4,99	ТУ 48-19-63-87
59122340000211	0	ВПЗ115	2008-0211	16668,7	78,68	4,79	ТУ 48-19-63-87
59122340000251	0	ВПЗ115	2008-0251	13122,29	65,61	5,00	ТУ 48-19-63-87
59122340000252	0	ВПЗ115	2008-0252	13140,77	65,18	4,96	ТУ 48-19-63-87
59122340000253	0	ВПЗ115	2008-0253	13216,17	63,44	4,8	ТУ 48-19-63-87
59122340000256	0	ВПЗ115	2008-0256	11022,18	147,7	13,4	ТУ 48-19-63-87
59122340000260	0	ВПЗ115	2008-0260	12202,24	91,52	7,5	ТУ 48-19-63-87

59122340000263	0	ВП3115	2008-0263	12202,24	91,52	7,5	ТУ 48-19-63-87
59122350004132	0	ВП3115	2008-4132	0,00	0,00	6,7	ТУ 48-19-63-87
59203520110304	0	ВП3325	01111-110304	6723,94	16,14	2,42	ГОСТ 19043-80
59203520160308	0	ВП3325	01111-160308	6615,74	35,79	5,41	ГОСТ 19043-80
59203520160408	0	ВП3325	01111-160408	6538,66	52,96	8,1	ГОСТ 19043-80
59203520160412	0	ВП3325	01111-160412	6538,66	52,96	7,99	ГОСТ 19043-80
59203520160416	0	ВП3325	01111-160416	6538,66	52,96	7,83	ГОСТ 19043-80
59203530160408	0	ВП3325	01131-160408	9208,62	74,59	8,1	ГОСТ 19043-80
59203540110304	0	ВП3325	01113-110304	6788,09	6,31	0,95	ГОСТ 19044-80
59203540160312	0	ВП3325	01113-160312	6632,89	32,37	4,81	ГОСТ 19044-80
59203540160404	0	ВП3325	01113-160404	6559,45	48,02	7,38	ГОСТ 19044-80
59203540160408	0	ВП3325	01113-160408	6559,45	48,02	7,32	ГОСТ 19044-80
59203540160412	0	ВП3325	01113-160412	6559,45	48,02	7,19	ГОСТ 19044-80
59203540270616	0	ВП3325	01113-270616	6538,65	175,89	26,9	ГОСТ 19044-80
59203550160408	0	ВП3325	01123-160408	7654,67	56,03	7,32	ГОСТ 19044-80
59203550220408	0	ВП3325	01123-220408	7442,91	96,76	13,00	ГОСТ 19044-80
59203550220412	0	ВП3325	01123-220412	7442,91	96,76	12,9	ГОСТ 19044-80
59203550270616	0	ВП3325	01123-270616	7141,03	192,09	26,9	ГОСТ 19044-80
59203570110304	0	ВП3325	01311-110304	7953,58	15,75	1,98	ГОСТ 19045-80
59203570160300	0	ВП3325	01311-160300	7780,24	37,27	4,81	ГОСТ 19045-80
59203570160304	0	ВП3325	01311-160304	7780,24	37,27	4,79	ГОСТ 19045-80
59203570160308	0	ВП3325	01311-160308	7780,24	37,27	4,76	ГОСТ 19045-80
59203570160312	0	ВП3325	01311-160312	7780,24	37,27	4,71	ГОСТ 19045-80
59203570220408	0	ВП3325	01311-220408	7461,77	92,53	12,5	ГОСТ 19045-80
59203570220412	0	ВП3325	01311-220412	7461,77	92,53	12,4	ГОСТ 19045-80
59203580110308	0	ВП3325	01331-110308	9755,99	19,32	1,96	ГОСТ 19045-80
59203580160304	0	ВП3325	01331-160304	9471,11	45,37	4,79	ГОСТ 19045-80
59203580160308	0	ВП3325	01331-160308	9471,11	45,37	4,76	ГОСТ 19045-80
59203580160312	0	ВП3325	01331-160312	9471,11	45,37	4,76	ГОСТ 19045-80
59203580160408	0	ВП3325	01331-160408	9471,11	45,37	6,66	ГОСТ 19045-80
59203580220412	0	ВП3325	01331-220412	8947,72	110,95	12,4	ГОСТ 19045-80
59203590160304	0	ВП3325	01114-160304	7013,19	32,26	4,65	ГОСТ 19046-80
59203590160404	0	ВП3325	01114-160404	6923,47	48,67	7,08	ГОСТ 19046-80
59203590160412	0	ВП3325	01114-160412	6923,47	48,67	6,91	ГОСТ 19046-80
59203590220404	0	ВП3325	01114-220404	6772,92	83,98	12,4	ГОСТ 19046-80
59203590220408	0	ВП3325	01114-220408	6772,92	83,98	12,4	ГОСТ 19046-80
59203590220412	0	ВП3325	01114-220412	6772,92	83,98	12,3	ГОСТ 19046-80
59203590270612	0	ВП3325	01114-270612	6550,05	169,65	25,9	ГОСТ 19046-80
59203590270616	0	ВП3325	01114-270616	6550,05	169,65	25,7	ГОСТ 19046-80
59203600160408	0	ВП3325	01124-160408	7667,87	53,91	7,03	ГОСТ 19046-80
59203600160412	0	ВП3325	01124-160412	7667,87	53,91	6,91	ГОСТ 19046-80
59203600270612	0	ВП3325	01124-270612	7156,65	185,36	25,9	ГОСТ 19046-80
59203600270616	0	ВП3325	01124-270616	7156,65	185,36	25,7	ГОСТ 19046-80
59203620060304	0	ВП3325	02114-060304	7052,84	25,81	3,67	ГОСТ 19048-80
59203620060308	0	ВП3325	02114-060308	7052,84	25,81	3,66	ГОСТ 19048-80
59203620060404	0	ВП3325	02114-060404	6972,71	39,33	5,64	ГОСТ 19048-80
59203620080404	0	ВП3325	02114-080404	6842,37	66,23	9,71	ГОСТ 19048-80
59203620080408	0	ВП3325	02114-080408	6842,37	66,23	9,68	ГОСТ 19048-80
59203620100408	0	ВП3325	02114-100408	6718,64	100,11	14,9	ГОСТ 19048-80
59203620100412	0	ВП3325	02114-100412	6718,64	100,11	14,9	ГОСТ 19048-80
59203620100608	0	ВП3325	02114-100608	6625,89	133,84	20,2	ГОСТ 19048-80
59203620100612	0	ВП3325	02114-100612	6625,89	133,84	20,1	ГОСТ 19048-80
59203620120612	0	ВП3325	02114-120612	6522,42	185,24	28,4	ГОСТ 19048-80
59203630120408	0	ВП3325	03111-120408	6466,32	72,42	11,2	ГОСТ 19049-80
59203630120412	0	ВП3325	03111-120412	6466,32	72,42	11,1	ГОСТ 19049-80
59203630150416	0	ВП3325	03111-150416	6357,61	110,62	17,4	ГОСТ 19049-80
59203630190412	0	ВП3325	03111-190412	6264,21	157,23	25,1	ГОСТ 19049-80
59203630190416	0	ВП3325	03111-190416	6264,21	157,23	25,1	ГОСТ 19049-80
59203640120408	0	ВП3325	03131-120408	9013,29	100,95	11,2	ГОСТ 19049-80
59203640120412	0	ВП3325	03131-120412	9013,29	100,95	11,1	ГОСТ 19049-80
59203640150412	0	ВП3325	03131-150412	8719,78	151,72	17,4	ГОСТ 19049-80
59203640190416	0	ВП3325	03131-190416	8808,29	221,09	25,1	ГОСТ 19049-80
59203650090304	0	ВП3325	03311-090304	8258,22	30,39	3,68	ГОСТ 19050-80
59203650120304	0	ВП3325	03311-120304	7679,95	51,99	6,78	ГОСТ 19050-80
59203650120312	0	ВП3325	03311-120312	7679,95	51,99	6,75	ГОСТ 19050-80
59203650150408	0	ВП3325	03311-150408	7371,18	114,25	15,5	ГОСТ 19050-80
59203650150412	0	ВП3325	03311-150412	7371,18	114,25	15,5	ГОСТ 19050-80
59203660120304	0	ВП3325	03331-120304	9306,29	63,00	6,78	ГОСТ 19050-80
59203660120308	0	ВП3325	03331-120308	9306,29	63,00	6,77	ГОСТ 19050-80
59203660120312	0	ВП3325	03331-120312	9306,29	63,00	6,75	ГОСТ 19050-80
59203660150408	0	ВП3325	03331-150408	8798,83	136,38	15,5	ГОСТ 19050-80
59203660150412	0	ВП3325	03331-150412	8798,83	136,38	15,5	ГОСТ 19050-80
59203660190412	0	ВП3325	03331-190412	8533,42	194,56	22,8	ГОСТ 19050-80
59203670190616	0	ВП3325	03113-190616	6231,54	178,22	28,89	ГОСТ 19051-80
59203680120412	0	ВП3325	03123-120412	7555,32	73,44	9,67	ГОСТ 19051-80
59203680190616	0	ВП3325	03123-190616	7115,96	203,52	28,9	ГОСТ 19051-80
59203700090304	0	ВП3325	03114-090304	7059,02	24,85	3,52	ГОСТ 19052-80

59203700090308	0	ВП3325	03114-090308		7059,02	24,85	3,5	ГОСТ 19052-80
59203700120404	0	ВП3325	03114-120404		6854,24	63,47	9,26	ГОСТ 19052-80
59203700120408	0	ВП3325	03114-120408		6854,24	63,47	9,26	ГОСТ 19052-80
59203700120412	0	ВП3325	03114-120412		6854,24	63,47	9,21	ГОСТ 19052-80
59203700150412	0	ВП3325	03114-150412		6728,87	96,9	14,4	ГОСТ 19052-80
59203700150416	0	ВП3325	03114-150416		6728,87	96,9	14,4	ГОСТ 19052-80
59203700190616	0	ВП3325	03114-190616		6530,95	180,25	27,5	ГОСТ 19052-80
59203700250716	0	ВП3325	03114-250716		6567,12	415,7	63,5	ГОСТ 19052-80
59203700250724	0	ВП3325	03114-250724		6567,12	415,7	63,3	ГОСТ 19052-80
59203710090304	0	ВП3325	03124-090304		7853,45	27,64	3,52	ГОСТ 19052-80
59203710120404	0	ВП3325	03124-120404		7573,1	70,13	9,26	ГОСТ 19052-80
59203710150412	0	ВП3325	03124-150412		7401,45	106,58	14,4	ГОСТ 19052-80
59203810120408	0	ВП3325	05114-120408		6853,67	63,6	9,28	ГОСТ 19059-80
59203810160412	0	ВП3325	05114-160412		6726,8	97,54	14,5	ГОСТ 19059-80
59203810190608	0	ВП3325	05114-190608		6530,95	180,25	27,7	ГОСТ 19059-80
59203810190612	0	ВП3325	05114-190612		6530,95	180,25	27,6	ГОСТ 19059-80
59203810190616	0	ВП3325	05114-190616		6530,95	180,25	27,5	ГОСТ 19059-80
59203820120408	0	ВП3325	05124-120408		7572,31	70,27	9,28	ГОСТ 19059-80
59203820120412	0	ВП3325	05124-120412		7572,31	70,27	9,23	ГОСТ 19059-80
59203820190608	0	ВП3325	05124-190608		7439,48	205,33	27,7	ГОСТ 19059-80
59203820190612	0	ВП3325	05124-190612		7439,48	205,33	27,6	ГОСТ 19059-80
59203820190616	0	ВП3325	05124-190616		7439,48	205,33	27,5	ГОСТ 19059-80
59203860090408	0	ВП3325	10111-090408		6488,03	66,18	10,2	ГОСТ 19063-80
59203870090412	0	ВП3325	10131-090412		9071,92	92,53	10,1	ГОСТ 19063-80
59203880110408	0	ВП3325	10113-110408		6417,67	87,92	13,7	ГОСТ 19064-80
59203880110416	0	ВП3325	M010005 (10113-110416)		0,00	0,00	13,85	ГОСТ 19064-80
59203880130612	0	ВП3325	10113-130612		6256,3	162,04	25,9	ГОСТ 19064-80
59203880160612	0	ВП3325	10113-160612		6170,77	227,08	36,8	ГОСТ 19064-80
59203890110408	0	ВП3325	10123-110408		7421,75	101,68	13,7	ГОСТ 19064-80
59203890130612	0	ВП3325	10123-130612		7156,65	185,36	25,9	ГОСТ 19064-80
59203890160612	0	ВП3325	10123-160612		7016,12	258,19	36,8	ГОСТ 19064-80
59203900130412	0	ВП3325	10153-130412		9005,18	174,7	19,4	ГОСТ 19064-80
59203910110408	0	ВП3325	10114-110408		6763,68	86,58	12,8	ГОСТ 19065-80
59203910110416	0	ВП3325	10114-110416		6763,68	86,58	12,8	ГОСТ 19065-80
59203910130420	0	ВП3325	10114-130420		6659,56	120,54	18,00	ГОСТ 19065-80
59203910130612	0	ВП3325	10114-130612		6565,64	161,51	24,6	ГОСТ 19065-80
59203910130620	0	ВП3325	10114-130620		6565,64	161,51	24,5	ГОСТ 19065-80
59203910160612	0	ВП3325	10114-160612		6463,18	224,92	34,8	ГОСТ 19065-80
59203920110408	0	ВП3325	10124-110408		7805,2	99,91	12,8	ГОСТ 19065-80
59203920130412	0	ВП3325	10124-130412		7641,58	138,31	18,00	ГОСТ 19065-80
59203920130420	0	ВП3325	10124-130420		7641,58	138,31	18,00	ГОСТ 19065-80
59203920130612	0	ВП3325	10124-130612		7494,00	184,35	24,5	ГОСТ 19065-80
59527830000100	0	ВН-8	Д030078 (ПР1)		4023,28	1528,84	380,00	ТЕХНИЧЕСКИЕ ТРЕБОВАН
59527830000200	0	ВН-8	Д030103 (ПР2)		5071,47	2156,19	415,00	ТЕХНИЧЕСКИЕ ТРЕБОВАН
59536240000014	0	ВН-8	СЦ-130ВПС 1-4		0,00	0,00	33,2	ТУ 48-19-161-90
59607080001212	0	ВПт-2210	RNGX-1212МО13		5752,00	87,43	15,2	ТУ 48-4206-558-96
59607080002710	0	ВПт-2210	RPUX-2710МО24		3549,00	223,59	63,00	ТУ 48-4206-558-96
59607080003010	0	ВПт-2210	RPUX-3010МО24		3710,00	300,51	81,00	ТУ 48-4206-558-96
59807080002710	0	ВПт-122	RPUX-2710МО24		0,00	0,00	52,6	ТУ 48-4206-558-96
59807080003010	0	ВПт-122	RPUX-3010МО24		2946,00	200,33	68,00	ТУ 48-4206-558-96
61100080000051	0	Т5К10	2051		3369,11	18,87	5,6	ГОСТ 25395-90
61100080000052	0	Т5К10	2052		3399,34	16,69	4,95	ГОСТ 25395-90
61100080000231	0	Т5К10	2231		3283,33	29,12	8,9	ГОСТ 25395-90
61100080000232	0	Т5К10	2232		3291,21	27,78	8,5	ГОСТ 25395-90
61100080000251	0	Т5К10	2251		3247,45	37,18	11,5	ГОСТ 25395-90
61100080000252	0	Т5К10	2252		3257,63	34,5	10,7	ГОСТ 25395-90
61100080000271	0	Т5К10	2271		3190,68	64,55	20,5	ГОСТ 25395-90
61100080000272	0	Т5К10	2272		3194,78	61,34	19,5	ГОСТ 25395-90
61100080000291	0	Т5К10	2291		3172,87	83,32	26,5	ГОСТ 25395-90
61100080000292	0	Т5К10	2292		3174,92	80,64	25,7	ГОСТ 25395-90
61100080000311	0	Т5К10	2311		3161,52	102,09	32,5	ГОСТ 25395-90
61100080000312	0	Т5К10	2312		3164,45	96,48	30,9	ГОСТ 25395-90
61100080000351	0	Т5К10	2351		3343,47	192,88	58,00	ГОСТ 25395-90
61100080000352	0	Т5К10	2352		3348,08	179,62	54,42	ГОСТ 25395-90
61100080000411	0	Т5К10	2411		3183,25	71,27	22,5	ГОСТ 25395-90
61100080000412	0	Т5К10	2412		3183,25	71,27	21,5	ГОСТ 25395-90
61100080000431	0	Т5К10	2431		3377,82	124,47	37,00	ГОСТ 25395-90
61100080000451	0	Т5К10	2451		3358,18	156,12	47,00	ГОСТ 25395-90
61100080000511	0	Т5К10	2511		3324,85	274,83	87,5	ГОСТ 25395-90
61100080000512	0	Т5К10	2512		3327,25	260,52	79,42	ГОСТ 25395-90
61100080000611	0	Т5К10	2611		3701,5	7,00	1,9	ГОСТ 25395-90
61100080000631	0	Т5К10	2631		3481,68	12,53	3,65	ГОСТ 25395-90
61100080000651	0	Т5К10	2651		3299,22	26,53	8,16	ГОСТ 25395-90
61100080000671	0	Т5К10	2671		3216,46	48,5	15,3	ГОСТ 25395-90
61100080000691	0	Т5К10	2691		3355,01	20,06	6,05	ГОСТ 25395-90
61100090000010	0	Т5К10	6010		3816,34	5,42	1,43	ГОСТ 25397-90
61100090000030	0	Т5К10	6030		3661,44	7,69	2,3	ГОСТ 25397-90

61100090000050	0	T5K10	6050	3436,93	14,54	4,5	ГОСТ 25397-90
61100090000060	0	T5K10	6060	3436,93	14,54	4,5	ГОСТ 25397-90
61100090000090	0	T5K10	6090	3265,68	32,62	10,1	ГОСТ 25397-90
61100090000100	0	T5K10	6100	3265,68	32,62	10,1	ГОСТ 25397-90
61100090000130	0	T5K10	6130	3194,08	61,87	19,5	ГОСТ 25397-90
61100090000140	0	T5K10	6140	3194,08	61,87	19,5	ГОСТ 25397-90
61100090000170	0	T5K10	6170	3392,82	107,79	32,1	ГОСТ 25397-90
61100090000180	0	T5K10	6180	3392,82	107,79	32,1	ГОСТ 25397-90
61100090000270	0	T5K10	6270	3346,35	184,38	55,00	ГОСТ 25397-90
61100090000280	0	T5K10	6280	3346,35	184,38	55,00	ГОСТ 25397-90
61100090000290	0	T5K10	6290	3322,71	288,94	88,00	ГОСТ 25397-90
61100090000300	0	T5K10	6300	3322,71	288,94	88,00	ГОСТ 25397-90
61100090000330	0	T5K10	6330	3666,83	7,59	2,1	ГОСТ 25397-90
61100090000340	0	T5K10	6340	3666,83	7,59	2,1	ГОСТ 25397-90
61100090000350	0	T5K10	6350	3444,61	14,16	4,17	ГОСТ 25397-90
61100090000360	0	T5K10	6360	3445,26	14,13	4,17	ГОСТ 25397-90
61100090000370	0	T5K10	6370	3290,26	27,93	8,61	ГОСТ 25397-90
61100090000380	0	T5K10	6380	3290,26	27,93	8,61	ГОСТ 25397-90
61100090000390	0	T5K10	6390	3216,00	48,72	15,37	ГОСТ 25397-90
61100090000400	0	T5K10	6400	3216,00	48,72	15,37	ГОСТ 25397-90
61100090000410	0	T5K10	6410	3417,61	88,24	26,2	ГОСТ 25397-90
61100090000420	0	T5K10	6420	3417,61	88,24	26,2	ГОСТ 25397-90
61100100000010	0	T5K10	7010	3738,45	6,43	1,73	ГОСТ 25426-90
61100100000030	0	T5K10	7030	5228,9	4,6	0,89	ГОСТ 25426-90
61100100000050	0	T5K10	7050	3637,62	8,15	2,27	ГОСТ 25426-90
61100100000060	0	T5K10	7060	3637,62	8,15	2,27	ГОСТ 25426-90
61100100000070	0	T5K10	7070	3421,46	15,36	4,55	ГОСТ 25426-90
61100100000080	0	T5K10	7080	3421,46	15,36	4,55	ГОСТ 25426-90
61100100000090	0	T5K10	7090	3338,34	21,67	6,58	ГОСТ 25426-90
61100100000100	0	T5K10	7100	3338,34	21,67	6,58	ГОСТ 25426-90
61100100000110	0	T5K10	7110	3277,72	30,16	9,33	ГОСТ 25426-90
61100100000120	0	T5K10	7120	3277,56	30,19	9,33	ГОСТ 25426-90
61100100000130	0	T5K10	7130	3239,35	39,62	12,4	ГОСТ 25426-90
61100100000140	0	T5K10	7140	3239,35	39,62	12,4	ГОСТ 25426-90
61100100000150	0	T5K10	7150	3208,74	52,43	16,58	ГОСТ 25426-90
61100100000160	0	T5K10	7160	3208,74	52,43	16,58	ГОСТ 25426-90
61100100000170	0	T5K10	7170	3185,87	68,75	21,89	ГОСТ 25426-90
61100100000180	0	T5K10	7180	3185,87	68,75	21,89	ГОСТ 25426-90
61100100000330	0	T5K10	7330	3407,04	95,64	28,3	ГОСТ 25426-90
61100100000340	0	T5K10	7340	3407,04	95,64	28,3	ГОСТ 25426-90
61100100000350	0	T5K10	7350	5643,6	3,1	0,6	ГОСТ 25426-90
61100100000370	0	T5K10	7370	3548,36	10,29	3,25	ГОСТ 25426-90
61100120000051	0	T5K10	10051	3657,91	7,75	2,14	ГОСТ 25396-90
61100120000061	0	T5K10	10061	3657,91	7,75	2,14	ГОСТ 25396-90
61100120000151	0	T5K10	10151	3202,21	56,26	17,7	ГОСТ 25396-90
61100120000152	0	T5K10	10152	3200,27	57,51	18,23	ГОСТ 25396-90
61100120000161	0	T5K10	10161	3202,21	56,26	17,7	ГОСТ 25396-90
61100120000162	0	T5K10	10162	3200,27	57,51	18,23	ГОСТ 25396-90
61100120000271	0	T5K10	10271	3529,03	10,87	3,4	ГОСТ 25396-90
61100120000291	0	T5K10	10291	3325,14	23,11	7,00	ГОСТ 25396-90
61100120000292	0	T5K10	10292	3322,73	23,39	7,14	ГОСТ 25396-90
61100120000301	0	T5K10	10301	3325,14	23,11	7,00	ГОСТ 25396-90
61100120000411	0	T5K10	10411	5954,00	2,2	0,38	ГОСТ 25396-90
61100120000431	0	T5K10	10431	5422,54	3,85	0,72	ГОСТ 25396-90
61100120000451	0	T5K10	10451	4938,05	5,98	1,3	ГОСТ 25396-90
61100120000471	0	T5K10	10471	3400,32	16,63	4,93	ГОСТ 25396-90
61100120000472	0	T5K10	10472	3393,58	17,07	5,11	ГОСТ 25396-90
61100120000481	0	T5K10	10481	3400,32	16,63	4,93	ГОСТ 25396-90
61100120000482	0	T5K10	10482	3393,11	17,1	5,11	ГОСТ 25396-90
61100120000491	0	T5K10	10491	3265,54	32,66	10,1	ГОСТ 25396-90
61100120000492	0	T5K10	10492	3261,82	33,5	10,42	ГОСТ 25396-90
61100120000501	0	T5K10	10501	3265,54	32,66	10,1	ГОСТ 25396-90
61100120000502	0	T5K10	10502	3261,82	33,5	10,42	ГОСТ 25396-90
61100120000531	0	T5K10	10531	3400,67	100,73	29,9	ГОСТ 25396-90
61100120000532	0	T5K10	10532	3398,22	102,83	30,7	ГОСТ 25396-90
61100120000541	0	T5K10	10541	3400,67	100,73	29,9	ГОСТ 25396-90
61100120000542	0	T5K10	10542	3398,22	102,83	30,7	ГОСТ 25396-90
61100120000571	0	T5K10	10571	3340,01	204,18	62,00	ГОСТ 25396-90
61100120000572	0	T5K10	10572	3338,54	209,39	63,61	ГОСТ 25396-90
61100120000581	0	T5K10	10581	3340,01	204,18	62,00	ГОСТ 25396-90
61100120000582	0	T5K10	10582	3338,54	209,39	63,61	ГОСТ 25396-90
61100120000611	0	T5K10	10611	3313,01	376,52	114,00	ГОСТ 25396-90
61100120000612	0	T5K10	10612	3312,54	382,17	117,00	ГОСТ 25396-90
61100120000621	0	T5K10	10621	3313,01	376,52	114,00	ГОСТ 25396-90
61100120000622	0	T5K10	10622	3312,54	382,17	117,00	ГОСТ 25396-90
61100120000631	0	T5K10	10631	3300,31	625,14	191,00	ГОСТ 25396-90
61100120000641	0	T5K10	10641	3300,31	625,14	191,00	ГОСТ 25396-90

61100120000642	0	T5K10	10642	3297,35	738,61	195,00	ГОСТ 25396-90
61100120000652	0	T5K10	10652	3750,22	6,26	1,67	ГОСТ 25396-90
61100120000672	0	T5K10	10672	3597,05	9,03	2,54	ГОСТ 25396-90
61100120000682	0	T5K10	10682	3597,05	9,03	2,54	ГОСТ 25396-90
61100120000692	0	T5K10	10692	3242,15	38,74	13,00	ГОСТ 25396-90
61100120000702	0	T5K10	10702	3242,15	38,74	13,00	ГОСТ 25396-90
61100120000712	0	T5K10	10712	3180,11	74,54	23,78	ГОСТ 25396-90
61100120000722	0	T5K10	10722	3180,11	74,54	23,78	ГОСТ 25396-90
61100140000011	0	T5K10	14011	7993,87	2,32	0,29	ГОСТ 25399-90
61100140000031	0	T5K10	14031	7281,42	3,86	0,55	ГОСТ 25399-90
61100140000051	0	T5K10	14051	7160,23	4,15	0,58	ГОСТ 25399-90
61100140000071	0	T5K10	14071	6858,39	4,94	0,64	ГОСТ 25399-90
61100140000111	0	T5K10	14111	6456,61	6,13	0,96	ГОСТ 25399-90
61100140000151	0	T5K10	14151	6381,49	6,38	1,01	ГОСТ 25399-90
61100140000171	0	T5K10	14171	5786,25	8,74	1,53	ГОСТ 25399-90
61100140000191	0	T5K10	14191	5731,75	9,00	1,59	ГОСТ 25399-90
61100140000211	0	T5K10	14211	5574,81	9,81	1,78	ГОСТ 25399-90
61100140000251	0	T5K10	14251	6021,73	7,71	1,29	ГОСТ 25399-90
61100140000271	0	T5K10	14271	5749,63	8,91	1,04	ГОСТ 25399-90
61100140000291	0	T5K10	14291	5696,81	9,17	1,63	ГОСТ 25399-90
61100140000312	0	T5K10	14312	6033,05	7,66	1,28	ГОСТ 25399-90
61100140000332	0	T5K10	14332	5551,99	9,94	2,00	ГОСТ 25399-90
61100140000352	0	T5K10	14352	5102,4	13,01	3,25	ГОСТ 25399-90
61100140000372	0	T5K10	14372	4916,73	14,75	3,4	ГОСТ 25399-90
61100140000392	0	T5K10	14392	4765,65	16,49	4,2	ГОСТ 25399-90
61100140000412	0	T5K10	14412	4488,97	20,87	5,82	ГОСТ 25399-90
61100140000432	0	T5K10	14432	4330,38	24,55	6,34	ГОСТ 25399-90
61100140000452	0	T5K10	14452	4259,00	26,66	7,00	ГОСТ 25399-90
61100140000472	0	T5K10	14472	4187,1	29,18	8,1	ГОСТ 25399-90
61100140000492	0	T5K10	14492	4045,59	35,88	11,00	ГОСТ 25399-90
61100140000512	0	T5K10	14512	4020,8	37,39	12,1	ГОСТ 25399-90
61100140000532	0	T5K10	14532	4002,63	38,59	11,8	ГОСТ 25399-90
61100140000552	0	T5K10	14552	3932,61	44,01	14,4	ГОСТ 25399-90
61100140000572	0	T5K10	14572	3919,57	45,19	15,1	ГОСТ 25399-90
61100140000592	0	T5K10	14592	3796,41	60,78	18,7	ГОСТ 25399-90
61100140000612	0	T5K10	14612	3786,19	62,59	20,6	ГОСТ 25399-90
61100140000632	0	T5K10	14632	3775,13	64,67	21,4	ГОСТ 25399-90
61100140000652	0	T5K10	14652	3766,12	66,47	23,2	ГОСТ 25399-90
61100140000672	0	T5K10	14672	3704,4	82,27	22,4	ГОСТ 25399-90
61100140000692	0	T5K10	14692	3697,94	84,39	30,5	ГОСТ 25399-90
61100140000712	0	T5K10	14712	3692,78	86,15	23,5	ГОСТ 25399-90
61100140000732	0	T5K10	14732	3659,66	99,58	27,5	ГОСТ 25399-90
61100140000752	0	T5K10	14752	3648,84	104,94	29,00	ГОСТ 25399-90
61100140000772	0	T5K10	14772	3647,14	105,84	29,2	ГОСТ 25399-90
61100140000792	0	T5K10	14792	3586,28	152,85	43,00	ГОСТ 25399-90
61100140000832	0	T5K10	14832	3577,61	163,25	46,2	ГОСТ 25399-90
61100150000010	0	T5K10	15010	3407,9	16,15	4,78	ГОСТ 25404-90
61100150000030	0	T5K10	15030	3258,78	34,22	10,6	ГОСТ 25404-90
61100150000040	0	T5K10	15040	3258,78	34,22	10,6	ГОСТ 25404-90
61100150000090	0	T5K10	15090	3171,9	84,66	27,00	ГОСТ 25404-90
61100150000100	0	T5K10	15100	3171,9	84,66	27,00	ГОСТ 25404-90
61100150000110	0	T5K10	15110	3361,08	150,48	45,5	ГОСТ 25404-90
61100150000120	0	T5K10	15120	3361,08	150,48	45,5	ГОСТ 25404-90
61100150000150	0	T5K10	15150	3336,91	215,5	65,00	ГОСТ 25404-90
61100150000160	0	T5K10	15160	3336,91	215,5	65,00	ГОСТ 25404-90
61100160000010	0	T5K10	16010	3677,92	7,39	2,02	ГОСТ 25405-90
61100160000030	0	T5K10	16030	3480,08	12,6	3,65	ГОСТ 25405-90
61100160000050	0	T5K10	16050	3331,54	22,39	6,75	ГОСТ 25405-90
61100160000210	0	T5K10	16210	3247,34	37,21	11,6	ГОСТ 25405-90
61100160000250	0	T5K10	16250	3195,16	61,06	19,3	ГОСТ 25405-90
61100160000370	0	T5K10	16370	3161,26	102,61	32,8	ГОСТ 25405-90
61100160000390	0	T5K10	16390	3332,84	232,43	70,00	ГОСТ 25405-90
61100200000010	0	T5K10	20010	3661,44	7,69	2,12	ГОСТ 25408-90
61100200000030	0	T5K10	20030	3523,96	11,03	3,15	ГОСТ 25408-90
61100200000050	0	T5K10	20050	3877,48	19,93	5,6	ГОСТ 25408-90
61100200000070	0	T5K10	20070	3588,02	39,22	11,1	ГОСТ 25408-90
61100200000080	0	T5K10	20080	3588,02	39,22	11,1	ГОСТ 25408-90
61100200000090	0	T5K10	20090	3457,13	68,45	21,00	ГОСТ 25408-90
61100200000100	0	T5K10	20100	3457,13	68,45	21,00	ГОСТ 25408-90
61100200000130	0	T5K10	20130	3388,84	111,76	33,3	ГОСТ 25408-90
61100200000140	0	T5K10	20140	3388,84	111,76	33,3	ГОСТ 25408-90
61100210000010	0	T5K10	21010	7136,91	4,21	0,5	ГОСТ 25400-90
61100210000050	0	T5K10	21050	7410,79	3,56	0,48	ГОСТ 25400-90
61100210000070	0	T5K10	21070	6743,57	5,26	0,79	ГОСТ 25400-90
61100210000090	0	T5K10	21090	4306,82	11,07	2,59	ГОСТ 25400-90
61100210000110	0	T5K10	21110	4142,7	13,46	3,28	ГОСТ 25400-90
61100210000130	0	T5K10	21130	3420,33	15,43	4,54	ГОСТ 25400-90

61100210000150	0	T5K10	21150	3380,58	17,98	5,36	ГОСТ 25400-90
61100210000170	0	T5K10	21170	6352,49	6,48	1,03	ГОСТ 25400-90
61100210000190	0	T5K10	21190	4612,68	8,07	1,77	ГОСТ 25400-90
61100210000210	0	T5K10	21210	4501,71	9,00	2,03	ГОСТ 25400-90
61100210000230	0	T5K10	21230	4414,79	9,84	2,26	ГОСТ 25400-90
61100210000250	0	T5K10	21250	3413,18	15,84	4,68	ГОСТ 25400-90
61100210000270	0	T5K10	21270	4548,17	8,6	1,93	ГОСТ 25400-90
61100210000290	0	T5K10	21290	4077,14	14,68	3,65	ГОСТ 25400-90
61100210000310	0	T5K10	21310	4022,35	15,85	4,00	ГОСТ 25400-90
61100210000350	0	T5K10	21350	4039,23	15,47	3,87	ГОСТ 25400-90
61100210000370	0	T5K10	21370	6139,61	7,24	1,19	ГОСТ 25400-90
61100210000410	0	T5K10	21410	3830,91	21,68	5,7	ГОСТ 25400-90
61100210000470	0	T5K10	21470	3342,69	21,23	6,4	ГОСТ 25400-90
61100210000490	0	T5K10	21490	3250,37	36,37	11,2	ГОСТ 25400-90
61100210000510	0	T5K10	21510	3224,49	44,98	14,1	ГОСТ 25400-90
61100210000530	0	T5K10	21530	3171,9	84,66	26,9	ГОСТ 25400-90
61100210000550	0	T5K10	21550	3191,33	64,02	20,2	ГОСТ 25400-90
61100210000570	0	T5K10	21570	3182,2	72,33	22,9	ГОСТ 25400-90
61100210000590	0	T5K10	21590	3155,74	115,22	36,8	ГОСТ 25400-90
61100210000610	0	T5K10	21610	3979,91	16,87	4,3	ГОСТ 25400-90
61100210000630	0	T5K10	21630	3490,78	12,18	3,54	ГОСТ 25400-90
61100210000650	0	T5K10	21650	3313,38	24,55	7,52	ГОСТ 25400-90
61100210000670	0	T5K10	21670	3297,98	26,71	8,22	ГОСТ 25400-90
61100210000690	0	T5K10	21690	3258,53	34,28	9,18	ГОСТ 25400-90
61100210000710	0	T5K10	21710	3347,53	20,75	6,28	ГОСТ 25400-90
61100210000730	0	T5K10	21730	3228,94	43,24	13,58	ГОСТ 25400-90
61100210000750	0	T5K10	21750	3215,67	48,88	15,41	ГОСТ 25400-90
61100240000010	0	T5K10	24010	3810,55	5,49	1,55	ГОСТ 25409-90
61100240000050	0	T5K10	24050	3693,42	7,13	1,95	ГОСТ 25409-90
61100240000070	0	T5K10	24070	3752,63	6,23	1,9	ГОСТ 25409-90
61100240000090	0	T5K10	24090	3611,33	8,7	2,58	ГОСТ 25409-90
61100240000130	0	T5K10	24130	3427,82	15,01	4,42	ГОСТ 25409-90
61100240000170	0	T5K10	24170	3389,42	17,35	5,17	ГОСТ 25409-90
61100240000210	0	T5K10	24210	3359,29	19,69	6,2	ГОСТ 25409-90
61100240000250	0	T5K10	24250	3335,34	21,98	6,65	ГОСТ 25409-90
61100240000270	0	T5K10	24270	3276,1	30,47	9,4	ГОСТ 25409-90
61100240000290	0	T5K10	24290	3262,09	33,44	10,3	ГОСТ 25409-90
61100240000470	0	T5K10	24470	3218,89	47,38	14,8	ГОСТ 25409-90
61100240000550	0	T5K10	24550	3197,02	59,72	18,8	ГОСТ 25409-90
61100240000570	0	T5K10	24570	3186,65	68,03	21,5	ГОСТ 25409-90
61100240000590	0	T5K10	24590	3178,24	76,63	24,2	ГОСТ 25409-90
61100240000650	0	T5K10	24650	3388,84	111,76	33,3	ГОСТ 25409-90
61100240000770	0	T5K10	24770	3549,49	10,26	3,13	ГОСТ 25409-90
61100240000790	0	T5K10	24790	3245,6	37,71	11,7	ГОСТ 25409-90
61100240000850	0	T5K10	24850	3377,16	125,33	37,4	ГОСТ 25409-90
61100240000870	0	T5K10	24870	3206,73	53,55	16,8	ГОСТ 25409-90
61100250000110	0	T5K10	25110	4794,26	6,81	1,43	ГОСТ 25424-90
61100250000130	0	T5K10	25130	4312,6	11,00	2,57	ГОСТ 25424-90
61100250000150	0	T5K10	25150	4013,46	16,05	4,03	ГОСТ 25424-90
61100250000190	0	T5K10	25190	3223,88	45,23	14,2	ГОСТ 25424-90
61100250000210	0	T5K10	25210	4124,83	13,78	3,39	ГОСТ 25424-90
61100250000230	0	T5K10	25230	3809,49	22,59	6,02	ГОСТ 25424-90
61100250000250	0	T5K10	25250	3520,89	50,24	14,47	ГОСТ 25424-90
61100260000010	0	T5K10	26010	8254,47	1,82	0,21	ГОСТ 25425-90
61100260000030	0	T5K10	26030	7256,55	3,92	0,55	ГОСТ 25425-90
61100260000050	0	T5K10	26050	6535,68	5,88	0,91	ГОСТ 25425-90
61100260000070	0	T5K10	26070	4694,94	7,46	1,62	ГОСТ 25425-90
61100260000090	0	T5K10	26090	4321,39	10,89	2,56	ГОСТ 25425-90
61100260000130	0	T5K10	26130	3913,53	18,75	4,85	ГОСТ 25425-90
61100260000250	0	T5K10	26250	3817,23	22,25	5,88	ГОСТ 25425-90
61100310000050	0	T5K10	31050	3996,29	16,46	4,4	ГОСТ 25411-90
61100310000070	0	T5K10	31070	3741,69	26,00	6,3	ГОСТ 25411-90
61100310000090	0	T5K10	31090	3550,33	44,73	10,9	ГОСТ 25411-90
61100310000110	0	T5K10	31110	3717,08	78,43	21,3	ГОСТ 25411-90
61100320000110	0	T5K10	17110	4414,79	9,84	2,26	ГОСТ 25406-90
61100320000130	0	T5K10	17130	4370,93	10,32	2,39	ГОСТ 25406-90
61100320000150	0	T5K10	17150	4103,98	14,16	3,5	ГОСТ 25406-90
61100320000170	0	T5K10	17170	4073,7	14,75	3,67	ГОСТ 25406-90
61100320000190	0	T5K10	17190	3939,69	17,96	4,61	ГОСТ 25406-90
61100320000210	0	T5K10	17210	3919,04	18,58	4,8	ГОСТ 25406-90
61100320000230	0	T5K10	17230	3795,39	23,23	6,2	ГОСТ 25406-90
61100320000250	0	T5K10	17250	3712,4	27,81	7,55	ГОСТ 25406-90
61100320000270	0	T5K10	17270	3699,58	28,67	7,8	ГОСТ 25406-90
61100320000310	0	T5K10	17310	3229,69	42,95	11,62	ГОСТ 25406-90
61100320000350	0	T5K10	17350	3213,75	49,81	15,7	ГОСТ 25406-90
61100320000390	0	T5K10	17390	3186,92	67,79	21,5	ГОСТ 25406-90
61100320000550	0	T5K10	17550	6800,00	5,1	0,65	ГОСТ 25406-90

61100320000570	0	T5K10	17570	6151,99	7,2	1,02	ГОСТ 25406-90
61100320000590	0	T5K10	17590	4700,42	7,43	1,61	ГОСТ 25406-90
61100320000610	0	T5K10	17610	4603,06	8,15	1,8	ГОСТ 25406-90
61100370000030	0	T5K10	23030	4421,86	9,77	1,93	ГОСТ 25401-90
61100370000050	0	T5K10	23050	4077,14	14,68	3,14	ГОСТ 25401-90
61100370000070	0	T5K10	23070	3859,58	20,57	5,33	ГОСТ 25401-90
61100370000090	0	T5K10	23090	3280,9	29,56	9,14	ГОСТ 25401-90
61100370000110	0	T5K10	23110	3223,21	45,51	14,32	ГОСТ 25401-90
61100370000130	0	T5K10	23130	3181,66	72,89	23,24	ГОСТ 25401-90
61100370000150	0	T5K10	23150	3379,8	121,98	36,61	ГОСТ 25401-90
61100370000170	0	T5K10	23170	3346,89	182,87	55,42	ГОСТ 25401-90
61100370000190	0	T5K10	23190	3325,98	267,91	86,06	ГОСТ 25401-90
61100380000031	0	T5K10	38031	3771,95	24,37	6,52	ГОСТ 25415-90
61100380000192	0	T5K10	38192	3350,69	172,9	51,6	ГОСТ 25415-90
61100390000010	0	T5K10	39010	4800,54	6,77	1,4	ГОСТ 25416-90
61100390000030	0	T5K10	39030	4407,82	9,92	2,28	ГОСТ 25416-90
61100390000050	0	T5K10	39050	3789,67	23,5	6,29	ГОСТ 25416-90
61100390000110	0	T5K10	39110	3423,51	84,59	24,2	ГОСТ 25416-90
61100390000130	0	T5K10	39130	3563,41	42,65	12,14	ГОСТ 25416-90
61100390000150	0	T5K10	39150	3475,65	61,94	18,16	ГОСТ 25416-90
61100410000010	0	T5K10	47010	5349,95	4,12	0,78	ГОСТ 25421-90
61100410000030	0	T5K10	47030	4992,25	5,69	1,14	ГОСТ 25421-90
61100410000050	0	T5K10	47050	4819,69	6,65	1,39	ГОСТ 25421-90
61100410000070	0	T5K10	47070	4647,46	7,81	1,7	ГОСТ 25421-90
61100410000090	0	T5K10	47090	4505,79	8,97	2,00	ГОСТ 25421-90
61100420000010	0	T5K10	48010	3677,92	7,39	2,02	ГОСТ 25422-90
61100420000030	0	T5K10	48030	3471,47	12,95	3,76	ГОСТ 25422-90
61100420000050	0	T5K10	48050	3277,4	30,22	9,3	ГОСТ 25422-90
61100420000070	0	T5K10	48070	3253,43	35,56	11,00	ГОСТ 25422-90
61100420000090	0	T5K10	48090	3215,41	49,00	15,4	ГОСТ 25422-90
61100420000110	0	T5K10	48110	3192,34	63,21	20,00	ГОСТ 25422-90
61100420000130	0	T5K10	48130	3162,88	99,41	31,7	ГОСТ 25422-90
61100430000190	0	T5K10	32190	3234,56	41,21	12,8	ГОСТ 25412-90
61100430000210	0	T5K10	32210	3189,08	65,89	20,9	ГОСТ 25412-90
61100430000230	0	T5K10	32230	3151,39	127,54	40,8	ГОСТ 25412-90
61100430000250	0	T5K10	32250	3344,87	188,65	57,00	ГОСТ 25412-90
61100430000270	0	T5K10	32270	3309,4	424,56	130,00	ГОСТ 25412-90
61100430000290	0	T5K10	32290	3303,09	546,03	167,00	ГОСТ 25412-90
61100500000242	0	T5K10	50242	3634,39	8,21	2,29	ГОСТ 25394-90
61100500000251	0	T5K10	50251	3458,94	13,49	3,9	ГОСТ 25394-90
61100500000262	0	T5K10	50262	3454,72	13,68	4,02	ГОСТ 25394-90
61100500000291	0	T5K10	50291	3289,31	28,09	8,66	ГОСТ 25394-90
61100500000302	0	T5K10	50302	3658,59	31,83	8,8	ГОСТ 25394-90
61100500000322	0	T5K10	50322	3233,75	41,49	13,02	ГОСТ 25394-90
61100500000331	0	T5K10	50331	3196,23	60,28	19,1	ГОСТ 25394-90
61100500000351	0	T5K10	50351	3169,15	88,67	28,4	ГОСТ 25394-90
61100500000362	0	T5K10	50362	3402,73	99,02	29,5	ГОСТ 25394-90
61100520000151	0	T5K10	61151	3192,66	62,96	20,00	ГОСТ 25395-90
61100520000251	0	T5K10	61251	3303,27	541,74	143,00	ГОСТ 25395-90
61100520000271	0	T5K10	61271	3300,48	619,5	190,00	ГОСТ 25395-90
61100520000351	0	T5K10	61351	3562,27	9,9	3,00	ГОСТ 25395-90
61100520000371	0	T5K10	61371	3374,31	18,46	5,89	ГОСТ 25395-90
61100520000391	0	T5K10	61391	3249,35	36,65	11,3	ГОСТ 25395-90
61100520000411	0	T5K10	61411	3375,04	128,15	38,3	ГОСТ 25395-90
61100520000431	0	T5K10	61431	3134,64	215,91	69,3	ГОСТ 25395-90
61100520000451	0	T5K10	61451	3309,97	416,1	127,00	ГОСТ 25395-90
61100520000491	0	T5K10	61491	3317,69	328,45	85,00	ГОСТ 25395-90
61100530000152	0	T5K10	61152	3197,02	59,72	18,9	ГОСТ 25395-90
61100530000272	0	T5K10	61272	3300,87	607,36	184,00	ГОСТ 25395-90
61100530000352	0	T5K10	61352	3584,88	9,32	2,8	ГОСТ 25395-90
61100530000372	0	T5K10	61372	3391,25	17,23	5,5	ГОСТ 25395-90
61100530000392	0	T5K10	61392	3258,78	34,22	10,6	ГОСТ 25395-90
61100530000412	0	T5K10	61412	3379,41	122,47	36,69	ГОСТ 25395-90
61100530000432	0	T5K10	61432	3136,02	204,28	66,07	ГОСТ 25395-90
61100530000452	0	T5K10	61452	3311,42	396,31	121,00	ГОСТ 25395-90
61100530000471	0	T5K10	61471	3298,6	686,11	208,00	ГОСТ 25395-90
61100530000472	0	T5K10	61472	3297,21	745,17	197,00	ГОСТ 25395-90
61100540000251	0	T5K10	62251	3241,13	39,06	12,1	ГОСТ 25395-90
61100540000271	0	T5K10	62271	3186,92	67,79	21,5	ГОСТ 25395-90
61100540000311	0	T5K10	62311	3385,94	114,85	34,1	ГОСТ 25395-90
61100540000351	0	T5K10	62351	3341,69	198,53	60,9	ГОСТ 25395-90
61100540000451	0	T5K10	62451	3354,2	164,62	49,3	ГОСТ 25395-90
61100540000511	0	T5K10	62511	3322,71	288,94	87,2	ГОСТ 25395-90
61100550000252	0	T5K10	62252	3250,37	36,37	11,3	ГОСТ 25395-90
61100550000272	0	T5K10	62272	3190,98	64,3	20,5	ГОСТ 25395-90
61100550000312	0	T5K10	62312	3391,84	108,74	32,52	ГОСТ 25395-90
61100550000352	0	T5K10	62352	3344,75	189,01	57,32	ГОСТ 25395-90

61100560000010	0	T5K10	49010	3886,35	19,63	5,12	ГОСТ 25423-90
61100560000030	0	T5K10	49030	3950,53	17,66	4,53	ГОСТ 25423-90
61100560000050	0	T5K10	49050	3594,59	38,39	10,8	ГОСТ 25423-90
61100560000070	0	T5K10	49070	3614,28	36,11	10,1	ГОСТ 25423-90
61100560000080	0	T5K10	49080	3614,28	36,11	10,1	ГОСТ 25423-90
61100600000010	0	T5K10	51010	3598,44	9,00	2,52	ГОСТ 20312-90
61100600000050	0	T5K10	51050	3342,69	21,23	6,4	ГОСТ 20312-90
61100600000090	0	T5K10	51090	3197,82	59,16	16,1	ГОСТ 20312-90
61100600000130	0	T5K10	51130	3382,23	119,05	30,6	ГОСТ 20312-90
61100620000050	0	T5K10	66050	3424,32	15,2	4,47	ГОСТ 25397-90
61100620000060	0	T5K10	66060	3424,32	15,2	4,47	ГОСТ 25397-90
61100620000090	0	T5K10	66090	3258,78	34,22	10,6	ГОСТ 25397-90
61100620000100	0	T5K10	66100	3258,78	34,22	10,6	ГОСТ 25397-90
61100620000130	0	T5K10	66130	3190,34	64,83	20,5	ГОСТ 25397-90
61100620000140	0	T5K10	66140	3190,34	64,83	20,5	ГОСТ 25397-90
61100620000170	0	T5K10	66170	3387,49	113,18	33,7	ГОСТ 25397-90
61100620000180	0	T5K10	66180	3387,49	113,18	33,7	ГОСТ 25397-90
61100620000270	0	T5K10	66270	3343,47	192,88	58,00	ГОСТ 25397-90
61100620000280	0	T5K10	66280	3343,47	192,88	58,00	ГОСТ 25397-90
61100710000330	0	T5K10	67330	3401,33	100,17	29,7	ГОСТ 25426-90
61100710000340	0	T5K10	67340	3401,33	100,17	29,7	ГОСТ 25426-90
61100710000390	0	T5K10	67390	3291,02	27,81	8,52	ГОСТ 25426-90
61100710000400	0	T5K10	67400	3291,02	27,81	8,52	ГОСТ 25426-90
61100710000410	0	T5K10	67410	3210,12	51,68	16,3	ГОСТ 25426-90
61100710000420	0	T5K10	67420	3210,12	51,68	16,3	ГОСТ 25426-90
61100820000051	0	T5K10	70051	3639,25	8,12	2,25	ГОСТ 25396-90
61100820000061	0	T5K10	70061	3639,25	8,12	2,25	ГОСТ 25396-90
61100820000151	0	T5K10	70151	3198,14	58,94	18,6	ГОСТ 25396-90
61100820000161	0	T5K10	70161	3198,14	58,94	18,6	ГОСТ 25396-90
61100820000291	0	T5K10	70291	3316,32	24,18	7,35	ГОСТ 25396-90
61100820000301	0	T5K10	70301	3316,32	24,18	7,35	ГОСТ 25396-90
61100820000311	0	T5K10	70311	3250,37	36,37	11,2	ГОСТ 25396-90
61100820000321	0	T5K10	70321	3250,37	36,37	11,2	ГОСТ 25396-90
61100820000371	0	T5K10	70371	3319,68	311,55	95,00	ГОСТ 25396-90
61100820000381	0	T5K10	70381	3319,68	311,55	95,00	ГОСТ 25396-90
61100820000471	0	T5K10	70471	3316,32	24,18	5,18	ГОСТ 25396-90
61100820000481	0	T5K10	70481	3316,32	24,18	5,18	ГОСТ 25396-90
61100820000491	0	T5K10	70491	3258,78	34,22	10,6	ГОСТ 25396-90
61100820000501	0	T5K10	70501	3258,78	34,22	10,6	ГОСТ 25396-90
61100820000511	0	T5K10	70511	3184,36	70,18	22,3	ГОСТ 25396-90
61100820000521	0	T5K10	70521	3184,36	70,18	22,3	ГОСТ 25396-90
61100820000531	0	T5K10	70531	3395,22	105,52	31,4	ГОСТ 25396-90
61100820000541	0	T5K10	70541	3395,22	105,52	31,4	ГОСТ 25396-90
61100820000551	0	T5K10	70551	3381,24	120,24	35,9	ГОСТ 25396-90
61100820000561	0	T5K10	70561	3381,24	120,24	35,9	ГОСТ 25396-90
61100820000571	0	T5K10	70571	3336,91	215,5	65,00	ГОСТ 25396-90
61100820000581	0	T5K10	70581	3336,91	215,5	65,00	ГОСТ 25396-90
61100820000591	0	T5K10	70591	3334,8	223,97	68,00	ГОСТ 25396-90
61100820000601	0	T5K10	70601	3334,8	223,97	68,00	ГОСТ 25396-90
61100820000611	0	T5K10	70611	3311,42	396,31	120,00	ГОСТ 25396-90
61100820000621	0	T5K10	70621	3311,42	396,31	120,00	ГОСТ 25396-90
61100820000631	0	T5K10	70631	3299,39	656,22	201,00	ГОСТ 25396-90
61100820000641	0	T5K10	70641	3299,39	656,22	201,00	ГОСТ 25396-90
61101620000011	0	T5K10	13011	4992,25	5,69	1,1	ГОСТ 17163-90
61101620000031	0	T5K10	13031	5130,53	5,03	1,1	ГОСТ 17163-90
61101620000051	0	T5K10	13051	3654,42	7,82	2,16	ГОСТ 17163-90
61101620000071	0	T5K10	13071	3661,44	7,69	2,13	ГОСТ 17163-90
61101620000131	0	T5K10	13131	3458,23	13,52	3,96	ГОСТ 17163-90
61101620000151	0	T5K10	13151	3463,26	13,3	4,1	ГОСТ 17163-90
61101620000171	0	T5K10	13171	3339,26	21,57	6,54	ГОСТ 17163-90
61101620000191	0	T5K10	13191	3408,58	94,49	27,9	ГОСТ 17163-90
61101620000351	0	T5K10	13351	3342,69	21,23	6,85	ГОСТ 17163-90
61101620000371	0	T5K10	13371	3234,65	41,18	12,91	ГОСТ 17163-90
61101620000391	0	T5K10	13391	3236,96	40,4	12,65	ГОСТ 17163-90
61101620000411	0	T5K10	13411	3184,71	69,84	22,24	ГОСТ 17163-90
61101620000431	0	T5K10	13431	3186,37	68,28	21,73	ГОСТ 17163-90
61101620000451	0	T5K10	13451	3383,99	117,02	35,07	ГОСТ 17163-90
61101620000471	0	T5K10	13471	3386,51	114,23	34,2	ГОСТ 17163-90
61101630000492	0	T5K10	13492	5228,9	4,6	1,1	ГОСТ 17163-90
61101630000512	0	T5K10	13512	4930,58	6,02	1,4	ГОСТ 17163-90
61101630000532	0	T5K10	13532	4535,15	8,71	2,15	ГОСТ 17163-90
61101630000552	0	T5K10	13552	4342,5	10,64	2,75	ГОСТ 17163-90
61101630000572	0	T5K10	13572	4093,03	14,37	3,9	ГОСТ 17163-90
61101630000592	0	T5K10	13592	3821,18	22,09	6,55	ГОСТ 17163-90
61101630000612	0	T5K10	13612	3604,28	37,23	11,4	ГОСТ 17163-90
61101630000632	0	T5K10	13632	3487,96	58,25	16,8	ГОСТ 17163-90
61101630000652	0	T5K10	13652	3423,01	84,89	25,00	ГОСТ 17163-90

61101920008208	0	T5K10	2005-8208		4681,3	41,2	8,8	ТУ 48-19-64-91
61101920008209	0	T5K10	2005-8209		4564,54	71,66	15,7	ТУ 48-19-64-91
61102010008751	0	T5K10	2005-8751		0,00	0,00	1,22	ТУ 48-19-64-91
61102010008752	0	T5K10	2005-8752		0,00	0,00	2,24	ТУ 48-19-64-91
61102010008753	0	T5K10	2005-8753		0,00	0,00	3,99	ТУ 48-19-64-91
61102010008754	0	T5K10	2005-8754		0,00	0,00	8,99	ТУ 48-19-64-91
61102010008755	0	T5K10	2005-8755		0,00	0,00	7,23	ТУ 48-19-64-91
61102690000130	0	T5K10		11130	5315,47	4,25	0,8	ГОСТ 25398-90
61102690000150	0	T5K10		11150	4751,72	7,08	1,63	ГОСТ 25398-90
61102690000170	0	T5K10		11170	4327,34	10,82	2,55	ГОСТ 25398-90
61102690000190	0	T5K10		11190	4029,93	15,68	4,25	ГОСТ 25398-90
61102690000210	0	T5K10		11210	3687,05	29,57	8,7	ГОСТ 25398-90
61102690000230	0	T5K10		11230	3509,23	52,81	15,27	ГОСТ 25398-90
61103010000007	0	T5K10	3001-0007		0,00	0,00	0,78	ГОСТ 13833-77
61103520110304	0	T5K10	01111-110304		5722,47	10,53	2,13	ГОСТ 19043-80
61103520110308	0	T5K10	01111-110308		5722,47	10,53	2,08	ГОСТ 19043-80
61103520160304	0	T5K10	01111-160304		5657,5	23,48	4,78	ГОСТ 19043-80
61103520160308	0	T5K10	01111-160308		5657,5	23,48	4,74	ГОСТ 19043-80
61103520160312	0	T5K10	01111-160312		5657,5	23,48	4,68	ГОСТ 19043-80
61103520160404	0	T5K10	01111-160404		5609,01	34,89	7,16	ГОСТ 19043-80
61103520160408	0	T5K10	01111-160408		5609,01	34,89	7,1	ГОСТ 19043-80
61103520160412	0	T5K10	01111-160412		5609,01	34,89	7,00	ГОСТ 19043-80
61103520220404	0	T5K10	01111-220404		5519,63	61,49	12,8	ГОСТ 19043-80
61103520220412	0	T5K10	01111-220412		5519,63	61,49	12,6	ГОСТ 19043-80
61103520270612	0	T5K10	01111-270612		5604,42	129,57	26,4	ГОСТ 19043-80
61103530110304	0	T5K10	01131-110304		7915,39	14,56	2,13	ГОСТ 19043-80
61103530160308	0	T5K10	01131-160308		7739,99	32,12	4,74	ГОСТ 19043-80
61103530160408	0	T5K10	01131-160408		7609,07	47,33	7,1	ГОСТ 19043-80
61103530160412	0	T5K10	01131-160412		7609,07	47,33	7,00	ГОСТ 19043-80
61103540110304	0	T5K10	01113-110304		5759,53	4,09	0,83	ГОСТ 19044-80
61103540110308	0	T5K10	01113-110308		5759,53	4,09	0,8	ГОСТ 19044-80
61103540160308	0	T5K10	01113-160308		5667,85	21,25	4,28	ГОСТ 19044-80
61103540160312	0	T5K10	01113-160312		5667,85	21,25	4,21	ГОСТ 19044-80
61103540160404	0	T5K10	01113-160404		5622,26	31,6	6,47	ГОСТ 19044-80
61103540160408	0	T5K10	01113-160408		5622,26	31,6	6,41	ГОСТ 19044-80
61103540160412	0	T5K10	01113-160412		5622,26	31,6	6,31	ГОСТ 19044-80
61103540220408	0	T5K10	01113-220408		5538,06	55,27	11,4	ГОСТ 19044-80
61103540220412	0	T5K10	01113-220412		5538,06	55,27	11,3	ГОСТ 19044-80
61103540220416	0	T5K10	01113-220416		5496,91	69,81	11,2	ГОСТ 19044-80
61103540270612	0	T5K10	01113-270612		5629,4	116,3	23,8	ГОСТ 19044-80
61103540270616	0	T5K10	01113-270616		5629,4	116,3	23,6	ГОСТ 19044-80
61103550160308	0	T5K10	01123-160308		6514,35	24,43	4,28	ГОСТ 19044-80
61103550160408	0	T5K10	01123-160408		6439,45	36,19	6,41	ГОСТ 19044-80
61103550220416	0	T5K10	01123-220416		6301,13	62,89	11,2	ГОСТ 19044-80
61103550270616	0	T5K10	01123-270616		6087,62	125,77	23,6	ГОСТ 19044-80
61103560160408	0	T5K10	01133-160408		7644,84	42,96	6,41	ГОСТ 19044-80
61103560160412	0	T5K10	01133-160412		7644,84	42,96	6,31	ГОСТ 19044-80
61103570110304	0	T5K10	01311-110304		6620,67	10,06	1,74	ГОСТ 19045-80
61103570110308	0	T5K10	01311-110308		6293,09	12,65	1,72	ГОСТ 19045-80
61103570160300	0	T5K10	01311-160300		6517,38	23,98	4,22	ГОСТ 19045-80
61103570160304	0	T5K10	01311-160304		6517,38	23,98	4,2	ГОСТ 19045-80
61103570160308	0	T5K10	01311-160308		6517,38	23,98	4,18	ГОСТ 19045-80
61103570160312	0	T5K10	01311-160312		6517,38	23,98	4,13	ГОСТ 19045-80
61103570220408	0	T5K10	01311-220408		6313,79	60,11	11,00	ГОСТ 19045-80
61103570220412	0	T5K10	01311-220412		6313,79	60,11	10,9	ГОСТ 19045-80
61103570220416	0	T5K10	01311-220416		6313,79	60,11	10,8	ГОСТ 19045-80
61103570270616	0	T5K10	01311-270616		6341,9	124,68	22,5	ГОСТ 19045-80
61103580110300	0	T5K10	01331-110300		7942,66	12,07	1,74	ГОСТ 19045-80
61103580110304	0	T5K10	01331-110304		7942,66	12,07	1,74	ГОСТ 19045-80
61103580110308	0	T5K10	01331-110308		7942,66	12,07	1,72	ГОСТ 19045-80
61103580160304	0	T5K10	01331-160304		7772,9	28,6	4,2	ГОСТ 19045-80
61103580160308	0	T5K10	01331-160308		7772,9	28,6	4,18	ГОСТ 19045-80
61103580160312	0	T5K10	01331-160312		7772,9	28,6	4,13	ГОСТ 19045-80
61103580160408	0	T5K10	01331-160408		7772,9	28,6	5,86	ГОСТ 19045-80
61103580220408	0	T5K10	01331-220408		7438,31	70,81	11,00	ГОСТ 19045-80
61103580220412	0	T5K10	01331-220412		7438,31	70,81	10,9	ГОСТ 19045-80
61103580220416	0	T5K10	01331-220416		7438,31	70,81	10,8	ГОСТ 19045-80
61103590160304	0	T5K10	01114-160304		5948,1	21,00	4,11	ГОСТ 19046-80
61103590160308	0	T5K10	01114-160308		5948,1	21,00	4,03	ГОСТ 19046-80
61103590160312	0	T5K10	01114-160312		5948,1	21,00	3,97	ГОСТ 19046-80
61103590160404	0	T5K10	01114-160404		5892,41	31,82	6,27	ГОСТ 19046-80
61103590160408	0	T5K10	01114-160408		5892,41	31,82	6,16	ГОСТ 19046-80
61103590160412	0	T5K10	01114-160412		5892,41	31,82	6,06	ГОСТ 19046-80
61103590220404	0	T5K10	01114-220404		5794,6	55,16	10,9	ГОСТ 19046-80
61103590220408	0	T5K10	01114-220408		5794,6	55,16	10,9	ГОСТ 19046-80
61103590220412	0	T5K10	01114-220412		5794,6	55,16	10,8	ГОСТ 19046-80
61103590220416	0	T5K10	01114-220416		5794,6	55,16	10,7	ГОСТ 19046-80

61103590270612	0	T5K10	01114-270612	5637,85	112,14	22,7	ГОСТ 19046-80
61103590270616	0	T5K10	01114-270616	5637,85	112,14	22,5	ГОСТ 19046-80
61103600160304	0	T5K10	01124-160304	6523,94	23,03	4,11	ГОСТ 19046-80
61103600160308	0	T5K10	01124-160308	6523,94	23,03	4,03	ГОСТ 19046-80
61103600160312	0	T5K10	01124-160312	6523,94	23,03	3,97	ГОСТ 19046-80
61103600160404	0	T5K10	01124-160404	6447,69	34,82	6,27	ГОСТ 19046-80
61103600160408	0	T5K10	01124-160408	6447,69	34,82	6,16	ГОСТ 19046-80
61103600160412	0	T5K10	01124-160412	6447,69	34,82	6,06	ГОСТ 19046-80
61103600220404	0	T5K10	01124-220404	6313,79	60,11	10,9	ГОСТ 19046-80
61103600220408	0	T5K10	01124-220408	6313,79	60,11	10,9	ГОСТ 19046-80
61103600220412	0	T5K10	01124-220412	6313,79	60,11	10,8	ГОСТ 19046-80
61103600220416	0	T5K10	01124-220416	6313,79	60,11	10,7	ГОСТ 19046-80
61103600270612	0	T5K10	01124-270612	6099,19	121,31	22,7	ГОСТ 19046-80
61103600270616	0	T5K10	01124-270616	6099,19	121,31	22,5	ГОСТ 19046-80
61103610080408	0	T5K10	02113-080408	5578,4	43,07	8,77	ГОСТ 19047-80
61103620060304	0	T5K10	02114-060304	5971,98	16,78	3,22	ГОСТ 19048-80
61103620060308	0	T5K10	02114-060308	5971,98	16,78	3,2	ГОСТ 19048-80
61103620060404	0	T5K10	02114-060404	5923,23	25,65	4,94	ГОСТ 19048-80
61103620080404	0	T5K10	02114-080404	5840,54	43,4	8,5	ГОСТ 19048-80
61103620080408	0	T5K10	02114-080408	5840,54	43,4	8,49	ГОСТ 19048-80
61103620100408	0	T5K10	02114-100408	5757,78	65,87	13,1	ГОСТ 19048-80
61103620100412	0	T5K10	02114-100412	5757,78	65,87	13,00	ГОСТ 19048-80
61103620100608	0	T5K10	02114-100608	5692,89	88,3	17,7	ГОСТ 19048-80
61103620100612	0	T5K10	02114-100612	5692,89	88,3	17,6	ГОСТ 19048-80
61103620120612	0	T5K10	02114-120612	5617,36	122,51	24,9	ГОСТ 19048-80
61103630090304	0	T5K10	03111-090304	5681,83	18,35	3,69	ГОСТ 19049-80
61103630090308	0	T5K10	03111-090308	5681,83	18,35	3,67	ГОСТ 19049-80
61103630120304	0	T5K10	03111-120304	6224,84	46,56	6,56	ГОСТ 19049-80
61103630120308	0	T5K10	03111-120308	5619,79	32,2	6,54	ГОСТ 19049-80
61103630120312	0	T5K10	03111-120312	5619,79	32,2	6,51	ГОСТ 19049-80
61103630120408	0	T5K10	03111-120408	5561,94	47,83	9,79	ГОСТ 19049-80
61103630120412	0	T5K10	03111-120412	5561,94	47,83	9,75	ГОСТ 19049-80
61103630150408	0	T5K10	03111-150408	5487,93	73,32	15,3	ГОСТ 19049-80
61103630150412	0	T5K10	03111-150412	5487,93	73,32	15,3	ГОСТ 19049-80
61103630150416	0	T5K10	03111-150416	5487,93	73,32	15,2	ГОСТ 19049-80
61103630190412	0	T5K10	03111-190412	5420,92	104,52	22,00	ГОСТ 19049-80
61103630190416	0	T5K10	03111-190416	5420,92	104,52	22,00	ГОСТ 19049-80
61103640090308	0	T5K10	03131-090308	7805,67	25,21	3,67	ГОСТ 19049-80
61103640120300	0	T5K10	03131-120300	7638,15	43,77	6,56	ГОСТ 19049-80
61103640120308	0	T5K10	03131-120308	7638,15	43,77	6,54	ГОСТ 19049-80
61103640120408	0	T5K10	03131-120408	7481,96	64,34	9,79	ГОСТ 19049-80
61103640120412	0	T5K10	03131-120412	7481,96	64,34	9,75	ГОСТ 19049-80
61103640190400	0	T5K10	03131-190400	7362,83	141,96	22,1	ГОСТ 19049-80
61103640190412	0	T5K10	03131-190412	7362,83	141,96	22,00	ГОСТ 19049-80
61103640190416	0	T5K10	03131-190416	5372,19	134,84	22,06	ГОСТ 19049-80
61103650090304	0	T5K10	03311-090304	6861,82	19,42	3,23	ГОСТ 19050-80
61103650090308	0	T5K10	03311-090308	6861,82	19,42	3,22	ГОСТ 19050-80
61103650120304	0	T5K10	03311-120304	6455,31	33,57	5,94	ГОСТ 19050-80
61103650120308	0	T5K10	03311-120308	6455,31	33,57	5,93	ГОСТ 19050-80
61103650120312	0	T5K10	03311-120312	6455,31	33,57	5,92	ГОСТ 19050-80
61103650120408	0	T5K10	03311-120408	6366,13	49,4	8,95	ГОСТ 19050-80
61103650150408	0	T5K10	03311-150408	6252,2	74,4	13,6	ГОСТ 19050-80
61103650150412	0	T5K10	03311-150412	6252,2	74,4	13,6	ГОСТ 19050-80
61103650150416	0	T5K10	03311-150416	6252,2	74,4	13,6	ГОСТ 19050-80
61103650190408	0	T5K10	03311-190408	6382,32	111,75	20,00	ГОСТ 19050-80
61103650190412	0	T5K10	03311-190412	6382,32	111,75	20,00	ГОСТ 19050-80
61103650250616	0	T5K10	03311-250616	6091,59	252,68	47,4	ГОСТ 19050-80
61103650250620	0	T5K10	03311-250620	6091,59	252,68	47,3	ГОСТ 19050-80
61103660090300	0	T5K10	03331-090300	7835,87	22,18	3,23	ГОСТ 19050-80
61103660090304	0	T5K10	03331-090304	7835,87	22,18	3,23	ГОСТ 19050-80
61103660090308	0	T5K10	03331-090308	7835,87	22,18	3,22	ГОСТ 19050-80
61103660120304	0	T5K10	03331-120304	7670,89	39,89	5,94	ГОСТ 19050-80
61103660120308	0	T5K10	03331-120308	7670,89	39,89	5,93	ГОСТ 19050-80
61103660120312	0	T5K10	03331-120312	7670,89	39,89	5,92	ГОСТ 19050-80
61103660120408	0	T5K10	03331-120408	7524,33	58,39	8,95	ГОСТ 19050-80
61103660150408	0	T5K10	03331-150408	7337,09	87,31	13,6	ГОСТ 19050-80
61103660150412	0	T5K10	03331-150412	7337,09	87,31	13,6	ГОСТ 19050-80
61103660150416	0	T5K10	03331-150416	7337,09	87,31	13,6	ГОСТ 19050-80
61103660190400	0	T5K10	03331-190400	7149,32	125,18	20,00	ГОСТ 19050-80
61103660190412	0	T5K10	03331-190412	7149,32	125,18	20,00	ГОСТ 19050-80
61103670120408	0	T5K10	03113-120408	5583,47	41,65	8,52	ГОСТ 19051-80
61103670120412	0	T5K10	03113-120412	5543,23	53,6	8,48	ГОСТ 19051-80
61103670150412	0	T5K10	03113-150412	5511,66	64,32	13,4	ГОСТ 19051-80
61103670150416	0	T5K10	03113-150416	5511,66	64,32	13,3	ГОСТ 19051-80
61103680120412	0	T5K10	03123-120412	6375,72	47,56	8,48	ГОСТ 19051-80
61103690250716	0	T5K10	03113-250716	5441,8	278,35	58,6	ГОСТ 19051-80
61103690250724	0	T5K10	03113-250724	5214,58	347,29	58,4	ГОСТ 19051-80

61103700090304	0	T5K10	03114-090304	5975,76	16,13	3,09	ГОСТ 19052-80
61103700090308	0	T5K10	03114-090308	5975,76	16,13	3,07	ГОСТ 19052-80
61103700120404	0	T5K10	03114-120404	5848,2	41,58	8,12	ГОСТ 19052-80
61103700120408	0	T5K10	03114-120408	5848,2	41,58	8,12	ГОСТ 19052-80
61103700120412	0	T5K10	03114-120412	5848,2	41,58	8,08	ГОСТ 19052-80
61103700150412	0	T5K10	03114-150412	5764,7	63,76	12,7	ГОСТ 19052-80
61103700150416	0	T5K10	03114-150416	5764,7	63,76	12,6	ГОСТ 19052-80
61103700190612	0	T5K10	03114-190612	5623,66	119,22	24,2	ГОСТ 19052-80
61103700190616	0	T5K10	03114-190616	5623,66	119,22	24,1	ГОСТ 19052-80
61103700190624	0	T5K10	03114-190624	5623,66	119,22	23,8	ГОСТ 19052-80
61103700250716	0	T5K10	03114-250716	5645,72	274,44	55,7	ГОСТ 19052-80
61103700250724	0	T5K10	03114-250724	5645,72	274,44	55,5	ГОСТ 19052-80
61103710090304	0	T5K10	03124-090304	6561,81	17,72	3,09	ГОСТ 19052-80
61103710090308	0	T5K10	03124-090308	6561,81	17,72	3,07	ГОСТ 19052-80
61103710120404	0	T5K10	03124-120404	6387,18	45,41	8,12	ГОСТ 19052-80
61103710120408	0	T5K10	03124-120408	6387,18	45,41	8,12	ГОСТ 19052-80
61103710120412	0	T5K10	03124-120412	6387,18	45,41	8,08	ГОСТ 19052-80
61103710150412	0	T5K10	03124-150412	6272,86	69,38	12,7	ГОСТ 19052-80
61103710150416	0	T5K10	03124-150416	6272,86	69,38	12,6	ГОСТ 19052-80
61103710150612	0	T5K10	03124-150612	6226,52	81,01	16,94	ГОСТ 19052-80
61103710190612	0	T5K10	03124-190612	6315,53	133,89	24,2	ГОСТ 19052-80
61103710190616	0	T5K10	03124-190616	6315,53	133,89	24,1	ГОСТ 19052-80
61103710190624	0	T5K10	03124-190624	6315,53	133,89	23,8	ГОСТ 19052-80
61103710250716	0	T5K10	03124-250716	6248,23	303,73	55,7	ГОСТ 19052-80
61103710250724	0	T5K10	03124-250724	6248,23	303,73	55,5	ГОСТ 19052-80
61103770090304	0	T5K10	05113-090304	5694,44	15,83	3,22	ГОСТ 19057-80
61103770090308	0	T5K10	05113-090308	5694,44	15,83	3,2	ГОСТ 19057-80
61103770120408	0	T5K10	05113-120408	5542,56	53,82	8,52	ГОСТ 19057-80
61103770120412	0	T5K10	05113-120412	5584,65	41,33	8,47	ГОСТ 19057-80
61103770190612	0	T5K10	05113-190612	5615,43	123,54	25,4	ГОСТ 19057-80
61103780120408	0	T5K10	05123-120408	6377,66	47,19	8,52	ГОСТ 19057-80
61103780160412	0	T5K10	05123-160412	6260,43	72,37	13,3	ГОСТ 19057-80
61103810090304	0	T5K10	05114-090304	5976,45	16,02	3,08	ГОСТ 19059-80
61103810090308	0	T5K10	05114-090308	5976,45	16,02	3,06	ГОСТ 19059-80
61103810120404	0	T5K10	05114-120404	5847,72	41,69	8,16	ГОСТ 19059-80
61103810120408	0	T5K10	05114-120408	5847,72	41,69	8,13	ГОСТ 19059-80
61103810120412	0	T5K10	05114-120412	5847,72	41,69	8,09	ГОСТ 19059-80
61103810160412	0	T5K10	05114-160412	5763,23	64,2	12,7	ГОСТ 19059-80
61103810160416	0	T5K10	05114-160416	5763,23	64,2	12,7	ГОСТ 19059-80
61103810190608	0	T5K10	05114-190608	5623,66	119,22	24,3	ГОСТ 19059-80
61103810190612	0	T5K10	05114-190612	5623,66	119,22	24,2	ГОСТ 19059-80
61103810190616	0	T5K10	05114-190616	5623,66	119,22	24,2	ГОСТ 19059-80
61103810190624	0	T5K10	05114-190624	5623,66	119,22	23,9	ГОСТ 19059-80
61103820120404	0	T5K10	05124-120404	6386,51	45,54	8,16	ГОСТ 19059-80
61103820120408	0	T5K10	05124-120408	6386,51	45,54	8,13	ГОСТ 19059-80
61103820120412	0	T5K10	05124-120412	6386,51	45,54	8,09	ГОСТ 19059-80
61103820160412	0	T5K10	05124-160412	6270,85	69,86	12,7	ГОСТ 19059-80
61103820160416	0	T5K10	05124-160416	6270,85	69,86	12,7	ГОСТ 19059-80
61103820160612	0	T5K10	05124-160612	6270,85	69,86	12,7	ГОСТ 19059-80
61103820190608	0	T5K10	05124-190608	6315,53	133,89	24,3	ГОСТ 19059-80
61103820190612	0	T5K10	05124-190612	6315,53	133,89	24,2	ГОСТ 19059-80
61103820190616	0	T5K10	05124-190616	6315,53	133,89	24,2	ГОСТ 19059-80
61103851704051	0	T5K10	08116-170405-130	7227,99	55,37	8,94	ГОСТ 19062-80
61103851704101	0	T5K10	08116-170410-130	7227,99	55,37	8,87	ГОСТ 19062-80
61103851906051	0	T5K10	08116-190605-130	5924,31	94,2	13,9	ГОСТ 19062-80
61103851906101	0	T5K10	08116-190610-130	7053,1	84,5	13,8	ГОСТ 19062-80
61103851906102	0	T5K10	08116-190610-136	7053,1	84,5	13,8	ГОСТ 19062-80
61103851906151	0	T5K10	08116-190615-130	7053,1	84,5	13,6	ГОСТ 19062-80
61103851906152	0	T5K10	08116-190615-136	7053,1	84,5	13,7	ГОСТ 19062-80
61103860060308	0	T5K10	10111-060308	5690,18	16,67	3,34	ГОСТ 19063-80
61103860060312	0	T5K10	10111-060312	5690,18	16,67	3,32	ГОСТ 19063-80
61103860090408	0	T5K10	10111-090408	5576,29	43,66	8,9	ГОСТ 19063-80
61103860090412	0	T5K10	10111-090412	5576,29	43,66	8,88	ГОСТ 19063-80
61103860130416	0	T5K10	10111-130416	5437,9	95,65	20,00	ГОСТ 19063-80
61103880110408	0	T5K10	10113-110408	5529,31	58,17	12,00	ГОСТ 19064-80
61103880130412	0	T5K10	10113-130412	5468,31	81,48	17,00	ГОСТ 19064-80
61103880130612	0	T5K10	10113-130612	5415,15	107,71	22,7	ГОСТ 19064-80
61103880160612	0	T5K10	10113-160612	5350,65	151,21	32,3	ГОСТ 19064-80
61103890110408	0	T5K10	10123-110408	6286,74	66,14	12,00	ГОСТ 19064-80
61103890130612	0	T5K10	10123-130612	6099,19	121,31	22,7	ГОСТ 19064-80
61103890160612	0	T5K10	10123-160612	5993,24	169,37	32,3	ГОСТ 19064-80
61103900110408	0	T5K10	10153-110408	7688,00	80,88	12,00	ГОСТ 19064-80
61103900110416	0	T5K10	10153-110416	7688,00	80,88	11,9	ГОСТ 19064-80
61103900130412	0	T5K10	10153-130412	7505,01	111,82	17,00	ГОСТ 19064-80
61103900130612	0	T5K10	10153-130612	7345,51	146,1	22,7	ГОСТ 19064-80
61103900130620	0	T5K10	10153-130620	7345,51	146,1	22,6	ГОСТ 19064-80
61103910110408	0	T5K10	10114-110408	5788,33	56,9	11,2	ГОСТ 19065-80

61103910110416	0	T5K10	10114-110416	5788,33	56,9	11,2	ГОСТ 19065-80
61103910130412	0	T5K10	10114-130412	5716,69	79,46	15,9	ГОСТ 19065-80
61103910130420	0	T5K10	10114-130420	5716,69	79,46	15,8	ГОСТ 19065-80
61103910130612	0	T5K10	10114-130612	5649,32	106,72	21,5	ГОСТ 19065-80
61103910130620	0	T5K10	10114-130620	5649,32	106,72	21,4	ГОСТ 19065-80
61103910160612	0	T5K10	10114-160612	5572,53	148,95	30,5	ГОСТ 19065-80
61103920110408	0	T5K10	10124-110408	6574,31	64,63	11,2	ГОСТ 19065-80
61103920110416	0	T5K10	10124-110416	6574,31	64,63	11,2	ГОСТ 19065-80
61103920130412	0	T5K10	10124-130412	6461,73	89,82	15,9	ГОСТ 19065-80
61103920130612	0	T5K10	10124-130612	6355,86	120,06	21,5	ГОСТ 19065-80
61103920130620	0	T5K10	10124-130620	6355,86	120,06	21,4	ГОСТ 19065-80
61103920160612	0	T5K10	10124-160612	6235,19	166,67	30,5	ГОСТ 19065-80
61103960090408	0	T5K10	11114-090408	5796,03	54,77	10,8	ГОСТ 19068-80
61103960110412	0	T5K10	11114-110412	5668,83	98,07	15,2	ГОСТ 19068-80
61103960110612	0	T5K10	11114-110612	5659,43	102,15	20,6	ГОСТ 19068-80
61103960120612	0	T5K10	11114-120612	5581,55	143,17	29,3	ГОСТ 19068-80
61103990150400	0	T5K10	12133-150400	6840,95	69,09	10,1	ГОСТ 19070-80
61104000120300	0	T5K10	12114-120300	5949,71	20,7	3,97	ГОСТ 19071-80
61104000120400	0	T5K10	12114-120400	5893,51	31,59	6,12	ГОСТ 19071-80
61104000150400	0	T5K10	12114-150400	5819,04	48,71	9,53	ГОСТ 19071-80
61104000150600	0	T5K10	12114-150600	5761,95	64,59	12,8	ГОСТ 19071-80
61104020120400	0	T5K10	12124-120400	6739,59	36,12	6,12	ГОСТ 19071-80
61104020150400	0	T5K10	12124-150400	6622,56	55,43	9,53	ГОСТ 19071-80
61104020150600	0	T5K10	12124-150600	6703,61	97,87	12,8	ГОСТ 19071-80
61104030120400	0	T5K10	12113-120400	5621,81	31,71	6,44	ГОСТ 19070-80
61104030150400	0	T5K10	12113-150400	5556,38	49,51	10,1	ГОСТ 19070-80
61104030150600	0	T5K10	12113-150600	5509,31	65,18	13,5	ГОСТ 19070-80
61104040120400	0	T5K10	12123-120400	6727,54	37,94	6,44	ГОСТ 19070-80
61104040150400	0	T5K10	12123-150400	6604,15	58,84	10,1	ГОСТ 19070-80
61104101906051	0	T5K10	08116-190605-230	7053,1	84,5	13,9	ГОСТ 19062-80
61104101906101	0	T5K10	08116-190610-230	7053,1	84,5	13,8	ГОСТ 19062-80
61104101906102	0	T5K10	08116-190610-236	7053,1	84,5	13,8	ГОСТ 19062-80
61104101906151	0	T5K10	08116-190615-230	7053,1	84,5	13,6	ГОСТ 19062-80
61104101906152	0	T5K10	08116-190615-236	7053,1	84,5	13,7	ГОСТ 19062-80
61104990003001	0	T5K10	2008-3001	10270,13	110,4	10,75	ТУ 48-19-63-87
61104990003002	0	T5K10	2008-3002	10270,13	110,4	10,75	ТУ 48-19-63-87
61105020003012	0	T5K10	2008-3012	12931,45	50,43	3,9	ТУ 48-19-63-87
61105150003133	0	T5K10	2008-3133	9712,24	133,83	13,79	ТУ 48-19-63-87
61105720006030	0	T5K10	2008-6030	7288,08	86,58	10,4	ТУ 48-19-307-87
61110920006001	0	T5K10	2008-6001	11056,21	44,89	4,06	ТУ 48-19-63-87
61120020160408	0	T5K10	3-01111-160408	5238,41	37,87	7,4	OCT 48-93-81
61120020160412	0	T5K10	3-01111-160412	5238,41	37,87	7,3	OCT 48-93-81
61120040160308	0	T5K10	3-01311-160308	5614,46	24,7	4,48	OCT 48-93-81
61120050110308	0	T5K10	3-01331-110308	5325,17	10,49	2,03	OCT 48-93-81
61120050160304	0	T5K10	3-01331-160304	5280,44	23,23	4,5	OCT 48-93-81
61120050160308	0	T5K10	3-01331-160308	5280,44	23,23	4,48	OCT 48-93-81
61120050160312	0	T5K10	3-01331-160312	5280,44	23,23	4,43	OCT 48-93-81
61120050160408	0	T5K10	3-01331-160408	5254,54	31,9	6,16	OCT 48-93-81
61120060110304	0	T5K10	3-01113-110304	5348,62	4,71	0,89	OCT 48-93-81
61120060160408	0	T5K10	3-01113-160408	5246,3	34,89	6,71	OCT 48-93-81
61120060220408	0	T5K10	3-01113-220408	5189,78	59,42	11,7	OCT 48-93-81
61120090160304	0	T5K10	3-01114-160304	5616,44	24,21	4,41	OCT 48-93-81
61120090160308	0	T5K10	3-01114-160308	5616,44	24,21	4,33	OCT 48-93-81
61120090160404	0	T5K10	3-01114-160404	5575,03	35,35	6,57	OCT 48-93-81
61120090160408	0	T5K10	3-01114-160408	5575,03	35,35	6,46	OCT 48-93-81
61120090220404	0	T5K10	3-01114-220404	5499,00	61,09	11,2	OCT 48-93-81
61120090220408	0	T5K10	3-01114-220408	5499,00	61,09	11,2	OCT 48-93-81
61120090220412	0	T5K10	3-01114-220412	5499,00	61,09	11,1	OCT 48-93-81
61120090220416	0	T5K10	3-01114-220416	5499,00	61,09	11,00	OCT 48-93-81
61120090270616	0	T5K10	3-01114-270616	5386,06	121,51	22,8	OCT 48-93-81
61120100160308	0	T5K10	3-01124-160308	5962,87	25,7	4,33	OCT 48-93-81
61120100160312	0	T5K10	3-01124-160312	5962,87	25,7	4,27	OCT 48-93-81
61120100160408	0	T5K10	3-01124-160408	5907,58	38,16	6,46	OCT 48-93-81
61120100160412	0	T5K10	3-01124-160412	5907,58	38,16	6,36	OCT 48-93-81
61120100220404	0	T5K10	3-01124-220404	5812,59	65,1	11,2	OCT 48-93-81
61120100220408	0	T5K10	3-01124-220408	5812,59	65,1	11,2	OCT 48-93-81
61120100220412	0	T5K10	3-01124-220412	5812,59	65,1	11,1	OCT 48-93-81
61120100220416	0	T5K10	3-01124-220416	5812,59	65,1	11,00	OCT 48-93-81
61120100270612	0	T5K10	3-01124-270612	5667,08	130,34	23,00	OCT 48-93-81
61120100270616	0	T5K10	3-01124-270616	5667,08	130,34	22,8	OCT 48-93-81
61120110080408	0	T5K10	3-02113-080408	5215,47	47,3	9,07	OCT 48-93-81
61120120060304	0	T5K10	3-02114-060304	5635,9	19,5	3,52	OCT 48-93-81
61120120060308	0	T5K10	3-02114-060308	5635,9	19,5	3,5	OCT 48-93-81
61120120060404	0	T5K10	3-02114-060404	5599,32	28,61	5,24	OCT 48-93-81
61120120080404	0	T5K10	3-02114-080404	5535,85	47,61	8,8	OCT 48-93-81
61120120080408	0	T5K10	3-02114-080408	5535,85	47,61	8,79	OCT 48-93-81
61120120100408	0	T5K10	3-02114-100408	5471,86	72,56	13,4	OCT 48-93-81

61120120100412	0	T5K10	3-02114-100412	5471,86	72,56	13,3	OCT 48-93-81
61120120100608	0	T5K10	3-02114-100608	5426,35	95,61	18,00	OCT 48-93-81
61120120100612	0	T5K10	3-02114-100612	5426,35	95,61	17,9	OCT 48-93-81
61120120120612	0	T5K10	3-02114-120612	5371,5	132,57	25,2	OCT 48-93-81
61120130120408	0	T5K10	3-03111-120408	5205,06	52,00	10,09	OCT 48-93-81
61120130120412	0	T5K10	3-03111-120412	5205,06	52,00	10,05	OCT 48-93-81
61120140120408	0	T5K10	3-03131-120408	5205,06	52,00	10,09	OCT 48-93-81
61120140120412	0	T5K10	3-03131-120412	5205,06	52,00	10,05	OCT 48-93-81
61120150120308	0	T5K10	3-03311-120308	5576,35	34,96	6,23	OCT 48-93-81
61120150120312	0	T5K10	3-03311-120312	5576,35	34,96	6,00	OCT 48-93-81
61120150120408	0	T5K10	3-03311-120408	5530,33	49,5	9,25	OCT 48-93-81
61120150150412	0	T5K10	3-03311-150412	5467,89	74,36	13,9	OCT 48-93-81
61120150190408	0	T5K10	3-03311-190408	5406,6	107,54	20,3	OCT 48-93-81
61120150190412	0	T5K10	3-03311-190412	5406,6	107,54	20,3	OCT 48-93-81
61120150250616	0	T5K10	3-03311-250616	5274,58	247,06	47,7	OCT 48-93-81
61120150250620	0	T5K10	3-03311-250620	5274,58	247,06	47,6	OCT 48-93-81
61120160120300	0	T5K10	3-03331-120300	5252,94	32,46	4,25	OCT 48-93-81
61120160120308	0	T5K10	3-03331-120308	5252,94	32,46	6,23	OCT 48-93-81
61120160120312	0	T5K10	3-03331-120312	5252,94	32,46	6,22	OCT 48-93-81
61120160120408	0	T5K10	3-03331-120408	5216,88	46,69	9,25	OCT 48-93-81
61120160150416	0	T5K10	3-03331-150416	5169,71	70,31	13,9	OCT 48-93-81
61120170150412	0	T5K10	3-03113-150412	5171,91	69,04	13,7	OCT 48-93-81
61120200090304	0	T5K10	3-03114-090304	5639,00	18,78	3,39	OCT 48-93-81
61120200090308	0	T5K10	3-03114-090308	5639,00	18,78	3,37	OCT 48-93-81
61120200120404	0	T5K10	3-03114-120404	5540,04	46,2	8,42	OCT 48-93-81
61120200120408	0	T5K10	3-03114-120408	5540,04	46,2	8,42	OCT 48-93-81
61120200120412	0	T5K10	3-03114-120412	5540,04	46,2	8,38	OCT 48-93-81
61120200150412	0	T5K10	3-03114-150412	5477,01	70,27	13,00	OCT 48-93-81
61120200150416	0	T5K10	3-03114-150416	5477,01	70,27	12,9	OCT 48-93-81
61120200190612	0	T5K10	3-03114-190612	5375,88	129,13	24,5	OCT 48-93-81
61120200190616	0	T5K10	3-03114-190616	5375,88	129,13	24,4	OCT 48-93-81
61120200250716	0	T5K10	3-03114-250716	5253,48	288,57	56,00	OCT 48-93-81
61120200250724	0	T5K10	3-03114-250724	5253,48	288,57	55,8	OCT 48-93-81
61120210120404	0	T5K10	3-03124-120404	5864,46	49,38	8,42	OCT 48-93-81
61120210120408	0	T5K10	3-03124-120408	5864,46	49,38	8,42	OCT 48-93-81
61120210150412	0	T5K10	3-03124-150412	5788,89	73,29	13,00	OCT 48-93-81
61120210150416	0	T5K10	3-03124-150416	5788,89	73,29	12,9	OCT 48-93-81
61120210190612	0	T5K10	3-03124-190612	5654,11	138,53	24,5	OCT 48-93-81
61120210190616	0	T5K10	3-03124-190616	5654,11	138,53	24,4	OCT 48-93-81
61120210190624	0	T5K10	3-03124-190624	5654,11	138,53	24,1	OCT 48-93-81
61120210250716	0	T5K10	3-03124-250716	5503,13	302,29	56,00	OCT 48-93-81
61120210250724	0	T5K10	3-03124-250724	5503,13	302,29	55,8	OCT 48-93-81
61120300120404	0	T5K10	3-05114-120404	5541,18	45,83	8,46	OCT 48-93-81
61120300120408	0	T5K10	3-05114-120408	5541,18	45,83	8,43	OCT 48-93-81
61120300120412	0	T5K10	3-05114-120412	5541,18	45,83	8,39	OCT 48-93-81
61120300160412	0	T5K10	3-05114-160412	5478,1	69,79	13,00	OCT 48-93-81
61120300190608	0	T5K10	3-05114-190608	5372,02	132,15	24,6	OCT 48-93-81
61120300190612	0	T5K10	3-05114-190612	5372,02	132,15	24,5	OCT 48-93-81
61120300190616	0	T5K10	3-05114-190616	5372,02	132,15	24,5	OCT 48-93-81
61120310120408	0	T5K10	3-05124-120408	5865,89	48,98	8,43	OCT 48-93-81
61120310190612	0	T5K10	3-05124-190612	5654,11	138,53	24,5	OCT 48-93-81
61120310190616	0	T5K10	3-05124-190616	5654,11	138,53	24,5	OCT 48-93-81
61120341906102	0	T5K10	3-08116-190610-136	5767,07	81,49	14,1	OCT 48-93-81
61120380110408	0	T5K10	3-10113-110408	5184,01	62,42	12,3	OCT 48-93-81
61120380130612	0	T5K10	3-10113-130612	5107,88	115,23	23,00	OCT 48-93-81
61120390110408	0	T5K10	3-10123-110408	5798,53	69,87	12,3	OCT 48-93-81
61120410110408	0	T5K10	3-10114-110408	5496,99	61,9	11,5	OCT 48-93-81
61120410110416	0	T5K10	3-10114-110416	5496,99	61,9	11,5	OCT 48-93-81
61120410130412	0	T5K10	3-10114-130412	5443,7	86,17	16,2	OCT 48-93-81
61120410130420	0	T5K10	3-10114-130420	5443,7	86,17	16,1	OCT 48-93-81
61120410130612	0	T5K10	3-10114-130612	5394,58	115,5	21,8	OCT 48-93-81
61120410130620	0	T5K10	3-10114-130620	5394,58	115,5	21,7	OCT 48-93-81
61120410160612	0	T5K10	3-10114-160612	5339,25	161,35	30,8	OCT 48-93-81
61120420110408	0	T5K10	3-10124-110408	5808,37	66,51	11,5	OCT 48-93-81
61120420130412	0	T5K10	3-10124-130412	5743,94	90,98	16,2	OCT 48-93-81
61120420130612	0	T5K10	3-10124-130612	5678,13	123,78	21,8	OCT 48-93-81
61120420160612	0	T5K10	3-10124-160612	5611,77	169,59	30,8	OCT 48-93-81
61120460090408	0	T5K10	3-11114-090408	5499,14	61,04	11,1	OCT 48-93-81
61120460120612	0	T5K10	3-11114-120612	5345,72	155,03	29,00	OCT 48-93-81
61120500150600	0	T5K10	3-12114-150600	5473,76	71,71	13,1	OCT 48-93-81
61120580110408	0	T5K10	3-10153-110408	5182,19	63,38	12,3	OCT 48-93-81
61120580130412	0	T5K10	3-10153-130412	5141,14	88,53	17,3	OCT 48-93-81
61120580130420	0	T5K10	3-10153-130420	5141,14	88,53	17,3	OCT 48-93-81
61120580130612	0	T5K10	3-10153-130612	5107,88	115,23	23,00	OCT 48-93-81
61127120001510	0	T5K10	ZNGX-1510ZR	0,00	0,00	67,44	TY 48-19-124-91
61127120001903	0	T5K10	P010004 (ПР19-3)	5242,44	25,69	4,9	TY 48-19-124-91
61127120002901	0	T5K10	D010001 (ПР29-1)	4294,55	31,35	7,3	TY 48-19-124-91

61127120002902	0	T5K10	Д010002 (ПР29-2)	4454,27	15,59	3,5	ТУ 48-19-124-91
61127120005900	0	T5K10	Р010006 (ПР59)	4970,9	101,9	20,5	ТУ 48-19-124-91
61127120006001	0	T5K10	Р010012 (ПР60-1)	5609,33	2,36	0,42	ТУ 48-19-124-91
61127120006002	0	T5K10	Р010013 (ПР60-2)	5587,49	3,18	0,57	ТУ 48-19-124-91
61127120006003	0	T5K10	Р010014 (ПР60-3)	5547,17	4,83	0,87	ТУ 48-19-124-91
61127120006004	0	T5K10	Р010015 (ПР60-4)	5474,62	8,21	1,5	ТУ 48-19-124-91
61127120006005	0	T5K10	Р010016 (ПР60-5)	5370,75	14,39	2,68	ТУ 48-19-124-91
61127120007400	0	T5K10	Р010011 (ПР74)	4632,56	220,05	47,5	ТУ 48-19-124-91
61127120008100	0	T5K10	М010003 (ПР81)	5481,66	320,13	58,4	ТУ 48-19-124-91
61127130000900	0	T5K10	Р020006 (ПР9)	5030,17	1307,79	259,99	ТУ 48-19-124-91
61127130001006	0	T15K6	ZNUX-1006	6196,37	102,24	14,4	ТУ 48-19-124-91
61127130003400	0	T5K10	Р020023 (ПР34)	5204,52	156,14	30,00	ТУ 48-19-124-91
61127130006006	0	T5K10	Р020040 (ПР60-6)	5833,73	20,24	3,47	ТУ 48-19-124-91
61127130006007	0	T5K10	Р020041 (ПР60-7)	5762,09	24,6	4,27	ТУ 48-19-124-91
61127130006008	0	T5K10	Р020042 (ПР60-8)	5588,08	39,28	7,03	ТУ 48-19-124-91
61127130006009	0	T5K10	Р020043 (ПР60-9)	5454,34	57,82	10,6	ТУ 48-19-124-91
61127130006010	0	T5K10	Р020044 (ПР60-10)	5403,12	68,08	12,6	ТУ 48-19-124-91
61127130006700	0	T5K10	Р020017 (ПР67)	5358,73	79,31	14,8	ТУ 48-19-124-91
61127130007700	0	T5K10	М030009 (ПР77)	6238,18	88,15	14,9	ТУ 48-19-124-91
61127130008600	0	T5K10	3020004 (ПР86)	5215,19	396,51	76,3	ТУ 48-19-124-91
61127130009100	0	T5K10	Д020111 (ПР91)	4313,42	155,71	36,1	ТУ 48-19-124-91
61127130010600	0	T5K10	Н030021 (ПР106-1)	5256,86	259,95	43,2	ТУ 48-19-124-91
61127130105300	0	T5K10	Р020014 (ПР53-А)	5077,65	456,99	90,00	ТУ 48-19-124-91
61127130204000	0	T5K10	Р020010 (ПР40-Б)	5414,8	65,52	12,1	ТУ 48-19-124-91
61127130204100	0	T5K10	Р020011 (ПР41-Б)	5414,8	65,52	12,1	ТУ 48-19-124-91
61127140001000	0	T5K10	Р030065 (ПР100)	5362,2	321,14	60,00	ТУ 48-19-124-91
61127140004304	0	T5K10	М030007 (ПР43-4)	5872,44	346,47	59,00	ТУ 48-19-124-91
61127140004700	0	T5K10	Р030015 (ПР47)	5540,72	138,52	25,00	ТУ 48-19-124-91
61127140005200	0	T5K10	Р030016 (ПР52)	5267,64	863,89	164,00	ТУ 48-19-124-91
61127140009200	0	T5K10	Д030091 (ПР92)	4463,92	359,35	80,5	ТУ 48-19-124-91
61127140009500	0	T5K10	Р030059 (ПР94)	5295,16	583,58	128,00	ТУ 48-19-124-91
61127140009600	0	T5K10	Р030060 (ПР96)	5289,82	623,14	120,00	ТУ 48-19-124-91
61127140009800	0	T5K10	Р030061 (ПР98)	5316,32	465,5	88,9	ТУ 48-19-124-91
61127140028000	0	T5K10	Д030069 (ПР280)	4463,92	359,35	0,28	ТУ 48-19-124-91
61127140105400	0	T5K10	Р030029 (ПР54-А)	5315,81	467,79	88,00	ТУ 48-19-124-91
61127160012000	0	T5K10	М050017 (ПР120)	5793,23	108,33	16,3	ТУ 48-19-124-91
61128730000014	0	T5K10	Г5414	0,00	0,00	8,2	ГОСТ 880-75
61130000000151	0	T5K10	1151	3196,62	60,00	19,00	ГОСТ 25395-90
61130000000152	0	T5K10	1152	3201,67	56,61	17,94	ГОСТ 25395-90
61130000000251	0	T5K10	1251	3308,14	444,35	136,00	ГОСТ 25395-90
61130000000252	0	T5K10	1252	3305,09	500,72	151,5	ГОСТ 25395-90
61130000000271	0	T5K10	1271	3301,41	591,25	181,00	ГОСТ 25395-90
61130000000272	0	T5K10	1272	3302,11	571,46	175,00	ГОСТ 25395-90
61130000000291	0	T5K10	1291	4348,51	1,65	0,4	ГОСТ 25395-90
61130000000311	0	T5K10	1311	4081,15	3,1	0,74	ГОСТ 25395-90
61130000000331	0	T5K10	1331	3846,78	5,08	1,55	ГОСТ 25395-90
61130000000351	0	T5K10	1351	3578,37	9,48	2,82	ГОСТ 25395-90
61130000000352	0	T5K10	1352	3580,95	9,42	2,6	ГОСТ 25395-90
61130000000371	0	T5K10	1371	3385,37	17,64	5,25	ГОСТ 25395-90
61130000000372	0	T5K10	1372	3403,81	16,41	5,2	ГОСТ 25395-90
61130000000391	0	T5K10	1391	3255,5	35,03	10,8	ГОСТ 25395-90
61130000000392	0	T5K10	1392	3260,48	33,81	10,51	ГОСТ 25395-90
61130000000411	0	T5K10	1411	3378,49	123,62	36,5	ГОСТ 25395-90
61130000000412	0	T5K10	1412	3384,49	116,46	34,89	ГОСТ 25395-90
61130000000431	0	T5K10	1431	3336,2	218,29	69,6	ГОСТ 25395-90
61130000000432	0	T5K10	1432	3339,3	206,67	62,77	ГОСТ 25395-90
61130000000451	0	T5K10	1451	3311,42	396,31	121,00	ГОСТ 25395-90
61130000000452	0	T5K10	1452	3313,01	376,52	115,00	ГОСТ 25395-90
61130000000471	0	T5K10	1471	3299,63	647,75	198,00	ГОСТ 25395-90
61130000000472	0	T5K10	1472	3300,57	616,68	189,00	ГОСТ 25395-90
61130000000491	0	T5K10	1491	3325,77	269,15	81,00	ГОСТ 25395-90
61130000000492	0	T5K10	1492	3320,88	302,2	78,00	ГОСТ 25395-90
61200080000231	0	T14K8	2231	3261,41	33,59	7,9	ГОСТ 25395-90
61200080000251	0	T14K8	2251	3247,45	37,18	10,2	ГОСТ 25395-90
61200080000252	0	T14K8	2252	3257,63	34,5	9,59	ГОСТ 25395-90
61200080000271	0	T14K8	2271	3190,68	64,55	18,00	ГОСТ 25395-90
61200080000272	0	T14K8	2272	3194,78	61,34	17,4	ГОСТ 25395-90
61200080000291	0	T14K8	2291	3164,44	96,52	25,00	ГОСТ 25395-90
61200080000311	0	T14K8	2311	3161,52	102,09	29,00	ГОСТ 25395-90
61200080000312	0	T14K8	2312	3157,12	111,79	27,6	ГОСТ 25395-90
61200080000351	0	T14K8	2351	3343,47	192,88	51,00	ГОСТ 25395-90
61200080000352	0	T14K8	2352	3348,08	179,62	48,65	ГОСТ 25395-90
61200080000431	0	T14K8	2431	3377,82	124,47	33,00	ГОСТ 25395-90
61200080000451	0	T14K8	2451	3358,18	156,12	42,00	ГОСТ 25395-90
61200080000511	0	T14K8	2511	3324,85	274,83	74,00	ГОСТ 25395-90
61200080000631	0	T14K8	2631	3481,68	12,53	3,26	ГОСТ 25395-90
61200080000651	0	T14K8	2651	3299,22	26,53	7,3	ГОСТ 25395-90

61200080000671	0	T14K8	2671	3216,46	48,5	13,68	ГОСТ 25395-90
61200090000010	0	T14K8	6010	3816,34	5,42	1,27	ГОСТ 25397-90
612000900000030	0	T14K8	6030	3661,44	7,69	1,88	ГОСТ 25397-90
612000900000050	0	T14K8	6050	3436,93	14,54	3,78	ГОСТ 25397-90
612000900000060	0	T14K8	6060	3436,93	14,54	3,78	ГОСТ 25397-90
612000900000090	0	T14K8	6090	3265,68	32,62	8,94	ГОСТ 25397-90
61200090000100	0	T14K8	6100	3265,68	32,62	8,94	ГОСТ 25397-90
61200090000130	0	T14K8	6130	3194,08	61,87	17,3	ГОСТ 25397-90
61200090000140	0	T14K8	6140	3194,08	61,87	17,3	ГОСТ 25397-90
61200090000170	0	T14K8	6170	3392,82	107,79	28,4	ГОСТ 25397-90
61200090000350	0	T14K8	6350	3444,61	14,16	3,73	ГОСТ 25397-90
61200100000010	0	T14K8	7010	3738,45	6,43	1,54	ГОСТ 25426-90
61200100000030	0	T14K8	7030	5228,9	4,6	0,79	ГОСТ 25426-90
61200100000050	0	T14K8	7050	3637,62	8,15	2,03	ГОСТ 25426-90
61200100000060	0	T14K8	7060	3637,62	8,15	2,03	ГОСТ 25426-90
61200100000070	0	T14K8	7070	3421,46	15,36	4,07	ГОСТ 25426-90
61200100000080	0	T14K8	7080	3421,46	15,36	4,07	ГОСТ 25426-90
61200100000090	0	T14K8	7090	3338,34	21,67	5,89	ГОСТ 25426-90
61200100000100	0	T14K8	7100	3338,34	21,67	5,89	ГОСТ 25426-90
61200100000110	0	T14K8	7110	3277,72	30,16	8,34	ГОСТ 25426-90
61200100000120	0	T14K8	7120	3277,56	30,19	8,34	ГОСТ 25426-90
61200100000130	0	T14K8	7130	3239,35	39,62	11,09	ГОСТ 25426-90
61200100000140	0	T14K8	7140	3239,35	39,62	11,09	ГОСТ 25426-90
61200100000150	0	T14K8	7150	3208,74	52,43	14,82	ГОСТ 25426-90
61200100000160	0	T14K8	7160	3208,74	52,43	14,82	ГОСТ 25426-90
61200100000170	0	T14K8	7170	3185,87	68,75	19,57	ГОСТ 25426-90
61200100000180	0	T14K8	7180	3185,87	68,75	19,57	ГОСТ 25426-90
61200100000330	0	T14K8	7330	3407,04	95,64	25,1	ГОСТ 25426-90
61200100000340	0	T14K8	7340	3407,04	95,64	25,1	ГОСТ 25426-90
61200100000370	0	T14K8	7370	3548,36	10,29	2,59	ГОСТ 25426-90
61200120000051	0	T14K8	10051	3657,91	7,75	1,9	ГОСТ 25396-90
61200120000151	0	T14K8	10151	3202,21	56,26	15,7	ГОСТ 25396-90
61200120000161	0	T14K8	10161	3202,21	56,26	15,7	ГОСТ 25396-90
61200120000271	0	T14K8	10271	3529,03	10,87	2,75	ГОСТ 25396-90
61200120000291	0	T14K8	10291	3325,14	23,11	6,21	ГОСТ 25396-90
61200120000301	0	T14K8	10301	3325,14	23,11	6,21	ГОСТ 25396-90
61200120000431	0	T14K8	10431	5422,54	3,85	0,64	ГОСТ 25396-90
61200120000451	0	T14K8	10451	4938,05	5,98	1,08	ГОСТ 25396-90
61200120000471	0	T14K8	10471	3400,32	16,63	4,37	ГОСТ 25396-90
61200120000481	0	T14K8	10481	3400,32	16,63	4,37	ГОСТ 25396-90
61200120000482	0	T14K8	10482	3393,11	17,1	4,57	ГОСТ 25396-90
61200120000491	0	T14K8	10491	3265,54	32,66	8,96	ГОСТ 25396-90
61200120000501	0	T14K8	10501	3265,54	32,66	8,96	ГОСТ 25396-90
61200120000531	0	T14K8	10531	3400,67	100,73	26,5	ГОСТ 25396-90
61200120000571	0	T14K8	10571	3340,01	204,18	55,00	ГОСТ 25396-90
61200120000652	0	T14K8	10652	3693,42	7,13	1,49	ГОСТ 25396-90
61200120000692	0	T14K8	10692	3564,28	42,52	9,32	ГОСТ 25396-90
61200140000011	0	T14K8	14011	7993,87	2,32	0,26	ГОСТ 25399-90
61200140000071	0	T14K8	14071	6858,39	4,94	0,65	ГОСТ 25399-90
61200150000030	0	T14K8	15030	3558,49	43,41	9,43	ГОСТ 25404-90
61200160000030	0	T14K8	16030	3438,82	14,44	3,23	ГОСТ 25405-90
61200160000210	0	T14K8	16210	3247,34	37,21	10,2	ГОСТ 25405-90
61200160000250	0	T14K8	16250	3195,16	61,06	18,3	ГОСТ 25405-90
61200160000390	0	T14K8	16390	3332,84	232,43	63,00	ГОСТ 25405-90
61200200000050	0	T14K8	20050	3877,48	19,93	4,66	ГОСТ 25408-90
61200200000070	0	T14K8	20070	3588,02	39,22	9,81	ГОСТ 25408-90
61200200000080	0	T14K8	20080	3588,02	39,22	9,81	ГОСТ 25408-90
61200200000100	0	T14K8	20100	3433,65	78,97	17,7	ГОСТ 25408-90
61200210000150	0	T14K8	21150	3380,58	17,98	4,76	ГОСТ 25400-90
61200210000190	0	T14K8	21190	4612,68	8,07	1,58	ГОСТ 25400-90
61200210000470	0	T14K8	21470	3342,69	21,23	5,68	ГОСТ 25400-90
61200210000490	0	T14K8	21490	3250,37	36,37	10,00	ГОСТ 25400-90
61200210000510	0	T14K8	21510	3224,49	44,98	12,5	ГОСТ 25400-90
61200210000530	0	T14K8	21530	3171,9	84,66	23,8	ГОСТ 25400-90
61200240000070	0	T14K8	24070	3752,63	6,23	1,48	ГОСТ 25409-90
61200240000130	0	T14K8	24130	3427,82	15,01	3,92	ГОСТ 25409-90
61200240000170	0	T14K8	24170	3389,42	17,35	4,59	ГОСТ 25409-90
61200240000250	0	T14K8	24250	3307,74	25,3	5,85	ГОСТ 25409-90
61200240000270	0	T14K8	24270	3276,1	30,47	8,3	ГОСТ 25409-90
61200240000290	0	T14K8	24290	3242,66	38,59	9,15	ГОСТ 25409-90
61200240000470	0	T14K8	24470	3204,6	54,8	13,1	ГОСТ 25409-90
61200240000550	0	T14K8	24550	3185,47	69,12	16,7	ГОСТ 25409-90
61200240000650	0	T14K8	24650	3374,25	129,23	29,5	ГОСТ 25409-90
61200240000790	0	T14K8	24790	3245,6	37,71	10,4	ГОСТ 25409-90
61200240000850	0	T14K8	24850	3364,11	144,99	33,2	ГОСТ 25409-90
61200240000870	0	T14K8	24870	3193,95	61,96	14,9	ГОСТ 25409-90
61200250000110	0	T14K8	25110	4794,26	6,81	1,27	ГОСТ 25424-90

61200250000130	0	T14K8	25130	4312,6	11,00	2,28	ГОСТ 25424-90
61200250000150	0	T14K8	25150	4013,46	16,05	3,58	ГОСТ 25424-90
61200250000190	0	T14K8	25190	3223,88	45,23	12,6	ГОСТ 25424-90
61200250000230	0	T14K8	25230	3809,49	22,59	5,38	ГОСТ 25424-90
61200260000030	0	T14K8	26030	7256,55	3,92	0,49	ГОСТ 25425-90
61200260000050	0	T14K8	26050	6535,68	5,88	0,81	ГОСТ 25425-90
61200260000070	0	T14K8	26070	4694,94	7,46	1,45	ГОСТ 25425-90
61200260000090	0	T14K8	26090	4321,39	10,89	2,29	ГОСТ 25425-90
61200260000130	0	T14K8	26130	3913,53	18,75	4,34	ГОСТ 25425-90
61200260000250	0	T14K8	26250	3817,23	22,25	5,21	ГОСТ 25425-90
61200370000070	0	T14K8	23070	3796,11	23,19	4,77	ГОСТ 25401-90
61200390000130	0	T14K8	39130	3563,41	42,65	10,7	ГОСТ 25416-90
61200420000030	0	T14K8	48030	0,00	0,00	3,37	ГОСТ 25422-90
61200420000050	0	T14K8	48050	3277,4	30,22	8,25	ГОСТ 25422-90
61200420000090	0	T14K8	48090	3215,41	49,00	14,00	ГОСТ 25422-90
61200430000190	0	T14K8	32190	3234,56	41,21	11,4	ГОСТ 25412-90
61200430000210	0	T14K8	32210	3189,08	65,89	18,5	ГОСТ 25412-90
61200430000230	0	T14K8	32230	3151,39	127,54	36,2	ГОСТ 25412-90
61200520000151	0	T14K8	61151	3192,66	62,96	17,6	ГОСТ 25395-90
61200520000251	0	T14K8	61251	3303,27	541,74	126,00	ГОСТ 25395-90
61200520000371	0	T14K8	61371	3374,31	18,46	4,88	ГОСТ 25395-90
61200520000411	0	T14K8	61411	3375,04	128,15	34,1	ГОСТ 25395-90
61200520000431	0	T14K8	61431	3137,48	193,27	62,00	ГОСТ 25395-90
61200520000471	0	T14K8	61471	3298,78	678,82	184,00	ГОСТ 25395-90
61200540000271	0	T14K8	62271	3186,92	67,79	18,9	ГОСТ 25395-90
61200540000311	0	T14K8	62311	3385,94	114,85	30,4	ГОСТ 25395-90
61200540000511	0	T14K8	62511	3322,71	288,94	78,00	ГОСТ 25395-90
61200550000252	0	T14K8	62252	3250,37	36,37	10,1	ГОСТ 25395-90
61200550000272	0	T14K8	62272	3190,98	64,3	18,3	ГОСТ 25395-90
61200550000312	0	T14K8	62312	3391,84	108,74	29,08	ГОСТ 25395-90
61200560000070	0	T14K8	49070	3614,28	36,11	8,96	ГОСТ 25423-90
61200620000090	0	T14K8	66090	3258,78	34,22	9,39	ГОСТ 25397-90
61200710000330	0	T14K8	67330	3401,33	100,17	26,4	ГОСТ 25426-90
61200710000340	0	T14K8	67340	3401,33	100,17	26,4	ГОСТ 25426-90
61200710000390	0	T14K8	67390	3291,02	27,81	7,55	ГОСТ 25426-90
61200710000400	0	T14K8	67400	3291,02	27,81	7,55	ГОСТ 25426-90
61200710000410	0	T14K8	67410	3210,12	51,68	14,4	ГОСТ 25426-90
61200710000420	0	T14K8	67420	3210,12	51,68	14,4	ГОСТ 25426-90
61200820000051	0	T14K8	70051	3639,25	8,12	2,00	ГОСТ 25396-90
61200820000311	0	T14K8	70311	3250,37	36,37	9,96	ГОСТ 25396-90
61200820000321	0	T14K8	70321	3250,37	36,37	9,96	ГОСТ 25396-90
61200820000471	0	T14K8	70471	3316,32	24,18	4,59	ГОСТ 25396-90
61200820000481	0	T14K8	70481	3316,32	24,18	4,59	ГОСТ 25396-90
61200820000491	0	T14K8	70491	3258,78	34,22	9,41	ГОСТ 25396-90
61200820000511	0	T14K8	70511	3184,36	70,18	19,7	ГОСТ 25396-90
61200820000531	0	T14K8	70531	3395,22	105,52	27,8	ГОСТ 25396-90
61200820000541	0	T14K8	70541	3395,22	105,52	27,8	ГОСТ 25396-90
61200820000551	0	T14K8	70551	3381,24	120,24	31,8	ГОСТ 25396-90
61200820000611	0	T14K8	70611	3311,42	396,31	106,00	ГОСТ 25396-90
61200820000621	0	T14K8	70621	3311,42	396,31	106,00	ГОСТ 25396-90
61200820000631	0	T14K8	70631	3299,39	656,22	177,00	ГОСТ 25396-90
61201620000011	0	T14K8	13011	4992,25	5,69	0,91	ГОСТ 17163-90
61201620000031	0	T14K8	13031	5130,53	5,03	0,89	ГОСТ 17163-90
61201620000051	0	T14K8	13051	3654,42	7,82	1,94	ГОСТ 17163-90
61201620000071	0	T14K8	13071	3661,44	7,69	1,91	ГОСТ 17163-90
61201620000131	0	T14K8	13131	3458,23	13,52	3,54	ГОСТ 17163-90
61201620000151	0	T14K8	13151	3463,26	13,3	3,48	ГОСТ 17163-90
61201620000171	0	T14K8	13171	3339,26	21,57	5,85	ГОСТ 17163-90
61201620000191	0	T14K8	13191	3408,58	94,49	24,8	ГОСТ 17163-90
61201620000351	0	T14K8	13351	3342,69	21,23	5,75	ГОСТ 17163-90
61201620000371	0	T14K8	13371	3234,65	41,18	11,54	ГОСТ 17163-90
61201620000391	0	T14K8	13391	3236,96	40,4	11,31	ГОСТ 17163-90
61201620000411	0	T14K8	13411	3184,71	69,84	19,89	ГОСТ 17163-90
61201620000431	0	T14K8	13431	3186,37	68,28	19,44	ГОСТ 17163-90
61201630000492	0	T14K8	13492	5228,9	4,6	0,78	ГОСТ 17163-90
61201630000512	0	T14K8	13512	4930,58	6,02	1,09	ГОСТ 17163-90
61201630000532	0	T14K8	13532	4535,15	8,71	1,71	ГОСТ 17163-90
61201630000552	0	T14K8	13552	4342,5	10,64	2,19	ГОСТ 17163-90
61201630000572	0	T14K8	13572	4093,03	14,37	3,14	ГОСТ 17163-90
61201630000592	0	T14K8	13592	3821,18	22,09	5,16	ГОСТ 17163-90
61201630000612	0	T14K8	13612	3604,28	37,23	9,27	ГОСТ 17163-90
61201630000632	0	T14K8	13632	3487,96	58,25	14,9	ГОСТ 17163-90
61202690000130	0	T14K8	11130	5315,47	4,25	0,72	ГОСТ 25398-90
61202690000150	0	T14K8	11150	4751,72	7,08	1,36	ГОСТ 25398-90
61202690000170	0	T14K8	11170	4327,34	10,82	2,27	ГОСТ 25398-90
61202690000190	0	T14K8	11190	4029,93	15,68	3,54	ГОСТ 25398-90
61202690000210	0	T14K8	11210	3687,05	29,57	7,28	ГОСТ 25398-90

61202690000230	0	T14K8	11230	3509,23	52,81	13,6	ГОСТ 25398-90
61203520160408	0	T14K8	01111-160408	5609,01	34,89	6,43	ГОСТ 19043-80
61203520160412	0	T14K8	01111-160412	5609,01	34,89	6,34	ГОСТ 19043-80
61203520220408	0	T14K8	01111-220408	5519,63	61,49	11,3	ГОСТ 19043-80
61203520220412	0	T14K8	01111-220412	5519,63	61,49	11,4	ГОСТ 19043-80
61203530110308	0	T14K8	01131-110308	7915,39	14,56	1,88	ГОСТ 19043-80
61203530160308	0	T14K8	01131-160308	7915,39	14,56	4,3	ГОСТ 19043-80
61203530160412	0	T14K8	01131-160412	7609,07	47,33	6,34	ГОСТ 19043-80
61203530220408	0	T14K8	01131-220408	7367,73	82,08	11,3	ГОСТ 19043-80
61203530220412	0	T14K8	01131-220412	7367,73	82,08	11,4	ГОСТ 19043-80
61203540160308	0	T14K8	01113-160308	5667,85	21,25	3,88	ГОСТ 19044-80
61203540160412	0	T14K8	01113-160412	5622,26	31,6	5,71	ГОСТ 19044-80
61203540220412	0	T14K8	01113-220412	5538,06	55,27	10,2	ГОСТ 19044-80
61203540270616	0	T14K8	01113-270616	5629,4	116,3	21,4	ГОСТ 19044-80
61203550160412	0	T14K8	01123-160412	6439,45	36,19	5,71	ГОСТ 19044-80
61203570110304	0	T14K8	01311-110304	6620,67	10,06	1,57	ГОСТ 19045-80
61203570110308	0	T14K8	01311-110308	6620,67	10,06	1,56	ГОСТ 19045-80
61203570160304	0	T14K8	01311-160304	6517,38	23,98	3,8	ГОСТ 19045-80
61203570160308	0	T14K8	01311-160308	6517,38	23,98	3,78	ГОСТ 19045-80
61203570160312	0	T14K8	01311-160312	6470,51	31,12	3,74	ГОСТ 19045-80
61203580110300	0	T14K8	01331-110300	7942,66	12,07	1,58	ГОСТ 19045-80
61203580110304	0	T14K8	01331-110304	6909,2	13,68	1,57	ГОСТ 19045-80
61203580160304	0	T14K8	01331-160304	7772,9	28,6	3,8	ГОСТ 19045-80
61203580160308	0	T14K8	01331-160308	7772,9	28,6	3,78	ГОСТ 19045-80
61203580160312	0	T14K8	01331-160312	7772,9	28,6	3,74	ГОСТ 19045-80
61203580220416	0	T14K8	01331-220416	7438,31	70,81	9,76	ГОСТ 19045-80
61203590160308	0	T14K8	01114-160308	5948,1	21,00	3,58	ГОСТ 19046-80
61203590220404	0	T14K8	01114-220404	5794,6	55,16	9,73	ГОСТ 19046-80
61203590220408	0	T14K8	01114-220408	5794,6	55,16	9,64	ГОСТ 19046-80
61203590220412	0	T14K8	01114-220412	5794,6	55,16	9,57	ГОСТ 19046-80
61203590220416	0	T14K8	01114-220416	5794,6	55,16	9,66	ГОСТ 19046-80
61203590270612	0	T14K8	01114-270612	5637,85	112,14	20,14	ГОСТ 19046-80
61203590270616	0	T14K8	01114-270616	5637,85	112,14	19,98	ГОСТ 19046-80
61203600160408	0	T14K8	01124-160408	6447,69	34,82	5,47	ГОСТ 19046-80
61203600160412	0	T14K8	01124-160412	6447,69	34,82	5,37	ГОСТ 19046-80
61203600220404	0	T14K8	01124-220404	5987,44	74,24	9,65	ГОСТ 19046-80
61203600220408	0	T14K8	01124-220408	6313,79	60,11	9,64	ГОСТ 19046-80
61203600270616	0	T14K8	01124-270616	6099,19	121,31	19,98	ГОСТ 19046-80
61203620060304	0	T14K8	02114-060304	5971,98	16,78	2,92	ГОСТ 19048-80
61203620060404	0	T14K8	02114-060404	5923,23	25,65	4,48	ГОСТ 19048-80
61203620080404	0	T14K8	02114-080404	5840,54	43,4	7,7	ГОСТ 19048-80
61203620080408	0	T14K8	02114-080408	5840,54	43,4	7,69	ГОСТ 19048-80
61203620100408	0	T14K8	02114-100408	5757,78	65,87	11,9	ГОСТ 19048-80
61203620100412	0	T14K8	02114-100412	5757,78	65,87	11,8	ГОСТ 19048-80
61203620100608	0	T14K8	02114-100608	5692,89	88,3	16,00	ГОСТ 19048-80
61203620100612	0	T14K8	02114-100612	5692,89	88,3	16,00	ГОСТ 19048-80
61203620120612	0	T14K8	02114-120612	5617,36	122,51	22,6	ГОСТ 19048-80
61203630090308	0	T14K8	03111-090308	5681,83	18,35	3,33	ГОСТ 19049-80
61203630120308	0	T14K8	03111-120308	5619,79	32,2	5,93	ГОСТ 19049-80
61203630120312	0	T14K8	03111-120312	5619,79	32,2	5,9	ГОСТ 19049-80
61203630120408	0	T14K8	03111-120408	5561,94	47,83	8,88	ГОСТ 19049-80
61203630120412	0	T14K8	03111-120412	5561,94	47,83	8,84	ГОСТ 19049-80
61203630150412	0	T14K8	03111-150412	5487,93	73,32	13,8	ГОСТ 19049-80
61203630190412	0	T14K8	03111-190412	5420,92	104,52	20,00	ГОСТ 19049-80
61203630190424	0	T14K8	03111-190424	5420,92	104,52	19,8	ГОСТ 19049-80
61203650090308	0	T14K8	03311-090308	6861,82	19,42	2,92	ГОСТ 19050-80
61203650120304	0	T14K8	03311-120304	6455,31	33,57	5,39	ГОСТ 19050-80
61203650120312	0	T14K8	03311-120312	6455,31	33,57	5,36	ГОСТ 19050-80
61203650120408	0	T14K8	03311-120408	6366,13	49,4	8,05	ГОСТ 19050-80
61203650150412	0	T14K8	03311-150412	6252,2	74,4	12,3	ГОСТ 19050-80
61203650190412	0	T14K8	03311-190412	6382,32	111,75	18,1	ГОСТ 19050-80
61203660090308	0	T14K8	03331-090308	7835,87	22,18	2,92	ГОСТ 19050-80
61203660120304	0	T14K8	03331-120304	7670,89	39,89	5,39	ГОСТ 19050-80
61203660120308	0	T14K8	03331-120308	7670,89	39,89	5,38	ГОСТ 19050-80
61203660150412	0	T14K8	03331-150412	7337,09	87,31	12,3	ГОСТ 19050-80
61203670120404	0	T14K8	03113-120404	5583,47	41,65	7,74	ГОСТ 19051-80
61203670120408	0	T14K8	03113-120408	5583,47	41,65	7,72	ГОСТ 19051-80
61203670150412	0	T14K8	03113-150412	5511,66	64,32	12,1	ГОСТ 19051-80
61203670150416	0	T14K8	03113-150416	5511,66	64,32	12,00	ГОСТ 19051-80
61203670190612	0	T14K8	03113-190612	5396,8	118,51	23,00	ГОСТ 19051-80
61203700090304	0	T14K8	03114-090304	5975,76	16,13	2,8	ГОСТ 19052-80
61203700090308	0	T14K8	03114-090308	5975,76	16,13	2,79	ГОСТ 19052-80
61203700120404	0	T14K8	03114-120404	5848,2	41,58	7,36	ГОСТ 19052-80
61203700120408	0	T14K8	03114-120408	5848,2	41,58	7,36	ГОСТ 19052-80
61203700120412	0	T14K8	03114-120412	5848,2	41,58	7,32	ГОСТ 19052-80
61203700150412	0	T14K8	03114-150412	5764,7	63,76	11,5	ГОСТ 19052-80
61203700150416	0	T14K8	03114-150416	5764,7	63,76	11,4	ГОСТ 19052-80

61203700190612	0	T14K8	03114-190612	5623,66	119,22	21,9	ГОСТ 19052-80
61203700190616	0	T14K8	03114-190616	5623,66	119,22	21,9	ГОСТ 19052-80
61203700190624	0	T14K8	03114-190624	5623,66	119,22	21,6	ГОСТ 19052-80
61203700250716	0	T14K8	03114-250716	5645,72	274,44	50,5	ГОСТ 19052-80
61203710120404	0	T14K8	03124-120404	6056,92	56,09	7,36	ГОСТ 19052-80
61203710120408	0	T14K8	03124-120408	6387,18	45,41	7,36	ГОСТ 19052-80
61203710120412	0	T14K8	03124-120412	6387,18	45,41	7,32	ГОСТ 19052-80
61203710150412	0	T14K8	03124-150412	6272,86	69,38	11,5	ГОСТ 19052-80
61203710150416	0	T14K8	03124-150416	6272,86	69,38	11,4	ГОСТ 19052-80
61203710190612	0	T14K8	03124-190612	6315,53	133,89	21,9	ГОСТ 19052-80
61203810120404	0	T14K8	05114-120404	5847,72	41,69	7,39	ГОСТ 19059-80
61203810120408	0	T14K8	05114-120408	5847,72	41,69	7,37	ГОСТ 19059-80
61203810120412	0	T14K8	05114-120412	5847,72	41,69	7,33	ГОСТ 19059-80
61203810160412	0	T14K8	05114-160412	5763,23	64,2	11,5	ГОСТ 19059-80
61203810190612	0	T14K8	05114-190612	5623,66	119,22	22,00	ГОСТ 19059-80
61203810190616	0	T14K8	05114-190616	5623,66	119,22	21,9	ГОСТ 19059-80
61203810190624	0	T14K8	05114-190624	5564,79	154,14	21,7	ГОСТ 19059-80
61203820120408	0	T14K8	05124-120408	6386,51	45,54	7,37	ГОСТ 19059-80
61203820120412	0	T14K8	05124-120412	6386,51	45,54	7,33	ГОСТ 19059-80
61203820190616	0	T14K8	05124-190616	5779,76	160,1	21,9	ГОСТ 19059-80
61203880110408	0	T14K8	10113-110408	5529,31	58,17	10,9	ГОСТ 19064-80
61203880130612	0	T14K8	10113-130612	5415,15	107,71	20,6	ГОСТ 19064-80
61203880160612	0	T14K8	10113-160612	5350,65	151,21	29,3	ГОСТ 19064-80
61203890110408	0	T14K8	10123-110408	6286,74	66,14	10,9	ГОСТ 19064-80
61203900110408	0	T14K8	10153-110408	7688,00	80,88	10,9	ГОСТ 19064-80
61203900110416	0	T14K8	10153-110416	7688,00	80,88	10,8	ГОСТ 19064-80
61203900130612	0	T14K8	10153-130612	7345,51	146,1	20,6	ГОСТ 19064-80
61203900130620	0	T14K8	10153-130620	7345,51	146,1	20,5	ГОСТ 19064-80
61203910110408	0	T14K8	10114-110408	5788,33	56,9	10,2	ГОСТ 19065-80
61203910110416	0	T14K8	10114-110416	5788,33	56,9	10,1	ГОСТ 19065-80
61203910130612	0	T14K8	10114-130612	5649,32	106,72	19,5	ГОСТ 19065-80
61203910130620	0	T14K8	10114-130620	5649,32	106,72	19,4	ГОСТ 19065-80
61203910160612	0	T14K8	10114-160612	5572,53	148,95	27,7	ГОСТ 19065-80
61203920110408	0	T14K8	10124-110408	6043,22	59,4	10,2	ГОСТ 19065-80
61203920130620	0	T14K8	10124-130620	6355,86	120,06	19,4	ГОСТ 19065-80
61203960090408	0	T14K8	11114-090408	5796,03	54,77	9,75	ГОСТ 19068-80
61203960110412	0	T14K8	11114-110412	5726,32	76,1	12,8	ГОСТ 19068-80
61203960110612	0	T14K8	11114-110612	5659,43	102,15	18,7	ГОСТ 19068-80
61204000120300	0	T14K8	12114-120300	5949,71	20,7	3,6	ГОСТ 19071-80
61204000150400	0	T14K8	12114-150400	5819,04	48,71	8,64	ГОСТ 19071-80
61204000190600	0	T14K8	12114-190600	5904,96	101,15	17,7	ГОСТ 19071-80
61204000220600	0	T14K8	12114-220600	5840,75	127,85	22,6	ГОСТ 19071-80
61204020150400	0	T14K8	12124-150400	6622,56	55,43	8,64	ГОСТ 19071-80
61204030150400	0	T14K8	12113-150400	5512,7	63,95	9,18	ГОСТ 19071-80
61204620001009	0	T14K8	2008-1009	9484,31	81,75	8,7	ТУ 48-19-63-87
61204990003001	0	T14K8	2008-3001	10547,6	101,05	9,61	ТУ 48-19-63-87
61204990003002	0	T14K8	2008-3002	10547,6	101,05	9,61	ТУ 48-19-63-87
61205020003012	0	T14K8	2008-3012	13234,52	46,06	3,49	ТУ 48-19-63-87
61205150003133	0	T14K8	2008-3133	9962,15	122,43	12,33	ТУ 48-19-63-87
61205720006030	0	T14K8	2008-6030	7588,05	69,96	12,00	ТУ 48-19-63-87
61207080001212	0	T14K8	RNGX-1212MO13	7370,2	92,13	12,3	ТУ 48-4206-558-96
61207080001919	0	T14K8	LNMX-1919 4021	6749,5	339,5	40,00	ТУ 48-4206-558-96
61207080002710	0	T14K8	RPUX-2710MO24	6953,96	361,61	52,00	ТУ 48-4206-558-96
61207080003010	0	T14K8	RPUX-3010MO24	5652,13	381,12	68,3	ТУ 48-4206-558-96
61207080011212	0	T14K8	RNUX-1212MO	6723,56	106,23	12,3	ТУ 48-4206-558-96
61207080201540	0	T14K8	BNUX-201540	5902,05	303,37	40,00	ТУ 48-4206-558-96
61207080301940	0	T14K8	LNMX-301940 SN-03	6545,79	613,34	71,00	ТУ 48-4206-558-96
61207081001212	0	T14K8	3-RNGX-1212MO13	5717,82	102,86	14,00	ТУ 48-19-124-91
61207081002710	0	T14K8	3-RPUX-2710MO24	5467,4	379,44	54,00	ТУ 48-19-124-91
61207081003010	0	T14K8	3-RPUX-3010MO24	5431,93	492,13	70,5	ТУ 48-19-124-91
61210920001125	0	T14K8	2008-1125	8791,87	109,9	12,5	ТУ 48-19-63-87
61220030220412	0	T14K8	3-01131-220412	5190,58	59,02	11,7	OCT 48-93-81
61220040160308	0	T14K8	3-01311-160308	5625,2	22,05	4,08	OCT 48-93-81
61220090220408	0	T14K8	3-01114-220408	5515,85	54,66	10,00	OCT 48-93-81
61220100160312	0	T14K8	3-01124-160312	5976,00	23,01	3,83	OCT 48-93-81
61220100160412	0	T14K8	3-01124-160412	5924,57	34,13	5,7	OCT 48-93-81
61220120060304	0	T14K8	3-02114-060304	5644,82	17,44	3,22	OCT 48-93-81
61220120080404	0	T14K8	3-02114-080404	5551,2	42,58	8,00	OCT 48-93-81
61220120080408	0	T14K8	3-02114-080408	5551,2	42,58	7,99	OCT 48-93-81
61220120100408	0	T14K8	3-02114-100408	5489,51	64,94	12,2	OCT 48-93-81
61220120100608	0	T14K8	3-02114-100608	5444,82	85,59	16,3	OCT 48-93-81
61220120100612	0	T14K8	3-02114-100612	5444,82	85,59	16,3	OCT 48-93-81
61220120120612	0	T14K8	3-02114-120612	5390,00	118,69	22,9	OCT 48-93-81
61220130150412	0	T14K8	3-03111-150412	5169,79	70,26	14,1	OCT 48-93-81
61220150120312	0	T14K8	3-03311-120312	5589,56	31,25	5,86	OCT 48-93-81
61220150250616	0	T14K8	3-03311-250616	5290,59	221,04	43,3	OCT 48-93-81
61220200120404	0	T14K8	3-03114-120404	5555,15	41,33	7,66	OCT 48-93-81

61220200120408	0	T14K8	3-03114-120408		5555,15	41,33	7,66	OCT 48-93-81
61220200150412	0	T14K8	3-03114-150412		5494,6	62,86	11,8	OCT 48-93-81
61220210250716	0	T14K8	3-03124-250716		5522,11	270,58	50,6	OCT 48-93-81
61220380110408	0	T14K8	3-10113-110408		5197,03	55,82	11,2	OCT 48-93-81
61220380130412	0	T14K8	3-10113-130412		5155,09	79,18	15,7	OCT 48-93-81
61220410110408	0	T14K8	3-10114-110408		5513,81	55,41	10,5	OCT 48-93-81
61220410110416	0	T14K8	3-10114-110416		5513,81	55,41	10,4	OCT 48-93-81
61220410130420	0	T14K8	3-10114-130420		5461,97	77,12	14,6	OCT 48-93-81
61220410130612	0	T14K8	3-10114-130612		5413,21	103,39	19,8	OCT 48-93-81
61220410160612	0	T14K8	3-10114-160612		5357,3	144,43	28,00	OCT 48-93-81
61220420110408	0	T14K8	3-10124-110408		5829,97	59,52	10,5	OCT 48-93-81
61227120003600	0	T14K8	P010005 (ПР36)		4871,81	267,95	55,00	ТУ 48-19-124-91
61227120006003	0	T14K8	P010014 (ПР60-3)		5558,83	4,34	0,77	ТУ 48-19-124-91
61227120007600	0	T14K8	M010007 (ПР76)		5586,67	174,58	31,7	ТУ 48-19-124-91
61227130000200	0	T14K8	P020001 (ПР2)		5532,67	45,87	8,29	ТУ 48-19-124-91
61227130000500	0	T14K8	P020015 (ПР5)		5622,55	35,76	6,36	ТУ 48-19-124-91
61227130001006	0	T14K8	ZNUX-1006TF		0,00	0,00	12,6	ТУ 48-19-124-91
61227130001510	0	T14K8	ZNGX-1510ZR		0,00	0,00	59,2	ТУ 48-19-124-91
61227130002700	0	T14K8	3020001 (ПР27)		5238,77	323,97	62,00	ТУ 48-19-124-91
61227130002800	0	T14K8	3020002 (ПР28)		4757,96	294,23	62,00	ТУ 48-19-124-91
61227130003300	0	T14K8	P020022 (ПР33)		5344,94	83,38	15,6	ТУ 48-19-124-91
61227130003900	0	T14K8	P020009 (ПР39)		5536,68	45,35	8,19	ТУ 48-19-124-91
61227130004902	0	T14K8	M020002 (ПР49-2)		5148,6	223,96	42,2	ТУ 48-19-124-91
61227130006006	0	T14K8	P020040 (ПР60-6)		5871,65	18,2	3,09	ТУ 48-19-124-91
61227130006008	0	T14K8	P020042 (ПР60-8)		5626,94	35,34	6,26	ТУ 48-19-124-91
61227130006500	0	T14K8	P020002 (ПР65)		5355,18	80,33	15,00	ТУ 48-19-124-91
61227130007700	0	T14K8	M030009 (ПР77)		6268,4	78,98	12,6	ТУ 48-19-124-91
61227130007800	0	T14K8	P020039 (ПР78)		5062,23	582,16	115,00	ТУ 48-19-124-91
61227130008500	0	T14K8	3020003 (ПР85)		5221,42	375,00	72,00	ТУ 48-19-124-91
61227130008600	0	T14K8	3020004 (ПР86)		5227,9	354,56	68,00	ТУ 48-19-124-91
61227130011900	0	T14K8	Д020127 (ПР119)		4270,42	213,09	38,8	ТУ 48-19-124-91
61227130204000	0	T14K8	P020010 (ПР40-Б)		5448,07	58,95	12,1	ТУ 48-19-124-91
61227130204100	0	T14K8	P020011 (ПР41-Б)		5448,07	58,95	12,1	ТУ 48-19-124-91
61227140006201	0	T14K8	P030017 (ПР62-1)		5341,51	373,91	70,00	ТУ 48-19-124-91
61227140006202	0	T14K8	P030018 (ПР62-2)		5341,51	373,91	70,00	ТУ 48-19-124-91
61227140006401	0	T14K8	P030019 (ПР64-1)		5328,71	415,64	78,00	ТУ 48-19-124-91
61227140006602	0	T14K8	P030020 (ПР66-2)		5333,21	399,99	75,00	ТУ 48-19-124-91
61227140007000	0	T14K8	P030021 (ПР70)		5328,71	415,64	78,00	ТУ 48-19-124-91
61227140009600	0	T14K8	P030060 (ПР96)		5287,13	645,03	94,94	ТУ 48-19-124-91
61227140028000	0	T14K8	Д030069 (ПР280)		4270,42	213,09	0,25	ТУ 48-19-124-91
61230000000151	0	T14K8		1151	3196,62	60,00	16,8	ГОСТ 25395-90
61230000000251	0	T14K8		1251	3308,14	444,35	120,00	ГОСТ 25395-90
61230000000271	0	T14K8		1271	3301,41	591,25	161,00	ГОСТ 25395-90
61230000000331	0	T14K8		1331	3846,78	5,08	1,18	ГОСТ 25395-90
61230000000351	0	T14K8		1351	3578,37	9,48	2,37	ГОСТ 25395-90
61230000000371	0	T14K8		1371	3385,37	17,64	4,65	ГОСТ 25395-90
61230000000372	0	T14K8		1372	3403,81	16,41	4,37	ГОСТ 25395-90
61230000000391	0	T14K8		1391	3255,5	35,03	9,6	ГОСТ 25395-90
61230000000411	0	T14K8		1411	3378,49	123,62	32,5	ГОСТ 25395-90
61230000000412	0	T14K8		1412	3384,49	116,46	31,2	ГОСТ 25395-90
61230000000431	0	T14K8		1431	3336,2	218,29	59,00	ГОСТ 25395-90
61230000000451	0	T14K8		1451	3311,42	396,31	104,00	ГОСТ 25395-90
61230000000471	0	T14K8		1471	3299,63	647,75	175,00	ГОСТ 25395-90
61230000000491	0	T14K8		1491	3325,77	269,15	72,5	ГОСТ 25395-90
61232010000384	0	T14K8	1011-0384		0,00	0,00	65,4	ГОСТ 19106-73
613000800000051	0	T15K6		2051	3369,11	18,87	4,95	ГОСТ 25395-90
613000800000231	0	T15K6		2231	3283,33	29,12	7,85	ГОСТ 25395-90
613000800000232	0	T15K6		2232	3291,21	27,78	7,6	ГОСТ 25395-90
613000800000251	0	T15K6		2251	3247,45	37,18	10,2	ГОСТ 25395-90
613000800000252	0	T15K6		2252	3257,63	34,5	9,55	ГОСТ 25395-90
613000800000271	0	T15K6		2271	3190,68	64,55	18,00	ГОСТ 25395-90
613000800000272	0	T15K6		2272	3194,78	61,34	17,3	ГОСТ 25395-90
613000800000291	0	T15K6		2291	3172,87	83,32	25,00	ГОСТ 25395-90
613000800000292	0	T15K6		2292	3174,92	80,64	22,7	ГОСТ 25395-90
613000800000311	0	T15K6		2311	3161,52	102,09	29,00	ГОСТ 25395-90
613000800000312	0	T15K6		2312	3164,45	96,48	27,52	ГОСТ 25395-90
613000800000351	0	T15K6		2351	3343,47	192,88	51,00	ГОСТ 25395-90
613000800000352	0	T15K6		2352	3348,08	179,62	48,44	ГОСТ 25395-90
613000800000411	0	T15K6		2411	3183,25	71,27	20,00	ГОСТ 25395-90
613000800000431	0	T15K6		2431	3377,82	124,47	32,5	ГОСТ 25395-90
613000800000451	0	T15K6		2451	3358,18	156,12	41,5	ГОСТ 25395-90
613000800000511	0	T15K6		2511	3324,85	274,83	73,00	ГОСТ 25395-90
613000800000512	0	T15K6		2512	3327,25	260,52	70,7	ГОСТ 25395-90
613000800000611	0	T15K6		2611	3701,5	7,00	1,7	ГОСТ 25395-90
613000800000631	0	T15K6		2631	3481,68	12,53	3,25	ГОСТ 25395-90
613000800000651	0	T15K6		2651	3299,22	26,53	7,26	ГОСТ 25395-90
613000800000671	0	T15K6		2671	3216,46	48,5	13,62	ГОСТ 25395-90

61300080000691	0	T15K6	2691	3355,01	20,06	5,85	ГОСТ 25395-90
61300090000010	0	T15K6	6010	3816,34	5,42	1,26	ГОСТ 25397-90
613000900000030	0	T15K6	6030	3661,44	7,69	2,1	ГОСТ 25397-90
613000900000050	0	T15K6	6050	3436,93	14,54	3,76	ГОСТ 25397-90
613000900000060	0	T15K6	6060	3436,93	14,54	3,76	ГОСТ 25397-90
613000900000090	0	T15K6	6090	3265,68	32,62	8,88	ГОСТ 25397-90
61300090000100	0	T15K6	6100	3265,68	32,62	8,88	ГОСТ 25397-90
61300090000130	0	T15K6	6130	3194,08	61,87	17,2	ГОСТ 25397-90
61300090000140	0	T15K6	6140	3194,08	61,87	17,2	ГОСТ 25397-90
61300090000170	0	T15K6	6170	3392,82	107,79	28,3	ГОСТ 25397-90
61300090000180	0	T15K6	6180	3392,82	107,79	28,3	ГОСТ 25397-90
61300090000270	0	T15K6	6270	3346,35	184,38	48,8	ГОСТ 25397-90
61300090000280	0	T15K6	6280	3337,41	213,59	48,8	ГОСТ 25397-90
61300090000290	0	T15K6	6290	3322,71	288,94	77,00	ГОСТ 25397-90
61300090000300	0	T15K6	6300	3322,71	288,94	77,00	ГОСТ 25397-90
61300090000330	0	T15K6	6330	3666,83	7,59	2,00	ГОСТ 25397-90
61300090000340	0	T15K6	6340	3666,83	7,59	2,00	ГОСТ 25397-90
61300090000350	0	T15K6	6350	3444,61	14,16	3,71	ГОСТ 25397-90
61300090000360	0	T15K6	6360	3445,26	14,13	3,71	ГОСТ 25397-90
61300090000370	0	T15K6	6370	3290,26	27,93	7,66	ГОСТ 25397-90
61300090000380	0	T15K6	6380	3290,26	27,93	7,66	ГОСТ 25397-90
61300090000390	0	T15K6	6390	3216,00	48,72	13,68	ГОСТ 25397-90
61300090000400	0	T15K6	6400	3216,00	48,72	13,68	ГОСТ 25397-90
61300090000410	0	T15K6	6410	3417,61	88,24	23,31	ГОСТ 25397-90
61300090000420	0	T15K6	6420	3165,33	94,93	23,31	ГОСТ 25397-90
61300100000010	0	T15K6	7010	3738,45	6,43	1,53	ГОСТ 25426-90
61300100000030	0	T15K6	7030	5228,9	4,6	0,79	ГОСТ 25426-90
61300100000050	0	T15K6	7050	3637,62	8,15	2,02	ГОСТ 25426-90
61300100000060	0	T15K6	7060	3637,62	8,15	2,02	ГОСТ 25426-90
61300100000070	0	T15K6	7070	3421,46	15,36	4,05	ГОСТ 25426-90
61300100000080	0	T15K6	7080	3421,46	15,36	4,05	ГОСТ 25426-90
61300100000090	0	T15K6	7090	3338,34	21,67	5,86	ГОСТ 25426-90
61300100000100	0	T15K6	7100	3338,34	21,67	5,86	ГОСТ 25426-90
61300100000110	0	T15K6	7110	3277,72	30,16	8,3	ГОСТ 25426-90
61300100000120	0	T15K6	7120	3277,56	30,19	8,3	ГОСТ 25426-90
61300100000130	0	T15K6	7130	3239,35	39,62	11,04	ГОСТ 25426-90
61300100000140	0	T15K6	7140	3239,35	39,62	11,04	ГОСТ 25426-90
61300100000150	0	T15K6	7150	3208,74	52,43	14,76	ГОСТ 25426-90
61300100000160	0	T15K6	7160	3208,74	52,43	14,76	ГОСТ 25426-90
61300100000170	0	T15K6	7170	3185,87	68,75	19,48	ГОСТ 25426-90
61300100000180	0	T15K6	7180	3185,87	68,75	19,48	ГОСТ 25426-90
61300100000330	0	T15K6	7330	3407,04	95,64	24,9	ГОСТ 25426-90
61300100000340	0	T15K6	7340	3407,04	95,64	24,9	ГОСТ 25426-90
61300100000350	0	T15K6	7350	5643,6	3,1	0,49	ГОСТ 25426-90
61300100000370	0	T15K6	7370	3548,36	10,29	2,85	ГОСТ 25426-90
61300120000051	0	T15K6	10051	3657,91	7,75	1,89	ГОСТ 25396-90
61300120000061	0	T15K6	10061	3657,91	7,75	1,89	ГОСТ 25396-90
61300120000151	0	T15K6	10151	3202,21	56,26	15,6	ГОСТ 25396-90
61300120000152	0	T15K6	10152	3200,27	57,51	16,22	ГОСТ 25396-90
61300120000161	0	T15K6	10161	3202,21	56,26	15,6	ГОСТ 25396-90
61300120000162	0	T15K6	10162	3200,27	57,51	16,22	ГОСТ 25396-90
61300120000271	0	T15K6	10271	3529,03	10,87	3,00	ГОСТ 25396-90
61300120000291	0	T15K6	10291	3325,14	23,11	6,17	ГОСТ 25396-90
61300120000292	0	T15K6	10292	3322,73	23,39	6,38	ГОСТ 25396-90
61300120000301	0	T15K6	10301	3325,14	23,11	6,17	ГОСТ 25396-90
61300120000302	0	T15K6	10302	3322,73	23,39	6,38	ГОСТ 25396-90
61300120000411	0	T15K6	10411	5954,00	2,2	0,37	ГОСТ 25396-90
61300120000431	0	T15K6	10431	5422,54	3,85	0,64	ГОСТ 25396-90
61300120000451	0	T15K6	10451	4938,05	5,98	1,15	ГОСТ 25396-90
61300120000471	0	T15K6	10471	3400,32	16,63	4,34	ГОСТ 25396-90
61300120000472	0	T15K6	10472	3393,58	17,07	4,56	ГОСТ 25396-90
61300120000481	0	T15K6	10481	3400,32	16,63	4,34	ГОСТ 25396-90
61300120000482	0	T15K6	10482	3393,11	17,1	4,56	ГОСТ 25396-90
61300120000491	0	T15K6	10491	3265,54	32,66	8,91	ГОСТ 25396-90
61300120000492	0	T15K6	10492	3261,82	33,5	9,3	ГОСТ 25396-90
61300120000501	0	T15K6	10501	3265,54	32,66	8,91	ГОСТ 25396-90
61300120000502	0	T15K6	10502	3261,82	33,5	9,3	ГОСТ 25396-90
61300120000531	0	T15K6	10531	3400,67	100,73	26,4	ГОСТ 25396-90
61300120000532	0	T15K6	10532	3157,26	111,45	27,35	ГОСТ 25396-90
61300120000541	0	T15K6	10541	3400,67	100,73	26,4	ГОСТ 25396-90
61300120000571	0	T15K6	10571	3340,01	204,18	55,00	ГОСТ 25396-90
61300120000581	0	T15K6	10581	3340,01	204,18	55,00	ГОСТ 25396-90
61300120000582	0	T15K6	10582	3133,33	228,23	56,63	ГОСТ 25396-90
61300120000611	0	T15K6	10611	3313,01	376,52	101,00	ГОСТ 25396-90
61300120000612	0	T15K6	10612	3308,2	443,3	104,00	ГОСТ 25396-90
61300120000621	0	T15K6	10621	3313,01	376,52	101,00	ГОСТ 25396-90
61300120000622	0	T15K6	10622	3308,2	443,3	104,00	ГОСТ 25396-90

61300120000631	0	T15K6	10631	3300,31	625,14	168,00	ГОСТ 25396-90
61300120000641	0	T15K6	10641	3302,74	554,86	168,00	ГОСТ 25396-90
61300120000642	0	T15K6	10642	3297,35	738,61	174,9	ГОСТ 25396-90
61300120000652	0	T15K6	10652	3750,22	6,26	1,48	ГОСТ 25396-90
61300120000672	0	T15K6	10672	3597,05	9,03	2,26	ГОСТ 25396-90
61300120000682	0	T15K6	10682	3597,05	9,03	2,26	ГОСТ 25396-90
61300120000692	0	T15K6	10692	3242,15	38,74	11,65	ГОСТ 25396-90
61300120000702	0	T15K6	10702	3242,15	38,74	11,65	ГОСТ 25396-90
61300120000722	0	T15K6	10722	3180,11	74,54	21,17	ГОСТ 25396-90
61300140000011	0	T15K6	14011	7993,87	2,32	0,26	ГОСТ 25399-90
61300140000031	0	T15K6	14031	7281,42	3,86	0,49	ГОСТ 25399-90
61300140000051	0	T15K6	14051	7160,23	4,15	0,52	ГОСТ 25399-90
61300140000071	0	T15K6	14071	6858,39	4,94	0,65	ГОСТ 25399-90
61300140000091	0	T15K6	14091	6743,57	5,26	0,7	ГОСТ 25399-90
61300140000111	0	T15K6	14111	6456,61	6,13	0,86	ГОСТ 25399-90
61300140000131	0	T15K6	14131	7281,42	3,86	0,34	ГОСТ 25399-90
61300140000151	0	T15K6	14151	6381,49	6,38	0,9	ГОСТ 25399-90
61300140000171	0	T15K6	14171	5786,25	8,74	1,5	ГОСТ 25399-90
61300140000191	0	T15K6	14191	5731,75	9,00	1,42	ГОСТ 25399-90
61300140000211	0	T15K6	14211	5574,81	9,81	1,6	ГОСТ 25399-90
61300140000251	0	T15K6	14251	6021,73	7,71	1,14	ГОСТ 25399-90
61300140000271	0	T15K6	14271	5966,58	7,94	1,18	ГОСТ 25399-90
61300140000291	0	T15K6	14291	5696,81	9,17	1,43	ГОСТ 25399-90
61300140000312	0	T15K6	14312	6033,05	7,66	1,42	ГОСТ 25399-90
61300140000332	0	T15K6	14332	5551,99	9,94	1,59	ГОСТ 25399-90
61300140000352	0	T15K6	14352	5102,4	13,01	2,6	ГОСТ 25399-90
61300140000372	0	T15K6	14372	4916,73	14,75	3,00	ГОСТ 25399-90
61300140000392	0	T15K6	14392	4765,65	16,49	3,08	ГОСТ 25399-90
61300140000412	0	T15K6	14412	4488,97	20,87	4,14	ГОСТ 25399-90
61300140000432	0	T15K6	14432	4330,38	24,55	5,6	ГОСТ 25399-90
61300140000452	0	T15K6	14452	4259,00	26,66	6,3	ГОСТ 25399-90
61300140000472	0	T15K6	14472	4187,1	29,18	7,15	ГОСТ 25399-90
61300140000492	0	T15K6	14492	4045,59	35,88	9,75	ГОСТ 25399-90
61300140000512	0	T15K6	14512	4020,8	37,39	10,1	ГОСТ 25399-90
61300140000532	0	T15K6	14532	4002,63	38,59	10,4	ГОСТ 25399-90
61300140000552	0	T15K6	14552	3932,61	44,01	9,93	ГОСТ 25399-90
61300140000572	0	T15K6	14572	3919,57	45,19	13,4	ГОСТ 25399-90
61300140000592	0	T15K6	14592	3796,41	60,78	16,5	ГОСТ 25399-90
61300140000612	0	T15K6	14612	3786,19	62,59	18,15	ГОСТ 25399-90
61300140000632	0	T15K6	14632	3775,13	64,67	18,9	ГОСТ 25399-90
61300140000652	0	T15K6	14652	3766,12	66,47	20,5	ГОСТ 25399-90
61300140000672	0	T15K6	14672	3704,4	82,27	19,7	ГОСТ 25399-90
61300140000692	0	T15K6	14692	3697,94	84,39	26,9	ГОСТ 25399-90
61300140000712	0	T15K6	14712	3692,78	86,15	20,8	ГОСТ 25399-90
61300140000752	0	T15K6	14752	3648,84	104,94	25,5	ГОСТ 25399-90
61300150000010	0	T15K6	15010	3407,9	16,15	4,22	ГОСТ 25404-90
61300150000030	0	T15K6	15030	3258,78	34,22	9,37	ГОСТ 25404-90
61300150000040	0	T15K6	15040	3258,78	34,22	9,37	ГОСТ 25404-90
61300150000090	0	T15K6	15090	3171,9	84,66	23,8	ГОСТ 25404-90
61300150000100	0	T15K6	15100	3171,9	84,66	23,8	ГОСТ 25404-90
61300150000110	0	T15K6	15110	3361,08	150,48	53,00	ГОСТ 25404-90
61300150000120	0	T15K6	15120	3361,08	150,48	40,00	ГОСТ 25404-90
61300150000150	0	T15K6	15150	3336,91	215,5	57,00	ГОСТ 25404-90
61300150000160	0	T15K6	15160	3336,91	215,5	57,00	ГОСТ 25404-90
61300160000010	0	T15K6	16010	3677,92	7,39	1,78	ГОСТ 25405-90
61300160000030	0	T15K6	16030	3480,08	12,6	3,21	ГОСТ 25405-90
61300160000050	0	T15K6	16050	3331,54	22,39	5,95	ГОСТ 25405-90
61300160000210	0	T15K6	16210	3247,34	37,21	10,2	ГОСТ 25405-90
61300160000250	0	T15K6	16250	3195,16	61,06	17,00	ГОСТ 25405-90
61300160000370	0	T15K6	16370	3161,26	102,61	28,9	ГОСТ 25405-90
61300160000390	0	T15K6	16390	3332,84	232,43	62,00	ГОСТ 25405-90
61300200000010	0	T15K6	20010	3661,44	7,69	1,87	ГОСТ 25408-90
61300200000030	0	T15K6	20030	3523,96	11,03	2,78	ГОСТ 25408-90
61300200000050	0	T15K6	20050	3877,48	19,93	5,00	ГОСТ 25408-90
61300200000070	0	T15K6	20070	3588,02	39,22	9,75	ГОСТ 25408-90
61300200000080	0	T15K6	20080	3588,02	39,22	9,75	ГОСТ 25408-90
61300200000090	0	T15K6	20090	3457,13	68,45	17,6	ГОСТ 25408-90
61300200000100	0	T15K6	20100	3457,13	68,45	17,6	ГОСТ 25408-90
61300200000130	0	T15K6	20130	3388,84	111,76	29,3	ГОСТ 25408-90
61300200000140	0	T15K6	20140	3388,84	111,76	29,3	ГОСТ 25408-90
61300210000010	0	T15K6	21010	7136,91	4,21	0,52	ГОСТ 25400-90
61300210000050	0	T15K6	21050	7410,79	3,56	0,43	ГОСТ 25400-90
61300210000070	0	T15K6	21070	6743,57	5,26	0,7	ГОСТ 25400-90
61300210000090	0	T15K6	21090	4306,82	11,07	2,28	ГОСТ 25400-90
61300210000110	0	T15K6	21110	4142,7	13,46	2,89	ГОСТ 25400-90
61300210000130	0	T15K6	21130	3420,33	15,43	4,00	ГОСТ 25400-90
61300210000150	0	T15K6	21150	3380,58	17,98	4,73	ГОСТ 25400-90

61300210000170	0	T15K6	21170	6352,49	6,48	0,92	ГОСТ 25400-90
61300210000190	0	T15K6	21190	4612,68	8,07	1,57	ГОСТ 25400-90
61300210000210	0	T15K6	21210	4501,71	9,00	1,8	ГОСТ 25400-90
61300210000230	0	T15K6	21230	4414,79	9,84	2,01	ГОСТ 25400-90
61300210000250	0	T15K6	21250	3413,18	15,84	4,13	ГОСТ 25400-90
61300210000270	0	T15K6	21270	4548,17	8,6	1,71	ГОСТ 25400-90
61300210000290	0	T15K6	21290	3988,01	16,67	3,25	ГОСТ 25400-90
61300210000310	0	T15K6	21310	3416,44	15,65	3,56	ГОСТ 25400-90
61300210000350	0	T15K6	21350	4039,23	15,47	3,41	ГОСТ 25400-90
61300210000370	0	T15K6	21370	6139,61	7,24	1,05	ГОСТ 25400-90
61300210000410	0	T15K6	21410	3830,91	21,68	5,03	ГОСТ 25400-90
61300210000470	0	T15K6	21470	3342,69	21,23	5,64	ГОСТ 25400-90
61300210000490	0	T15K6	21490	3250,37	36,37	9,93	ГОСТ 25400-90
61300210000510	0	T15K6	21510	3224,49	44,98	12,4	ГОСТ 25400-90
61300210000530	0	T15K6	21530	3171,9	84,66	23,7	ГОСТ 25400-90
61300210000550	0	T15K6	21550	3191,33	64,02	17,8	ГОСТ 25400-90
61300210000570	0	T15K6	21570	3182,2	72,33	20,2	ГОСТ 25400-90
61300210000590	0	T15K6	21590	3155,74	115,22	32,5	ГОСТ 25400-90
61300210000630	0	T15K6	21630	3490,78	12,18	3,15	ГОСТ 25400-90
61300210000650	0	T15K6	21650	3313,38	24,55	6,7	ГОСТ 25400-90
61300210000670	0	T15K6	21670	3297,98	26,71	7,32	ГОСТ 25400-90
61300210000690	0	T15K6	21690	3258,53	34,28	8,18	ГОСТ 25400-90
61300210000710	0	T15K6	21710	3347,53	20,75	5,6	ГОСТ 25400-90
61300210000750	0	T15K6	21750	3215,67	48,88	13,72	ГОСТ 25400-90
61300240000010	0	T15K6	24010	3810,55	5,49	1,37	ГОСТ 25409-90
61300240000050	0	T15K6	24050	3693,42	7,13	1,8	ГОСТ 25409-90
61300240000070	0	T15K6	24070	3752,63	6,23	1,65	ГОСТ 25409-90
61300240000090	0	T15K6	24090	3611,33	8,7	2,3	ГОСТ 25409-90
61300240000130	0	T15K6	24130	3427,82	15,01	3,89	ГОСТ 25409-90
61300240000170	0	T15K6	24170	3389,42	17,35	4,56	ГОСТ 25409-90
61300240000210	0	T15K6	24210	3359,29	19,69	5,2	ГОСТ 25409-90
61300240000250	0	T15K6	24250	3335,34	21,98	5,85	ГОСТ 25409-90
61300240000270	0	T15K6	24270	3276,1	30,47	8,25	ГОСТ 25409-90
61300240000290	0	T15K6	24290	3262,09	33,44	9,1	ГОСТ 25409-90
61300240000470	0	T15K6	24470	3218,89	47,38	13,00	ГОСТ 25409-90
61300240000550	0	T15K6	24550	3197,02	59,72	16,6	ГОСТ 25409-90
61300240000570	0	T15K6	24570	3186,65	68,03	18,9	ГОСТ 25409-90
61300240000590	0	T15K6	24590	3178,24	76,63	21,5	ГОСТ 25409-90
61300240000650	0	T15K6	24650	3388,84	111,76	29,3	ГОСТ 25409-90
61300240000770	0	T15K6	24770	3549,49	10,26	2,7	ГОСТ 25409-90
61300240000790	0	T15K6	24790	3245,6	37,71	10,3	ГОСТ 25409-90
61300240000850	0	T15K6	24850	3377,16	125,33	33,00	ГОСТ 25409-90
61300240000870	0	T15K6	24870	3206,73	53,55	14,8	ГОСТ 25409-90
61300250000110	0	T15K6	25110	4794,26	6,81	1,26	ГОСТ 25424-90
61300250000130	0	T15K6	25130	4312,6	11,00	2,27	ГОСТ 25424-90
61300250000150	0	T15K6	25150	4013,46	16,05	3,55	ГОСТ 25424-90
61300250000190	0	T15K6	25190	3223,88	45,23	12,5	ГОСТ 25424-90
61300250000210	0	T15K6	25210	4124,83	13,78	3,01	ГОСТ 25424-90
61300250000230	0	T15K6	25230	3809,49	22,59	5,36	ГОСТ 25424-90
61300250000250	0	T15K6	25250	3520,89	50,24	12,88	ГОСТ 25424-90
61300260000010	0	T15K6	26010	8254,47	1,82	0,19	ГОСТ 25425-90
61300260000030	0	T15K6	26030	7256,55	3,92	0,49	ГОСТ 25425-90
61300260000050	0	T15K6	26050	6535,68	5,88	0,81	ГОСТ 25425-90
61300260000070	0	T15K6	26070	4694,94	7,46	1,44	ГОСТ 25425-90
61300260000090	0	T15K6	26090	4321,39	10,89	2,28	ГОСТ 25425-90
61300260000130	0	T15K6	26130	3913,53	18,75	4,32	ГОСТ 25425-90
61300260000250	0	T15K6	26250	3817,23	22,25	5,18	ГОСТ 25425-90
61300310000030	0	T15K6	31030	4242,21	11,92	2,49	ГОСТ 25411-90
61300310000050	0	T15K6	31050	3996,29	16,46	3,65	ГОСТ 25411-90
61300310000070	0	T15K6	31070	3805,7	22,76	5,3	ГОСТ 25411-90
61300310000090	0	T15K6	31090	3590,1	38,95	9,6	ГОСТ 25411-90
61300310000110	0	T15K6	31110	3717,08	78,43	18,8	ГОСТ 25411-90
61300320000110	0	T15K6	17110	4414,79	9,84	1,99	ГОСТ 25406-90
61300320000130	0	T15K6	17130	4370,93	10,32	2,1	ГОСТ 25406-90
61300320000170	0	T15K6	17170	4073,7	14,75	3,21	ГОСТ 25406-90
61300320000190	0	T15K6	17190	3939,69	17,96	4,06	ГОСТ 25406-90
61300320000210	0	T15K6	17210	3919,04	18,58	4,22	ГОСТ 25406-90
61300320000230	0	T15K6	17230	3795,39	23,23	5,45	ГОСТ 25406-90
61300320000270	0	T15K6	17270	3699,58	28,67	6,85	ГОСТ 25406-90
61300320000330	0	T15K6	17330	3242,66	38,59	11,9	ГОСТ 25406-90
61300320000350	0	T15K6	17350	3213,75	49,81	13,8	ГОСТ 25406-90
61300320000370	0	T15K6	17370	3197,37	59,47	16,5	ГОСТ 25406-90
61300320000430	0	T15K6	17430	3399,2	101,98	23,00	ГОСТ 25406-90
61300320000470	0	T15K6	17470	3159,6	106,1	29,9	ГОСТ 25406-90
61300320000490	0	T15K6	17490	3154,23	119,23	33,6	ГОСТ 25406-90
61300320000510	0	T15K6	17510	3148,98	135,56	38,00	ГОСТ 25406-90
61300320000530	0	T15K6	17530	7520,76	3,31	0,39	ГОСТ 25406-90

61300320000550	0	T15K6	17550	7002,91	4,55	0,58	ГОСТ 25406-90
61300320000590	0	T15K6	17590	4700,42	7,43	1,41	ГОСТ 25406-90
61300320000610	0	T15K6	17610	4603,06	8,15	1,57	ГОСТ 25406-90
61300370000030	0	T15K6	23030	4421,86	9,77	1,72	ГОСТ 25401-90
61300370000050	0	T15K6	23050	4077,14	14,68	2,8	ГОСТ 25401-90
61300370000070	0	T15K6	23070	3915,72	18,68	4,75	ГОСТ 25401-90
61300370000090	0	T15K6	23090	3280,9	29,56	8,14	ГОСТ 25401-90
61300370000110	0	T15K6	23110	3223,21	45,51	12,75	ГОСТ 25401-90
61300370000130	0	T15K6	23130	3181,66	72,89	20,69	ГОСТ 25401-90
61300370000150	0	T15K6	23150	3379,8	121,98	32,59	ГОСТ 25401-90
61300370000170	0	T15K6	23170	3346,89	182,87	49,33	ГОСТ 25401-90
61300380000031	0	T15K6	38031	3824,38	21,95	5,74	ГОСТ 25415-90
61300380000152	0	T15K6	38152	3309,46	423,61	97,7	ГОСТ 25415-90
61300380000192	0	T15K6	38192	3358,74	155,01	45,5	ГОСТ 25415-90
61300390000010	0	T15K6	39010	4800,54	6,77	1,25	ГОСТ 25416-90
61300390000030	0	T15K6	39030	4407,82	9,92	2,00	ГОСТ 25416-90
61300390000050	0	T15K6	39050	3789,67	23,5	5,52	ГОСТ 25416-90
61300390000110	0	T15K6	39110	3423,51	84,59	22,00	ГОСТ 25416-90
61300390000130	0	T15K6	39130	3563,41	42,65	10,6	ГОСТ 25416-90
61300390000150	0	T15K6	39150	3475,65	61,94	15,9	ГОСТ 25416-90
61300410000010	0	T15K6	47010	5349,95	4,12	0,68	ГОСТ 25421-90
61300410000030	0	T15K6	47030	4992,25	5,69	1,01	ГОСТ 25421-90
61300410000050	0	T15K6	47050	4819,69	6,65	1,23	ГОСТ 25421-90
61300410000070	0	T15K6	47070	4647,46	7,81	1,7	ГОСТ 25421-90
61300410000090	0	T15K6	47090	4505,79	8,97	2,00	ГОСТ 25421-90
61300420000010	0	T15K6	48010	3677,92	7,39	1,78	ГОСТ 25422-90
61300420000030	0	T15K6	48030	3471,47	12,95	3,32	ГОСТ 25422-90
61300420000050	0	T15K6	48050	3277,4	30,22	8,2	ГОСТ 25422-90
61300420000070	0	T15K6	48070	3253,43	35,56	9,75	ГОСТ 25422-90
61300420000090	0	T15K6	48090	3215,41	49,00	13,6	ГОСТ 25422-90
61300420000110	0	T15K6	48110	3192,34	63,21	17,6	ГОСТ 25422-90
61300420000130	0	T15K6	48130	3162,88	99,41	27,9	ГОСТ 25422-90
61300430000190	0	T15K6	32190	3234,56	41,21	11,3	ГОСТ 25412-90
61300430000210	0	T15K6	32210	3189,08	65,89	18,4	ГОСТ 25412-90
61300430000230	0	T15K6	32230	3151,39	127,54	36,00	ГОСТ 25412-90
61300430000250	0	T15K6	32250	3344,87	188,65	50,1	ГОСТ 25412-90
61300430000270	0	T15K6	32270	3309,4	424,56	114,00	ГОСТ 25412-90
61300430000290	0	T15K6	32290	3303,09	546,03	147,00	ГОСТ 25412-90
61300500000242	0	T15K6	50242	3634,39	8,21	2,04	ГОСТ 25394-90
61300500000251	0	T15K6	50251	3490,78	12,18	3,47	ГОСТ 25394-90
61300500000262	0	T15K6	50262	3454,72	13,68	3,57	ГОСТ 25394-90
61300500000271	0	T15K6	50271	3338,04	21,7	5,05	ГОСТ 25394-90
61300500000302	0	T15K6	50302	3658,59	31,83	7,83	ГОСТ 25394-90
61300500000311	0	T15K6	50311	3230,78	42,55	11,1	ГОСТ 25394-90
61300500000322	0	T15K6	50322	3233,75	41,49	11,6	ГОСТ 25394-90
61300500000362	0	T15K6	50362	3402,73	99,02	29,5	ГОСТ 25394-90
61300520000151	0	T15K6	61151	3192,66	62,96	17,6	ГОСТ 25395-90
61300520000251	0	T15K6	61251	3303,27	541,74	125,00	ГОСТ 25395-90
61300520000271	0	T15K6	61271	3300,48	619,5	168,00	ГОСТ 25395-90
61300520000351	0	T15K6	61351	3562,27	9,9	2,48	ГОСТ 25395-90
61300520000371	0	T15K6	61371	3374,31	18,46	5,1	ГОСТ 25395-90
61300520000391	0	T15K6	61391	3249,35	36,65	10,03	ГОСТ 25395-90
61300520000411	0	T15K6	61411	3375,04	128,15	33,6	ГОСТ 25395-90
61300520000431	0	T15K6	61431	3137,48	193,27	61,00	ГОСТ 25395-90
61300520000451	0	T15K6	61451	3309,97	416,1	111,00	ГОСТ 25395-90
61300520000471	0	T15K6	61471	3298,78	678,82	183,00	ГОСТ 25395-90
61300530000152	0	T15K6	61152	3197,02	59,72	16,9	ГОСТ 25395-90
61300530000352	0	T15K6	61352	3584,88	9,32	2,35	ГОСТ 25395-90
61300530000372	0	T15K6	61372	3391,25	17,23	4,85	ГОСТ 25395-90
61300530000392	0	T15K6	61392	3258,78	34,22	9,48	ГОСТ 25395-90
61300530000412	0	T15K6	61412	3379,41	122,47	32,66	ГОСТ 25395-90
61300530000452	0	T15K6	61452	3311,42	396,31	108,00	ГОСТ 25395-90
61300540000251	0	T15K6	62251	3241,13	39,06	10,71	ГОСТ 25395-90
61300540000271	0	T15K6	62271	3186,92	67,79	18,9	ГОСТ 25395-90
61300540000311	0	T15K6	62311	3385,94	114,85	30,4	ГОСТ 25395-90
61300540000351	0	T15K6	62351	3341,69	198,53	53,6	ГОСТ 25395-90
61300540000451	0	T15K6	62451	3354,2	164,62	43,6	ГОСТ 25395-90
61300540000511	0	T15K6	62511	3322,71	288,94	77,00	ГОСТ 25395-90
61300550000252	0	T15K6	62252	3250,37	36,37	10,1	ГОСТ 25395-90
61300550000272	0	T15K6	62272	3190,98	64,3	18,2	ГОСТ 25395-90
61300550000312	0	T15K6	62312	3391,84	108,74	28,95	ГОСТ 25395-90
61300550000352	0	T15K6	62352	3344,75	189,01	51,02	ГОСТ 25395-90
61300560000010	0	T15K6	49010	3886,35	19,63	4,55	ГОСТ 25423-90
61300560000030	0	T15K6	49030	3950,53	17,66	4,03	ГОСТ 25423-90
61300600000010	0	T15K6	51010	3598,44	9,00	2,22	ГОСТ 20312-90
61300600000030	0	T15K6	51030	3411,58	15,93	4,15	ГОСТ 20312-90
61300600000050	0	T15K6	51050	3342,69	21,23	5,64	ГОСТ 20312-90

61300600000070	0	T15K6		51070	3263,31	33,16	9,00	ГОСТ 20312-90
61300600000090	0	T15K6		51090	3211,12	51,15	14,2	ГОСТ 20312-90
61300600000110	0	T15K6		51110	3434,81	78,38	19,5	ГОСТ 20312-90
61300600000130	0	T15K6		51130	3382,23	119,05	27,00	ГОСТ 20312-90
61300600000150	0	T15K6		51150	3374,63	128,71	33,9	ГОСТ 20312-90
61300620000050	0	T15K6		66050	3424,32	15,2	3,95	ГОСТ 25397-90
61300620000060	0	T15K6		66060	3424,32	15,2	3,95	ГОСТ 25397-90
61300620000090	0	T15K6		66090	3258,78	34,22	9,32	ГОСТ 25397-90
61300620000100	0	T15K6		66100	3258,78	34,22	9,32	ГОСТ 25397-90
61300620000130	0	T15K6		66130	3190,34	64,83	18,1	ГОСТ 25397-90
61300620000140	0	T15K6		66140	3190,34	64,83	18,1	ГОСТ 25397-90
61300620000170	0	T15K6		66170	3387,49	113,18	29,7	ГОСТ 25397-90
61300620000180	0	T15K6		66180	3387,49	113,18	29,7	ГОСТ 25397-90
61300620000270	0	T15K6		66270	3343,47	192,88	51,2	ГОСТ 25397-90
61300620000280	0	T15K6		66280	3343,47	192,88	51,2	ГОСТ 25397-90
61300620000300	0	T15K6		66300	3321,52	297,41	81,00	ГОСТ 25397-90
61300710000330	0	T15K6		67330	3401,33	100,17	26,1	ГОСТ 25426-90
61300710000340	0	T15K6		67340	3401,33	100,17	26,1	ГОСТ 25426-90
61300710000390	0	T15K6		67390	3291,02	27,81	7,51	ГОСТ 25426-90
61300710000400	0	T15K6		67400	3291,02	27,81	7,51	ГОСТ 25426-90
61300710000410	0	T15K6		67410	3210,12	51,68	14,3	ГОСТ 25426-90
61300710000420	0	T15K6		67420	3210,12	51,68	14,3	ГОСТ 25426-90
61300820000051	0	T15K6		70051	3639,25	8,12	1,98	ГОСТ 25396-90
61300820000061	0	T15K6		70061	3639,25	8,12	1,98	ГОСТ 25396-90
61300820000151	0	T15K6		70151	3198,14	58,94	16,4	ГОСТ 25396-90
61300820000161	0	T15K6		70161	3198,14	58,94	16,4	ГОСТ 25396-90
61300820000291	0	T15K6		70291	3316,32	24,18	6,48	ГОСТ 25396-90
61300820000301	0	T15K6		70301	3316,32	24,18	6,48	ГОСТ 25396-90
61300820000311	0	T15K6		70311	3250,37	36,37	9,93	ГОСТ 25396-90
61300820000321	0	T15K6		70321	3250,37	36,37	9,93	ГОСТ 25396-90
61300820000371	0	T15K6		70371	3319,68	311,55	84,00	ГОСТ 25396-90
61300820000381	0	T15K6		70381	3319,68	311,55	84,00	ГОСТ 25396-90
61300820000471	0	T15K6		70471	3316,32	24,18	4,56	ГОСТ 25396-90
61300820000481	0	T15K6		70481	3316,32	24,18	4,56	ГОСТ 25396-90
61300820000491	0	T15K6		70491	3258,78	34,22	9,36	ГОСТ 25396-90
61300820000501	0	T15K6		70501	3258,78	34,22	9,36	ГОСТ 25396-90
61300820000511	0	T15K6		70511	3184,36	70,18	19,6	ГОСТ 25396-90
61300820000521	0	T15K6		70521	3184,36	70,18	19,6	ГОСТ 25396-90
61300820000531	0	T15K6		70531	3395,22	105,52	27,7	ГОСТ 25396-90
61300820000541	0	T15K6		70541	3395,22	105,52	27,7	ГОСТ 25396-90
61300820000551	0	T15K6		70551	3381,24	120,24	31,6	ГОСТ 25396-90
61300820000561	0	T15K6		70561	3381,24	120,24	31,6	ГОСТ 25396-90
61300820000571	0	T15K6		70571	3336,91	215,5	61,9	ГОСТ 25396-90
61300820000581	0	T15K6		70581	3336,91	215,5	61,9	ГОСТ 25396-90
61300820000591	0	T15K6		70591	3334,8	223,97	60,00	ГОСТ 25396-90
61300820000601	0	T15K6		70601	3334,8	223,97	60,00	ГОСТ 25396-90
61300820000611	0	T15K6		70611	3311,42	396,31	106,00	ГОСТ 25396-90
61300820000621	0	T15K6		70621	3311,42	396,31	106,00	ГОСТ 25396-90
61301620000011	0	T15K6		13011	4992,25	5,69	0,96	ГОСТ 17163-90
61301620000031	0	T15K6		13031	5130,53	5,03	0,96	ГОСТ 17163-90
61301620000051	0	T15K6		13051	3654,42	7,82	1,93	ГОСТ 17163-90
61301620000071	0	T15K6		13071	3661,44	7,69	1,9	ГОСТ 17163-90
61301620000131	0	T15K6		13131	3458,23	13,52	3,53	ГОСТ 17163-90
61301620000151	0	T15K6		13151	3463,26	13,3	3,47	ГОСТ 17163-90
61301620000171	0	T15K6		13171	3339,26	21,57	5,83	ГОСТ 17163-90
61301620000191	0	T15K6		13191	3408,58	94,49	24,6	ГОСТ 17163-90
61301620000351	0	T15K6		13351	3342,69	21,23	5,73	ГОСТ 17163-90
61301620000371	0	T15K6		13371	3234,65	41,18	11,5	ГОСТ 17163-90
61301620000391	0	T15K6		13391	3236,96	40,4	11,26	ГОСТ 17163-90
61301620000411	0	T15K6		13411	3184,71	69,84	19,8	ГОСТ 17163-90
61301620000431	0	T15K6		13431	3186,37	68,28	19,35	ГОСТ 17163-90
61301620000451	0	T15K6		13451	3383,99	117,02	31,22	ГОСТ 17163-90
61301620000471	0	T15K6		13471	3386,51	114,23	30,45	ГОСТ 17163-90
61301630000492	0	T15K6		13492	5228,9	4,6	0,96	ГОСТ 17163-90
61301630000512	0	T15K6		13512	4930,58	6,02	1,25	ГОСТ 17163-90
61301630000532	0	T15K6		13532	4535,15	8,71	1,95	ГОСТ 17163-90
61301630000552	0	T15K6		13552	4342,5	10,64	2,42	ГОСТ 17163-90
61301630000572	0	T15K6		13572	4093,03	14,37	3,46	ГОСТ 17163-90
61301630000592	0	T15K6		13592	3821,18	22,09	5,8	ГОСТ 17163-90
61301630000612	0	T15K6		13612	3604,28	37,23	10,00	ГОСТ 17163-90
61301630000632	0	T15K6		13632	3487,96	58,25	14,8	ГОСТ 17163-90
61301630000652	0	T15K6		13652	3423,01	84,89	22,1	ГОСТ 17163-90
61301920008203	0	T15K6	2005-8203		4942,89	14,33	2,9	ТУ 48-19-64-91
61301920008204	0	T15K6	2005-8204		4711,64	36,28	7,7	ТУ 48-19-64-91
61301920008205	0	T15K6	2005-8205		4590,9	62,44	13,6	ТУ 48-19-64-91
61301920008208	0	T15K6	2005-8208		4706,61	37,04	7,7	ТУ 48-19-64-91
61302010008751	0	T15K6	2005-8751		0,00	0,00	1,09	ТУ 48-19-64-91

61302690000130	0	T15K6		11130	5315,47	4,25	0,77	ГОСТ 25398-90
61302690000150	0	T15K6		11150	4751,72	7,08	1,35	ГОСТ 25398-90
61302690000170	0	T15K6		11170	4327,34	10,82	2,27	ГОСТ 25398-90
61302690000190	0	T15K6		11190	4029,93	15,68	3,75	ГОСТ 25398-90
61302690000210	0	T15K6		11210	3687,05	29,57	7,6	ГОСТ 25398-90
61302690000230	0	T15K6		11230	3509,23	52,81	13,5	ГОСТ 25398-90
61303110000065	0	T15K6	3001-0065		0,00	0,00	15,6	ГОСТ 13834-77
61303113000065	0	T15K6	3001-0065*3		0,00	0,00	23,36	ГОСТ 13834-77
61303520110304	0	T15K6	01111-110304		5722,47	10,53	1,89	ГОСТ 19043-80
61303520110308	0	T15K6	01111-110308		5722,47	10,53	1,85	ГОСТ 19043-80
61303520160304	0	T15K6	01111-160304		5657,5	23,48	4,26	ГОСТ 19043-80
61303520160308	0	T15K6	01111-160308		5657,5	23,48	4,22	ГОСТ 19043-80
61303520160312	0	T15K6	01111-160312		5657,5	23,48	4,17	ГОСТ 19043-80
61303520160404	0	T15K6	01111-160404		0,00	0,00	6,38	ГОСТ 19043-80
61303520160408	0	T15K6	01111-160408		5609,01	34,89	6,32	ГОСТ 19043-80
61303520160412	0	T15K6	01111-160412		5609,01	34,89	6,23	ГОСТ 19043-80
61303520220404	0	T15K6	01111-220404		5519,63	61,49	11,4	ГОСТ 19043-80
61303520220412	0	T15K6	01111-220412		5519,63	61,49	11,2	ГОСТ 19043-80
61303530160304	0	T15K6	01131-160304		7739,99	32,12	4,26	ГОСТ 19043-80
61303530160308	0	T15K6	01131-160308		0,00	0,00	4,22	ГОСТ 19043-80
61303530160312	0	T15K6	01131-160312		7739,99	32,12	4,17	ГОСТ 19043-80
61303530160408	0	T15K6	01131-160408		7609,07	47,33	6,32	ГОСТ 19043-80
61303530220408	0	T15K6	01131-220408		7367,73	82,08	9,61	ГОСТ 19043-80
61303530220412	0	T15K6	01131-220412		7367,73	82,08	11,2	ГОСТ 19043-80
61303540110304	0	T15K6	01113-110304		5759,53	4,09	0,74	ГОСТ 19044-80
61303540110308	0	T15K6	01113-110308		5759,53	4,09	0,71	ГОСТ 19044-80
61303540160308	0	T15K6	01113-160308		5667,85	21,25	3,81	ГОСТ 19044-80
61303540160312	0	T15K6	01113-160312		5667,85	21,25	3,75	ГОСТ 19044-80
61303540160404	0	T15K6	01113-160404		5622,26	31,6	5,76	ГОСТ 19044-80
61303540160408	0	T15K6	01113-160408		5622,26	31,6	5,71	ГОСТ 19044-80
61303540160412	0	T15K6	01113-160412		5622,26	31,6	5,62	ГОСТ 19044-80
61303540220408	0	T15K6	01113-220408		5538,06	55,27	10,2	ГОСТ 19044-80
61303540220412	0	T15K6	01113-220412		5538,06	55,27	10,1	ГОСТ 19044-80
61303540220416	0	T15K6	01113-220416		5538,06	55,27	9,95	ГОСТ 19044-80
61303540270612	0	T15K6	01113-270612		5629,4	116,3	21,2	ГОСТ 19044-80
61303540270616	0	T15K6	01113-270616		5629,4	116,3	21,00	ГОСТ 19044-80
61303550110308	0	T15K6	01123-110308		6664,96	4,73	0,71	ГОСТ 19044-80
61303550160408	0	T15K6	01123-160408		6439,45	36,19	5,71	ГОСТ 19044-80
61303550160412	0	T15K6	01123-160412		6439,45	36,19	5,62	ГОСТ 19044-80
61303550220408	0	T15K6	01123-220408		6301,13	62,89	10,2	ГОСТ 19044-80
61303550220412	0	T15K6	01123-220412		6301,13	62,89	10,1	ГОСТ 19044-80
61303550220416	0	T15K6	01123-220416		6301,13	62,89	9,95	ГОСТ 19044-80
61303550270612	0	T15K6	01123-270612		6087,62	125,77	21,2	ГОСТ 19044-80
61303550270616	0	T15K6	01123-270616		6087,62	125,77	21,00	ГОСТ 19044-80
61303560160408	0	T15K6	01133-160408		7644,84	42,96	5,71	ГОСТ 19044-80
61303560160412	0	T15K6	01133-160412		7644,84	42,96	5,62	ГОСТ 19044-80
61303560220408	0	T15K6	01133-220408		7417,5	74,03	10,2	ГОСТ 19044-80
61303560220412	0	T15K6	01133-220412		7417,5	74,03	10,1	ГОСТ 19044-80
61303560220416	0	T15K6	01133-220416		7417,5	74,03	9,95	ГОСТ 19044-80
61303560270616	0	T15K6	01133-270616		7066,61	146,00	21,00	ГОСТ 19044-80
61303570110304	0	T15K6	01311-110304		6620,67	10,06	1,55	ГОСТ 19045-80
61303570110308	0	T15K6	01311-110308		6620,67	10,06	1,53	ГОСТ 19045-80
61303570160300	0	T15K6	01311-160300		6517,38	23,98	3,76	ГОСТ 19045-80
61303570160304	0	T15K6	01311-160304		6517,38	23,98	3,74	ГОСТ 19045-80
61303570160308	0	T15K6	01311-160308		6517,38	23,98	3,72	ГОСТ 19045-80
61303570160312	0	T15K6	01311-160312		6517,38	23,98	3,68	ГОСТ 19045-80
61303570220408	0	T15K6	01311-220408		6313,79	60,11	9,76	ГОСТ 19045-80
61303570220412	0	T15K6	01311-220412		6313,79	60,11	9,71	ГОСТ 19045-80
61303570220416	0	T15K6	01311-220416		6313,79	60,11	9,59	ГОСТ 19045-80
61303570270616	0	T15K6	01311-270616		6341,9	124,68	20,00	ГОСТ 19045-80
61303580110300	0	T15K6	01331-110300		7942,66	12,07	1,55	ГОСТ 19045-80
61303580110304	0	T15K6	01331-110304		7942,66	12,07	1,55	ГОСТ 19045-80
61303580110308	0	T15K6	01331-110308		7942,66	12,07	1,53	ГОСТ 19045-80
61303580160300	0	T15K6	01331-160300		7772,9	28,6	3,76	ГОСТ 19045-80
61303580160304	0	T15K6	01331-160304		7772,9	28,6	3,74	ГОСТ 19045-80
61303580160308	0	T15K6	01331-160308		7772,9	28,6	3,72	ГОСТ 19045-80
61303580160312	0	T15K6	01331-160312		7772,9	28,6	3,68	ГОСТ 19045-80
61303580160408	0	T15K6	01331-160408		7676,59	39,23	5,22	ГОСТ 19045-80
61303580220408	0	T15K6	01331-220408		7438,31	70,81	9,76	ГОСТ 19045-80
61303580220412	0	T15K6	01331-220412		7438,31	70,81	9,71	ГОСТ 19045-80
61303590160304	0	T15K6	01114-160304		5948,1	21,00	3,65	ГОСТ 19046-80
61303590160308	0	T15K6	01114-160308		5948,1	21,00	3,59	ГОСТ 19046-80
61303590160312	0	T15K6	01114-160312		5948,1	21,00	3,53	ГОСТ 19046-80
61303590160404	0	T15K6	01114-160404		5892,41	31,82	5,55	ГОСТ 19046-80
61303590160408	0	T15K6	01114-160408		5892,41	31,82	5,49	ГОСТ 19046-80
61303590160412	0	T15K6	01114-160412		5892,41	31,82	5,4	ГОСТ 19046-80
61303590220404	0	T15K6	01114-220404		5794,6	55,16	9,73	ГОСТ 19046-80

61303590220408	0	T15K6	01114-220408	5794,6	55,16	9,7	ГОСТ 19046-80
61303590220412	0	T15K6	01114-220412	5794,6	55,16	9,61	ГОСТ 19046-80
61303590220416	0	T15K6	01114-220416	5794,6	55,16	9,49	ГОСТ 19046-80
61303590270612	0	T15K6	01114-270612	5637,85	112,14	20,2	ГОСТ 19046-80
61303590270616	0	T15K6	01114-270616	5637,85	112,14	20,1	ГОСТ 19046-80
61303600160304	0	T15K6	01124-160304	6523,94	23,03	3,65	ГОСТ 19046-80
61303600160308	0	T15K6	01124-160308	6523,94	23,03	3,59	ГОСТ 19046-80
61303600160312	0	T15K6	01124-160312	6523,94	23,03	3,53	ГОСТ 19046-80
61303600160404	0	T15K6	01124-160404	6447,69	34,82	5,55	ГОСТ 19046-80
61303600160408	0	T15K6	01124-160408	6447,69	34,82	5,49	ГОСТ 19046-80
61303600160412	0	T15K6	01124-160412	6447,69	34,82	5,4	ГОСТ 19046-80
61303600220404	0	T15K6	01124-220404	6313,79	60,11	9,73	ГОСТ 19046-80
61303600220408	0	T15K6	01124-220408	6313,79	60,11	9,7	ГОСТ 19046-80
61303600220412	0	T15K6	01124-220412	6313,79	60,11	9,61	ГОСТ 19046-80
61303600220416	0	T15K6	01124-220416	6313,79	60,11	9,49	ГОСТ 19046-80
61303600270612	0	T15K6	01124-270612	6099,19	121,31	20,2	ГОСТ 19046-80
61303600270616	0	T15K6	01124-270616	6099,19	121,31	20,1	ГОСТ 19046-80
61303610080408	0	T15K6	02113-080408	5578,4	43,07	7,81	ГОСТ 19047-80
61303610100612	0	T15K6	02113-100612	5405,08	113,51	16,3	ГОСТ 19047-80
61303620060304	0	T15K6	02114-060304	5971,98	16,78	2,87	ГОСТ 19048-80
61303620060308	0	T15K6	02114-060308	5971,98	16,78	2,85	ГОСТ 19048-80
61303620060404	0	T15K6	02114-060404	5923,23	25,65	4,4	ГОСТ 19048-80
61303620080404	0	T15K6	02114-080404	5840,54	43,4	7,57	ГОСТ 19048-80
61303620080408	0	T15K6	02114-080408	5840,54	43,4	7,56	ГОСТ 19048-80
61303620100408	0	T15K6	02114-100408	5757,78	65,87	11,7	ГОСТ 19048-80
61303620100412	0	T15K6	02114-100412	5757,78	65,87	11,6	ГОСТ 19048-80
61303620100608	0	T15K6	02114-100608	5692,89	88,3	15,8	ГОСТ 19048-80
61303620100612	0	T15K6	02114-100612	5692,89	88,3	15,7	ГОСТ 19048-80
61303620120612	0	T15K6	02114-120612	5617,36	122,51	22,2	ГОСТ 19048-80
61303630090304	0	T15K6	03111-090304	5681,83	18,35	3,28	ГОСТ 19049-80
61303630090308	0	T15K6	03111-090308	5681,83	18,35	3,27	ГОСТ 19049-80
61303630120304	0	T15K6	03111-120304	5619,79	32,2	5,84	ГОСТ 19049-80
61303630120308	0	T15K6	03111-120308	5619,79	32,2	5,83	ГОСТ 19049-80
61303630120312	0	T15K6	03111-120312	5619,79	32,2	5,8	ГОСТ 19049-80
61303630120316	0	T15K6	03111-120316	5619,79	32,2	5,77	ГОСТ 19049-80
61303630120408	0	T15K6	03111-120408	5561,94	47,83	8,72	ГОСТ 19049-80
61303630120412	0	T15K6	03111-120412	5561,94	47,83	8,69	ГОСТ 19049-80
61303630120424	0	T15K6	03111-120424	5561,94	47,83	8,66	ГОСТ 19049-80
61303630150408	0	T15K6	03111-150408	5487,93	73,32	13,6	ГОСТ 19049-80
61303630150412	0	T15K6	03111-150412	5487,93	73,32	13,6	ГОСТ 19049-80
61303630150416	0	T15K6	03111-150416	5487,93	73,32	13,6	ГОСТ 19049-80
61303630190412	0	T15K6	03111-190412	5420,92	104,52	19,6	ГОСТ 19049-80
61303630190416	0	T15K6	03111-190416	5420,92	104,52	19,6	ГОСТ 19049-80
61303640090304	0	T15K6	03131-090304	7805,67	25,21	3,28	ГОСТ 19049-80
61303640120304	0	T15K6	03131-120304	7638,15	43,77	5,84	ГОСТ 19049-80
61303640120312	0	T15K6	03131-120312	7638,15	43,77	5,8	ГОСТ 19049-80
61303640120408	0	T15K6	03131-120408	7481,96	64,34	8,72	ГОСТ 19049-80
61303640120412	0	T15K6	03131-120412	7481,96	64,34	8,69	ГОСТ 19049-80
61303640120424	0	T15K6	03131-120424	7481,96	64,34	8,66	ГОСТ 19049-80
61303640150408	0	T15K6	03131-150408	7282,15	97,29	13,6	ГОСТ 19049-80
61303640150412	0	T15K6	03131-150412	7282,15	97,29	13,6	ГОСТ 19049-80
61303640190416	0	T15K6	03131-190416	7362,83	141,96	19,6	ГОСТ 19049-80
61303650090304	0	T15K6	03311-090304	6861,82	19,42	2,88	ГОСТ 19050-80
61303650090308	0	T15K6	03311-090308	6861,82	19,42	2,87	ГОСТ 19050-80
61303650120304	0	T15K6	03311-120304	6455,31	33,57	5,29	ГОСТ 19050-80
61303650120308	0	T15K6	03311-120308	6455,31	33,57	5,29	ГОСТ 19050-80
61303650120312	0	T15K6	03311-120312	6455,31	33,57	5,27	ГОСТ 19050-80
61303650120408	0	T15K6	03311-120408	6366,13	49,4	7,9	ГОСТ 19050-80
61303650150408	0	T15K6	03311-150408	6252,2	74,4	12,1	ГОСТ 19050-80
61303650150412	0	T15K6	03311-150412	6252,2	74,4	12,1	ГОСТ 19050-80
61303650190408	0	T15K6	03311-190408	6382,32	111,75	17,1	ГОСТ 19050-80
61303650190412	0	T15K6	03311-190412	6382,32	111,75	17,8	ГОСТ 19050-80
61303650190416	0	T15K6	03311-190416	6382,32	111,75	17,8	ГОСТ 19050-80
61303650250616	0	T15K6	03311-250616	6091,59	252,68	42,2	ГОСТ 19050-80
61303660090300	0	T15K6	03331-090300	7835,87	22,18	2,88	ГОСТ 19050-80
61303660090304	0	T15K6	03331-090304	7835,87	22,18	2,88	ГОСТ 19050-80
61303660090308	0	T15K6	03331-090308	7835,87	22,18	2,87	ГОСТ 19050-80
61303660120300	0	T15K6	03331-120300	7670,89	39,89	5,3	ГОСТ 19050-80
61303660120304	0	T15K6	03331-120304	7670,89	39,89	5,29	ГОСТ 19050-80
61303660120308	0	T15K6	03331-120308	7670,89	39,89	5,29	ГОСТ 19050-80
61303660120312	0	T15K6	03331-120312	7670,89	39,89	5,27	ГОСТ 19050-80
61303660120408	0	T15K6	03331-120408	7524,33	58,39	7,9	ГОСТ 19050-80
61303660150412	0	T15K6	03331-150412	7337,09	87,31	12,1	ГОСТ 19050-80
61303660150416	0	T15K6	03331-150416	7337,09	87,31	12,1	ГОСТ 19050-80
61303660190400	0	T15K6	03331-190400	7149,32	125,18	17,8	ГОСТ 19050-80
61303660190408	0	T15K6	03331-190408	7149,32	125,18	17,1	ГОСТ 19050-80
61303660190412	0	T15K6	03331-190412	7149,32	125,18	17,8	ГОСТ 19050-80

61303670120408	0	T15K6	03113-120408	5583,47	41,65	7,59	ГОСТ 19051-80
61303670120412	0	T15K6	03113-120412	5583,47	41,65	7,55	ГОСТ 19051-80
61303670150412	0	T15K6	03113-150412	5511,66	64,32	11,9	ГОСТ 19051-80
61303670150416	0	T15K6	03113-150416	5511,66	64,32	11,8	ГОСТ 19051-80
61303670190616	0	T15K6	03113-190616	5396,8	118,51	22,5	ГОСТ 19051-80
61303670250716	0	T15K6	03113-250716	5441,8	278,35	52,2	ГОСТ 19051-80
61303680120412	0	T15K6	03123-120412	6375,72	47,56	7,55	ГОСТ 19051-80
61303690140412	0	T15K6	03133-140412	7452,24	68,71	9,6	ГОСТ 19051-80
61303700090304	0	T15K6	03114-090304	5975,76	16,13	2,75	ГОСТ 19052-80
61303700090308	0	T15K6	03114-090308	5975,76	16,13	2,74	ГОСТ 19052-80
61303700120404	0	T15K6	03114-120404	5848,2	41,58	7,23	ГОСТ 19052-80
61303700120408	0	T15K6	03114-120408	5848,2	41,58	7,23	ГОСТ 19052-80
61303700120412	0	T15K6	03114-120412	5848,2	41,58	7,2	ГОСТ 19052-80
61303700150412	0	T15K6	03114-150412	5764,7	63,76	11,3	ГОСТ 19052-80
61303700150416	0	T15K6	03114-150416	5764,7	63,76	11,2	ГОСТ 19052-80
61303700190612	0	T15K6	03114-190612	5623,66	119,22	21,6	ГОСТ 19052-80
61303700190616	0	T15K6	03114-190616	5623,66	119,22	21,5	ГОСТ 19052-80
61303700190624	0	T15K6	03114-190624	5623,66	119,22	21,2	ГОСТ 19052-80
61303700250716	0	T15K6	03114-250716	5645,72	274,44	49,6	ГОСТ 19052-80
61303700250724	0	T15K6	03114-250724	5645,72	274,44	49,4	ГОСТ 19052-80
61303710090304	0	T15K6	03124-090304	6561,81	17,72	2,75	ГОСТ 19052-80
61303710090308	0	T15K6	03124-090308	6561,81	17,72	2,74	ГОСТ 19052-80
61303710120404	0	T15K6	03124-120404	6387,18	45,41	7,23	ГОСТ 19052-80
61303710120408	0	T15K6	03124-120408	6387,18	45,41	7,23	ГОСТ 19052-80
61303710120412	0	T15K6	03124-120412	6387,18	45,41	7,2	ГОСТ 19052-80
61303710150412	0	T15K6	03124-150412	6272,86	69,38	11,3	ГОСТ 19052-80
61303710150416	0	T15K6	03124-150416	6272,86	69,38	11,2	ГОСТ 19052-80
61303710150612	0	T15K6	03124-150612	6189,55	91,3	15,07	ГОСТ 19052-80
61303710190612	0	T15K6	03124-190612	6315,53	133,89	21,6	ГОСТ 19052-80
61303710190616	0	T15K6	03124-190616	6315,53	133,89	21,5	ГОСТ 19052-80
61303710190624	0	T15K6	03124-190624	6315,53	133,89	21,2	ГОСТ 19052-80
61303710250724	0	T15K6	03124-250724	6248,23	303,73	49,4	ГОСТ 19052-80
61303770090304	0	T15K6	05113-090304	5694,44	15,83	2,87	ГОСТ 19057-80
61303770120408	0	T15K6	05113-120408	5584,65	41,33	7,59	ГОСТ 19057-80
61303770120412	0	T15K6	05113-120412	5543,4	53,55	7,55	ГОСТ 19057-80
61303770160412	0	T15K6	05113-160412	5513,29	63,73	11,9	ГОСТ 19057-80
61303770190612	0	T15K6	05113-190612	5615,33	123,59	22,6	ГОСТ 19057-80
61303780120408	0	T15K6	05123-120408	6046,06	58,71	7,59	ГОСТ 19057-80
61303780160412	0	T15K6	05123-160412	7774,92	118,18	11,9	ГОСТ 19057-80
61303810090304	0	T15K6	05114-090304	5976,45	16,02	2,74	ГОСТ 19059-80
61303810090308	0	T15K6	05114-090308	5976,45	16,02	2,73	ГОСТ 19059-80
61303810120404	0	T15K6	05114-120404	5847,72	41,69	7,27	ГОСТ 19059-80
61303810120408	0	T15K6	05114-120408	5847,72	41,69	7,24	ГОСТ 19059-80
61303810120412	0	T15K6	05114-120412	5847,72	41,69	7,21	ГОСТ 19059-80
61303810160412	0	T15K6	05114-160412	5763,23	64,2	11,3	ГОСТ 19059-80
61303810160416	0	T15K6	05114-160416	5763,23	64,2	11,3	ГОСТ 19059-80
61303810190608	0	T15K6	05114-190608	5623,66	119,22	21,6	ГОСТ 19059-80
61303810190612	0	T15K6	05114-190612	5623,66	119,22	21,6	ГОСТ 19059-80
61303810190616	0	T15K6	05114-190616	5623,66	119,22	21,5	ГОСТ 19059-80
61303810190624	0	T15K6	05114-190624	5623,66	119,22	21,3	ГОСТ 19059-80
61303820090304	0	T15K6	05124-090304	6562,75	17,59	2,74	ГОСТ 19059-80
61303820090308	0	T15K6	05124-090308	6562,75	17,59	2,73	ГОСТ 19059-80
61303820120404	0	T15K6	05124-120404	6386,51	45,54	7,24	ГОСТ 19059-80
61303820120408	0	T15K6	05124-120408	6386,51	45,54	7,24	ГОСТ 19059-80
61303820120412	0	T15K6	05124-120412	6386,51	45,54	7,21	ГОСТ 19059-80
61303820160416	0	T15K6	05124-160416	6270,85	69,86	11,3	ГОСТ 19059-80
61303820190608	0	T15K6	05124-190608	6315,53	133,89	21,6	ГОСТ 19059-80
61303820190612	0	T15K6	05124-190612	6315,53	133,89	21,6	ГОСТ 19059-80
61303820190616	0	T15K6	05124-190616	6315,53	133,89	21,5	ГОСТ 19059-80
61303820190624	0	T15K6	05124-190624	6315,53	133,89	21,3	ГОСТ 19059-80
61303851704051	0	T15K6	08116-170405-130	7227,99	55,37	7,97	ГОСТ 19062-80
61303851704101	0	T15K6	08116-170410-130	7227,99	55,37	7,9	ГОСТ 19062-80
61303851704151	0	T15K6	08116-170415-130	6039,94	60,22	7,79	ГОСТ 19062-80
61303851906051	0	T15K6	08116-190605-130	7053,1	84,5	12,4	ГОСТ 19062-80
61303851906101	0	T15K6	08116-190610-130	7053,1	84,5	12,3	ГОСТ 19062-80
61303851906102	0	T15K6	08116-190610-136	7053,1	84,5	12,3	ГОСТ 19062-80
61303851906151	0	T15K6	08116-190615-130	7053,1	84,5	12,1	ГОСТ 19062-80
61303851906152	0	T15K6	08116-190615-136	7053,1	84,5	12,2	ГОСТ 19062-80
61303860060312	0	T15K6	10111-060312	5690,18	16,67	2,96	ГОСТ 19063-80
61303860090408	0	T15K6	10111-090408	5576,29	43,66	7,93	ГОСТ 19063-80
61303860090412	0	T15K6	10111-090412	5576,29	43,66	9,71	ГОСТ 19063-80
61303860130412	0	T15K6	10111-130412	5437,9	95,65	17,8	ГОСТ 19063-80
61303870060312	0	T15K6	10131-060312	7828,22	22,94	2,96	ГОСТ 19063-80
61303870090412	0	T15K6	10131-090412	7520,7	58,89	9,71	ГОСТ 19063-80
61303870130416	0	T15K6	10131-130416	7147,05	125,72	17,8	ГОСТ 19063-80
61303880110408	0	T15K6	10113-110408	5529,31	58,17	10,7	ГОСТ 19064-80
61303880130412	0	T15K6	10113-130412	5468,31	81,48	15,2	ГОСТ 19064-80

61303880130612	0	T15K6	10113-130612	5415,15	107,71	20,2	ГОСТ 19064-80
61303880160612	0	T15K6	10113-160612	5350,65	151,21	28,8	ГОСТ 19064-80
61303890110408	0	T15K6	10123-110408	6286,74	66,14	10,7	ГОСТ 19064-80
61303890130412	0	T15K6	10123-130412	6186,54	92,18	15,2	ГОСТ 19064-80
61303890130612	0	T15K6	10123-130612	6099,19	121,31	20,2	ГОСТ 19064-80
61303890160612	0	T15K6	10123-160612	5993,24	169,37	28,8	ГОСТ 19064-80
61303900110408	0	T15K6	10153-110408	7688,00	80,88	10,7	ГОСТ 19064-80
61303900110416	0	T15K6	10153-110416	7688,00	80,88	10,6	ГОСТ 19064-80
61303900130412	0	T15K6	10153-130412	7505,01	111,82	15,2	ГОСТ 19064-80
61303900130420	0	T15K6	10153-130420	7505,01	111,82	15,1	ГОСТ 19064-80
61303900130612	0	T15K6	10153-130612	7345,51	146,1	20,2	ГОСТ 19064-80
61303910110408	0	T15K6	10114-110408	5788,33	56,9	10,00	ГОСТ 19065-80
61303910110416	0	T15K6	10114-110416	5788,33	56,9	9,96	ГОСТ 19065-80
61303910130412	0	T15K6	10114-130412	5716,69	79,46	14,1	ГОСТ 19065-80
61303910130420	0	T15K6	10114-130420	5716,69	79,46	14,1	ГОСТ 19065-80
61303910130612	0	T15K6	10114-130612	5649,32	106,72	19,2	ГОСТ 19065-80
61303910130620	0	T15K6	10114-130620	5649,32	106,72	19,1	ГОСТ 19065-80
61303910160612	0	T15K6	10114-160612	5572,53	148,95	27,2	ГОСТ 19065-80
61303920110408	0	T15K6	10124-110408	6574,31	64,63	10,00	ГОСТ 19065-80
61303920110416	0	T15K6	10124-110416	6574,31	64,63	9,96	ГОСТ 19065-80
61303920130412	0	T15K6	10124-130412	6461,73	89,82	14,1	ГОСТ 19065-80
61303920130420	0	T15K6	10124-130420	6461,73	89,82	14,1	ГОСТ 19065-80
61303920130612	0	T15K6	10124-130612	6355,86	120,06	19,2	ГОСТ 19065-80
61303920130620	0	T15K6	10124-130620	6355,86	120,06	19,1	ГОСТ 19065-80
61303920160612	0	T15K6	10124-160612	6235,19	166,67	27,2	ГОСТ 19065-80
61303960090408	0	T15K6	11114-090408	5796,03	54,77	9,59	ГОСТ 19068-80
61303960110412	0	T15K6	11114-110412	5726,32	76,1	13,5	ГОСТ 19068-80
61303960110612	0	T15K6	11114-110612	5600,82	131,62	18,3	ГОСТ 19068-80
61303960120612	0	T15K6	11114-120612	5581,55	143,17	26,1	ГОСТ 19068-80
61303990150400	0	T15K6	12133-150400	7769,2	69,22	9,02	ГОСТ 19070-80
61304000090300	0	T15K6	12114-090300	6000,71	12,00	2,03	ГОСТ 19071-80
61304000120300	0	T15K6	12114-120300	5949,71	20,7	3,54	ГОСТ 19071-80
61304000120400	0	T15K6	12114-120400	5893,51	31,59	5,45	ГОСТ 19071-80
61304000150400	0	T15K6	12114-150400	5819,04	48,71	8,49	ГОСТ 19071-80
61304000150600	0	T15K6	12114-150600	5761,95	64,59	11,4	ГОСТ 19071-80
61304000190600	0	T15K6	12114-190600	5904,96	101,15	17,4	ГОСТ 19071-80
61304000220600	0	T15K6	12114-220600	5840,75	127,85	22,2	ГОСТ 19071-80
61304000250700	0	T15K6	12114-250700	5697,77	220,1	39,3	ГОСТ 19071-80
61304020120400	0	T15K6	12124-120400	6739,59	36,12	5,45	ГОСТ 19071-80
61304020150400	0	T15K6	12124-150400	6622,56	55,43	8,49	ГОСТ 19071-80
61304030150400	0	T15K6	12113-150400	5556,38	49,51	9,02	ГОСТ 19070-80
61304030150600	0	T15K6	12113-150600	5509,31	65,18	12,00	ГОСТ 19070-80
61304101704102	0	T15K6	08116-170410-236	7227,99	55,37	7,94	ГОСТ 19062-80
61304101906051	0	T15K6	08116-190605-230	7053,1	84,5	12,4	ГОСТ 19062-80
61304101906101	0	T15K6	08116-190610-230	7053,1	84,5	12,3	ГОСТ 19062-80
61304101906102	0	T15K6	08116-190610-236	7053,1	84,5	12,3	ГОСТ 19062-80
61304101906151	0	T15K6	08116-190615-230	7053,1	84,5	12,1	ГОСТ 19062-80
61304101906152	0	T15K6	08116-190615-236	7053,1	84,5	12,2	ГОСТ 19062-80
61304430150612	0	T15K6	13123-150612	6569,62	65,56	9,93	ГОСТ 24255-80
61304710150416	0	T15K6	031.4-150416	6272,86	69,38	11,2	ГОСТ 19052-80
61320020110308	0	T15K6	3-01111-110308	5321,52	11,44	2,15	OCT 48-93-81
61320020160304	0	T15K6	3-01111-160304	5277,81	24,07	4,56	OCT 48-93-81
61320020160308	0	T15K6	3-01111-160308	5277,81	24,07	4,52	OCT 48-93-81
61320020160408	0	T15K6	3-01111-160408	5249,1	33,86	6,62	OCT 48-93-81
61320020220416	0	T15K6	3-01111-220416	5190,58	59,02	11,4	OCT 48-93-81
61320020270612	0	T15K6	3-01111-270612	5102,09	120,66	23,8	OCT 48-93-81
61320020270616	0	T15K6	3-01111-270616	5102,09	120,66	25,00	OCT 48-93-81
61320030160408	0	T15K6	3-01131-160408	5249,1	33,86	6,62	OCT 48-93-81
61320030220412	0	T15K6	3-01131-220412	5190,58	59,02	11,5	OCT 48-93-81
61320040110308	0	T15K6	3-01311-110308	5679,67	9,94	1,83	OCT 48-93-81
61320040160304	0	T15K6	3-01311-160304	5625,2	22,05	4,04	OCT 48-93-81
61320040160308	0	T15K6	3-01311-160308	5625,2	22,05	4,02	OCT 48-93-81
61320040160312	0	T15K6	3-01311-160312	5625,2	22,05	3,98	OCT 48-93-81
61320040220408	0	T15K6	3-01311-220408	5513,67	55,47	10,06	OCT 48-93-81
61320040220412	0	T15K6	3-01311-220412	5513,67	55,47	10,01	OCT 48-93-81
61320050110300	0	T15K6	3-01331-110300	5329,51	9,38	1,85	OCT 48-93-81
61320050110304	0	T15K6	3-01331-110304	5329,51	9,38	1,85	OCT 48-93-81
61320050160300	0	T15K6	3-01331-160300	5288,56	20,73	4,06	OCT 48-93-81
61320050160304	0	T15K6	3-01331-160304	5288,56	20,73	4,04	OCT 48-93-81
61320050160408	0	T15K6	3-01331-160408	5264,37	28,48	5,52	OCT 48-93-81
61320050220408	0	T15K6	3-01331-220408	5205,39	51,85	10,06	OCT 48-93-81
61320050220412	0	T15K6	3-01331-220412	5205,39	51,85	10,01	OCT 48-93-81
61320060110304	0	T15K6	3-01113-110304	5350,9	4,17	0,8	OCT 48-93-81
61320060160308	0	T15K6	3-01113-160308	5286,67	21,31	4,11	OCT 48-93-81
61320060160408	0	T15K6	3-01113-160408	5256,58	31,17	6,01	OCT 48-93-81
61320060220408	0	T15K6	3-01113-220408	5202,66	53,12	10,5	OCT 48-93-81
61320060220412	0	T15K6	3-01113-220412	5202,66	53,12	10,4	OCT 48-93-81

61320060220424	0	T15K6	3-01113-220424	5202,66	53,12	10,06	OCT 48-93-81
61320070220416	0	T15K6	3-01123-220416	5829,97	59,52	10,25	OCT 48-93-81
61320070270616	0	T15K6	3-01123-270616	5686,93	118,8	21,3	OCT 48-93-81
61320090160304	0	T15K6	3-01114-160304	5626,8	21,66	3,95	OCT 48-93-81
61320090160308	0	T15K6	3-01114-160308	5626,8	21,66	3,89	OCT 48-93-81
61320090160312	0	T15K6	3-01114-160312	5626,8	21,66	3,83	OCT 48-93-81
61320090160404	0	T15K6	3-01114-160404	5588,37	31,57	5,85	OCT 48-93-81
61320090160408	0	T15K6	3-01114-160408	5588,37	31,57	5,79	OCT 48-93-81
61320090220404	0	T15K6	3-01114-220404	5515,85	54,66	10,03	OCT 48-93-81
61320090220408	0	T15K6	3-01114-220408	5515,85	54,66	10,00	OCT 48-93-81
61320090220412	0	T15K6	3-01114-220412	5515,85	54,66	9,91	OCT 48-93-81
61320090220416	0	T15K6	3-01114-220416	5515,85	54,66	9,79	OCT 48-93-81
61320090270612	0	T15K6	3-01114-270612	5404,72	108,74	20,5	OCT 48-93-81
61320090270616	0	T15K6	3-01114-270616	5404,72	108,74	20,4	OCT 48-93-81
61320100160312	0	T15K6	3-01124-160312	5976,00	23,01	3,83	OCT 48-93-81
61320100160408	0	T15K6	3-01124-160408	5924,57	34,13	5,79	OCT 48-93-81
61320100220404	0	T15K6	3-01124-220404	5833,98	58,28	10,03	OCT 48-93-81
61320100220408	0	T15K6	3-01124-220408	5833,98	58,28	10,00	OCT 48-93-81
61320100220412	0	T15K6	3-01124-220412	5833,98	58,28	9,91	OCT 48-93-81
61320100220416	0	T15K6	3-01124-220416	5833,98	58,28	9,79	OCT 48-93-81
61320110080408	0	T15K6	3-02113-080408	5227,32	42,29	9,07	OCT 48-93-81
61320120060304	0	T15K6	3-02114-060304	5644,82	17,44	3,17	OCT 48-93-81
61320120060308	0	T15K6	3-02114-060308	5644,82	17,44	3,15	OCT 48-93-81
61320120060404	0	T15K6	3-02114-060404	5610,97	25,59	4,7	OCT 48-93-81
61320120080404	0	T15K6	3-02114-080404	5551,2	42,58	7,87	OCT 48-93-81
61320120080408	0	T15K6	3-02114-080408	5551,2	42,58	7,86	OCT 48-93-81
61320120100408	0	T15K6	3-02114-100408	5489,51	64,94	12,00	OCT 48-93-81
61320120100412	0	T15K6	3-02114-100412	5489,51	64,94	11,9	OCT 48-93-81
61320120100608	0	T15K6	3-02114-100608	5444,82	85,59	16,1	OCT 48-93-81
61320120100612	0	T15K6	3-02114-100612	5444,82	85,59	16,00	OCT 48-93-81
61320120120612	0	T15K6	3-02114-120612	5390,00	118,69	22,5	OCT 48-93-81
61320130120408	0	T15K6	3-03111-120408	5217,35	46,49	9,02	OCT 48-93-81
61320130120412	0	T15K6	3-03111-120412	5217,35	46,49	8,99	OCT 48-93-81
61320130150412	0	T15K6	3-03111-150412	5169,79	70,26	13,9	OCT 48-93-81
61320140120408	0	T15K6	3-03131-120408	5217,35	46,49	9,02	OCT 48-93-81
61320140120412	0	T15K6	3-03131-120412	5217,35	46,49	8,99	OCT 48-93-81
61320140150408	0	T15K6	3-03131-150408	5167,11	71,82	13,9	OCT 48-93-81
61320140190412	0	T15K6	3-03131-190412	5123,33	101,95	19,9	OCT 48-93-81
61320150090304	0	T15K6	3-03311-090304	5645,56	17,28	3,18	OCT 48-93-81
61320150090308	0	T15K6	3-03311-090308	5645,56	17,28	3,17	OCT 48-93-81
61320150120304	0	T15K6	3-03311-120304	5589,56	31,25	5,59	OCT 48-93-81
61320150120308	0	T15K6	3-03311-120308	5589,56	31,25	5,59	OCT 48-93-81
61320150120312	0	T15K6	3-03311-120312	5589,56	31,25	5,57	OCT 48-93-81
61320150120408	0	T15K6	3-03311-120408	5545,8	44,31	8,2	OCT 48-93-81
61320150150408	0	T15K6	3-03311-150408	5485,68	66,54	12,4	OCT 48-93-81
61320150150412	0	T15K6	3-03311-150412	5485,68	66,54	12,4	OCT 48-93-81
61320150190408	0	T15K6	3-03311-190408	5425,25	96,24	17,4	OCT 48-93-81
61320150190412	0	T15K6	3-03311-190412	5425,25	96,24	18,1	OCT 48-93-81
61320160120300	0	T15K6	3-03331-120300	5262,84	29,00	5,6	OCT 48-93-81
61320160120308	0	T15K6	3-03331-120308	5262,84	29,00	5,59	OCT 48-93-81
61320160120312	0	T15K6	3-03331-120312	5262,84	29,00	5,57	OCT 48-93-81
61320160120408	0	T15K6	3-03331-120408	5228,57	41,78	8,2	OCT 48-93-81
61320160150408	0	T15K6	3-03331-150408	5183,14	62,87	12,4	OCT 48-93-81
61320160150416	0	T15K6	3-03331-150416	5183,14	62,87	12,4	OCT 48-93-81
61320160190400	0	T15K6	3-03331-190400	5136,93	91,54	18,1	OCT 48-93-81
61320160190408	0	T15K6	3-03331-190408	5136,93	91,54	17,4	OCT 48-93-81
61320200090304	0	T15K6	3-03114-090304	5647,78	16,77	3,05	OCT 48-93-81
61320200090308	0	T15K6	3-03114-090308	5647,78	16,77	3,04	OCT 48-93-81
61320200120404	0	T15K6	3-03114-120404	5555,15	41,33	7,53	OCT 48-93-81
61320200120408	0	T15K6	3-03114-120408	5555,15	41,33	7,53	OCT 48-93-81
61320200120412	0	T15K6	3-03114-120412	5555,15	41,33	7,5	OCT 48-93-81
61320200150412	0	T15K6	3-03114-150412	5494,6	62,86	11,6	OCT 48-93-81
61320200150416	0	T15K6	3-03114-150416	5494,6	62,86	11,5	OCT 48-93-81
61320200190612	0	T15K6	3-03114-190612	5394,43	115,6	21,9	OCT 48-93-81
61320200190616	0	T15K6	3-03114-190616	5394,43	115,6	21,8	OCT 48-93-81
61320200250716	0	T15K6	3-03114-250716	5268,46	258,15	49,9	OCT 48-93-81
61320210120408	0	T15K6	3-03124-120408	5883,71	44,19	7,53	OCT 48-93-81
61320210120412	0	T15K6	3-03124-120412	5883,71	44,19	7,5	OCT 48-93-81
61320210150412	0	T15K6	3-03124-150412	5811,06	65,61	11,6	OCT 48-93-81
61320210190612	0	T15K6	3-03124-190612	5677,56	124,11	21,9	OCT 48-93-81
61320210190616	0	T15K6	3-03124-190616	5677,56	124,11	21,8	OCT 48-93-81
61320300120404	0	T15K6	3-05114-120404	5556,2	41,00	7,57	OCT 48-93-81
61320300120408	0	T15K6	3-05114-120408	5556,2	41,00	7,54	OCT 48-93-81
61320300120412	0	T15K6	3-05114-120412	5556,2	41,00	7,51	OCT 48-93-81
61320300160412	0	T15K6	3-05114-160412	5495,52	62,48	11,7	OCT 48-93-81
61320300190608	0	T15K6	3-05114-190608	5390,59	118,27	21,9	OCT 48-93-81
61320300190612	0	T15K6	3-05114-190612	5390,59	118,27	21,9	OCT 48-93-81

61320300190616	0	T15K6	3-05114-190616	5390,59	118,27	21,8	OCT 48-93-81
61320310120408	0	T15K6	3-05124-120408	5885,03	43,84	7,54	OCT 48-93-81
61320310190612	0	T15K6	3-05124-190612	5677,56	124,11	21,9	OCT 48-93-81
61320341906102	0	T15K6	3-08116-190610-136	5789,82	72,95	12,6	OCT 48-93-81
61320380110408	0	T15K6	3-10113-110408	5197,03	55,82	11,00	OCT 48-93-81
61320380130412	0	T15K6	3-10113-130412	5155,09	79,18	15,5	OCT 48-93-81
61320380160612	0	T15K6	3-10113-160612	5076,99	147,74	29,1	OCT 48-93-81
61320390110408	0	T15K6	3-10123-110408	5820,35	62,57	11,00	OCT 48-93-81
61320390130412	0	T15K6	3-10123-130412	5748,36	89,1	15,5	OCT 48-93-81
61320390160612	0	T15K6	3-10123-160612	5619,28	163,52	29,1	OCT 48-93-81
61320410110408	0	T15K6	3-10114-110408	5513,81	55,41	10,3	OCT 48-93-81
61320410110416	0	T15K6	3-10114-110416	5513,81	55,41	10,26	OCT 48-93-81
61320410130412	0	T15K6	3-10114-130412	5461,97	77,12	14,4	OCT 48-93-81
61320410130420	0	T15K6	3-10114-130420	5461,97	77,12	14,4	OCT 48-93-81
61320410130612	0	T15K6	3-10114-130612	5413,21	103,39	19,5	OCT 48-93-81
61320410130620	0	T15K6	3-10114-130620	5413,21	103,39	19,4	OCT 48-93-81
61320410160612	0	T15K6	3-10114-160612	5357,3	144,43	27,5	OCT 48-93-81
61320420110408	0	T15K6	3-10124-110408	5829,97	59,52	10,3	OCT 48-93-81
61320420110416	0	T15K6	3-10124-110416	5829,97	59,52	10,26	OCT 48-93-81
61320420130412	0	T15K6	3-10124-130412	5767,07	81,49	14,4	OCT 48-93-81
61320420130420	0	T15K6	3-10124-130420	5767,07	81,49	14,4	OCT 48-93-81
61320420130612	0	T15K6	3-10124-130612	5701,7	110,9	19,5	OCT 48-93-81
61320420130620	0	T15K6	3-10124-130620	5701,7	110,9	19,4	OCT 48-93-81
61320500150400	0	T15K6	3-12114-150400	5532,83	48,63	8,79	OCT 48-93-81
61320580110408	0	T15K6	3-10153-110408	5195,26	56,68	11,00	OCT 48-93-81
61320580130612	0	T15K6	3-10153-130612	5121,98	103,05	20,5	OCT 48-93-81
61320590150400	0	T15K6	3-12113-150400	5212,58	48,58	9,32	OCT 48-93-81
61321020001604	0	T15K6	3-701-1604	5264,52	28,43	6,65	OCT 48-93-81
61327120006001	0	T15K6	P010012 (ПР60-1)	5615,35	2,13	0,37	ТУ 48-19-124-91
61327120006002	0	T15K6	P010013 (ПР60-2)	5596,08	2,85	0,53	ТУ 48-19-124-91
61327120006003	0	T15K6	P010014 (ПР60-3)	5558,83	4,34	0,77	ТУ 48-19-124-91
61327120006004	0	T15K6	P010015 (ПР60-4)	5491,68	7,36	1,32	ТУ 48-19-124-91
61327120006005	0	T15K6	P010016 (ПР60-5)	5393,2	12,89	2,36	ТУ 48-19-124-91
61327120008300	0	T15K6	3010001 (ПР83)	5189,29	59,68	11,5	ТУ 48-19-124-91
61327120011700	0	T15K6	Д010014 (ПР117)	4184,16	53,56	9,9	ТУ 48-19-124-91
61327130000800	0	T15K6	P020004 (ПР8)	5434,98	61,42	11,3	ТУ 48-19-124-91
61327130006006	0	T15K6	P020040 (ПР60-6)	5871,65	18,2	3,06	ТУ 48-19-124-91
61327130006007	0	T15K6	P020041 (ПР60-7)	5800,79	22,16	3,77	ТУ 48-19-124-91
61327130006008	0	T15K6	P020042 (ПР60-8)	5626,94	35,34	6,2	ТУ 48-19-124-91
61327130006009	0	T15K6	P020043 (ПР60-9)	5489,2	52,04	9,35	ТУ 48-19-124-91
61327130006010	0	T15K6	P020044 (ПР60-10)	5435,78	61,26	11,1	ТУ 48-19-124-91
61327130007101	0	T15K6	P020018 (ПР71-1)	5323,22	90,49	17,00	ТУ 48-19-124-91
61327130007102	0	T15K6	P020019 (ПР71-2)	5171,04	191,33	37,00	ТУ 48-19-124-91
61327130007201	0	T15K6	P020020 (ПР72-1)	5171,44	190,83	36,9	ТУ 48-19-124-91
61327130007202	0	T15K6	P020021 (ПР72-2)	5118,9	286,66	56,00	ТУ 48-19-124-91
61327130007500	0	T15K6	P020036 (ПР75)	5128,97	262,09	39,6	ТУ 48-19-124-91
61327130010200	0	T15K6	P020048 (ПР102)	5119,01	286,36	43,34	ТУ 48-19-124-91
61327130010800	0	T15K6	Д020121 (ПР108)	4969,52	17,39	2,7	ТУ 48-19-124-91
61327130100600	0	T15K6	P020003 (ПР6-A)	5410,05	66,54	12,3	ТУ 48-19-124-91
61327130105700	0	T15K6	P020016 (ПР57-A)	5539,94	44,93	8,11	ТУ 48-19-124-91
61327140008700	0	T15K6	Д030062 (ПР87)	4686,79	114,12	30,00	ТУ 48-19-124-91
61327140008800	0	T15K6	3030001 (ПР88)	5606,73	173,81	31,00	ТУ 48-19-124-91
61327140009700	0	T15K6	3030003 (ПР97)	5070,57	155,77	31,00	ТУ 48-19-124-91
61327160001510	0	T15K6	ZNGX-1510ZR	0,00	0,00	60,5	ТУ 48-19-124-91
61327160009300	0	T15K6	M050011 (ПР93)	6272,86	69,38	0,72	ТУ 48-19-124-91
61327160010900	0	T15K6	M080003 (ПР109)	26862,87	36,8	1,05	ТУ 48-19-124-91
61330000000151	0	T15K6	1151	3196,62	60,00	16,8	ГОСТ 25395-90
61330000000152	0	T15K6	1152	3201,67	56,61	15,97	ГОСТ 25395-90
61330000000251	0	T15K6	1251	3304,4	515,49	119,00	ГОСТ 25395-90
61330000000271	0	T15K6	1271	3301,41	591,25	160,00	ГОСТ 25395-90
61330000000272	0	T15K6	1272	3302,11	571,46	156,00	ГОСТ 25395-90
61330000000291	0	T15K6	1291	4348,51	1,65	0,34	ГОСТ 25395-90
61330000000311	0	T15K6	1311	4081,15	3,1	0,68	ГОСТ 25395-90
61330000000331	0	T15K6	1331	3846,78	5,08	1,35	ГОСТ 25395-90
61330000000351	0	T15K6	1351	3578,37	9,48	2,5	ГОСТ 25395-90
61330000000352	0	T15K6	1352	3580,95	9,42	2,55	ГОСТ 25395-90
61330000000371	0	T15K6	1371	3385,37	17,64	4,6	ГОСТ 25395-90
61330000000372	0	T15K6	1372	3403,81	16,41	4,35	ГОСТ 25395-90
61330000000391	0	T15K6	1391	3255,5	35,03	9,55	ГОСТ 25395-90
61330000000392	0	T15K6	1392	3260,48	33,81	9,36	ГОСТ 25395-90
61330000000411	0	T15K6	1411	3378,49	123,62	32,00	ГОСТ 25395-90
61330000000412	0	T15K6	1412	3384,49	116,46	31,06	ГОСТ 25395-90
61330000000431	0	T15K6	1431	3336,2	218,29	58,00	ГОСТ 25395-90
61330000000432	0	T15K6	1432	3339,3	206,67	55,88	ГОСТ 25395-90
61330000000451	0	T15K6	1451	3311,42	396,31	106,00	ГОСТ 25395-90
61330000000452	0	T15K6	1452	3313,01	376,52	103,00	ГОСТ 25395-90
61330000000471	0	T15K6	1471	3299,63	647,75	174,00	ГОСТ 25395-90

6133000000491	0	T15K6		1491	3325,77	269,15	72,00	ГОСТ 25395-90
61331510074620	0	T15K6	1010-0746*20		3634,56	2559,53	545,59	ГОСТ 10284-74
61332010000521	0	T15K6	1011-0521		4889,7	6146,65	1221,6	ГОСТ 19106-73
61332010000916	0	T15K6	1011-0916		6034,35	19,43	2,49	ГОСТ 19106-73
61400080000051	0	T30K4		2051	3369,11	18,87	4,2	ГОСТ 25395-90
61400080000231	0	T30K4		2231	3283,33	29,12	6,7	ГОСТ 25395-90
61400080000251	0	T30K4		2251	3247,45	37,18	8,65	ГОСТ 25395-90
61400080000252	0	T30K4		2252	3257,63	34,5	8,12	ГОСТ 25395-90
61400080000271	0	T30K4		2271	3190,68	64,55	15,2	ГОСТ 25395-90
61400080000272	0	T30K4		2272	3194,78	61,34	14,7	ГОСТ 25395-90
61400080000291	0	T30K4		2291	3172,87	83,32	19,8	ГОСТ 25395-90
61400080000311	0	T30K4		2311	3161,52	102,09	24,5	ГОСТ 25395-90
61400080000312	0	T30K4		2312	3164,45	96,48	23,4	ГОСТ 25395-90
61400080000351	0	T30K4		2351	3343,47	192,88	43,00	ГОСТ 25395-90
61400080000352	0	T30K4		2352	3348,08	179,62	41,19	ГОСТ 25395-90
61400080000411	0	T30K4		2411	3173,48	82,51	17,00	ГОСТ 25395-90
61400080000611	0	T30K4		2611	3701,5	7,00	1,45	ГОСТ 25395-90
61400080000631	0	T30K4		2631	3481,68	12,53	2,9	ГОСТ 25395-90
61400080000651	0	T30K4		2651	3299,22	26,53	6,18	ГОСТ 25395-90
61400080000671	0	T30K4		2671	3216,46	48,5	11,58	ГОСТ 25395-90
61400090000010	0	T30K4		6010	3816,34	5,42	1,08	ГОСТ 25397-90
61400090000030	0	T30K4		6030	3661,44	7,69	1,8	ГОСТ 25397-90
61400090000050	0	T30K4		6050	3436,93	14,54	3,4	ГОСТ 25397-90
61400090000060	0	T30K4		6060	3436,93	14,54	3,4	ГОСТ 25397-90
61400090000090	0	T30K4		6090	3265,68	32,62	7,55	ГОСТ 25397-90
61400090000100	0	T30K4		6100	3265,68	32,62	7,55	ГОСТ 25397-90
61400090000130	0	T30K4		6130	3194,08	61,87	14,6	ГОСТ 25397-90
61400090000330	0	T30K4		6330	3666,83	7,59	1,7	ГОСТ 25397-90
61400090000340	0	T30K4		6340	3666,83	7,59	1,7	ГОСТ 25397-90
61400090000350	0	T30K4		6350	3444,61	14,16	3,15	ГОСТ 25397-90
61400090000360	0	T30K4		6360	3445,26	14,13	3,15	ГОСТ 25397-90
61400090000370	0	T30K4		6370	3290,26	27,93	6,51	ГОСТ 25397-90
61400090000380	0	T30K4		6380	3290,26	27,93	6,51	ГОСТ 25397-90
61400090000390	0	T30K4		6390	3216,00	48,72	12,6	ГОСТ 25397-90
61400090000400	0	T30K4		6400	3216,00	48,72	12,6	ГОСТ 25397-90
61400090000410	0	T30K4		6410	3417,61	88,24	19,82	ГОСТ 25397-90
61400100000010	0	T30K4		7010	3738,45	6,43	1,3	ГОСТ 25426-90
61400100000030	0	T30K4		7030	5228,9	4,6	0,67	ГОСТ 25426-90
61400100000050	0	T30K4		7050	3637,62	8,15	1,72	ГОСТ 25426-90
61400100000060	0	T30K4		7060	3637,62	8,15	1,72	ГОСТ 25426-90
61400100000070	0	T30K4		7070	3421,46	15,36	3,45	ГОСТ 25426-90
61400100000080	0	T30K4		7080	3421,46	15,36	3,45	ГОСТ 25426-90
61400100000090	0	T30K4		7090	3338,34	21,67	4,98	ГОСТ 25426-90
61400100000100	0	T30K4		7100	3338,34	21,67	4,98	ГОСТ 25426-90
61400100000110	0	T30K4		7110	3277,72	30,16	7,06	ГОСТ 25426-90
61400100000120	0	T30K4		7120	3277,56	30,19	7,06	ГОСТ 25426-90
61400100000130	0	T30K4		7130	3239,35	39,62	9,39	ГОСТ 25426-90
61400100000140	0	T30K4		7140	3239,35	39,62	9,39	ГОСТ 25426-90
61400100000150	0	T30K4		7150	3208,74	52,43	12,55	ГОСТ 25426-90
61400100000160	0	T30K4		7160	3208,74	52,43	12,55	ГОСТ 25426-90
61400100000170	0	T30K4		7170	3185,87	68,75	16,57	ГОСТ 25426-90
61400100000180	0	T30K4		7180	3185,87	68,75	16,57	ГОСТ 25426-90
61400100000330	0	T30K4		7330	3407,04	95,64	21,2	ГОСТ 25426-90
61400100000340	0	T30K4		7340	3407,04	95,64	21,2	ГОСТ 25426-90
61400100000350	0	T30K4		7350	5643,6	3,1	0,42	ГОСТ 25426-90
61400100000370	0	T30K4		7370	3548,36	10,29	2,52	ГОСТ 25426-90
61400120000051	0	T30K4		10051	3657,91	7,75	1,7	ГОСТ 25396-90
61400120000061	0	T30K4		10061	3657,91	7,75	1,7	ГОСТ 25396-90
61400120000151	0	T30K4		10151	3202,21	56,26	13,2	ГОСТ 25396-90
61400120000162	0	T30K4		10162	3200,27	57,51	13,8	ГОСТ 25396-90
61400120000271	0	T30K4		10271	3529,03	10,87	2,6	ГОСТ 25396-90
61400120000291	0	T30K4		10291	3325,14	23,11	5,25	ГОСТ 25396-90
61400120000411	0	T30K4		10411	5954,00	2,2	0,29	ГОСТ 25396-90
61400120000431	0	T30K4		10431	5422,54	3,85	0,54	ГОСТ 25396-90
61400120000451	0	T30K4		10451	4938,05	5,98	1,2	ГОСТ 25396-90
61400120000471	0	T30K4		10471	3400,32	16,63	3,69	ГОСТ 25396-90
61400120000481	0	T30K4		10481	3400,32	16,63	3,69	ГОСТ 25396-90
61400120000482	0	T30K4		10482	3393,11	17,1	3,87	ГОСТ 25396-90
61400120000491	0	T30K4		10491	3265,54	32,66	7,57	ГОСТ 25396-90
61400120000492	0	T30K4		10492	3242,35	38,68	7,89	ГОСТ 25396-90
61400120000501	0	T30K4		10501	3245,7	37,68	7,57	ГОСТ 25396-90
61400120000531	0	T30K4		10531	3158,46	108,65	22,4	ГОСТ 25396-90
61400120000541	0	T30K4		10541	3400,67	100,73	22,4	ГОСТ 25396-90
61400120000571	0	T30K4		10571	3340,01	204,18	46,4	ГОСТ 25396-90
61400120000581	0	T30K4		10581	3340,01	204,18	46,4	ГОСТ 25396-90
61400120000652	0	T30K4		10652	3750,22	6,26	1,26	ГОСТ 25396-90
61400120000692	0	T30K4		10692	3242,15	38,74	9,17	ГОСТ 25396-90

61400140000171	0	T30K4	14171	5786,25	8,74	1,16	ГОСТ 25399-90
61400140000291	0	T30K4	14291	5696,81	9,17	1,24	ГОСТ 25399-90
61400140000492	0	T30K4	14492	3970,46	40,9	6,7	ГОСТ 25399-90
61400150000010	0	T30K4	15010	3407,9	16,15	3,58	ГОСТ 25404-90
61400150000030	0	T30K4	15030	3258,78	34,22	7,97	ГОСТ 25404-90
61400150000040	0	T30K4	15040	3258,78	34,22	7,97	ГОСТ 25404-90
61400160000050	0	T30K4	16050	3331,54	22,39	5,07	ГОСТ 25405-90
61400160000250	0	T30K4	16250	3195,16	61,06	14,62	ГОСТ 25405-90
61400160000390	0	T30K4	16390	3332,84	232,43	53,00	ГОСТ 25405-90
61400200000010	0	T30K4	20010	3661,44	7,69	1,59	ГОСТ 25408-90
61400200000030	0	T30K4	20030	3523,96	11,03	2,36	ГОСТ 25408-90
61400200000050	0	T30K4	20050	3877,48	19,93	3,95	ГОСТ 25408-90
61400200000070	0	T30K4	20070	3588,02	39,22	8,36	ГОСТ 25408-90
61400200000080	0	T30K4	20080	3588,02	39,22	8,29	ГОСТ 25408-90
61400210000050	0	T30K4	21050	7410,79	3,56	0,37	ГОСТ 25400-90
61400210000070	0	T30K4	21070	6743,57	5,26	0,61	ГОСТ 25400-90
61400210000110	0	T30K4	21110	4142,7	13,46	2,5	ГОСТ 25400-90
61400210000190	0	T30K4	21190	4612,68	8,07	1,34	ГОСТ 25400-90
61400210000210	0	T30K4	21210	3624,91	8,41	1,53	ГОСТ 25400-90
61400210000350	0	T30K4	21350	4039,23	15,47	2,91	ГОСТ 25400-90
61400210000410	0	T30K4	21410	3830,91	21,68	4,33	ГОСТ 25400-90
61400210000470	0	T30K4	21470	3718,58	27,41	4,85	ГОСТ 25400-90
61400240000050	0	T30K4	24050	3693,42	7,13	1,59	ГОСТ 25409-90
61400240000090	0	T30K4	24090	3559,89	9,97	1,82	ГОСТ 25409-90
61400240000130	0	T30K4	24130	3427,82	15,01	3,5	ГОСТ 25409-90
61400240000170	0	T30K4	24170	3389,42	17,35	3,87	ГОСТ 25409-90
61400240000210	0	T30K4	24210	3359,29	19,69	4,4	ГОСТ 25409-90
61400240000250	0	T30K4	24250	3335,34	21,98	5,00	ГОСТ 25409-90
61400240000270	0	T30K4	24270	3276,1	30,47	8,00	ГОСТ 25409-90
61400240000570	0	T30K4	24570	3186,65	68,03	16,00	ГОСТ 25409-90
61400240000770	0	T30K4	24770	3549,49	10,26	2,19	ГОСТ 25409-90
61400240000850	0	T30K4	24850	3377,16	125,33	28,00	ГОСТ 25409-90
61400250000110	0	T30K4	25110	4794,26	6,81	1,07	ГОСТ 25424-90
61400250000130	0	T30K4	25130	4312,6	11,00	1,93	ГОСТ 25424-90
61400250000150	0	T30K4	25150	4013,46	16,05	3,02	ГОСТ 25424-90
61400250000190	0	T30K4	25190	3223,88	45,23	10,6	ГОСТ 25424-90
61400250000210	0	T30K4	25210	4124,83	13,78	2,56	ГОСТ 25424-90
61400250000230	0	T30K4	25230	3809,49	22,59	4,56	ГОСТ 25424-90
61400250000250	0	T30K4	25250	3520,89	50,24	10,95	ГОСТ 25424-90
61400260000010	0	T30K4	26010	8254,47	1,82	0,16	ГОСТ 25425-90
61400260000030	0	T30K4	26030	7256,55	3,92	0,42	ГОСТ 25425-90
61400260000050	0	T30K4	26050	6535,68	5,88	0,69	ГОСТ 25425-90
61400260000070	0	T30K4	26070	4694,94	7,46	1,22	ГОСТ 25425-90
61400260000090	0	T30K4	26090	4321,39	10,89	1,94	ГОСТ 25425-90
61400260000130	0	T30K4	26130	3913,53	18,75	3,67	ГОСТ 25425-90
61400260000250	0	T30K4	26250	3817,23	22,25	4,4	ГОСТ 25425-90
61400320000210	0	T30K4	17210	3919,04	18,58	3,6	ГОСТ 25406-90
61400390000010	0	T30K4	39010	4800,54	6,77	1,06	ГОСТ 25416-90
61400390000050	0	T30K4	39050	3789,67	23,5	4,7	ГОСТ 25416-90
61400390000110	0	T30K4	39110	3423,51	84,59	27,32	ГОСТ 25416-90
61400390000130	0	T30K4	39130	3563,41	42,65	9,00	ГОСТ 25416-90
61400390000150	0	T30K4	39150	3475,65	61,94	13,5	ГОСТ 25416-90
61400410000030	0	T30K4	47030	4859,49	6,41	0,87	ГОСТ 25421-90
61400420000050	0	T30K14	48050	3256,24	34,84	7,05	ГОСТ 25422-90
61400430000210	0	T30K4	32210	3189,08	65,89	15,95	ГОСТ 25412-90
61400520000151	0	T30K4	61151	3192,66	62,96	14,9	ГОСТ 25395-90
61400520000371	0	T30K4	61371	3374,31	18,46	4,52	ГОСТ 25395-90
61400520000391	0	T30K4	61391	3249,35	36,65	8,5	ГОСТ 25395-90
61400530000252	0	T30K4	61252	3316,28	341,58	103,00	ГОСТ 25395-90
61400530000352	0	T30K4	61352	3584,88	9,32	2,00	ГОСТ 25395-90
61400530000372	0	T30K4	61372	3391,25	17,23	3,9	ГОСТ 25395-90
61400530000392	0	T30K4	61392	3258,78	34,22	8,2	ГОСТ 25395-90
61400540000251	0	T30K4	62251	3241,13	39,06	9,6	ГОСТ 25395-90
61400540000271	0	T30K4	62271	3186,92	67,79	16,00	ГОСТ 25395-90
61400540000311	0	T30K4	62311	3385,94	114,85	25,7	ГОСТ 25395-90
61400550000312	0	T30K4	62312	3391,84	108,74	24,6	ГОСТ 25395-90
61400620000050	0	T30K4	66050	3424,32	15,2	3,35	ГОСТ 25397-90
61400620000090	0	T30K4	66090	3258,78	34,22	8,7	ГОСТ 25397-90
61400620000100	0	T30K4	66100	3258,78	34,22	8,7	ГОСТ 25397-90
61400620000130	0	T30K4	66130	3190,34	64,83	15,3	ГОСТ 25397-90
61400620000140	0	T30K4	66140	3190,34	64,83	15,3	ГОСТ 25397-90
61400620000170	0	T30K4	66170	3387,49	113,18	25,2	ГОСТ 25397-90
61400620000180	0	T30K4	66180	3387,49	113,18	25,2	ГОСТ 25397-90
61400710000330	0	T30K4	67330	3401,33	100,17	22,3	ГОСТ 25426-90
61400710000340	0	T30K4	67340	3401,33	100,17	22,3	ГОСТ 25426-90
61400710000390	0	T30K4	67390	3291,02	27,81	6,38	ГОСТ 25426-90
61400710000400	0	T30K4	67400	3291,02	27,81	6,38	ГОСТ 25426-90

61400710000410	0	T30K4		67410	3210,12	51,68	12,2	ГОСТ 25426-90
61400710000420	0	T30K4		67420	3210,12	51,68	12,2	ГОСТ 25426-90
61400820000051	0	T30K4		70051	3639,25	8,12	1,69	ГОСТ 25396-90
61400820000061	0	T30K4		70061	3586,2	9,29	1,69	ГОСТ 25396-90
61400820000151	0	T30K4		70151	3198,14	58,94	13,9	ГОСТ 25396-90
61400820000291	0	T30K4		70291	3316,32	24,18	5,51	ГОСТ 25396-90
61400820000301	0	T30K4		70301	3316,32	24,18	5,51	ГОСТ 25396-90
61400820000311	0	T30K4		70311	3250,37	36,37	8,43	ГОСТ 25396-90
61400820000321	0	T30K4		70321	3250,37	36,37	8,43	ГОСТ 25396-90
61400820000471	0	T30K4		70471	3316,32	24,18	3,87	ГОСТ 25396-90
61400820000481	0	T30K4		70481	3316,32	24,18	3,87	ГОСТ 25396-90
61400820000501	0	T30K4		70501	3239,65	39,52	7,95	ГОСТ 25396-90
61400820000511	0	T30K4		70511	3184,36	70,18	16,7	ГОСТ 25396-90
61400820000551	0	T30K4		70551	3381,24	120,24	26,9	ГОСТ 25396-90
61400820000561	0	T30K4		70561	3381,24	120,24	26,9	ГОСТ 25396-90
61401620000011	0	T30K4		13011	4992,25	5,69	0,76	ГОСТ 17163-90
61401620000031	0	T30K4		13031	5130,53	5,03	0,75	ГОСТ 17163-90
61401620000051	0	T30K4		13051	3654,42	7,82	1,64	ГОСТ 17163-90
61401620000071	0	T30K4		13071	3661,44	7,69	1,61	ГОСТ 17163-90
61401620000131	0	T30K4		13131	3458,23	13,52	3,25	ГОСТ 17163-90
61401620000151	0	T30K4		13151	3463,26	13,3	3,2	ГОСТ 17163-90
61401620000171	0	T30K4		13171	3339,26	21,57	5,3	ГОСТ 17163-90
61401620000191	0	T30K4		13191	3408,58	94,49	20,91	ГОСТ 17163-90
61401620000351	0	T30K4		13351	3342,69	21,23	4,87	ГОСТ 17163-90
61401620000371	0	T30K4		13371	3234,65	41,18	9,77	ГОСТ 17163-90
61401620000391	0	T30K4		13391	3236,96	40,4	9,57	ГОСТ 17163-90
61401620000411	0	T30K4		13411	3184,71	69,84	17,8	ГОСТ 17163-90
61401620000431	0	T30K4		13431	3186,37	68,28	17,4	ГОСТ 17163-90
61401620000451	0	T30K4		13451	3383,99	117,02	26,53	ГОСТ 17163-90
61401620000471	0	T30K4		13471	3386,51	114,23	25,88	ГОСТ 17163-90
61401630000492	0	T30K4		13492	5228,9	4,6	0,85	ГОСТ 17163-90
61401630000512	0	T30K4		13512	4930,58	6,02	1,1	ГОСТ 17163-90
61401630000532	0	T30K4		13532	4535,15	8,71	1,44	ГОСТ 17163-90
61401630000552	0	T30K4		13552	4342,5	10,64	2,14	ГОСТ 17163-90
61401630000572	0	T30K4		13572	4093,03	14,37	3,06	ГОСТ 17163-90
61401630000592	0	T30K4		13592	3821,18	22,09	4,36	ГОСТ 17163-90
61401630000612	0	T30K4		13612	3604,28	37,23	7,83	ГОСТ 17163-90
61401630000632	0	T30K4		13632	3487,96	58,25	12,6	ГОСТ 17163-90
61401630000652	0	T30K4		13652	3423,01	84,89	18,8	ГОСТ 17163-90
61402000008710	0	T30K4	2005-8710		4732,5	33,32	7,00	ТУ 48-19-64-91
61402690000130	0	T30K4		11130	5315,47	4,25	0,7	ГОСТ 25398-90
61402690000150	0	T30K4		11150	4751,72	7,08	1,15	ГОСТ 25398-90
61402690000170	0	T30K4		11170	4327,34	10,82	1,93	ГОСТ 25398-90
61402690000190	0	T30K4		11190	4029,93	15,68	3,3	ГОСТ 25398-90
61402690000210	0	T30K4		11210	3687,05	29,57	6,7	ГОСТ 25398-90
61402690000230	0	T30K4		11230	3509,23	52,81	12,5	ГОСТ 25398-90
61403010000004	0	T30K4	3001-0004		0,00	0,00	1,16	ГОСТ 13833-77
61403010000007	0	T30K4	3001-0007		0,00	0,00	0,58	ГОСТ 13833-77
61403520160408	0	T30K4	01111-160408		7204,55	58,86	5,33	ГОСТ 19043-80
61403520220412	0	T30K4	01111-220412		5519,63	61,49	9,57	ГОСТ 19043-80
61403540160312	0	T30K4	01113-160312		5667,85	21,25	3,2	ГОСТ 19044-80
61403580110304	0	T30K4	01331-110304		7942,66	12,07	1,32	ГОСТ 19045-80
61403590160408	0	T30K4	01114-160408		5892,41	31,82	4,67	ГОСТ 19046-80
61403590220408	0	T30K4	01114-220408		5794,6	55,16	8,24	ГОСТ 19046-80
61403590220412	0	T30K4	01114-220412		5794,6	55,16	8,17	ГОСТ 19046-80
61403620080404	0	T30K4	02114-080404		5840,54	43,4	6,45	ГОСТ 19048-80
61403620080408	0	T30K4	02114-080408		5840,54	43,4	6,43	ГОСТ 19048-80
61403620100608	0	T30K4	02114-100608		5692,89	88,3	13,42	ГОСТ 19048-80
61403620100612	0	T30K4	02114-100612		5692,89	88,3	13,36	ГОСТ 19048-80
61403630090308	0	T30K4	SNUN 090308 (03111-090308)		0,00	0,00	2,78	ГОСТ 19049-80
61403630120304	0	T30K4	03111-120304		7236,47	54,13	4,97	ГОСТ 19049-80
61403630120408	0	T30K4	03111-120408		7365,26	82,49	7,42	ГОСТ 19049-80
61403650150416	0	T30K4	03311-150416		6252,2	74,4	10,3	ГОСТ 19050-80
61403650190412	0	T30K4	03311-190412		6382,32	111,75	15,15	ГОСТ 19050-80
61403660190412	0	T30K4	03331-190412		7149,32	125,18	15,15	ГОСТ 19050-80
61403700120412	0	T30K4	03114-120412		5848,2	41,58	6,12	ГОСТ 19052-80
61403700150412	0	T30K4	03114-150412		5764,7	63,76	9,57	ГОСТ 19052-80
61403810160412	0	T30K4	05114-160412		5763,23	64,2	9,64	ГОСТ 19059-80
61403810160416	0	T30K4	05114-160416		5763,23	64,2	9,64	ГОСТ 19059-80
61403820120404	0	T30K4	05124-120404		6386,51	45,54	6,19	ГОСТ 19059-80
61403820120408	0	T30K4	05124-120408		6386,51	45,54	6,17	ГОСТ 19059-80
61403820190612	0	T30K4	05124-190612		6315,53	133,89	18,34	ГОСТ 19059-80
61403851906102	0	T30K4	08116-190610-136		7053,1	84,5	10,5	ГОСТ 19062-80
61403880110408	0	T30K4	10113-110408		5529,31	58,17	9,1	ГОСТ 19064-80
61403920110408	0	T30K4	10124-110408		6574,31	64,63	8,51	ГОСТ 19065-80
61420060160312	0	T30K4	3-01113-160312		5297,37	18,12	3,49	OCT 48-93-81
61420120060304	0	T30K4	3-02114-060304		5656,58	14,82	2,73	OCT 48-93-81

61420120080404	0	T30K4	3-02114-080404	5571,85	36,27	6,75	OCT 48-93-81
61420120080408	0	T30K4	3-02114-080408	5571,85	36,27	6,73	OCT 48-93-81
61420300160412	0	T30K4	3-05114-160412	5519,68	53,26	9,93	OCT 48-93-81
61420410110408	0	T30K4	3-10114-110408	5536,97	47,23	8,8	OCT 48-93-81
61427120006001	0	T30K4	P010012 (ПР60-1)	5624,57	1,8	0,31	ТУ 48-19-124-91
61427130006007	0	T30K4	P020041 (ПР60-7)	5857,94	18,92	3,2	ТУ 48-19-124-91
61427130006008	0	T30K4	P020042 (ПР60-8)	5684,92	30,24	5,27	ТУ 48-19-124-91
61427130006009	0	T30K4	P020043 (ПР60-9)	5543,23	44,51	7,95	ТУ 48-19-124-91
61427130006010	0	T30K4	P020044 (ПР60-10)	5487,19	52,35	9,43	ТУ 48-19-124-91
61430000000151	0	T30K4	1151	3196,62	60,00	14,2	ГОСТ 25395-90
61430000000152	0	T30K4	1152	3189,56	65,48	13,58	ГОСТ 25395-90
61430000000272	0	T30K4	1272	3299,2	663,14	133,00	ГОСТ 25395-90
61430000000291	0	T30K4	1291	4348,51	1,65	0,29	ГОСТ 25395-90
61430000000311	0	T30K4	1311	4081,15	3,1	0,58	ГОСТ 25395-90
61430000000331	0	T30K4	1331	3846,78	5,08	1,00	ГОСТ 25395-90
61430000000351	0	T30K4	1351	3578,37	9,48	2,2	ГОСТ 25395-90
61430000000371	0	T30K4	1371	3385,37	17,64	4,18	ГОСТ 25395-90
61430000000391	0	T30K4	1391	3255,5	35,03	8,1	ГОСТ 25395-90
61430000000411	0	T30K4	1411	3378,49	123,62	27,5	ГОСТ 25395-90
61430000000431	0	T30K4	1431	3336,2	218,29	50,00	ГОСТ 25395-90
61527100001510	0	T14K8/1	ZNGX-1510ZR	0,00	0,00	55,00	ТУ 48-19-124-91
61603530220412	0	MC 121	TNGN-220412(01131-220	0,00	0,00	11,49	ГОСТ 19043-80
61603530270608	0	MC 121	TNUN-270608(01111-270	0,00	0,00	24,1	ГОСТ 19043-80
61604650001012	0	MC 121	2008-1012	0,00	0,00	20,67	ТУ 48-19-307-87
62100080000251	0	TT7K12	2251	6124,37	72,51	11,9	ГОСТ 25395-90
62100080000311	0	TT7K12	2311	5987,16	199,85	33,5	ГОСТ 25395-90
62100080000351	0	TT7K12	2351	6285,96	374,83	59,00	ГОСТ 25395-90
62100080000352	0	TT7K12	2352	6293,3	349,03	56,12	ГОСТ 25395-90
62100080000511	0	TT7K12	2511	6256,28	534,54	86,00	ГОСТ 25395-90
62100080000651	0	TT7K12	2651	6177,33	57,7	8,42	ГОСТ 25395-90
62100100000010	0	TT7K12	7010	6916,9	12,31	1,79	ГОСТ 25426-90
62100100000050	0	TT7K12	7050	6754,94	15,6	2,34	ГОСТ 25426-90
62100100000070	0	TT7K12	7070	6403,96	29,71	4,69	ГОСТ 25426-90
62100100000080	0	TT7K12	7080	6403,96	29,71	4,69	ГОСТ 25426-90
62100100000090	0	TT7K12	7090	6270,1	42,07	6,79	ГОСТ 25426-90
62100100000100	0	TT7K12	7100	6270,1	42,07	6,79	ГОСТ 25426-90
62100100000110	0	TT7K12	7110	6172,93	58,7	9,62	ГОСТ 25426-90
62100100000130	0	TT7K12	7130	6111,53	77,25	12,79	ГОСТ 25426-90
62100100000140	0	TT7K12	7140	6111,53	77,25	12,79	ГОСТ 25426-90
62100100000150	0	TT7K12	7150	6062,55	102,4	17,1	ГОСТ 25426-90
62100100000160	0	TT7K12	7160	6062,55	102,4	17,1	ГОСТ 25426-90
62100100000180	0	TT7K12	7180	6026,06	134,38	22,57	ГОСТ 25426-90
62100100000330	0	TT7K12	7330	6387,37	185,3	29,2	ГОСТ 25426-90
62100100000340	0	TT7K12	7340	6387,37	185,3	29,2	ГОСТ 25426-90
62100100000350	0	TT7K12	7350	10024,71	5,71	0,57	ГОСТ 25426-90
62100120000152	0	TT7K12	10152	6049,06	112,33	18,8	ГОСТ 25396-90
62100120000291	0	TT7K12	10291	6249,14	44,87	7,23	ГОСТ 25396-90
62100120000472	0	TT7K12	10472	6358,2	33,13	5,3	ГОСТ 25396-90
62100120000501	0	TT7K12	10501	6128,37	71,15	10,4	ГОСТ 25396-90
62100120000532	0	TT7K12	10532	5983,15	210,31	31,66	ГОСТ 25396-90
62100120000541	0	TT7K12	10541	5984,8	205,88	30,9	ГОСТ 25396-90
62100120000571	0	TT7K12	10571	6280,45	396,86	64,00	ГОСТ 25396-90
62100120000581	0	TT7K12	10581	6280,45	396,86	64,00	ГОСТ 25396-90
62100120000611	0	TT7K12	10611	6237,43	732,77	118,00	ГОСТ 25396-90
62100150015150	0	TT7K12	15150	0,00	0,00	67,3	ГОСТ 25404-90
62100240000070	0	TT7K12	24070	6868,41	13,19	1,73	ГОСТ 25409-90
621002400000550	0	TT7K12	24550	6028,43	131,72	19,6	ГОСТ 25409-90
621002400000590	0	TT7K12	24590	6002,33	168,07	25,13	ГОСТ 25409-90
62100250000110	0	TT7K12	25110	8626,2	12,68	1,48	ГОСТ 25424-90
62100250000150	0	TT7K12	25150	7361,21	30,4	4,16	ГОСТ 25424-90
62100250000190	0	TT7K12	25190	6086,67	88,32	14,6	ГОСТ 25424-90
62100250000230	0	TT7K12	25230	7031,72	43,1	6,21	ГОСТ 25424-90
62100250000250	0	TT7K12	25250	6569,17	96,9	14,93	ГОСТ 25424-90
62100260000090	0	TT7K12	26090	7855,79	20,5	2,64	ГОСТ 25425-90
62100260000130	0	TT7K12	26130	7199,33	35,64	5,00	ГОСТ 25425-90
62100260000250	0	TT7K12	26250	7043,74	42,47	6,06	ГОСТ 25425-90
62100520000371	0	TT7K12	61371	6328,23	35,75	5,67	ГОСТ 25395-90
62100520000431	0	TT7K12	61431	5944,31	423,24	71,00	ГОСТ 25395-90
62100520000471	0	TT7K12	61471	6214,77	1321,94	214,00	ГОСТ 25395-90
62100540000311	0	TT7K12	62311	5974,97	235,41	35,2	ГОСТ 25395-90
62100540000511	0	TT7K12	62511	6252,87	562,07	90,00	ГОСТ 25395-90
62100710000330	0	TT7K12	67330	6378,24	194,15	30,6	ГОСТ 25426-90
62100710000340	0	TT7K12	67340	6378,24	194,15	30,6	ГОСТ 25426-90
62100710000390	0	TT7K12	67390	6194,38	54,08	8,79	ГОСТ 25426-90
62100710000400	0	TT7K12	67400	6194,38	54,08	8,79	ГОСТ 25426-90
62100710000410	0	TT7K12	67410	6064,78	100,92	16,8	ГОСТ 25426-90
62100710000420	0	TT7K12	67420	6064,78	100,92	16,8	ГОСТ 25426-90

62100820000311	0	TT7K12	70311	6129,08	70,91	11,7	ГОСТ 25396-90
62100820000321	0	TT7K12	70321	6129,08	70,91	11,7	ГОСТ 25396-90
62100820000541	0	TT7K12	70541	6368,46	204,62	32,4	ГОСТ 25396-90
62100820000561	0	TT7K12	70561	6346,16	233,28	37,00	ГОСТ 25396-90
62101620000011	0	TT7K12	13011	9154,99	9,43	1,05	ГОСТ 17163-90
62101620000031	0	TT7K12	13031	9184,52	9,28	1,08	ГОСТ 17163-90
62101620000051	0	TT7K12	13051	6781,4	14,99	2,23	ГОСТ 17163-90
62101620000071	0	TT7K12	13071	6792,46	14,74	2,2	ГОСТ 17163-90
62101620000131	0	TT7K12	13131	6463,32	26,11	4,3	ГОСТ 17163-90
62101620000151	0	TT7K12	13151	6471,18	25,69	4,02	ГОСТ 17163-90
62101620000171	0	TT7K12	13171	6271,52	41,89	6,75	ГОСТ 17163-90
62101620000191	0	TT7K12	13191	6389,74	183,13	28,8	ГОСТ 17163-90
62101620000351	0	TT7K12	13351	6277,33	41,18	6,63	ГОСТ 17163-90
62101620000371	0	TT7K12	13371	6103,96	80,33	13,32	ГОСТ 17163-90
62101620000391	0	TT7K12	13391	6107,67	78,79	13,05	ГОСТ 17163-90
62101620000411	0	TT7K12	13411	6024,17	136,57	22,94	ГОСТ 17163-90
62101620000431	0	TT7K12	13431	6026,84	133,49	22,42	ГОСТ 17163-90
62101630000492	0	TT7K12	13492	9341,49	8,5	0,91	ГОСТ 17163-90
62101630000512	0	TT7K12	13512	8852,89	11,15	1,27	ГОСТ 17163-90
62101630000532	0	TT7K12	13532	8208,68	16,25	1,99	ГОСТ 17163-90
62101630000552	0	TT7K12	13552	7893,62	19,97	2,55	ГОСТ 17163-90
62101630000572	0	TT7K12	13572	7488,06	27,18	3,66	ГОСТ 17163-90
62101630000612	0	TT7K12	13612	6702,49	71,58	10,8	ГОСТ 17163-90
62101630000632	0	TT7K12	13632	6516,4	112,54	17,4	ГОСТ 17163-90
62102690000130	0	TT7K12	11130	9497,5	7,79	0,83	ГОСТ 25398-90
62102690000150	0	TT7K12	11150	8393,86	14,52	1,55	ГОСТ 25398-90
62102690000170	0	TT7K12	11170	7727,72	22,49	2,6	ГОСТ 25398-90
62102690000190	0	TT7K12	11190	7386,95	29,7	4,07	ГОСТ 25398-90
62102690000210	0	TT7K12	11210	6835,21	56,66	8,39	ГОСТ 25398-90
62102690000230	0	TT7K12	11230	6550,45	101,93	15,75	ГОСТ 25398-90
62103110000250	0	TT7K12	32250	0,00	0,00	58,62	ГОСТ 25412-90
62103580110304	0	TT7K12	01331-110304	12330,75	12,82	1,78	ГОСТ 19045-80
62103580160304	0	TT7K12	01331-160304	11907,59	50,73	4,32	ГОСТ 19045-80
62103580160308	0	TT7K12	01331-160308	11851,75	56,41	4,27	ГОСТ 19045-80
62103580220412	0	TT7K12	01311-220412	9464,6	104,3	11,17	ГОСТ 19045-80
62103590160408	0	TT7K12	01114-160408	8787,68	54,92	6,36	ГОСТ 19046-80
62103590220408	0	TT7K12	01114-220408	8613,04	94,92	11,2	ГОСТ 19046-80
62103590220412	0	TT7K12	01114-220412	8613,04	94,92	11,08	ГОСТ 19046-80
62103600220404	0	TT7K12	01124-220404	9464,6	104,3	11,27	ГОСТ 19046-80
62103620080408	0	TT7K12	02114-080408	8693,99	74,86	8,91	ГОСТ 19048-80
62103620100408	0	TT7K12	02114-100408	8548,58	113,27	13,42	ГОСТ 19048-80
62103620100608	0	TT7K12	02114-100608	8437,33	151,53	18,2	ГОСТ 19048-80
62103620120612	0	TT7K12	02114-120612	8310,8	209,85	25,59	ГОСТ 19048-80
62103630120408	0	TT7K12	03111-120408	8232,75	82,00	10,09	ГОСТ 19049-80
62103640120312	0	TT7K12	03131-120312	11661,51	77,32	6,72	ГОСТ 19049-80
62103640190412	0	TT7K12	03131-190412	11152,6	248,81	22,69	ГОСТ 19049-80
62103650090304	0	TT7K12	03311-090304	10410,54	34,04	3,34	ГОСТ 19050-80
62103650150412	0	TT7K12	03311-150412	9357,1	128,94	13,96	ГОСТ 19050-80
62103670150412	0	TT7K12	03113-150412	8105,32	124,82	13,82	ГОСТ 19051-80
62103700090304	0	TT7K12	03114-090304	8940,88	27,98	3,24	ГОСТ 19052-80
62103700120408	0	TT7K12	03114-120408	8708,02	71,67	8,34	ГОСТ 19052-80
62103700150412	0	TT7K12	03114-150412	8560,88	109,58	12,97	ГОСТ 19052-80
62103700150416	0	TT7K12	03114-150416	8560,88	109,58	12,97	ГОСТ 19052-80
62103700190612	0	TT7K12	03114-190612	8321,3	204,2	25,37	ГОСТ 19052-80
62103700250716	0	TT7K12	03114-250716	8361,08	470,48	58,51	ГОСТ 19052-80
62103710150412	0	TT7K12	03124-150412	9393,2	120,23	12,97	ГОСТ 19052-80
62103710190612	0	TT7K12	03124-190612	9449,11	231,88	24,87	ГОСТ 19052-80
62103720001203	0	TT7K12	SPKN 1203 EDR 03371-1	11656,79	77,87	6,00	ГОСТ 27302-87
62103720002204	0	TT7K12	TPKN 2204 PPN 01371-2	11200,86	141,02	11,3	ГОСТ 27302-87
62103780190616	0	TT7K12	05123-190616	8307,61	211,59	25,9	ГОСТ 19057-80
62103810120408	0	TT7K12	05114-120408	8707,27	71,83	8,36	ГОСТ 19059-80
62103810120412	0	TT7K12	05114-120412	9102,46	84,02	8,6	ГОСТ 19059-80
62103810190612	0	TT7K12	05114-190612	8321,45	204,13	25,49	ГОСТ 19059-80
62103810190616	0	TT7K12	05114-190616	8276,96	229,27	24,5	ГОСТ 19059-80
62103820120408	0	TT7K12	05124-120408	9593,62	79,15	8,36	ГОСТ 19059-80
62103820190612	0	TT7K12	05124-190612	9449,11	231,88	24,87	ГОСТ 19059-80
62103820190616	0	TT7K12	05124-190616	8637,01	239,25	24,5	ГОСТ 19059-80
62103900110408	0	TT7K12	10153-110408	11707,13	142,59	12,34	ГОСТ 19064-80
62103910110408	0	TT7K12	10114-110408	8602,01	97,89	11,5	ГОСТ 19065-80
62103910110416	0	TT7K12	10114-110416	8602,01	97,89	11,7	ГОСТ 19065-80
62103910130612	0	TT7K12	10114-130612	8462,3	142,08	22,16	ГОСТ 19065-80
62103920110408	0	TT7K12	10124-110408	9890,22	112,55	11,53	ГОСТ 19065-80
62103960110412	0	TT7K12	11114-110412	8494,6	130,65	15,68	ГОСТ 19068-80
62104030150400	0	TT7K12	12113-150400	8223,18	84,78	10,4	ГОСТ 19070-80
62104650003101	0	TT7K12	2008-3101	12867,62	143,47	10,00	ТУ 48-19-307-87
62104650003111	0	TT7K12	2008-3111	11833,82	131,95	10,00	ТУ 48-19-307-87
62120200190616	0	TT7K12	3-03114-190616	7564,14	187,59	25,07	ОУ 48-93-81

62120310190612	0	ТТ7К12	3-05124-190612		8027,68	203,1	25,16	ОСТ 48-93-81
62127120006001	0	ТТ7К12	P010012 (ПР60-1)		6500,18	2,86	0,44	ТУ 48-19-124-91
62127120006002	0	ТТ7К12	P010013 (ПР60-2)		6470,49	3,82	0,62	ТУ 48-19-124-91
62127130004902	0	ТТ7К12	M020002 (ПР49-2)		8518,4	359,48	42,2	ТУ 48-19-124-91
62127130006010	0	ТТ7К12	P020044 (ПР60-10)		6209,03	80,84	13,1	ТУ 48-19-124-91
62127130105300	0	ТТ7К12	P020014 (ПР53-A)		5772,79	537,04	90,00	ТУ 48-19-124-91
62130000000151	0	ТТ7К12		1151	6043,21	117,24	19,5	ГОСТ 25395-90
62130000000271	0	ТТ7К12		1271	6218,95	1151,25	187,00	ГОСТ 25395-90
62130000000351	0	ТТ7К12		1351	6657,26	18,24	2,76	ГОСТ 25395-90
62130000000391	0	ТТ7К12		1391	6137,19	68,31	11,2	ГОСТ 25395-90
62130000000411	0	ТТ7К12		1411	6341,76	239,91	37,5	ГОСТ 25395-90
62130000000412	0	ТТ7К12		1412	6351,39	225,86	35,99	ГОСТ 25395-90
62130000000431	0	ТТ7К12		1431	6274,36	424,4	68,00	ГОСТ 25395-90
62130000000451	0	ТТ7К12		1451	6234,89	771,32	125,00	ГОСТ 25395-90
62130000000471	0	ТТ7К12		1471	6216,12	1261,38	204,00	ГОСТ 25395-90
62130000000491	0	ТТ7К12		1491	6257,75	523,52	83,5	ГОСТ 25395-90
62132010000412	0	ТТ7К12	P020047(1011-0412)		5719,65	1192,55	208,5	ГОСТ 19106-73
62140120020100	0	ТТ7К12	M010002 (ПР201)		8050,26	551,04	66,00	ТУ 48-19-165-84
62203520220412	0	MC 221	TNGN-220412(01131-220		0,00	0,00	12,9	ГОСТ 19043-80
62203520270608	0	MC 221	TNUN-270608(01111-270		0,00	0,00	27,00	ГОСТ 19043-80
62207080003010	0	MC 221	RPUX-3010MO24		8561,39	693,47	81,00	ТУ 48-4206-558-96
62400100000330	0	ТТ20К9		7330	0,00	0,00	27,19	ГОСТ 25426-90
62401620000051	0	ТТ20К9		13051	0,00	0,00	1,96	ГОСТ 17163-90
62403520270608	0	ТТ20К9	TNUN-270608(01111-270		0,00	0,00	25,7	ГОСТ 19043-80
62403580160300	0	ТТ20К9	01331-160300		19120,11	75,91	4,06	ГОСТ 19045-80
62403580160304	0	ТТ20К9	01331-160304		19120,11	75,91	4,1	ГОСТ 19045-80
62403580160312	0	ТТ20К9	01331-160312		19120,11	75,91	4,04	ГОСТ 19045-80
62403590220412	0	ТТ20К9	01114-220412		13670,67	140,4	11,34	ГОСТ 19046-80
62403620100408	0	ТТ20К9	02114-100408		13566,7	167,41	12,5	ГОСТ 19048-80
62403640120308	0	ТТ20К9	03131-120308		18730,5	115,75	6,28	ГОСТ 19049-80
62403650120308	0	ТТ20К9	SPGN 120308 (03331-120		0,00	0,00	5,66	ГОСТ 19050-80
62403660090308	0	ТТ20К9	03331-090308		19304,32	58,88	3,15	ГОСТ 19050-80
62403660120308	0	ТТ20К9	03331-120308		13224,73	76,7	5,8	ГОСТ 19050-80
62403660190400	0	ТТ20К9	03331-190400		17350,18	327,57	19,21	ГОСТ 19050-80
62403700120408	0	ТТ20К9	03114-120408		13823,3	106,02	7,77	ГОСТ 19052-80
62403890110408	0	ТТ20К9	10123-110408		15013,69	170,26	11,76	ГОСТ 19064-80
62403890130612	0	ТТ20К9	10123-130612		14489,8	310,81	21,79	ГОСТ 19064-80
62403910110408	0	ТТ20К9	10114-110408		13653,16	144,72	11,00	ГОСТ 19065-80
62403990150400	0	ТТ20К9	12133-150400		16463,81	190,98	9,84	ГОСТ 19070-80
62404490000012	0	ТТ20К9	2008-0012		26267,96	317,84	12,1	ТУ 48-19-307-87
62404490000112	0	ТТ20К9	2008-0112		28810,75	302,51	10,5	ТУ 48-19-307-87
62404650001106	0	ТТ20К9	2008-1106		28400,11	164,72	5,8	ТУ 48-19-307-87
62404650001108	0	ТТ20К9	2008-1108		30717,97	174,17	5,67	ТУ 48-19-307-87
62404650006097	0	ТТ20К9	2008-6097		0,00	0,00	20,00	ТУ 48-19-307-87
62404650006098	0	ТТ20К9	2008-6098		0,00	0,00	31,00	ТУ 48-19-307-87
62404650006213	0	ТТ20К9	2008-6213		0,00	0,00	20,00	ТУ 48-19-307-87
62405150003122	0	ТТ20К9	2008-3122		35619,76	195,91	5,5	ТУ 48-19-307-87
62405150003123	0	ТТ20К9	2008-3123		35619,76	195,91	5,5	ТУ 48-19-63-87
62405150003134	0	ТТ20К9	2008-3134		28731,66	402,24	14,00	ТУ 48-19-307-87
62420040220608	0	ТТ20К9	3-01131-220608		0,00	0,00	16,3	ОСТ 48-93-81
62420410110408	0	ТТ20К9	3-10114-110408		12166,84	131,77	11,04	ОСТ 48-93-81
62422340000014	0	ТТ20К9	2008-0014		16396,02	205,44	12,1	ТУ 48-4206-95-83
62422340000057	0	ТТ20К9	2008-0057		15410,49	87,99	6,75	ТУ 48-4206-95-83
62422340001009	0	ТТ20К9	2008-1009		16637,72	160,55	9,3	ТУ 48-4206-95-83
62422340001012	0	ТТ20К9	2008-1012		16031,13	290,48	21,38	ТУ 48-4206-95-83
62422340001023	0	ТТ20К9	2008-1023		16202,72	247,42	14,72	ТУ 48-4206-95-83
62422340001118	0	ТТ20К9	2008-1118		16767,95	139,17	8,00	ТУ 48-4206-95-83
62422340100924	0	ТТ20К9	2008-1009-24		17652,85	136,63	9,25	ТУ 48-4206-95-83
62422350003001	0	ТТ20К9	2008-3001		18139,71	194,46	10,33	ТУ 48-4206-95-83
62422350003002	0	ТТ20К9	2008-3002		18383,45	159,02	10,33	ТУ 48-4206-95-83
62422350003012	0	ТТ20К9	2008-3012		19105,98	74,13	3,75	ТУ 48-4206-95-83
62422350003111	0	ТТ20К9	2008-3111		19144,29	179,00	9,00	ТУ 48-4206-95-83
62422350003113	0	ТТ20К9	2008-3113		18649,95	252,71	14,25	ТУ 48-4206-95-83
62422350003121	0	ТТ20К9	2008-3121		18941,62	91,3	5,75	ТУ 48-4206-95-83
62422350003131	0	ТТ20К9	2008-3131		18790,82	108,05	5,54	ТУ 48-4206-95-83
62422350003132	0	ТТ20К9	2008-3132		18789,26	108,23	5,5	ТУ 48-4206-95-83
62422350003133	0	ТТ20К9	2008-3133		17836,84	245,26	13,25	ТУ 48-4206-95-83
62422353111223	0	ТТ20К9	2008-3111-2-23		19346,54	153,22	9,5	ТУ 48-4206-95-83
62440110000500	0	ТТ20К9	3010002 (ПР5)		7871,44	158,53	16,84	ТУ 48-19-140-79
62440120000300	0	ТТ20К9	M020003 (ПР3)		13831,97	311,22	22,5	ТУ 48-19-140-79
62440180000200	0	ТТ20К9	M080001 (ПР2)		13831,97	311,22	32,00	ТУ 48-19-140-79
62507080001212	0	ВПт-122	RNGX-1212MO13		6710,29	109,98	12,8	ТУ 48-4206-558-96
62507080001919	0	ВПт-122	LNMX-1919 4021		6147,48	271,53	34,5	ТУ 48-4206-558-96
62507080002015	0	ВПт-122	BNUX-2015 4023		5700,68	291,99	40,00	ТУ 48-4206-558-96
62507080301940	0	ВПт-122	LNMX-301940 SN-03		5981,16	539,92	70,5	ТУ 48-4206-558-96
62599990000161	0	RCS-21		10161	12228,5	248,85	20,35	ТЕХНИЧЕСКИЕ ТРЕБОВАН
62599990000210	0	RCS-21		24210	12784,34	86,55	6,77	ТЕХНИЧЕСКИЕ ТРЕБОВАН

6259990000271	0	RCS-21	2271	12205,13	285,6	23,4	ТЕХНИЧЕСКИЕ ТРЕБОВАН
62603520270608	0	MC 146	TNUN-270608(01111-270	0,00	0,00	28,6	ГОСТ 19043-80
62603521220412	0	MC 146	TNGN-220412(01131-220	0,00	0,00	13,65	ГОСТ 19043-80
62603650250620	0	MC 146	03311-250620	0,00	0,00	48,5	ГОСТ 19050-80
62604650003001	0	MC 146	2008-3001	0,00	0,00	11,24	ТУ 48-19-307-87
62604650003012	0	MC 146	2008-3012	0,00	0,00	4,28	ТУ 48-19-307-87
62604650003121	0	MC 146	2008-3121	0,00	0,00	6,16	ТУ 48-19-307-87
62604650003123	0	MC 146	2008-3123	0,00	0,00	13,7	ТУ 48-19-307-87
62604650003131	0	MC 146	2008-3131	0,00	0,00	6,00	ТУ 48-19-307-87
62604650003133	0	MC 146	2008-3133	0,00	0,00	14,24	ТУ 48-19-307-87
69103520110304	0	ВП1255	01111-110304	9946,53	21,29	2,25	ГОСТ 19043-80
69103520160304	0	ВП1255	01111-160304	9804,7	47,36	5,07	ГОСТ 19043-80
69103520160404	0	ВП1255	01111-160404	9701,81	70,14	7,59	ГОСТ 19043-80
69103520160408	0	ВП1255	01111-160408	9701,81	70,14	7,53	ГОСТ 19043-80
69103520160412	0	ВП1255	01111-160412	9701,81	70,14	7,43	ГОСТ 19043-80
69103520160416	0	ВП1255	01111-160416	9701,81	70,14	7,28	ГОСТ 19043-80
69103520220412	0	ВП1255	01111-220412	9517,57	123,06	13,39	ГОСТ 19043-80
69103530160408	0	ВП1255	01131-160408	13540,26	97,9	7,27	ГОСТ 19043-80
69103530160412	0	ВП1255	01131-160412	13540,26	97,9	7,43	ГОСТ 19043-80
69103530220412	0	ВП1255	01131-220412	13042,8	168,64	13,39	ГОСТ 19043-80
69103540160312	0	ВП1255	01113-160312	9827,71	42,75	4,29	ГОСТ 19044-80
69103540160404	0	ВП1255	01113-160404	9729,9	63,54	6,6	ГОСТ 19044-80
69103540160412	0	ВП1255	01113-160412	9729,9	63,54	6,54	ГОСТ 19044-80
69103540220416	0	ВП1255	01113-220416	9554,61	110,83	11,31	ГОСТ 19044-80
69103540270612	0	ВП1255	01113-270612	9717,89	233,13	24,28	ГОСТ 19044-80
69103540270616	0	ВП1255	01113-270616	9717,89	233,13	23,95	ГОСТ 19044-80
69103550160312	0	ВП1255	01123-160312	11462,46	49,86	4,28	ГОСТ 19044-80
69103550160408	0	ВП1255	01123-160408	11301,77	73,8	6,54	ГОСТ 19044-80
69103550220408	0	ВП1255	01123-220408	11013,8	127,76	11,68	ГОСТ 19044-80
69103550220412	0	ВП1255	01123-220412	11013,8	127,76	11,49	ГОСТ 19044-80
69103550220416	0	ВП1255	01123-220416	11013,8	127,76	11,39	ГОСТ 19044-80
69103550270612	0	ВП1255	01123-270612	10589,38	254,04	24,28	ГОСТ 19044-80
69103570110304	0	ВП1255	01311-110304	11685,2	21,73	1,84	ГОСТ 19045-80
69103570110308	0	ВП1255	01311-110308	11694,21	20,7	1,83	ГОСТ 19045-80
69103570160304	0	ВП1255	01311-160304	11468,9	48,97	4,48	ГОСТ 19045-80
69103570160308	0	ВП1255	01311-160308	11468,9	48,97	4,48	ГОСТ 19045-80
69103570160312	0	ВП1255	01311-160312	11468,9	48,97	4,21	ГОСТ 19045-80
69103570220412	0	ВП1255	01311-220412	11039,99	122,1	11,59	ГОСТ 19045-80
69103570270616	0	ВП1255	01311-270616	11072,59	252,9	23,92	ГОСТ 19045-80
69103580110304	0	ВП1255	01331-110304	14261,07	25,24	1,84	ГОСТ 19045-80
69103580110308	0	ВП1255	01331-110308	14261,07	25,24	1,83	ГОСТ 19045-80
69103580160304	0	ВП1255	01331-160304	13890,78	59,31	4,48	ГОСТ 19045-80
69103580160408	0	ВП1255	01331-160408	13683,19	81,28	6,21	ГОСТ 19045-80
69103580220408	0	ВП1255	01331-220408	13185,88	145,84	11,65	ГОСТ 19045-80
69103580220412	0	ВП1255	01331-220412	13185,88	145,84	11,59	ГОСТ 19045-80
69103590160304	0	ВП1255	01114-160304	10370,44	42,52	4,33	ГОСТ 19046-80
69103590160308	0	ВП1255	01114-160308	10370,44	42,52	4,48	ГОСТ 19046-80
69103590160312	0	ВП1255	01114-160312	10370,44	42,52	4,22	ГОСТ 19046-80
69103590160404	0	ВП1255	01114-160404	10370,44	42,52	6,6	ГОСТ 19046-80
69103590160408	0	ВП1255	01114-160408	10370,44	42,52	6,55	ГОСТ 19046-80
69103590160412	0	ВП1255	01114-160412	10251,22	64,28	6,53	ГОСТ 19046-80
69103590220404	0	ВП1255	01114-220404	10047,04	111,12	11,59	ГОСТ 19046-80
69103590220408	0	ВП1255	01114-220408	10047,04	111,12	11,59	ГОСТ 19046-80
69103590220412	0	ВП1255	01114-220412	10047,04	111,12	11,5	ГОСТ 19046-80
69103590220416	0	ВП1255	01114-220416	10047,04	111,12	11,31	ГОСТ 19046-80
69103590270612	0	ВП1255	01114-270612	9734,22	224,86	24,19	ГОСТ 19046-80
69103590270616	0	ВП1255	01114-270616	9734,22	224,86	23,92	ГОСТ 19046-80
69103600160308	0	ВП1255	01124-160308	11482,74	47,08	4,48	ГОСТ 19046-80
69103600160312	0	ВП1255	01124-160312	11482,74	47,08	4,22	ГОСТ 19046-80
69103600160404	0	ВП1255	01124-160404	11319,53	70,97	6,6	ГОСТ 19046-80
69103600160408	0	ВП1255	01124-160408	11319,53	70,97	6,55	ГОСТ 19046-80
69103600160412	0	ВП1255	01124-160412	11319,53	70,97	6,53	ГОСТ 19046-80
69103600220404	0	ВП1255	01124-220404	11039,99	122,1	11,59	ГОСТ 19046-80
69103600220408	0	ВП1255	01124-220408	11039,99	122,1	11,59	ГОСТ 19046-80
69103600220412	0	ВП1255	01124-220412	11039,99	122,1	11,5	ГОСТ 19046-80
69103600220416	0	ВП1255	01124-220416	11039,99	122,1	11,31	ГОСТ 19046-80
69103600270612	0	ВП1255	01124-270612	10611,73	245,13	24,1	ГОСТ 19046-80
69103620060304	0	ВП1255	02114-060304	10422,56	33,98	3,41	ГОСТ 19048-80
69103620060308	0	ВП1255	02114-060308	10422,56	33,98	3,4	ГОСТ 19048-80
69103620060404	0	ВП1255	02114-060404	10316,81	51,89	5,24	ГОСТ 19048-80
69103620080404	0	ВП1255	02114-080404	10142,08	87,53	9,03	ГОСТ 19048-80
69103620080408	0	ВП1255	02114-080408	10142,08	87,53	9,01	ГОСТ 19048-80
69103620100408	0	ВП1255	02114-100408	9972,03	132,53	13,85	ГОСТ 19048-80
69103620100412	0	ВП1255	02114-100412	9972,03	132,53	13,85	ГОСТ 19048-80
69103620100608	0	ВП1255	02114-100608	9842,04	177,35	18,79	ГОСТ 19048-80
69103620100612	0	ВП1255	02114-100612	9842,04	177,35	18,69	ГОСТ 19048-80
69103620120612	0	ВП1255	02114-120612	9694,52	245,56	26,41	ГОСТ 19048-80

69103630090304	0	ВП1255	03111-090304	9857,27	37,06	3,91	ГОСТ 19049-80
69103630090308	0	ВП1255	03111-090308	9857,27	37,06	3,89	ГОСТ 19049-80
69103630120312	0	ВП1255	03111-120312	9724,98	64,67	6,76	ГОСТ 19049-80
69103630120316	0	ВП1255	03111-120316	9724,98	64,67	6,87	ГОСТ 19049-80
69103630120408	0	ВП1255	03111-120408	9603,85	95,94	10,41	ГОСТ 19049-80
69103630120412	0	ВП1255	03111-120412	9603,85	95,94	10,32	ГОСТ 19049-80
69103630120424	0	ВП1255	03111-120424	9603,85	95,94	10,23	ГОСТ 19049-80
69103630150412	0	ВП1255	03111-150412	9453,39	146,72	16,18	ГОСТ 19049-80
69103630150416	0	ВП1255	03111-150416	9453,39	146,72	16,18	ГОСТ 19049-80
69103630190412	0	ВП1255	03111-190412	9321,14	208,7	23,34	ГОСТ 19049-80
69103630190416	0	ВП1255	03111-190416	9321,14	208,7	23,34	ГОСТ 19049-80
69103640120412	0	ВП1255	03131-120412	13275,77	132,62	10,32	ГОСТ 19049-80
69103640190412	0	ВП1255	03131-190412	13007,41	291,24	23,34	ГОСТ 19049-80
69103650090304	0	ВП1255	03311-090304	12144,55	39,83	3,43	ГОСТ 19050-80
69103650090308	0	ВП1255	03311-090308	12144,55	39,83	3,43	ГОСТ 19050-80
69103650120304	0	ВП1255	03311-120304	11335,54	68,47	6,3	ГОСТ 19050-80
69103650120308	0	ВП1255	03311-120308	11335,54	68,47	6,3	ГОСТ 19050-80
69103650120312	0	ВП1255	03311-120312	11335,54	68,47	6,27	ГОСТ 19050-80
69103650150408	0	ВП1255	03311-150408	10914,47	150,95	14,41	ГОСТ 19050-80
69103650150412	0	ВП1255	03311-150412	10914,47	150,95	14,41	ГОСТ 19050-80
69103650150416	0	ВП1255	03311-150416	10914,47	150,95	14,41	ГОСТ 19050-80
69103650190408	0	ВП1255	03311-190408	11151,66	226,82	21,2	ГОСТ 19050-80
69103650190412	0	ВП1255	03311-190412	11151,66	226,82	21,2	ГОСТ 19050-80
69103650250616	0	ВП1255	03311-250616	10598,41	510,63	48,5	ГОСТ 19050-80
69103660090300	0	ВП1255	03331-090300	14027,9	46,01	3,31	ГОСТ 19050-80
69103660090304	0	ВП1255	03331-090304	14027,9	46,01	3,31	ГОСТ 19050-80
69103660090308	0	ВП1255	03331-090308	14027,9	46,01	3,3	ГОСТ 19050-80
69103660120300	0	ВП1255	03331-120300	13671,6	82,58	6,3	ГОСТ 19050-80
69103660120308	0	ВП1255	03331-120308	13671,6	82,58	6,07	ГОСТ 19050-80
69103660120312	0	ВП1255	03331-120312	13671,6	82,58	6,05	ГОСТ 19050-80
69103660120408	0	ВП1255	03331-120408	13363,92	120,41	9,05	ГОСТ 19050-80
69103660190408	0	ВП1255	03331-190408	12606,26	256,41	20,5	ГОСТ 19050-80
69103660190412	0	ВП1255	03331-190412	12606,26	256,41	20,5	ГОСТ 19050-80
69103670120408	0	ВП1255	03113-120408	9648,35	83,65	9,03	ГОСТ 19051-80
69103670120412	0	ВП1255	03113-120412	9648,35	83,65	8,99	ГОСТ 19051-80
69103670150412	0	ВП1255	03113-150412	9501,04	128,83	14,13	ГОСТ 19051-80
69103670150416	0	ВП1255	03113-150416	9501,04	128,83	14,13	ГОСТ 19051-80
69103670190612	0	ВП1255	03113-190612	9274,26	236,59	26,97	ГОСТ 19051-80
69103670190616	0	ВП1255	03113-190616	9274,26	236,59	26,87	ГОСТ 19051-80
69103700090304	0	ВП1255	03114-090304	10430,31	32,75	3,27	ГОСТ 19052-80
69103700090308	0	ВП1255	03114-090308	10430,31	32,75	3,27	ГОСТ 19052-80
69103700120404	0	ВП1255	03114-120404	10157,99	83,91	8,61	ГОСТ 19052-80
69103700120408	0	ВП1255	03114-120408	10157,99	83,91	8,61	ГОСТ 19052-80
69103700120412	0	ВП1255	03114-120412	10157,99	83,91	8,6	ГОСТ 19052-80
69103700150412	0	ВП1255	03114-150412	9986,34	128,22	13,39	ГОСТ 19052-80
69103700150416	0	ВП1255	03114-150416	9986,34	128,22	13,39	ГОСТ 19052-80
69103700190612	0	ВП1255	03114-190612	9706,73	238,98	25,66	ГОСТ 19052-80
69103700190616	0	ВП1255	03114-190616	9706,73	238,98	25,57	ГОСТ 19052-80
69103700250716	0	ВП1255	03114-250716	9753,2	550,67	59,05	ГОСТ 19052-80
69103700250724	0	ВП1255	03114-250724	9753,2	550,67	58,89	ГОСТ 19052-80
69103710090308	0	ВП1255	03124-090308	11564,71	36,31	3,27	ГОСТ 19052-80
69103710120404	0	ВП1255	03124-120404	11191,89	92,45	8,61	ГОСТ 19052-80
69103710120408	0	ВП1255	03124-120408	11191,89	92,45	8,61	ГОСТ 19052-80
69103710120412	0	ВП1255	03124-120412	11191,89	92,45	8,6	ГОСТ 19052-80
69103710150412	0	ВП1255	03124-150412	10956,9	140,69	13,39	ГОСТ 19052-80
69103710150416	0	ВП1255	03124-150416	10956,9	140,69	13,39	ГОСТ 19052-80
69103710190612	0	ВП1255	03124-190612	11021,69	271,35	25,66	ГОСТ 19052-80
69103710190616	0	ВП1255	03124-190616	11021,69	271,35	25,57	ГОСТ 19052-80
69103710190624	0	ВП1255	03124-190624	11021,69	271,35	25,29	ГОСТ 19052-80
69103770160412	0	ВП1255	05113-160412	9504,66	127,55	13,56	ГОСТ 19057-80
69103780160412	0	ВП1255	05123-160412	10931,73	146,7	13,54	ГОСТ 19057-80
69103810090304	0	ВП1255	05114-090304	10432,26	32,44	3,26	ГОСТ 19059-80
69103810090308	0	ВП1255	05114-090308	10432,26	32,44	3,24	ГОСТ 19059-80
69103810120404	0	ВП1255	05114-120404	10157,12	84,1	8,65	ГОСТ 19059-80
69103810120408	0	ВП1255	05114-120408	10157,12	84,1	8,63	ГОСТ 19059-80
69103810120412	0	ВП1255	05114-120412	10157,12	84,1	8,6	ГОСТ 19059-80
69103810160412	0	ВП1255	05114-160412	9983,45	129,09	13,48	ГОСТ 19059-80
69103810160416	0	ВП1255	05114-160416	9983,45	129,09	13,48	ГОСТ 19059-80
69103810190608	0	ВП1255	05114-190608	9706,73	238,98	25,76	ГОСТ 19059-80
69103810190612	0	ВП1255	05114-190612	9706,73	238,98	25,66	ГОСТ 19059-80
69103810190616	0	ВП1255	05114-190616	9706,73	238,98	25,57	ГОСТ 19059-80
69103810190624	0	ВП1255	05114-190624	9706,73	238,98	25,39	ГОСТ 19059-80
69103820090304	0	ВП1255	05124-090304	11567,38	35,97	3,26	ГОСТ 19059-80
69103820120404	0	ВП1255	05124-120404	11190,7	92,66	8,65	ГОСТ 19059-80
69103820120408	0	ВП1255	05124-120408	11190,7	92,66	8,63	ГОСТ 19059-80
69103820120412	0	ВП1255	05124-120412	11190,7	92,66	8,6	ГОСТ 19059-80
69103820160412	0	ВП1255	05124-160412	10952,93	141,62	13,48	ГОСТ 19059-80

69103820190612	0	ВП1255	05124-190612	11021,69	271,35	25,66	ГОСТ 19059-80
69103851906102	0	ВП1255	08116-190610-136	12439,45	173,16	14,2	ГОСТ 19062-80
69103860090408	0	ВП1255	10111-090408	9633,41	87,66	9,48	ГОСТ 19063-80
69103860090412	0	ВП1255	10111-090412	9633,41	87,66	9,39	ГОСТ 19063-80
69103880110408	0	ВП1255	10113-110408	9536,96	116,54	12,6	ГОСТ 19064-80
69103880130612	0	ВП1255	10113-130612	9309,88	215,06	24,08	ГОСТ 19064-80
69103880160612	0	ВП1255	10113-160612	9186,02	301,58	34,22	ГОСТ 19064-80
69103890130612	0	ВП1255	10123-130612	10611,73	245,13	24,08	ГОСТ 19064-80
69103900110408	0	ВП1255	10153-110408	13654,88	166,86	12,6	ГОСТ 19064-80
69103900110416	0	ВП1255	10153-110416	13654,88	166,86	12,64	ГОСТ 19064-80
69103900130412	0	ВП1255	10153-130412	13287,33	229,87	18,4	ГОСТ 19064-80
69103900130420	0	ВП1255	10153-130420	13287,33	229,87	17,94	ГОСТ 19064-80
69103900130612	0	ВП1255	10153-130612	12973,62	299,69	24,08	ГОСТ 19064-80
69103900130620	0	ВП1255	10153-130620	12973,62	299,69	24,07	ГОСТ 19064-80
69103910110408	0	ВП1255	10114-110408	10034,21	114,59	11,9	ГОСТ 19065-80
69103910110416	0	ВП1255	10114-110416	10034,21	114,59	11,9	ГОСТ 19065-80
69103910130412	0	ВП1255	10114-130412	9889,37	159,71	16,83	ГОСТ 19065-80
69103910130420	0	ВП1255	10114-130420	9889,37	159,71	16,82	ГОСТ 19065-80
69103910130612	0	ВП1255	10114-130612	9756,54	214,06	22,87	ГОСТ 19065-80
69103910130620	0	ВП1255	10114-130620	9756,54	214,06	22,86	ГОСТ 19065-80
69103910160612	0	ВП1255	10114-160612	9608,68	298,25	32,36	ГОСТ 19065-80
69103920110408	0	ВП1255	10124-110408	10521,73	120,16	11,9	ГОСТ 19065-80
69103920110416	0	ВП1255	10124-110416	11536,31	131,74	11,9	ГОСТ 19065-80
69103920130412	0	ВП1255	10124-130412	11308,7	182,64	16,83	ГОСТ 19065-80
69104101704102	0	ВП1255	08116-170410-236	12798,63	113,78	9,54	ГОСТ 19062-80
69104710120408	0	ВП1255	031.4-120408	11191,89	92,45	8,61	ГОСТ 19052-80